

Siemens complete terminal block offering is found in the [2013 Terminal Block Supplemental Catalog](#), Order No. PDCA-TERMB-1013

In this section you will find the Table of Contents for the 2013 Terminal Block Supplemental and information not found in the supplemental catalog.

A PDF version of the catalog can be downloaded from the Siemens' Internet Site at: [www.usa.siemens.com/terminalblocksupplement](http://www.usa.siemens.com/terminalblocksupplement)

## Contents

## Pages

### Section 1

#### 8WH and 8WA Terminal Blocks

General data . . . . .	1/2
Support rails/protective conductor busbars . . . . .	1/3

#### 8WH Terminal Blocks

8WH order selection . . . . .	1/4
-------------------------------	-----

### Section 2

#### 8WH6 iPo Plug-In Terminals

Introduction . . . . .	2/2
General data . . . . .	2/3
8WH6 through-type terminals . . . . .	2/4
8WH6 fuse terminals . . . . .	2/8
8WH6 isolating blade terminals . . . . .	2/9
8WH6 isolating terminals . . . . .	2/11
8WH6 two-tier terminals . . . . .	2/13

## Contents

## Pages

### Section 3

#### 8WH6 iPo Installation Terminals

Introduction . . . . .	3/2
8WH through-type terminals . . . . .	3/4
8WH through-type screw terminals . . . . .	3/6
8WH N-conductor isolating terminals . . . . .	3/8
8WH N-conductor isolating screw terminals . . . . .	3/10
8WH installation terminals . . . . .	3/12

### Section 4

#### 8WH2 Spring-Loaded Terminals

Introduction . . . . .	4/2
General data on 8WH . . . . .	4/3
8WH through-type terminals . . . . .	4/7
8WH hybrid through-type terminals . . . . .	4/18
8WH fuse terminals . . . . .	4/21
8WH isolating blade terminals . . . . .	4/23
8WH isolating terminals . . . . .	4/25
8WH two-tier terminals . . . . .	4/27
8WH three-tier terminals . . . . .	4/33
8WH four-tier motor terminals . . . . .	4/35
8WH diode terminals . . . . .	4/37
8WH two-tier diode terminals . . . . .	4/39

# Control Circuit Components

## Terminal Blocks

Contents	Pages
<b>Section 5</b>	
<b>8WH5 Combination Plug-In Terminals</b>	
Introduction . . . . .	5/2
8WH5 through-type terminals . . . . .	5/5
8WH5 hybrid through-type terminals with iPo connection . . . . .	5/7
8WH9 plugs . . . . .	5/8
<b>Section 6</b>	
<b>8WH3 Insulation Displacement Terminals</b>	
Introduction . . . . .	6/2
8WH through-type terminals . . . . .	6/5
8WH two-tier terminals . . . . .	6/9
8WH isolating terminals . . . . .	6/11
<b>Section 7</b>	
<b>8WH1 Screw Terminals</b>	
Introduction . . . . .	7/2
General data on 8WH . . . . .	7/3
8WH through-type terminals . . . . .	7/4
8WH fuse terminals . . . . .	7/8
8WH isolating blade terminals . . . . .	7/10
8WH isolating terminals . . . . .	7/11
8WH two-tier terminals . . . . .	7/12
8WH two-tier terminals with isolating function/isolating blade . . . . .	7/15
8WH diode terminals . . . . .	7/17
8WH two-tier diode terminals . . . . .	7/18
8WH high-current terminals . . . . .	7/20
8WH shield terminals . . . . .	7/24

Contents	Pages
<b>Section 8</b>	
<b>Accessories for 8WH Terminal Blocks</b>	
Accessories for labeling system . . . . .	8/2
Standard labeling system . . . . .	8/3
Mounting accessories . . . . .	8/8
<b>Section 9</b>	
<b>8WA1 Screw Terminals</b>	
Introduction . . . . .	9/2
General data on 8WA . . . . .	9/3
8WA through-type terminals . . . . .	9/9
8WA N-conductor isolating and branch terminals . . . . .	9/15
8WA Insta or three-tier terminals . . . . .	9/17
8WA two-tier terminals . . . . .	9/19
8WA two-tier terminals with electronic components . . . . .	9/21
8WA diode and isolating terminals . . . . .	9/23
8WA terminals for components . . . . .	9/24
8WA fuse terminals . . . . .	9/25
8WA through-type terminals with soldered and plug-in connection . . . . .	9/26
8WA measuring transformer terminals . . . . .	9/27
8WA transformer terminals . . . . .	9/32
<b>Section 10</b>	
<b>Accessories for 8WA Terminal Blocks</b>	
Accessories for labeling system . . . . .	10/2
Standard labeling system . . . . .	10/3
Mounting accessories . . . . .	10/5


# Terminal Blocks

## Labeling Plates for Ink Plotter System


8WA1/8WH

### Labeling accessories:

Labeling plates for modular terminals, 1 frame = 68 plates



Equipment identification labels, 1 frame = 20 labels



Description	Inscription area/color W x H mm	Order No.	List Price \$	Price Unit (PU) Labels	Order Multiples Labels
<b>8WA blank labeling plates (plotter inscription)</b>					
<b>Labeling plates</b>					
for 8WA1 and 8WA2 individually detachable	5 x 7, white 5 x 10, white	<b>8WA8 850-2AY</b> <b>8WA8 851-2AY</b>		100	1020
for 8WA1 singly, for 8WA2 together to be used in grid pattern				100	1020
Terminal size 2.5 mm <sup>2</sup>	5 x 10	<b>8WA8 854-2AY</b>		100	1260
for 8WA2 from terminal size 4 mm <sup>2</sup>	6 x 7 6 x 10	<b>8WA8 853-2AY</b> <b>8WA8 855-2AY</b>		100	1080
				100	1080
<b>Equipment identification labels</b>	20 x 9, white	<b>3TX4 210-0R</b>		100	380

Description	Inscription area/color Width mm	Order No.	List Price \$	Price Unit (PU) Labels	Order Multiples Labels
<b>8WA blank labeling plates (plotter inscription)</b>					
<b>Labeling plates</b>					
<b>Front (Top)</b>					
Individually detachable	4.2	<b>8WH8 112-1AA05</b>		100	1024
	5.2 and 6.2	<b>8WH8 112-2AA05</b>		100	1400
	8.2, 10 and 15	<b>8WH8 112-4AA05</b>		100	1000
<b>Flat (Side)</b>					
Individually detachable	4.2, 5.2, 6.2, 8.2, and 10	<b>8WH8 113-1AA05</b>		100	2000
	15	<b>8WH8 113-6AA05</b>		100	1080

#### Computer labeling system for individual inscription of:

- Labeling plates for terminal blocks
- Device labeling plates
- Label plates for individual wires

Obtain from:

**Murrplastik Systems, Inc.**  
**North American Operations**  
 2367 North Penn Road, Suite 200  
 Hatfield, PA. 19440  
 Telephone: 877-340-3444  
 Fax: 215-822-7626  
 E-Mail: [cablemgmt@murrplastik.com](mailto:cablemgmt@murrplastik.com)  
 Internet: [www.murrplastik.com](http://www.murrplastik.com)

#### 8WA and 8WH Labeling Plates per Frame

8WA Labeling Plates		8WH Labeling Plates	
Order No.	Labels per Frame	Order No.	Labels per Frame
<b>8WA8 850-2AY, 8WA8 851-2AY<sup>1)</sup></b>	68	<b>8WH8 112-1AA05, 8WH8 112-4AA05</b>	64
<b>8WA8 854-2AY</b>	84	<b>8WH8 112-2AA05</b>	88
<b>8WA8 853-2AY, 8WA8 855-2AY</b>	72	<b>8WH8 113-1AA05</b>	mixed
<b>3TX4 210-0R</b>	20	<b>8WH8 113-6AA05</b>	19

<sup>1)</sup> Not suitable for two-tier terminals (lower tier); push-on terminals:  
 8WA1 010-1PQ00, 8WA1 808, 8WA1011-1DQ10 and 8WA1011-1DS10.

# Terminal Blocks

## Special Label Instructions

### 8WA1/8WA2

#### Description

8WA8848... 8WA8847... labels are used when special label inscriptions are required. **See page 12/5 for Special Label Order Form.**


#### Ordering information

- Select catalog number required for your order.
- Type legibly the catalog no. and quantity in the area provided. The printed, legible inscription must be exactly how it is to appear on the completed labels.

**NOTE:** If the form selected is being completed by someone other than the end user, please make sure that the end user

reviews the layout before submitting the form to customer service.

- Fax completed forms to:  
Siemens Customer Service  
FAX **800-547-5864**
- **Lead time.** Typical lead time is five (5) working days from the time customer service receives a completed and approved order form.




**Note: Special Labeling Plates are sold in multiples of 100 labels I.E. 100, 200,...., etc. Orders cannot be placed in strips.**


#### Selection data

Label dimensions <sup>1)</sup> mm	Strips per order	Labels per strip	Rows per label	Characters per label	Inscription format	Order No.	List Price \$	Order Multiples Labels
							1 unit	
5 x 7 mm	5	20	2	6	Horizontal	<b>8WA8 848-Z1</b>		100
5 x 7 mm	5	20	3	6	Vertical	<b>8WA8 847-Z1</b>		100

#### Horizontal 8WA8848-Z1



#### Vertical 8WA8847-Z1



Vertical inscription <b>8WA8 847-m m</b>	Inscription as required (100 labels)	<b>Z1 (5 mm / 7 mm)</b>
Horizontal inscription <b>8WA8 848-m m</b>	Inscription as required (100 labels)	<b>Z1 (5 mm / 7 mm)</b>
Without inscription <b>8WA8 848-m m m</b>	2AY (100 labels)	<b>2AY (5 mm / 7 mm)</b>

1) 25.4 mm = 1.00 inch.



Special 8WA884... Label inscriptions  
(Label Size 5 mm x 7 mm - 100 labels)

## Order Form

Account No.	Date
Distributor	
Address	
City, State/Zip Code	
Contact Person	Purchase Order No.
Telephone ( )	Requested Ship Date
FAX ( )	Siemens Order No.

Type or print legibly in areas below exactly how the information is to appear on the 8WA884...Labels

8WA884 <input type="checkbox"/> -Z1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Qty _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Note: Qty 1 = 100 labels with markings per this page only.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Qty 2 = 200 labels with markings per this page I.E. 1,2,3,...,100 (Twice)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

REPRODUCE THIS FORM BEFORE COMPLETING. FAX completed form to: Customer Service at 800-547-5864.

# Terminal Blocks

## Notes



## Contents

## Pages

### 3SE International (IEC) Limit Switches

#### 3SE5 General data

Overview . . . . . 13/4 - 13/9

#### 3SE5 plastic enclosures

3SE5, selection and ordering data, 31 mm width. . . . . 13/10 - 13/14

3SE5, selection and ordering data, 40 mm width. . . . . 13/15 - 13/18

3SE5, selection and ordering data, 50 mm width. . . . . 13/19 - 13/22

3SE5, selection and ordering data,  
ambient temperature to -40 C . . . . . 13/23 - 13/26

#### 3SE5 metal enclosures

3SE5, selection and ordering data, 31 mm width. . . . . 13/27 - 13/30

3SE5, selection and ordering data, 40 mm width. . . . . 13/31 - 13/34

3SE5, selection and ordering data, 56 mm width. . . . . 13/35 - 13/38

3SE5, selection and ordering data, 56 mm width, XL. . . . . 13/39 - 13/41

3SE5, selection and ordering data, ambient  
temperature to -40 C. . . . . 13/42 - 13/44

#### 3SE5 metal enclosures, compact design

3SE5, selection and ordering data. . . . . 13/45 - 13/46

#### 3SE5 open type design

3SE5, selection and ordering data. . . . . 13/47

#### 3SE5 accessories and spare parts

3SE5, selection and ordering data. . . . . 13/48 - 13/50

#### 3SE5 support information

Technical specifications. . . . . 13/51

Configuration - actuation and operating travel . . . . . 13/52 - 13/57

Dimensional drawings. . . . . 13/58 - 13/60

Circuit diagrams. . . . . 13/61

### 3SE03 North American (NEMA) Limit Switches

#### Plug-in and NEMA 6P Submersible

Overview . . . . . 13/62

Technical specifications, modular plug-in and  
NEMA Type 6P submersible . . . . . 13/63

Ordering and selection data:

Modular, plug-in metal housing. . . . . 13/64

NEMA type 6P submersible, prewired cable . . . . . 13/65

NEMA type 6P submersible, prewired receptacle . . . . . 13/66

Modular, Plug-in and NEMA 6P submersible as components. . . . . 13/67

Levers for plug-in and NEMA type 6P submersible . . . . . 13/68 - 13/69

Wiring Diagrams . . . . . 13/70

Dimension Diagrams . . . . . 13/71 - 13/73

#### Metal Enclosure

Ordering and selection data . . . . . 13/74 - 13/75

Specifications . . . . . 13/74 - 13/75

Technical Data. . . . . 13/75

Dimension drawings . . . . . 13/74 - 13/75



Plastic, 31 mm



Plastic, 50 mm



Metal, 40 mm



Metal, 56 mm



3SE5, Open-type



3SE5, Compact Design



3SE03, Modular Plug-in



3SE03, Metal Enclosure

### Contents

### Pages

#### 3SE Mechanical Safety

##### 3SE7 Cable-operated Switches

Overview, technical data and travel diagrams	13/76
Selection and ordering data	13/77 - 13/79
Dimension drawings	13/80

##### 3SE5 interlock switches with separate actuator

Overview	13/81
3SE5, selection and ordering data, plastic	13/82 - 13/83
3SE5, selection and ordering data, metal	13/84 - 13/85
3SE5, selection and ordering data, actuators	13/86
3SE2, selection and ordering data, plastic	13/87
Technical data	13/88
3SE5, operation and operating travel diagrams	13/89
3SE5, dimension drawings	13/90 - 13/91
3SE2, operation and operating travel diagrams	13/92
3SE2, dimension drawings	13/92

##### 3SE5 interlock switches with solenoid locking

General data	13/93 - 13/94
3SE5, selection and ordering data, plastic enclosures	13/95
3SE5, selection and ordering data, metal enclosures	13/96
3SE5, selection and ordering data, actuators	13/97
Technical data	13/98
3SE5, Schematics, operation and operating travel diagrams	13/99
3SE5, dimension drawings	13/100

##### 3SE5 / 3SE2 hinge switches

General data	13/101
3SE5, selection and ordering data, plastic	13/102
3SE5, selection and ordering data, metal	13/103
3SE2, selection and ordering data, plastic with integrated hinge	13/104
3SE5, contact blocks and operating travel diagrams	13/105
3SE5, dimension drawings	13/105
3SE2, technical data	13/106
3SE2, contact blocks and operating travel diagrams	13/106
3SE2, dimension drawings	13/106

##### 3SE6 RFID Non-Contact Safety Switches

General data and system overview	13/107 - 13/108
Technical data	13/109
Selection and ordering data	13/110

##### 3SE6 magnetic monitoring systems

General data	13/111
Selection and ordering data	13/112
Technical data	13/113
Dimension drawings	13/114
Circuit diagrams	13/115

##### 3SB3 Two-hand Control.

3SB3, selection and ordering data	13/116
-----------------------------------	--------



3SE7



Metal, 40 mm



Interlock, Metal, 54 mm



Hinge, Plastic, 31 mm



3SE6 RFID Switch



3SE6, Magnet System



3SB3 Two-Hand Control