

Coimisiún na Scrúduithe Stáit State Examinations Commission

### Junior Certificate Examination, 2012

# Mathematics (Project Maths – Phase 2)

### Paper 1

Friday 8 June Afternoon 2:00 to 4:30 300 marks

Examination number
Centre stamp

	For ea	xaminer	
Question	Mark	Question	Mark
1		11	
2		12	
3		13	
4		14	
5			
6			
7			
8			
9			
10		Total	

Running total

Grade

### Instructions

There are 14 questions on this examination paper. Answer **all** questions.

Questions do not necessarily carry equal marks. To help you manage your time during this examination, a maximum time for each question is suggested. If you remain within these times you should have about 10 minutes left to review your work.

Question 14 carries a total of 50 marks.

Write your answers in the spaces provided in this booklet. There is space for extra work at the back of the booklet. You may also ask the superintendent for more paper. Label any extra work clearly with the question number and part.

The superintendent will give you a copy of the booklet of *Formulae and Tables*. You must return it at the end of the examination. You are not allowed to bring your own copy into the examination.

Marks will be lost if all necessary work is not clearly shown.

Answers should include the appropriate units of measurement, where relevant.

Answers should be given in simplest form, where relevant.

Write the make and model of your calculator(s) here:

#### (Suggested maximum time: 5 minutes)

(a) Give two reasons why -7.3 is not a natural number.

#### Reason 1:

cou	501	L I.															

#### Reason 2:

(b) The diagram represents the sets: Natural Numbers ℕ Integers ℤ Rational Numbers ℚ Real Numbers ℝ



Insert each of the following numbers in the correct place on the diagram:

$$-8, \pi, \frac{1}{3}, 6, \sqrt{2}, -4.5 \text{ and } 7^{-1}.$$

Page	running

#### (Suggested maximum time: 5 minutes)

**(a)** The diagram below shows three fifths of a rectangle. Complete the rectangle on the grid.



By shading appropriate sections of the strips below, show that  $1 \quad 2 \quad 3$ **(b)** 3 9

$$\frac{1}{3} + \frac{1}{6} \neq$$



#### (Suggested maximum time: 10 minutes)

The value of one euro against other currencies on a particular day is shown in the table below.

Currency	Rate (€)
US Dollar	1.4045
Pound Sterling	0.87315
Lithuanian Litas	3.4528
Latvian Lats	0.7093
Polish Zloty	4.0440

(a) Mary was going to America for a few months. She changed €1200 into US Dollars using the exchange rate in the table.

(i) How many dollars should she receive at this exchange rate?





(b) On returning to Ireland Mary had \$3060. She changed this amount into euro. The bank again charged her 3% commission on the transaction. She received €2047. Find the exchange rate on that day, correct to two decimal places

 	 • • • •	110	 10	 011	 · u	<i>aj</i> ,	00	 	U U	 ae	• • • • •	1411	Pin								
																	D	200	1	Dunn	ing

ge Running

(c) David changed a certain amount of sterling into euro at the exchange rate in the table above. A few days later he again changed the same amount of sterling into euro at a different exchange rate. He received fewer euro this time. No commission was charged on these transactions. Write down one possible value for the exchange rate for the second transaction.



#### **Question 4**

#### (Suggested maximum time: 10 minutes)

A soccer team has three strikers John, Paul and Michael. The number of minutes each had played by the end of a particular season is shown on the table. The team divided a bonus of  $\notin$ 150 000 between its strikers in proportion to the time each had played.

Name	Minutes Played
John	2250
Paul	2600
Michael	150

#### (a) Calculate the amount each player received.



(b) At the end of the following season a larger total bonus was paid. At that time, John said: "The bonus should be paid according to the number of goals scored by the striker. Paul scored 50% more goals than Michael. I scored as many as both of them together. I would get €140 000 if the team used this method."


(i) Calculate the total bonus on offer that season.

(ii) How much each would Paul and Michael get under John's system?

Page	Running

#### (Suggested maximum time: 15 minutes)

The USC (Universal Social Charge) is calculated on gross income. The rates of the USC are:

- 2% on the first €10 036 of gross annual income
- 4% on the next €5980
- 7% on the balance.

#### (a) Niamh earned $\notin$ 45 000 in 2011. Find her USC for that year.

The table shows a selection of the tax credits available in Ireland in 2011.

Individual's Tax Credits	Tax Credit 2011
Single Person	€1650
Married or Civil Partner	€3300
Widowed or Surviving Civil Partner	€2190
Home Carer	€810
РАҮЕ	€1650
One Parent Family	€1650

(b) Niamh is a single person who is a PAYE worker. Calculate her total tax credits for 2011.



(c) The standard rate of tax is 20% and the higher rate is 41%. The Standard Rate Cut-off Point for a single person is €32 800. Calculate Niamh's tax bill for 2011.

(d) Calculate Niamh's net pay for the year, after tax and USC are paid.

[																

Page	Running

#### (Suggested maximum time: 15 minutes)

A group of four students is studying graphs of functions of the form  $f: x \mapsto x^2 + 2x + k$ ,  $x \in \mathbb{R}$ . Each takes an integer value of k and draws the graph of their function in a suitable domain. Maria took k = -8 and drew the graph below.



(a) Use the graph to write down the roots of the equation  $x^2 + 2x - 8 = 0$ .


#### (b) Keith's graph passes through the point (3, 2). Find the value of k that Keith used.


(c) On Alice's graph, the two roots of the function are the same. Find the value of *k* that Alice used.

L		 	 		 		 	 					 		 	

(d) Draw a sketch of Alice's function on the diagram shown in part (a).

page	running

## (e) Emma's graph shows that the roots of her function are -5 and 3. Find the value of k that she used.

#### **Question 7**

#### (Suggested maximum time: 20 minutes)

Lisa is on a particular payment plan called "Plan A" for her electricity. She pays a standing charge each month even if no electricity is used. She also pays a rate per unit used. The table shows the cost, including the standing charge, of using different amounts of units, in a month.

$\left( \right)$	
( ~	7)
É	Í

Units Used	Plan A Cost in euro
100	38
200	56
300	74
400	92
500	110
600	128
700	146
800	164

# (a) Use the data in the table to show that the relationship between the number of units used and the cost is linear.

 	 -														



(b) Draw a graph to show the relationship between the number of units used and the cost of electricity.

- (c) Use your graph to estimate the standing charge.
- (d) Write down a different method of finding the standing charge. Find the standing charge using your method.



(e) Write down a formula to represent the relationship between the number of units used and the cost for any given number of units.

 -	 	 	-	 -	 	 	 		 	 	 	 	 -	-		 

 (f) The table above does not include VAT. One month Lisa used 650 units. Her total bill for that month, including VAT, was €155.50. Find the VAT rate on electricity, correct to one decimal place.

									-	-						

(g) Lisa is offered a new plan, "Plan B", where the standing charge is €36 and the rate per unit used is 15.5 cent. Complete the following table for Plan B.

Units Used	Plan B Cost in euro
100	
200	
300	
400	
500	
600	
700	
800	

(h) Which plan do you think Lisa should choose? Give a reason for your answer.

				 		 	 		 	 	 			 		-
	 		 		 	 				 	 	 	 		<u> </u>	

- (i) On your diagram for part (b), draw a graph to show the relationship between the number of units used and the cost of electricity for Plan B. Label this graph "Plan B".
- (j) Use your diagram to find the number of units for which both plans have the same cost.

Page	running

#### (Suggested maximum time: 5 minutes)

#### **Question 8**

A capacitor is a device which stores electricity. The formula  $W = \frac{1}{2}CV^2$  gives the energy stored in the capacitor, where *W* is the energy, *C* is the capacitance and *V* is the voltage, and standard units are used throughout.

(a) Find the amount of energy stored in a capacitor when C = 2500 and V = 32.



(b) Write V in terms of W and C.



#### (Suggested maximum time: 10 minutes)

#### **Ouestion 9**

Consideration is being given to changing the number of points a team gets for a win and also the number of points a team gets for a draw in a soccer league. No points will be awarded for a loss. The table below shows the standing of two teams after six games under the proposed new system.

Team	Played	Won	Drawn	Lost	Points (new system)
Team A	6	2	2	2	12
Team B	6	1	5	0	10

#### Find the number of points which would be awarded for (i) a win and (ii) a draw under this **(a)** proposed system.

**(b)** The current system awards 3 points for a win and 1 point for a draw. Suggest one reason why it might be preferable to change to the system proposed in part (a).



A triangle has a base length of 2x cm and a perpendicular height of (x + 3) cm. The area of the triangle is  $10 \text{ cm}^2$ . Find the distance x.



(Suggested maximum time: 5 minutes)

Factorise fully each of the following expressions:



#### Question 12

#### (Suggested maximum time: 10 minutes)

(a) Solve each of the following equations:



(ii)  $8x^2 - 14x + 3 = 0$ 



(b) Find the roots of the equation  $2x^2 - 7x - 6 = 0$ . Give your answers correct to two decimal places.



#### (Suggested maximum time: 5 minutes)

For real numbers a, b and c, complete the table below. Indicate whether each statement is always true, never true or sometimes true.

Statement	Always true	Never true	Sometimes true
If $a > b$ and $b > c$ , then $a > c$			
If $-a < 4$ and $b < -4$ , then $a < b$			
If $a > b$ , then $-a > -b$			
If $a > b$ and $b < c$ , then $a < c$			
If $3a + 1 > 2$ , then $a > 0$			
If $2b-4 < 3b-8$ , then $b > 4$			
If a and b are both positive and $a < b$ , then $\frac{1}{a} < \frac{1}{b}$			

#### Question 14

#### (Suggested maximum time: 20 minutes)

Let g be the function  $g: x \mapsto 2^{x-3}$ .

(a) Find the value of g(3).

			$\mathbf{U}$													

- (b) Let h be the function  $h: x \mapsto x^2 3x$ .
  - (i) Express h(t) and h(2t+1) in terms of t.

,																									
-																				 	 				 
				<b>.</b>																					
)	He	enc	e, f	ĩnd	l th	e v	alu	es	of	t fo	r w	vhic	ch /	h(t)	=	h	(2 <i>t</i>	+ ]	l).						
)	He	enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2 <i>t</i>	+ ]	l).						
)	He	enc	e, f	ĩnd	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2t	+ ]	l).						
)	He	enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2t	+ ]	l).						
)	He	enc	e, f	ind	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2t	+ ]	l).						
)	He	enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2t	+ ]	l ).						
)	He	enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)		h	(2t	+ ]	l ).						
)		enc	e, f	inc	l th	e v	alu	es	of	t fo	r w	hic	ch /	h(t)	=	h	(2t	+ ]	l).						
)		enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	hic	ch /			h	(2t	+ ]	l).						
)		enc	e, f	ind	l th	e v	alu	es	of	t fo	r w	vhic	ch /	h(t)	=	h	(2t	+ ]	l).						
)		enc	e, f	ind	l th	e v	alu	es	of	t fo	r w	/hic	ch /		=	h	(2t	+ ]	l).				P	2age	Run
)		enc	e, f	ĩnc	l th	e v	alu	es	of	t fo	r w	vhic	ch /			h	(2t	+ ]	l).						Run

(c) The diagram shows part of the graph of the function  $f: x \mapsto x^2 - 2x - 8$ ,  $x \in \mathbb{R}$ .



The graph intersects the *x*-axis at *A* and *B*, and the *y*-axis at *C*.

(i) Find the co-ordinates of *A*, *B* and *C*.

### (ii) Hence, write down the range of values of x for which $x^2 - 2x - 8 \le 0$ .

### You may use this page for extra work.

	-																	
	-																	
I       I	 											 	 	 			 	
Image: Sector														 				
Image: Sector of the sector																		
Image: Contract of the contract																		
Image: Second																	 	
Image: Constraint of the second se																		
page     running																		
															pa	age	runn	ing



Junior Certificate 2012 – Higher Level

### Mathematics (Project Maths – Phase 2) – Paper 1

Friday 8 June Afternoon 2:00 to 4:30