

EXPERIAN INTACT CONSUMER 'NET' FILE LAYOUT

Field Name	Description
Autocounter	Created by Intact
Guid	
URN	
Title	
Initials/Forename	
Surname	
Name	
Company	
Address 1	
Address 2	
Address3	
Address4	
Town	
County	
Postcode	
DPS	Delivery Point Suffix - 2 character code (1 alpha + 1 numeric) which uniquely identifies each delivery point within a postcode
Tel1	As submitted unless update via OSIS
Tel2	
Tel3	
Fax	
TelPrefix1	Submitted prefix with updated STD code (where required, else blank)
TelPrefix2	
TelPrefix3	
FaxPrefix	
Tel1Suppressio	Y/N indicates whether Tel1 was found on TPS X - TPS not requested
Tel2Suppression	Y/N indicates whether Tel2 was found on TPS X - TPS not requested
Tel3Suppression	Y/N indicates whether Tel3 was found on TPS X - TPS not requested
FaxSuppression	Y/N indicates whether Fax was found on FPS X - FPS not requested
MPSSuppression	Y/N indicates whether name and address was found on MPS X - MPS not requested
NCOAIndicator	CR - Changed Royal Mail - Indicates a match to Royal Mail NCOA and a new address returned (this will overwrite the PAF'd address) CE - Changed Experian - Indicates a match to Experian Absolute Contacts and a new address returned (this will overwrite the PAF'd address) IR - International - Indicates a match to Royal Mail NCOA and the new address returned is an International address IE - International - Indicates a match to Experian Absolute Contacts and the new address returned is an International address U - Unchanged - Indicates cases where the address supplied did not match with an NCOA record X - if NCOA service is not selected
PAFIndicator	V - Verified C - Close Verified F - Failed I - Foreign Address X - if PAF is not requested
OSIS1Indicator	V - Verified a supplied telephone nubmer U - Updated an existing number I - Inserted a new number S - Phone number submmitted but no match to OSIS N - Phone number not submitted and no match to OSIS F - Incorrect format A - Incorrect Area code X - Not requested

OSIS2Indicator	V - Verified a supplied telephone nubmer U - Updated an existing number I - Inserted a new number S - Phone number submmitted but no match to OSIS N - Phone number not submitted and no match to OSIS F - Incorrect format A - Incorrect Area code X - Not requested						
OSIS3Indicator	V - Verified a supplied telephone nubmer U - Updated an existing number I - Inserted a new number S - Phone number submmitted but no match to OSIS N - Phone number not submitted and no match to OSIS F - Incorrect format A - Incorrect Area code X - Not requested						
TelType	N - Number not found on OSIS XD - Ex-Directory Number						
Deceased	F - Forename (Forename, surname and address match) I - Initial (Initial, surname and address match) S - Surname (Surname and address match) N - No match X - deceased not requested						
GAIndicator	FE - Forename (Forename, Surname & Address match) - Experian source FR - Forename (Forename, Surname & Address match) - Royal Mail source IE - Initial (Initial, Surname & Address match) - Experian source IR - Initial (Initial, Surname & Address match) - Royal Mail source SE - Surname (Surname and Address match) - Experian source SR - Surname (Surname and Address match) - Royal Mail source N - No match						
NC Verified	N - No match I - Individual match F - Family match (surname and address match to National Canvasse, but not individual match) X - Service not requested						
BigNumber1							
BigNumber2							
BigNumber3							
BigNumberFax							
IndividualID	ID allocated to distinct individuals within the file e.g. for two records in the file: <table> <tr> <td>Autocounter</td><td>IndividualID</td></tr> <tr> <td>7</td><td>1</td></tr> <tr> <td>8</td><td>1</td></tr> </table> Autocounter of one of the match group is used as the individual ID for all records within the group Not present if not purchased	Autocounter	IndividualID	7	1	8	1
Autocounter	IndividualID						
7	1						
8	1						
FamilyID	ID allocated to all family members within the file e.g. for two records in the file: <table> <tr> <td>Autocounter</td><td>IndividualID</td></tr> <tr> <td>7</td><td>1</td></tr> <tr> <td>8</td><td>1</td></tr> </table> Autocounter of one of the match group is used as the family ID for all records within the group Not present if not purchased	Autocounter	IndividualID	7	1	8	1
Autocounter	IndividualID						
7	1						
8	1						
HouseholdID	ID allocated to all household members within the file e.g. for two records in the file: <table> <tr> <td>Autocounter</td><td>IndividualID</td></tr> <tr> <td>7</td><td>1</td></tr> <tr> <td>8</td><td>1</td></tr> </table> Autocounter of one of the match group is used as the household ID for all records within the group Not present if not purchased	Autocounter	IndividualID	7	1	8	1
Autocounter	IndividualID						
7	1						
8	1						

P_Age	0 - 18-25 1 - 26-35 2 - 36-45 3 - 46-55 4 - 56-65 5 - 65+ U - Unknown
P_FinancialStress	Please see Financial Stress pdf on the Intact website
P_Directorships	0 - Not Director 1 - Director of small company (<50 employees) 2 - Director of large company (>50 employees) U - Unknown
P_Gender	0 - Male 1 - Female U - Unknown
P_LengthOfResidency	0 - Up to 1 year 1 - 1 year 2 - 2 years 3 - 3 years 4 - 4 years 5 - 5 years 6 - 6 years 7 - 7 years 8 - 8 years 9 - 9 years 10 - 10 years 11 - 11+ years _U - Unknown
P_MaritalStatus	0 - Single 1 - Married U - Unknown
H_Tenure	0 - Owner occupied 1 - Privately rented 2 - Council / housing association U - Unknown
H_PropertyCouncilTax	Only available where the user has requested the service Please see Property Council Taxation pdf on the Intact website
P_PersonalIncomeBanded	Only available where user has requested the service Please see Personal Income pdf on the Intact website
P_FinancialStratSegmentsType	Please see Financial Strategy Segments pdf on the Intact website
P_FinancialStratSegmentsGroup	
H_FinancialStratSegmentsType	Only available where the user has requested the service
H_FinancialStratSegmentsGroup	Please see Financial Strategy Segments pdf on the Intact website
H_MOSAICUKHouseholdType	Only available where user has requested the service
H_MOSAICUKHouseholdGroup	Please see MOSAIC UK pdf on the Intact website
H_MOSAICSHouseholdTypes	Only available where user has requested the service
H_MOSAICSHouseholdGroup	Please see MOSAIC Scotland pdf on the Intact website
H_MOSAICNIHouseholdType	Only available where user has requested the service
H_MOSAICNIHouseholdGroup	
H_HouseholdIncomeBanded	Only available where user has requested the service Please see Household Income pdf on the Intact website
Family Lifestage	Only available where the user has requested the service Please see Lifestage pdf on the Intact website
Date Of Birth Forename	DDMMCCYY
Date Of Birth Initial	DDMMCCYY

Notes:

1. The OSIS indicators are based upon analysis of the input telephone number provided on the client file. This means that it is possible to get S, N, F or A OSIS indicators against submitted phone numbers for an ex-directory record.

2. Please note that telephone numbers are not provided on the Ex Directory file. The 'XD' flag within the TelType field is appended where the client input address & surname has matched to the address & surname provided on the Ex Directory file. Intact appends a flag to indicate that the given surname at that address is registered as Ex Directory.