



HAZARD IDENTIFICATION SIGN ORDER FORM

This form is to be attached to a ['Print Requisition Form'](#) and forwarded directly to Print and Distribution Services.

Requisition. No.: Date:

Contact Name: Extension:

Email:

School/Unit:

SIGN DETAILS

Laboratory Studio Workshop

GENERAL DETAILS:

Name of laboratory/studio/workshop [or location]:

(e.g. 18.xxx Radiation Laboratory)

Supervisor(s):

Number of signs required:

Number of signs to be laminated:

Campus: Wollongong Shoalhaven iC

HAZARDS IN THIS AREA

Tick hazards applicable to the laboratory/location that are to be included on the entry sign

Asphyxiation hazard	<input type="checkbox"/>	High oxygen	<input type="checkbox"/>
Biological hazard	<input type="checkbox"/>	High voltage	<input type="checkbox"/>
Chemical storage area	<input type="checkbox"/>	Hydraulic pressure	<input type="checkbox"/>
Compressed gases	<input type="checkbox"/>	Hydrofluoric acid	<input type="checkbox"/>
Confined space	<input type="checkbox"/>	Ionizing radiation	<input type="checkbox"/>
Corrosive substances (Class 8)	<input type="checkbox"/>	Laser warning	<input type="checkbox"/>
Crush hazard	<input type="checkbox"/>	Non-ionizing radiation	<input type="checkbox"/>
Cryogenic liquids	<input type="checkbox"/>	Organic peroxides (Class 5.2)	<input type="checkbox"/>
Do not watch welding arc	<input type="checkbox"/>	Oxidising gas (Class 2.2)	<input type="checkbox"/>
Electrical hazards	<input type="checkbox"/>	Oxidising substances (Class 5.1)	<input type="checkbox"/>
Explosion risk	<input type="checkbox"/>	Radioactive material (Class 7)	<input type="checkbox"/>
Extreme cold	<input type="checkbox"/>	Spontaneously combustible substances (class 4.2)	<input type="checkbox"/>
Extreme heat	<input type="checkbox"/>	Substances that in contact with water emit flammable gases (Class 4.3)	<input type="checkbox"/>
Fire risk	<input type="checkbox"/>	Strong magnetic field	<input type="checkbox"/>
Flammable liquids (Class 3)	<input type="checkbox"/>	Toxic gas (Class 2.3)	<input type="checkbox"/>
Flammable gases (Class 2.1)	<input type="checkbox"/>	Toxic hazard	<input type="checkbox"/>
Flammable solids (Class 4.1)	<input type="checkbox"/>	Welding mask must be worn	<input type="checkbox"/>

Forklift in use	<input type="checkbox"/>	Working at heights	<input type="checkbox"/>
Hazardous materials storage area	<input type="checkbox"/>	Other:	<input type="checkbox"/>
High noise area	<input type="checkbox"/>		

PRECAUTIONARY MEASURES REQUIRED:

Tick precautionary measures applicable to the laboratory/location that are to be included on the entry sign

Do not wear thongs	<input type="checkbox"/>	No eating or drinking	<input type="checkbox"/>
Eye protection must be used	<input type="checkbox"/>	No entry	<input type="checkbox"/>
Eye protection to be worn when necessary	<input type="checkbox"/>	No open flames	<input type="checkbox"/>
Face shield must be worn	<input type="checkbox"/>	No pedestrian access	<input type="checkbox"/>
Foot protection must be worn	<input type="checkbox"/>	Protective clothing must be worn	<input type="checkbox"/>
Hair must be contained in this area	<input type="checkbox"/>	Respirator must be worn	<input type="checkbox"/>
Hand protection must be worn	<input type="checkbox"/>	Safety goggles must be worn	<input type="checkbox"/>
Hand protection must be worn when necessary	<input type="checkbox"/>	Smoking prohibited	<input type="checkbox"/>
Head protection must be worn	<input type="checkbox"/>	Strictly no admittance	<input type="checkbox"/>
Hearing and eye protection must be worn	<input type="checkbox"/>	Ventilated area required for storage	<input type="checkbox"/>
Hearing protection must be worn	<input type="checkbox"/>	Water not suitable for drinking	<input type="checkbox"/>
Hearing protection to be worn when necessary	<input type="checkbox"/>	Welding mask must be worn	<input type="checkbox"/>
Keep walkways clear	<input type="checkbox"/>	Other:	<input type="checkbox"/>

FACILITIES:

Tick the facilities applicable to the laboratory/location that are to be included on the entry sign.

First Aid kit	<input type="checkbox"/>
Safety Shower/Eyewash station	<input type="checkbox"/>
Safety Shower	<input type="checkbox"/>
Eyewash station	<input type="checkbox"/>
Fire equipment	<input type="checkbox"/>
Other:	<input type="checkbox"/>

COST

Printing (A3) \$3.00 per sign
 Laminating \$5.00 per sign

There is also a small charge for typesetting of symbols.

The Printery will send an electronic copy of the sign requested to the contact email address above for final checking.

If you have any questions about the completion of this order form or the signs themselves, please contact the WHS unit on extension 3931.