

Adult Rapid Response Preprinted Orders

Original Date	Revision Date	Withdrawn	Date					
	c ⊠ P e	Open boxes are orders that thecking the box. Fre-checked boxes are the	at a clinician will need to orders with strong supporty requirements that require	-				
ALLERGIES:	NKDA Other							
IV'S	☐ 0.9% Normal saline if no IV access							
VITALS	⊠ Blood pressure, Heart rate, Respiratory rate, temperature, O2 Saturation							
NURSING ORI	DERS:							
O2 therap nasal Nentilation MEDICATONS Albuterol Nitroglyc 3 doses Naloxone needed for respi Flumazen of 4 doses Dextrose	Monitor maintain airway y to stabilize patient and maintain cannula mask on assistance with positive pressure (Per health institution's treatme 2.5mg/3ml nebulizer as needed for erin 0.4 mg sublingual for chest pressure (for narcotic reversal) -0.4 mg ratory depression il (benzodiazepine reversal) 0.2 mg as a needed for respiratory depress 50% IV or other hypoglycemic	re ventilation nt protocol) or respiratory distrestain. May repeat eventilation IV IM or strest side in the strest side is agents.	s ry 5 minutes for total of ubcutaneously as ry 60 seconds for a total ng)					
nysician Signature:								
ate & Time of Order	rs::::		PATIENT LABEL					