

Material Safety Data Sheet ID: 3010

Section 1 - Chemical Product and Company Identification

Product Name JM EPDM Peel and Stick Products CAS# None Assigned Generic Name Rubber Tape Formula Article Chemical Name: Article Hazard Label Not applicable Manufacturer Information Johns Manville Roofing Systems Group P.O. Box 5108

Denver, CO 80127 USA

Trade Names:

JM EPDM Peel & Stick Cover Strip; JM EPDM Peel & Stick Flashing; JM EPDM Peel & Stick Inside/Outside Corners; JM EPDM Peel & Stick Pipe Flashing; JM EPDM Peel & Stick Sealing Strip; Telephone: 303-978-2000 8:00AM-5:00PM M-F Internet Address: http://www.jm.com Emergency: 800-424-9300 (Chemtrec, In English)

JM EPDM Peel & Stick T-Joint Patch; JM EPDM Peel & Stick Universal Pipe Boots; JM EPDM Peel & Stick Walkway Pads; JM EPDM Reinforced Termination Strip (RTS) with/without tape; JM EPDM Seam Tape

Section 2 - Composition / Information on Ingredients

CAS #	Component	Percent
Not Available	Olefin polymer	45-52
Not Available	Butyl rubber	<40
Not Available	Rubber based adhesive	0-40
Not Available	Phenolic binder	3-7
1333-86-4	Carbon black	3-7
1314-13-2	Zinc oxide	3
1309-60-0	Lead peroxide	0-3
120-78-5	2,2'-Dibenzothiazyl disulfide	1

Additional Component Information

The products listed above are articles as so defined by the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard at 29 CFR 1910.1200. Each has an end-use that is dependent upon its shape and design, and will not release or otherwise result in exposure to hazardous chemicals under normal conditions of use. Ingredients and exposure limits are given for reference only.

Section 3 - Hazards Identification

Emergency Overview

APPEARANCE AND ODOR: Black, pliable solid; rubber odor.

Under normal conditions of use and handling, this product is not expected to create any health or safety hazards.

Potential Health Effects

Summary

The products listed above are articles as so defined under OSHA's Hazard Communication Standard at 29 CFR 1910.1200. Each has an end-use that is dependent upon its shape and design, and will not release or otherwise result in exposure to hazardous chemicals under normal conditions of use.

Inhalation

Not applicable

Skin

Not applicable

	Sheet ID: 3010		
Absorption			
Not applicable			
Ingestion			
Not applicable			
Eyes Not applicable			
Primary Routes of Entry (Exposure)			
None.			
Target Organs			
None.			
Medical Conditions Aggravated by Exposure			
None.	rst Aid Measures		
First Aid: Inhalation	rst alu measures		
Not applicable			
First Aid: Skin			
Not applicable			
First Aid: Ingestion			
Product is not intended to be ingested or eaten. If this product is ingested, severe irritation of the gastrointestinal (GI) tract may			
occur, and should be treated symptomatically. Seek med First Aid: Eyes	dical attention.		
Not applicable			
First Aid: Notes to Physician			
Not applicable			
Section 5 - Fire	Fighting Measures		
Flash Point: >110°C/230°F	Method Used: Not determined		
Upper Flammable Limit (UFL): Not applicable Auto Ignition: Not determined	Lower Flammable Limit (LFL): Not applicable Flammability Classification: Not determined		
Rate of Burning: Not determined	Flammability classification. Not determined		
General Fire Hazards			
There is no potential for spontaneous fire or explosion.			
Fire Fighting Equipment/Instructions			
	this product. Normal fire fighting procedures should be followed to		
avoid inhalation of smoke and gases.			
	ntal Release Measures		
Containment Procedures			
No special procedures necessary			
Clean-Up Procedures	Conservation and Recovery Act (RCRA; 40 CFR 261). Comply with		
state and local regulations for disposal of lead containing	products. If you are unsure of the regulations, contact your local		
Public Health Department, or the local office of the Envir			
• •			

Section 7 - Handling and Storage

Handling Procedures

No special procedures necessary

Storage Procedures

Warehouse storage should be in accordance with package directions, if any. Material should be kept dry, and protected from moisture.

Section 8 - Exposure Controls / Personal Protection

Exposure Guidelines

A: General Product Information

No special procedures necessary

B: Component Exposure Limits

Carbon black (1333-86-4)

ACGIH: 3.5 mg/m3 TWA OSHA: 3.5 mg/m3 TWA

Zinc oxide (1314-13-2)

ACGIH: 2 mg/m3 TWA (respirable fraction)

10 mg/m3 STEL (respirable fraction)

OSHA: 5 mg/m3 TWA (fume); 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) 10 mg/m3 STEL (fume)

PERSONAL PROTECTIVE EQUIPMENT

- Personal Protective Equipment: Eyes/Face
 - Not required

Personal Protective Equipment: Skin

Not required

Personal Protective Equipment: Respiratory

Not required Ventilation

No special protective measures are necessary for use of this product in that it is an article, and under normal conditions of use is not expected to release, or otherwise result in exposure to a hazardous chemical.

Personal Protective Equipment: General

None.

Section 9 - Physical & Chemical Properties

Appearance:	Black pliable solid.
Physical State:	Solid
Vapor Pressure:	Not applicable
Boiling Point:	Not determined
Solubility (H ₂ O):	Insoluble
Evaporation Rate:	Not applicable
Percent Volatile:	0

Odor: Rubber pH: Not applicable Vapor Density: Not applicable Melting Point: Not determined Specific Gravity: 0.88 Viscosity: Not applicable VOC: Not applicable

Section 10 - Chemical Stability & Reactivity Information

Chemical Stability

This is a stable material. This product is not reactive.

Hazardous Decomposition

Carbon monoxide, carbon dioxide, various hydrocarbons, phenols, lead oxide fumes, zinc oxide fumes.

Hazardous Polymerization

Will not occur.

Section 11 - Toxicological Information

Acute Toxicity

A: General Product Information

Because it will not release, or otherwise result in exposure to a hazardous chemical under normal conditions of use, this product is not expected to cause any acute toxicological effects.

B: Component Analysis - LD50/LC50

Carbon black (1333-86-4)

Oral LD50 Rat: >15400 mg/kg; Dermal LD50 Rabbit: >3 g/kg

Zinc oxide (1314-13-2) Oral LD50 Rat: >5000 mg/kg

2,2'-Dibenzothiazyl disulfide (120-78-5)

Oral LD50 Rat: >12 g/kg; Dermal LD50 Rabbit: >7940 mg/kg

Carcinogenicity

A: General Product Information

No additional information available.

B: Component Carcinogenicity

Carbon black (1333-86-4)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

IARC: Group 2B - Possibly Carcinogenic to Humans (IARC Monograph 65, 1996)

Chronic Toxicity

None known.

Section 12 - Ecological Information

Ecotoxicity

A: General Product Information

No data available for this product.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

No ecotoxicity data are available for this product's components.

Section 13 - Disposal Considerations

US EPA Waste Number & Descriptions

A: General Product Information

Wastes are not hazardous as defined by the Resource Conservation and Recovery Act (RCRA; 40 CFR 261). Comply with state and local regulations for disposal of solid wastes. If you are unsure of the regulations, contact your local Public Health Department, or the local offices of the Environmental Protection Agency (EPA).

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Section 14 - Transportation Information

Shipping Name: This product is not classified as a hazardous material for transport.

Section 15 - Regulatory Information

US Federal Regulations

A: General Product Information

SARA 311/312: This product is not classified as hazardous under SARA 311/312.

B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

A: General Product Information

Other state regulations may apply. Check individual state requirements.

B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS #	CA	FL	MA	MN	NJ	PA
Carbon black	1333-86-4	Yes	No	Yes	Yes	Yes	Yes
Zinc oxide	1314-13-2	Yes	No	Yes	Yes	Yes	Yes
Lead peroxide	1309-60-0	No	No	Yes	No	Yes	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains a chemical known to the state of California to cause cancer.

Carbon black CAS# 1333-86-4

Other Regulatory Information A: General Product Information

No information available for the product.

B: TSCA Status

This product and its components are listed on the TSCA 8(b) inventory.

None of the components listed in this product are listed on the TSCA Export Notification 12(b) list.

C: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	EINECS
Carbon black	1333-86-4	Yes	Yes	Yes
Zinc oxide	1314-13-2	Yes	Yes	Yes
Lead peroxide	1309-60-0	Yes	Yes	Yes
2,2'-Dibenzothiazyl disulfide	120-78-5	Yes	Yes	Yes

Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Carbon black	1333-86-4	1 % (English Item 309, French Item 1271)
Zinc oxide	1314-13-2	1 % (English Item 1717, French Item 1326)
2,2'-Dibenzothiazyl disulfide	120-78-5	1 % (English Item 507, French Item 789)

Section 16 - Other Information

Other Information

Prepared for: Johns Manville Roofing Systems Group P. O. Box 5108 Denver, CO USA 80217-5108

Prepared by: Johns Manville Technical Center P.O. Box 625005 Littleton, CO USA 80162-5005

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

Date	MSDS #	Reason
08/01/00	3010-1.0000	New MSDS authoring system.
10/22/03	3010-1.0101	Update Section 8, Zinc oxide; Update Section 15, State data, Zinc oxide
11/13/03	3010-1.0102	Minor edits.
07/20/05	3010-1.0201	Regulatory update: Sections 11 LD50 and 15 WHMIS
07/10/06	3010-1.0202	Addition of JM EPDM Peel & Stick Inside/Outside Corners, JM EPDM Peel & Stick T-Joint Patch, JM EPDM Peel & Stick Universal Pipe Boots, JM EPDM Peel & Stick Walkway Pads. 'UltraGard' replaced by 'JM'.

This is the end of MSDS # 3010