



4801 North Ravenswood Avenue
 Chicago, IL 60640-4496
 Phone: (773) 907-5181
 Fax: (773) 907-5180
 E-mail (techsupport@spctechnology.com)

Material Safety Data Sheet

IDENTITY <i>(As Used on Label and List)</i> SPC4913 through SPC4932 Heat Treated Fiberglass Sleeving	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name SPC Technology
Address <i>(Number, Street, City, State, and ZIP Code)</i> 4801 N. Ravenswood, Chicago, IL. 60640
Telephone Number for Information: 773.907.5181

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Fibrous Glass				
OSHA has not established a specific PFL for fibrous glass. It is considered to be a "particulate not otherwise regulated" (PNOR) and is covered under the OSHA nuisance dust PFL's of 5mg/m ³ for the total dust fraction for an hour TWA				

Section III - Physical/Chemical Characteristics

Boiling Point: NA	Specific Gravity (H ₂ O = 1): NA
Vapor Pressure (mm Hg.): NA	Melting Point: NA
Vapor Density (AIR = 1): NA	Evaporation Rate: NA (Butyl Acetate = 1)
Solubility in Water: Not Soluble	
Appearance and Odor: No odor	



4801 North Ravenswood Avenue
 Chicago, IL 60640-4496
 Phone: (773) 907-5181
 Fax: (773) 907-5180
 E-mail (techsupport@spctechnology.com)

Doc. No.: MSDS-023-NM
 DCP No.: 1479
 Effective Date: 11/3/03

Material Safety Data Sheet

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used): NA	Flammable Limits: NA	LEL: NA	UEL: NA
Extinguishing Media: Water, Foam, CO ₂ , Dry Chemicals			
Special Fire Fighting Procedures: Self-Contained Breathing Apparatus			
Unusual Fire and Explosion Hazards: None			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	XXX	Product is Stable
Incompatibility (<i>Materials to Avoid</i>): None			
Hazardous Decomposition or Byproducts: Carbon Monoxide, Carbon Dioxide, Other Hydrocarbons, Water			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXX	Open flames

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? XXX	Skin? XXX	Ingestion? NA
Health Hazards (<i>Acute and Chronic</i>): Inhalation of dust and fibers may result in upper respiratory tract irritation. Skin Contact with dust and fiber may produce itching and temporary irritation. Eye contact with fibers may produce itching irritation.			
Carcinogenicity: NA	NTP?: NA	IARC Monographs?: No	OSHA Regulated?: No
Signs and Symptoms of Exposure: Itching and temporary mechanical irritation			
Medical Conditions Generally Aggravated by Exposure: Persons with history of chronic respiratory or skin conditions aggravated by mechanical irritants maybe at increased risk from exposure to fiberglass.			
Emergency and First Aid Procedures: Fresh air, wash with mild soap and running water, avoid scratching or rubbing, flush with water			



4801 North Ravenswood Avenue
 Chicago, IL 60640-4496
 Phone: (773) 907-5181
 Fax: (773) 907-5180
 E-mail (techsupport@spctechnology.com)

Doc. No.: MSDS-023-NM
 DCP No.: 1479
 Effective Date: 11/3/03

Material Safety Data Sheet

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: NA
Waste Disposal Method: Incinerate or land fill in accordance with Federal, Provincial (State) and local regulations.
Precautions to Be taken in Handling and Storing: None. No DOT hazard required.
Other Precautions: None

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>): Properly fitted NIOSH/MHSA approved disposable dust respiratory		
Ventilation	Local Exhaust: XXX	Special: No
	Mechanical (<i>General</i>): General dilution ventilation	Other: XXX
Protective Gloves: XXX		Eye Protection: Safety Glasses, Goggles, Face Shields
Other Protective Clothing or Equipment: Loose fitting long-sleeved shirts		
Work/Hygienic Practices: Keep work areas clean of dust and fibers, use vacuum equipment, ready access to Safety showers and eye wash fountains.		