Dat

Name

Period

REVIEW

Tëst Poëvië₩ № 4

Development of the Periodic Table. Dmitri Mendeleev (1869) prepared a card for each of the known elements listing the symbol, the atomic mass, and the chemical properties. He arranged the cards in order of increasing atomic mass and noticed a pattern: *MENDELEEV'S PERIODIC LAW*— When the elements are arranged in increasing order of atomic mass, the chemical properties repeat themselves periodically. Moseley noticed that when all the elements were arranged in order of mass a few were not in the right family with respect to properties. He used a procedure called X-ray diffraction to determine the atomic number of the elements. When the elements were arranged in increasing order of atomic number, the discrepancies in Mendeleev's table disappeared. *THE PERIODIC LAW*— When the elements are arranged in increasing order of atomic number, the chemical properties repeat themselves periodically. The modern Periodic Table is arranged in order of increasing atomic number.

Organization of the Periodic Table. The modern Periodic Table is arranged in order of increasing atomic number in vertical columns and horizontal rows. The vertical columns are elements with about the same number of outer electrons (valence electrons). They are called groups or families. Elements in the same family have similar properties. Horizontal rows are elements with the same number of shells or energy levels. They are called periods. The major divisions of the Periodic Table are: Alkali metals - Group 1; Alkaline earth metals - Group 2; Halogens - Group 17; Noble gases (Inert gases) - Group 18; Transition metals - Groups 3-13; Lanthanides - Row 6, elements 57 - 71; and Actinides - Row 7, elements 89 - 103.

Trends in the Periodic Table. Going across the table from left to right within a row or period the number of protons increases, so the pull on the electrons increases. As a result the covalent atomic radius decreases and metallic properties decrease (except in the transition elements). In addition the number of valence electrons increases and the number of shells remains the same. Going down the table within a group or family the number of protons also increases, but the number of shells increases too. As a result, the atomic radius increases, the pull on the electrons decreases, and metallic properties increase. In a family the number of valence electrons remains the same. This results in the following organization of the Periodic Table:

	1								18	
1	1 1	M	2	13	14	15	16	17	2 2	I N
2	3 2-1	Е	4 2-2	5 2-3	6 2-4	7 2-5	8 2-6		10 2-8	E R
3	11 2-8-1	T		13 2-8-3	14 2-8-4	15 2-8-5	16 2-8-6	17 N 2-8-7 M	18 2-8-8	T
4	19 2-8-8-1	A	20 2-8-8-2					E T		G A
5		L						A L		S E
6		S						S		S
7										

Families of Elements. <u>Alkali metals</u> (Group 1) are extremely reactive (not found free in nature). They form stable ionic compounds, react with water to form a base, react with air to form oxides, and react with acids to form salts. <u>Alkaline earth metals</u> (Group 2) are also reactive (not found free in nature), but not as reactive as group 1 elements. They form salts ionic compounds, react with water to form a base, react with air to form oxides, and react with acids to form salts. The <u>Nitrogen family</u> (Group 15) has members that range from typical nonmetals (nitrogen and phosphorus) through metalloids (arsenic and antimony) to metals (bismuth). Nitrogen forms stable diatomic molecules with a triple bond. It is a component of protein and forms some unstable compounds that are used as explosives. Phosphorus is a component of nucleic acids (DNA, RNA). It is more reactive than nitrogen at room temperature. The <u>Oxygen family</u> (Group 16) has members that range from typical nonmetals (oxygen and sulfur) through metalloids (selenium and tellurium) to metals (polonium). They are all solids except oxygen. <u>Halogens</u> (salt formers - Group 17) are very reactive nonmetals. They have high electronegativities, and are not found free in nature. When they are free, they form diatomic molecules. They react with metals to form salts. They are found in all three phases – solid, liquid and gas. <u>Noble gases</u> (Group 18) have complete outer shells. As a result, they are almost inert (not reactive) Krypton, xenon, and radon form compounds with oxygen and fluorine, however. <u>Transition elements</u> (Groups 2–12) lose electrons from two outermost energy levels and form colored solutions.

Chemistry: Form TR4-5A Test Review # 4

REVIEW Page 2

Comparing Metals and Nonmetals. <u>Metals</u> tend to lose electrons easily. This means they have low ionization energy (energy needed to remove electrons), low electron affinity (attraction for electrons), and form positive ions when combining with other atoms. Metals are good conductors of heat and electricity. They are lustrous, flexible, and mostly solids at room temperature except for mercury. <u>Nonmetals</u> tend to gain electrons. They have high electron affinities and produce covalent bonds by sharing electrons with other nonmetals. Nonmetals exist as gases, molecular solids, or network solids at room temperature except bromine. The solids are brittle and dull. They are poor conductors of heat and electricity. <u>Metalloids</u> (semi-metals) are elements at the border between metals and nonmetals that have some properties of both. They have properties intermediate to metals and nonmetals (special case of nonmetals)

Bonding. The electrons of one atom are attracted to the protons of another. When atoms combine, there is a tug of war over the valence electrons. The combining atoms either lose, gain, or share electrons in such a way that they complete their outer shells. Whether atoms gain, lose, or share electrons depends how tightly they hold onto their own electrons and how strongly they pull on the electrons of another atom.

Ionic Bonds. Ionic bonds are caused by the attraction between oppositely charged ions. Ions form as follows: The electrons of one atom are attracted to the protons of another. Metals hold onto electrons loosely while nonmetals hold onto electrons tightly. As a result, metals lose electrons and nonmetals gain electrons in such a way that they complete their outer shells. Atoms that gain or lose electrons become electrically charged. Metals become positively charged ions by losing electrons. Nonmetals become negatively charged ions by gaining electrons. Metal cations and nonmetal anions become ionically bonded because they are oppositely charged. Atoms gain or lose electrons in such a way that they complete their outer shells. This gives them the same electron configuration as a noble gas. For example, potassium, with an electron configuration of 2-8-8-1 loses an electron to become K^+ with an electron configuration of 2-8-8, the same as argon. Chlorine, with an electron configuration of 2-8-7, gains an electron to become Cl^- , with an electron configuration also of 2-8-8.

Covalent Bonds. Covalent bonds are bonds formed by sharing electrons. The electrons of one atom are attracted to the protons of another, but neither atom pulls strongly enough to remove an electron from the other. Covalent bonds form when the electronegativity difference between the elements is less than 1.7 (see the Electronegativity table on the back of the Periodic Table) or when hydrogen behaves like a metal. When a covalent bond forms, no valence electrons are transferred, rather, they are shared. During covalent bonding, unpaired electrons pair up in such a way that the atoms complete their outer shells. This can be illustrated with electron dot diagrams.

Bond Type and Polarity. When the electronegativity difference is greater than or equal to 1.7, the atom with the greater electronegativity gains the electron, and an **ionic bond** is formed. Electronegativity differences below 1.7 result in covalent bonds or sharing. If the electronegativity difference is close to zero (<0.4), the atoms share equally and a **nonpolar bond** forms. Higher electronegativity differences (still below 1.7) result in unequal sharing or **polar bonds**.

Answer the questions below by circling the number of the correct response

- 1. In the Periodic Table, the elements are arranged in order of increasing (1) atomic size, (2) atomic number, (3) atomic mass, (4) ionization energy
- 2. The chemical properties of the elements are periodic functions of their atomic (1) spin, (2) isotopes, (3) mass, (4) number.
- Which pair contains elements which have the most similar chemical properties? (1) Mg and Ca (2) N and S (3) H and Li (4) Na and Cl
- 4. The element with an atomic number of 34 is most similar in its chemical behavior to the element with an atomic number of (1) 19 (2) 31 (3) 36 (4) 16
- Silicon is most similar in chemical activity to (1) carbon, (2) lead,
 sulfur, (4) nitrogen
- 6. The element 2-8-6 belongs in Period (1) 6, (2) 2, (3) 3, (4) 4

- 7. Most of the elements in the Periodic Table are classified as (1) metalloids, (2) nonmetals, (3) noble gases, (4) metals
- 8. Phosphorus is best classified as a (1) nonmetal, (2) metalloid, (3) metal, (4) transition element
- 9. The alkali metals all have the same (1) electronegativity, (2) atomic radius, (3) oxidation number, (4) ionization energy
- 10. The alkaline earth metals are those elements in Group (1) 1, (2) 2, (3) 11, (4) 12
- 11. Which Group in the Periodic Table contains the alkali metals? (1) 1 (2) 2 (3) 13 (4) 14
- 12. In which Group of the Periodic Table would this element, 2–5, most likely be found? (1) 1 (2) 2 (3) 13 (4) 15

REVIEW Page 3

- As the elements in Period 3 are considered in order of increasing atomic number, the number of principal energy levels in each successive element (1) decreases (2) increases (3) remains the same
- 14. Which is an alkaline earth metal? (1) Na (2) Ca (3) Ga (4) Ta
- 15. A metallic element whose aqueous ions produce colorless solutions would be found in Period 4 and Group (1) 1 (2) 17 (3) 8 (4) 18
- 16. Which Group contains elements which are metalloids? (1) 1 (2) 11 (3) 14 (4) 4
- 17. Which is a transition element? (1) Ag (2) Mg (3) Sb (4) Si
- 18. The elements with the least chemical reactivity are in Group (1) 1, (2) 18, (3) 3 (4) 16
- 19. Which element is a metalloid? (1) arsenic (2) neon (3) potassium (4) bromine
- 20. Which Group of elements exhibits all three phases of matter at room temperature? (1) 2 (2) 14 (3) 15 (4) 17
- 21. What are two properties of most nonmetals?
 - (1) high ionization energy and poor electrical conductivity
 - (2) high ionization energy and good electrical conductivity
 - (3) low ionization energy and poor electrical conductivity
 - (4) low ionization energy and good electrical conductivity
- 22. Which element is classified as a noble gas at STP? (1) hydrogen (2) neon (3) oxygen (4) nitrogen
- 23. In which shell are the valence electrons of the elements in Period 2 found? (1) 1 (2) 2 (3) 3 (4) 4
- 24. Which element has the smallest atomic radius? (1) Mg (2) Ca (3) Sr (4) Ba
- 25. As one proceeds from lithium to fluorine in the Periodic Table, the tendency for the elements to lose electrons (1) decreases, (2) increases, (3) remains the same
- 26. As the elements in Period 3 are considered from left to right, the ability of each successive element to gain electrons (1) decreases, (2) increases, (3) remains the same
- 27. The element with the most metallic character in Group 16 is (1) O, (2) S, (3) Se, (4) Te
- 28. As the elements in Group 14 are considered in order of increasing atomic number, the metallic properties of successive elements (1) decreases, (2) increases, (3) remains the same
- 29. In Period 3 of the Periodic Table, the element with the smallest atomic radius is in Group (1) 1 (2) 2 (3) 15 (4) 17

- 30. Which Group 2 element has the greatest tendency to lose electrons? (1) calcium (2) barium (3) strontium (4) magnesium
- 31. Which Group in the Periodic Table contains atoms that have –2 oxidation states? (1) 1 (2) 2 (3) 16 (4) 17
- 32. The elements in Group 2 have similar chemical properties primarily because they have the same (1) ionization energies, (2) oxidation potentials, (3) number of principal energy levels, (4) number of electrons in the outermost shell
- 33. As one proceeds from left to right across Period 2 of the Periodic Table, the decrease in atomic radius is primarily due to an increase in the number of (1) orbitals, (2) protons, (3) neutrons, (4) principal energy levels
- 34. The most active metal in Period 4 of the Periodic Table is (1) Fe, (2) Sc, (3) K, (4) Ca.
- 35. In Period 3, as the atomic numbers increase, the pattern according to which the properties of the elements change is
 - (1) metal \rightarrow metalloid \rightarrow nonmetal \rightarrow noble gas
 - (3) metal → nonmetal → noble gas → metalloid
 - (2) nonmetal →metalloid → metal → noble gas
 - (4) nonmetal → metal → noble gas → metalloid
- 36. In going down the Group 15 elements on the Periodic Table, the metallic properties of the elements (1) decrease, (2) increase, (3) remain the same
- 37. As one proceeds from left to right across Period 3 of the Periodic Table, there is a decrease in (1) ionization energy (2) electronegativity (3) metallic characteristics (4) valence electrons
- 38. As one proceeds from fluorine to astatine in Group 17, the electronegativity (1) decreases and the atomic radius increases, (2) decreases and the atomic radius decreases, (3) increases and the atomic radius decreases, (4) increases and the atomic radius increases.
- 39. As the elements in Period 3 are considered in order of increasing atomic number, the number of principal energy levels in each successive element (1) decreases, (2) increases, (3) remains the same
- 40. If the elements are considered from top to bottom in Group 17 the number of electrons in the outermost shell will (1) decrease, (2) increase, (3) remain the same
- 41. Which represents the correct order of activity for the Group 17 elements [> means greater than]
 - (1) bromine > iodine > fluorine > chlorine
 - (2) fluorine > chlorine > bromine > iodine
 - (3) iodine > bromine > chlorine > fluorine
 - (4) fluorine > bromine > chlorine > iodine

Chemistry: Form TR4-5A

Page 4 REVIEW

- 42. Which is most characteristic of metals with very low ionization energies? (1) they are very reactive (2) they have a small atomic radius (3) they form covalent bonds (4) they have a high electronegativity
- 43. Metallic elements usually possess
 - (1) low electronegativities and high ionization energies
 - (2) high electronegativities and low ionization energies
 - (3) high electronegativities and high ionization energies
 - (4) low electronegativities and low ionization energies
- 44. If the members of the halogen family are arranged in order of increasing electronegativity, they are also arranged in order of increasing (1) ionization energy, (2) atomic radius, (3) atomic mass, (4) nuclear charge
- 45. As the elements are considered from top to bottom in Group 15 of the Periodic Table, the ionization energy (1) decreases, (2) increases, (3) remains the same
- 46. An element that has both a high ionization energy and a high electronegativity is most likely a (1) metal (2) metalloid (3) nonmetal (4) noble gas
- 47. The element with the lowest first ionization energy in any given Period will always belong to Group (1) 1 (2) 2 (3) 17 (4) 18
- 48. Which term best describes the element nitrogen at room temperature? (1) unstable (2) inactive (3) inert (4) explosive
- 49. The elements that react with water to form strong bases are found in Group (1) 1 (2) 15 (3) 13 (4) 17
- 50. Phosphorus is best classified as a (1) nonmetal (2) metal (3) metalloid (4) transition element
- 51. The alkali metals all have the same (1) electronegativity (2) oxidation number (3) atomic radius (4) ionization energy
- 52. The alkaline earth metals are those elements in Group (1) 1 (2) 2 (3) 11 (4) 12
- 53. An element that exhibits the largest variety of oxidation states is (1) Li (2) O (3) C (4) N
- 54. Which Group in the Periodic Table contains both metals and nonmetals? (1) 11 (2) 2 (3) 18 (4) 14
- 55. This element assumes only a +3 oxidation state in chemical combination (1) Na (2) Si (3) Al (4) Cl
- 56. Elements in which electrons from more than one energy level may be involved in bond formation are called (1) alkali elements (2) transition elements (3) alkaline earth elements (4) halogens
- 57. Which is a transition element? (1) Rb (2) Au (3) Sb (4) Xe

- 58. Which type of element frequently forms colored compounds and generally exhibits more than one positive oxidation state? (1) alkaline earths (2) alkali metals (3) transition elements (4) noble gases
- 59. Which Period contains elements that are all gases at STP? (1) 1 (2) 2 (3) 3 (4) 4
- 60. Which Group 18 (0) element in the ground state has a maximum of 2 completely filled principal energy levels? (1) Kr (2) Xe (3) He (4) Ne
- 61. A nonmetal which exists in the liquid state at room temperature is (1) aluminum (2) hydrogen (3) mercury (4) bromine
- 62. The only metal which is a liquid at STP is in Period (1) 5 (2) 6 (3) 3 (4) 4
- 63. Which Group contains an element that is a liquid at room temperature? (1) 18 (2) 2 (3) 16 (4) 17
- 64. Barium combines by (1) gaining two electrons, (2) losing two electrons, (3) sharing two electrons, (4) sharing 3 electrons.
- 65. Which of the following is the correct electron dot diagram for nitrogen?

$$(1)$$
 (2) (3) (4)

- 66. In water, the bond between hydrogen and oxygen is (1) ionic, (2) polar covalent, (3) nonpolar covalent, (4) nonpolar noncovalent.
- 67. Which of the following occurs during covalent bonding? (1) Electrons are lost. (2) Electrons are gained. (3) Valence electrons fall from the excited state to the ground state. (4) Unpaired electrons form pairs.
- 68. Which of the following is an example of a substance with a nonpolar covalent bond? (1) HCl (2) Cl₂ (3) HClO₂ (4) NaCl
- 69. The electronegativity of sulfur is (1) 16, (2) 239, (3) 2.6, (4) 32.
- 70. Which of the following elements has the highest electronegativity? (1) fluorine (2) chlorine (3) barium (4) hydrogen
- 71. When calcium combines, it usually (1) loses two electrons, (2) gains six electrons, (3) shares two electrons, (4) shares six electrons.
- 72. Which compound contains a bond with the *least*, ionic character? (1) CO (2) K₂O (3) CaO (4) Li₂O
- 73. Which type of bond is contained in a water molecule? (1) nonpolar covalent (2) ionic (3) polar covalent (4) electrovalent
- 74. The P—CI bond in a molecule of PCI₃ is (1) nonpolar covalent, (2) coordinate covalent, (3) polar covalent, (4) electrovalent.

Test Review # 4 Chemistry: Form TR4-5A

Page 5 REVIEW

- 75. A Ca²⁺ ion differs from a Ca atom in that the Ca²⁺ ion has (1) more protons, (2) more electrons, (3) fewer protons, (4) fewer electrons.
- 76. Which substance contains a polar covalent bond? (1) Na₂O (2) Mg₃N₂ (3) CO₂ (4) N₂
- 77. When a chlorine atom reacts with a sodium atom to form an ion, the chlorine atom will (1) lose one electron, (2) gain one electron, (3) lose two electrons, (4) gain two electrons.
- 78. When a calcium atom loses its valence electrons, the ion formed has an electron configuration that is the same as the configuration of an atom of (1) CI (2) Ar (3) K (4) Sc
- 79. Which atom has the strongest attraction for electrons? (1) Cl (2) F (3) Br (4) I
- 80. Which compound is ionic? (1) HCl (2) CaCl₂ (3) SO₂ (4) H₂O
- 81. Two atoms of element A unite to form a molecule with the formula A₂. The bond between the atoms in the molecule is (1) electrovalent, (2) nonpolar covalent, (3) ionic, (4) polar covalent.
- 82. When an ionic bond is formed, the atom that transfers its valence electron is the atom that has the (1) higher electronegativity value, (2) lower atomic number. (3) higher atomic mass, (4) lower ionization energy.
- 83. When an ionic bond is formed, the atom that transfers its valence electron becomes an ion with (1) positive charge and more protons, (2) positive charge and no change in the number of protons, (3) negative charge and more protons, (4) negative charge and no change in the number of protons.
- 84. An atom that loses or gains one or more electrons becomes (1) an ion, (2) an isotope, (3) a molecule, (4) an electrolyte

- 85. Which kind of bond is formed when two atoms share electrons to form a molecule? (1) ionic (2) metallic (3) electrovalent (4) covalent
- 86. Which type of bonding is usually exhibited when the electronegativity difference between two atoms is 1.2? (1) ionic (2) metallic (3) network (4) covalent

	7 '99	I 'tt	22.2
	85.3	t	1.12
b .88	7 .45	75° I	7.02
b .28	b .E9	41.2	1.91
1 .48	7 .29	40. 3	18. 2
83. 2	t .18	39. 3	17.1
85. 4	t .08	1 .85	16. 3
81. 2	1 .98	37. 3	15.1
80. 2	58.3	36. 2	14. 2
7 .67	2.72	35. 1	13.3
78.2	2.95	34. 3	15. 4
7 ·LL	55.3	33.2	11.11
£ .97	t .42	35. 4	10.2
t .2T	23. 4	8.18	8 .6
5 .4T	25. 2	30. 2	1 .8
73.3	21.2	76 [°] t	t .7
12.1	1 .02	78.2	6.3
1.17	1 .e4	7 ¹ . 4	5. 1
1.07	48. 3	797	す [・] セ
€ .69	1 .74	72. 1	1.5
7 '89	£ .94	1.4.1	7. 4
t .76	1 °S7	73.2	1. 2
	Answers		