

B6250 Series

OKI[®]
PRINTING SOLUTIONS



**Raising the bar for small workgroup
performance and dependability**

**B6250n
B6250dn**





With its large paper capacity and high duty cycle, the B6250 Series is perfect for fast-moving companies seeking high productivity.

Highlights:

- Feature-rich black & white printing solutions, adaptable to any environment—models include network-ready B6250n and network-ready with duplex B6250dn¹
- Up to a rapid 30 ppm² for increased productivity
- 10.1-second time to first page²
- 400-sheet standard paper input expands to 1,500 sheets with options
- Rock-solid performance: monthly duty cycle of 150,000 pages³
- High-quality output at 1200 x 1200 dpi for crisp clear output
- Powerful 533 MHz processor
- Standard USB 2.0, Parallel, Serial, and 10/100 Base-TX Ethernet connectivity
- 128 MB standard RAM, upgradable to 640 MB
- Easy-to-read control panel clearly shows the status of printer operation
- Available with 40 GB Hard Disk Drive, Compact Flash, and additional RAM
- 1-Year On-Site warranty⁴

Affordable, expandable digital monochrome printers, delivering superior paper-handling capabilities and cost-effective performance.

If getting the job done in short order and on a tight budget describes the way you work, the high-speed B6250 Series Digital Monochrome printers from OKI Printing Solutions are perfect for you. These reliable, expandable machines can help increase your productivity and efficiency—and keep your business moving.

Designed for demanding and cost-conscious business environments, the network-ready B6250n and network-ready with duplex B6250dn have a duty cycle rated at 150,000 pages per month—or 7,500 pages of correspondence, proposals, reports, memos, schedules, invoices and receipts per work day!³

Fitting into your environment – The B6250 Series is compatible with Windows® Vista®, XP, Server 2003, 2000, Me, 98, Windows NT®, Mac®, Unix® and Linux. Both models can be linked to your network via on-board 10/100 Base-TX Ethernet.

Users will spend less time waiting for their documents with these printers: they deliver professional-quality true 1200 x 1200 dpi output at a rapid 30 ppm.² Both printers ship with a generous 128 MB of RAM, which is upgradable to 640 MB to handle extremely large files.

With a standard paper capacity of 400 sheets (expandable to 1,500 sheets with options), user interventions decrease while user productivity increases.

¹ Standard on the B6250dn, optional on the B6250n.

² Published performance results based on laboratory testing. Individual results may vary.

³ Based on a 20-work day month.

⁴ Available in the U.S. and Canada only.

Keeping up with your needs.

The **B6250 Series** fits the way you work today and can adapt to match your future printing needs through performance-enhancing options and upgrades.

The optional 40 GB hard disk drive supports productivity features such as Secure Print, Proof & Print and Delayed Print. With the duplex unit (standard on the B6250dn, optional on the B6250n), you can improve your bottom line and save paper by printing on both sides of a sheet.

Backed by industry-leading service and support – B6250 Series printers come with a 1-Year On-Site warranty that can be increased up to 3 years with options. And for live technical support 24/7/365, you can call, toll-free, **800.OKI.DATA** (800.654.3282) and speak to an expert located in North America.⁴



High-quality output at 1200 x 1200 dpi for crisp clear output

PRODUCTS

DESCRIPTIONS
A wide variety of ERS solutions to meet the requirements of different retail store configurations. A ERS system is primarily composed of cameras and detection units, which respond to or act upon the Company's targets.

The Company's ERS products are designed and built to comply with applicable Federal Communications Commission (FCC) regulations governing radio frequency, signal strengths and other factors. The Company's primary ERS products requiring FCC certification comply with applicable regulations. In addition, the Company's primary ERS products meet other regulatory specifications for the countries in which they are sold.

CLOSING PRICE			
2002	PRICE	SIZE	
First Quarter	\$ 12 1/4	\$ 2 1/4	16%
Second Quarter	12 1/2	16 1/2	20%
Third Quarter	13 1/4	18 1/2	25%
Fourth Quarter	15 1/2	12	12
2003	\$ 23	\$ 18	
First Quarter	20 1/2	24 1/2	
Second Quarter	20 1/2	24 1/2	
Third Quarter	20 1/2	24 1/2	
Fourth Quarter	20 1/2	21 1/2	

Floating Summary
The Company's series products are used principally in retail establishments and libraries. In retail establishments, ERS system sensors are usually positioned at the ends from the aisle in which personnel articles are displayed. Each sensor unit includes either one or two vertical posts placed at pre-set distances (3 to 6 feet apart).

2002	2003	2004
\$21,750,000	\$26,741,000	\$28,111,000

In libraries, sensors are positioned at the ends of aisle tracks and other materials to be processed the open or reserved. The sensors are used to do:

ERS system components include cameras with the customer's choice of personal digital assistants. The ERS system's transmitter emits an RF signal to activate tags, causing the sensors to activate. The Company's next revenue item sensor was introduced in 2003, the B6200 in the form of a line. With the addition of non-proprietary hardware.


COMMON STOCK

The Common Stock of the Company is traded on the New York Stock Exchange ("NYSE") under the symbol PKR. From October 22, 2003, the Company's Common Stock was traded on the over-the-counter market on the National Association of Securities Dealers Automated Quotation System ("NASDAQ") National Market System, under the symbol PKR. The following table sets forth for the indicated periods the closing price range of the Common Stock as furnished by the NYSE and NASDAQ for the respective periods.

	High	Low
2002:		
First Quarter	22 1/2	8 1/4
Second Quarter	22 1/2	8 1/4
Third Quarter	13 1/4	9 1/4
Fourth Quarter	16	8 1/2
2003:		
First Quarter	14 1/2	10 1/4
Second Quarter	17 1/4	12 1/4
Third Quarter	19 1/4	16 1/4
Fourth Quarter	21 1/2	19 1/4

As of February 12, 2004, there were approximately 1,243 record holders of the Company's Common Stock. The Company has never paid a cash dividend on the Common Stock, does not anticipate paying any cash dividend in the near future and is limited by existing covenants to the Company's debt instruments from paying dividends. The declaration and payment of dividends in the future, and their amounts, will be determined by the Board of Directors in light of conditions then existing, including the Company's earnings, its financial condition and requirements (including working capital needs) and other factors.

THE B6250 SERIES AT A GLANCE



B6250 Series

Specifications		
Performance	Print Speed	Up to 30 pages per minute ¹
	Time to First Page	Less than 10.1 seconds ¹
	Print Resolution	1200 x 1200 dpi
	CPU	533 MHz
	Endurance	150,000 pages-per-month duty cycle
Productivity Features	Direct PDF Printing	Print PDF files without opening Adobe® Reader ²
	LPR	Pop-up utility to monitor printer status
	PrintSuperVision	Monitor and manage the printer via the Web
	Additional Features	Secure Print, Proof & Print
Compatibility	Operating Systems	Windows® Vista®; XP (Home, Professional); 2000 (Workstation, Professional, Server, Advanced Server – SP4 or later); NT® 4.0 (Workstation, Server – SP6 or later); ME; 98/98 SE; Mac® OS 10.2 and higher; Unix® (Sun® Solaris® 8, 7, 2.5; HP®-UX 11.0/10.20); Linux (Redhat 6.x)
	Emulations	PCL® 6 (XL); PCL 5e; Adobe® PostScript® 3™; Epson® FX-80 (ESC/P); PDF (1.3)
Memory	Standard RAM Memory	128 MB
	Maximum RAM Memory	640 MB ³
Optional Storage	Hard Disk Drive	40 GB
	Compact Flash Modules	512 MB
Connectivity	Standard	USB v2.0, Parallel, and Serial
	Network	10/100 Base-TX Internal Ethernet, standard
Paper Handling	Standard Paper Input	400 sheets Letter/Legal/Universal (upper cassette 150 pages; lower cassette 250 pages)
	Maximum Paper Capacity	1,500 sheets with options (standard 400-sheet capacity and 2 optional 550-sheet trays)
	Paper Types	Letter, Legal, Executive, Statement, Index cards, A4, A5, A6, B5 and Custom Sizes; C5, DL, Com 10 and Monarch envelopes
	Paper Size	3.0" x 5.0" min. to 8.5" x 35.43" max.
	Standard Paper Output	500 sheets face down; 70 sheets face up
	Paper Weight	16 lb. bond – 80 lb. cover (60 – 216 gms)
Resident Fonts	Scalable Fonts	89 PCL®, 136 Adobe® PostScript®
	Bitmap Fonts	Line printer; OCR A; OCR B; 5 bar codes (UPC/EAN; Interleaved 2 of 5; Code 3 of 9; Code 128; USPS Zip)
Environmental	Size (WxDxH)	16.6" x 17.9" x 12.8" (42.2 cm x 45.5 cm x 32.4 cm)
	Weight	Approx. 41 lb. (18.4 kg)
Warranty	Printer	1-Year On-Site warranty ⁴

Ordering Information		
Description	Part Numbers	
B6250n (120V)	62430904	
B6250n (230V)	62430905	
B6250dn (120V)	62430906	
B6250dn (230V)	62430907	
Supplies		
Print Cartridge:		
Avg. life – 10,000 pg. @ 5% density ⁵	52114501	
Options		
1 GB Network Kit	70052501	
550-Sheet 3rd & 4th Trays	70056701	
Offset Catch Tray	70048302	
Duplexer (2-Sided Printing)	70047804	
128 MB Memory Expansion	55953901	
512 MB Memory Expansion	70048502	
512 MB Compact Flash Kit	70051802	
40 GB Hard Disk Drive	70048703	
OKIcare® On-Site Warranties⁴		
	U.S.	Canada
B6000 Srs. 2-Year On-Site Wty.	58263301	58263311
B6000 Srs. 3-Year On-Site Wty.	58263302	58263312
Print Media		
Sheets Per Box		
Bright White Proofing Sheets (32 lb.):		
8.5" x 11"	500	52206101
Premium Transparency Film	50	52205701
Premium Card Stock:		
60 lb. cover	250	52205601
90 lb. index	250	52205602
110 lb. index	250	52205603
Premium Envelopes (size #10)	100	52206301
	500	52206302
Banner Paper (8.5" x 35.4")	100	52206002

Specifications are subject to change without notice.

© 2009 OKI Data Americas, Inc. OKI, OKIcare Reg. T.M., M.D., M.R., OKI Electric Industry Co., Ltd. On-Site logo, 7-Day/24-Hour logo T.M., OKI Data Americas, Inc. Network Reg. T.M., Novell, Inc. Windows, Windows NT, Reg. T.M., Microsoft Corp. PCL Reg. T.M., Hewlett-Packard Co. Unix Reg. T.M., SCO, Mac Reg. T.M., Apple Inc. Adobe, Acrobat, PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. Epson Reg. T.M., Seiko Epson Corp.

For more information on Digital Mono Printers and supplies from OKI Printing Solutions, including OKIcare® Extended Service Programs: **1.800.OKI.DATA (800.654.3282)**.⁴

¹ Published performance results based on laboratory testing. Individual results may vary.

² Requires optional Hard Disk Drive for optimum performance.

³ Additional memory sold separately.

⁴ Available in the U.S. and Canada only.

⁵ Printer ships with 6,000-page cartridge.



OKI DATA AMERICAS, INC.

USA
2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 800.OKI.DATA (800.654.3282)
FAX: 856.222.5320

CANADA
2735 MATHESON BLVD. EAST
MISSISSAUGA, ONTARIO L4W 4M8
TEL: 905.238.4250
FAX: 905.238.4421

LATIN AMERICA
2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 856.231.0002
FAX: 856.222.5071

OKI DATA DE MÉXICO, S.A. DE C.V.
MARIANO ESCOBEDO, 748 8º PISO
COL. NUEVA ANZURES C.P. 11590
MÉXICO, D.F.
TEL: 55.5263.8780
FAX: 55.5250.3501

OKI DATA DO BRASIL INFORMÁTICA LTDA.
AV. ALFREDO EGÍDIO DE SOUZA ARANHA, 100
BLOCO C – 4º ANDAR
04726-170 – SÃO PAULO – SP – BRASIL
TEL: 11.3444.3500
FAX: 11.3444.3502

WWW.OKIPRINTINGSOLUTIONS.COM