State of Kuwait Directorate General of Civil Aviation Aviation Safety Department

APPLICATION FOR THE INCLUSION OF



BOEING 777-200 AEROPLANE IN THE AIRCRAFT RATING OF

A PILOT'S LICENCE.	
SECTION 1 PERSONAL PARTICULARS	OF APPLICANT (In BLOCK CAPITALS)
Full Name (Surname first)	
Licence Number Ttyp	e of licence
Address to which licence is to be returned	
Telephone number	
SECTION 2 APPLICATION	
	ncluded in the Aircraft Rating, Aeroplanes, \Box Part1 (P ₁) or \Box Part2 t's Licence. I certify that the information provided on this form is true Note 11)
Signature	Date
SECTION 3 DECLARATION OF TRAININ	IG AND PROFICIENCY
B777-200 aeroplanes and has demonstrate aeroplane or a simulator approved by Kuwa	a course integrating ground, flying and simulator training on Boeing d a satisfactory level of proficiency to Authorized Examiners in this it DGCA for the particular purpose in each test certified overleaf (the ed on date/) and in the following aspects of operation:
3.1 Use of all the equipment fitted to this	aircraft which is the responsibility of the Flight Crew.

- 3.1 Use of all the equipment filled to this all call which is the responsibility of the right crew.
 3.2 Performance of normal, abnormal, alternate and emergency drills appropriate to Flight Crew duties as defined in relevant flight and/or Operations Manual.
- 3.3 Ability to carry out at the system panel of the aircraft all normal in-flight procedures.

Signature _____

Training Pilot in Charge _____ Corporation.

rearction

Date _____

Name in BLOCK CAPITALS	 Licence number & type

FOR OFFICE USE ONLY

ACCEPT	P ₁	P ₂											
REJECT because	:		_				 	 	Date				
									Amour	nt in K	D.		
									DGCA	Lette	r Ref:	12/OPS	1
Signature				_							Date _	/	_/
								J.	ن المدنـ	طبرا	امة لل	ارة العا	_ الإد

Directorate General of Civil Aviation

SECTION 4 CERTIFICATE FOR TYPE RATING ON A PROFESSIONAL PILOT'S LICENCE.

I being a person duly authorized in writing by the Kuwait DGCA to conduct such aircraft rating tests hereby certify that I have flown in a Boeing 777-200 aeroplane or Kuwait DGCA approved simulator with ________at the controls and that the applicant has carried out * satisfactorily and *unassisted , under the conditions stated, the maneuvers and drills against which my signature appears below together with my name in *BLOCK CAPITALS* beneath the signature. (* See Note 3)

		Date of test	A/c Reg or Sim Code	Examiners Signature	Authority
				(Name CAPS once)	Number
4.1	By Day in aeroplane in flight				
4.1.1	Normal take-off and climb to circuit altitude (See Note 2)				
4.1.2	Visual circuit approach, without visual or radio glide slop guidance, without auto-throttle and go-around from 100' AGL.				
4.1.3	Visual circuit, approach without visual or radio glideslope guidance and fullstop landing using reverse thrust. (See Note 2)				
4.2	By Day or Night in aeroplane in flight or in a	a simulator a	pproved by Kuv	vait DGCA.	1
4.2.1	Accelerate - stop with simulated failure of one engine before V_1 (See Note 5)				
4.2.2	In clean configuration approach to stall (to onset of heavy buffet) and recover, without autothrottle (See Note 4)				
4.2.3	In landing configuration, approach to stall (to nose-down pitch after stick shake) and recovery without autothrottle, having experienced the operation of the Pitch Envelope Protection.				
4.2.4	High Mach run (At or above 35,000 ft) to IMN 89 and recovery with use of speed brakes.				
4.2.5	Emergency descent starting above 30,000 ft AGL through at least 15,000 ft with recovery at a pre-determined altitude not below 10,000 ft AGL (See Note 6)				
4.2.6	With flight controls in direct mode an ILS approach to 200 ft AGL, a missed approach followed by a visual approach and landing.				
4.2.7	In flapless configuration but with slats sealed, approach from 10 miles, and go-around from 50' AGL (in the simulator a landing should be completed instead of go-around)				
4.2.8	With flight controls in normal mode maintain a bank angle 45° or more and then allow the Bank Angle Protection to operate.				



		Date of test	A/c Reg or Sim Code	Examiners Signature (Name CAPS once)	Authority Number
4.3	By Day or Night in aeroplane in flight or in a	a simulator a	pproved by Kuv	vait DGCA.	
4.3.1	Take-off with simulated failure of one engine between V_1 and V_2 with Thrust Asymmetry Compensation (TAC) selected OFF and climb to circuit altitude. (See Notes 2, 5&7)				
4.3.2	With one engine simulated failed TAC OFF, ILS approach without autothrust, with flight director to Decision Altitude, and go-around solely by reference to instruments.				
4.3.3	With one engine simulated failed, TAC OFF approach and fullstop landing using asymmetric reverse thrust on operating engine. (See Note 5&7)				
4.4	By Day or Night in aeroplane in flight or in a	- a simulator a	pproved by Kuv	vait DGCA.	
4.4.1	Take-off with simulated failure of one engine between V_1 and V_2 and climb to circuit altitude (See notes 2 & 5)				
4.4.2	With one engine simulated failed, visual circuit and approach without auto-throttle, and go-around.				
4.4.3	With one engine simulated failed, visual circuit and approach, without auto-throttle, and full stop landing using asymmetric reverse thrust.				



SECTION 5 FLYING EXPERIENCE

I have had the following flying experience on B777-200 as recorded in my personal Pilot's Flying Logbook:

Type of conversion training

Handling	Aeroplane Hours	Simulator Hours
P ₁ Under Supervision		
As Co-pilot		
As Observer		

Certified correct, Training Pilot in Charge _____ Date __/_/

Name in BLOCK CAPITALS		Lic. No.	
------------------------	--	----------	--



GENERAL NOTES

- 1. "Night" means the hours between half an hour after sunset and half an hour before sunrise. "Day or Night" at paragraph 4.2 permits tests in the twilight period.
- 2. "A circuit" is the flight path around an aerodrome at a specified altitude which facilitates an aircraft's positioning from a point on the take-off path of a given runway to a point, on the approach path of the same runway, from which a landing can be made.
- 3. "Satisfactorily" means that the applicant is in full control of the aeroplane at all times and that the successful outcome of a maneuver is never in doubt. "Unassisted" means without verbal prompting or physical assistance with the flying controls.
- 4. "Clean configuration" means with the landing gear, slats and flaps fully retracted.
- 5. In the aeroplane "Simulated engine failure" means with engine controls set up for low power after landing gear retraction so as to represent a failed engine as nearly as possible. In the flight simulator any approved method for simulating engine failure may be used.

The accelerate-stop tests required by this form should be carried out as follows:-

- (i) In the aeroplane, simulated engine failure should be initiated at a speed which will not hazard the safety of the aircraft.
- (ii) In a flight simulator, simulated engine failure should be initiated at a speed which is close to V_1 but which is sufficiently below to require a decision to stop. e.g. V_1 (5 or 10 kt.)
- 6. Emergency descent procedure should be carried out in flight by announcing a pressurization failure, donning masks, carrying out touch drills and descending the aeroplane through a representative altitude band. The aeroplane should NOT be depressurised.
- 7. (i) The items of test in the heavily outlined box at Section 4 together comprise the flying test for the Certificate of Test described in Kuwait Civil Aviation Safety Regulations (KCASR). When a simulator is permitted to be used, the C of T test for any pilot should be that in the box at Section 4. Endorsement of the licence will date from the completion of these tests. A flight simulator must be specifically authorized by the Kuwait DGCA before testing boxed C of T items during initial ratings on Type.
 - (ii) In 4.2.13 alternating recurrent tests may be conducted with the use of autothrust.
- 8. Certain items of this test may be carried out on a appropriate flight simulator which has been specifically approved for them. Items so approved are enumerated in the relevant flight simulator approval, which also shows the Simulator Code for column 3.
- 9. Only persons holding written authorization from the Kuwait DGCA in respect of the aeroplane type and/or simulator used for this test may sign for the satisfactory completion of any test on this form.
- 10. Applicants are reminded that the technical and flying tests (simulator only) may be undertaken in any order but both must have been satisfactorily concluded within 6 months preceding the application for the aircraft rating.
- 11. All deck crew will go through the same drills and training required upto Part 1 qualifications, but the co-pilot's will be endorsed with P_2 endorsements. Based on the request by the Operator after the completion of the candidate's command training, the DGCA will endorse the licence with P_1 .
- 12. This issue of DGCA Skill Test Form is for the use in respect of all Boeing 777-200 aeroplanes only.

- End -

الإدارة العامة للطيران المدني Directorate General of Civil Aviation