# SAFETY DATA SHEET



#### 1. Identification of the substance/preparation and company/undertaking

**Product name** Biohyd SE-S 32

SDS no. 400946 Hydraulic fluid Use of the

For specific application advice see appropriate Technical Data Sheet or consult our company substance/preparation

**Supplier** Castrol Industrial

divisie van BP Europa SE - BP Nederland

Rivium Boulevard 301 2909 LK Capelle a/d IJssel

The Netherlands

Telephone Number: 010-2494434 Fax Number: 010-2494430

**EMERGENCY TELEPHONE** 

Carechem: +44 (0) 1235 239 670 **NUMBER** Netherlands: NVIC 030 274 8888

E-mail address MSDSadvice@bp.com

#### 2. **Hazards identification**

his preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

**Additional hazards** Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major

medical emergency.

See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

# Composition/information on ingredients

Chemically modified base oil Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

### First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical

attention if irritation occurs.

Skin contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation

develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to

an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a

physician immediately.

Notes to physician Treatment should in general be symptomatic and directed to relieving any effects.

Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes

swollen, discoloured and extremely painful with extensive subcutaneous necrosis.

Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage.

Note that high pressure may force the product considerable distances along tissue planes.

# 5. Fire-fighting measures

**Extinguishing media** 

products

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable o not use water jet.

**Hazardous decomposition** Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides

Unusual fire/explosion hazards None identified

Biohyd SE-S 32 Product code 400946-DE15 **Product name** Page: 1/5

Date of issue 8 June 2010 **Format Netherlands** Language ENGLISH (Netherlands) (ENGLISH) Special fire-fighting procedures

ial fire-fighting None identified

Protection of fire-fighters Fire-fighte

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout

gear.

### 6. Accidental release measures

**Personal precautions** 

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** 

Noid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Fop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

**Small spill** 

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### 7. Handling and storage

**Handling** Wash thoroughly after handling.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area.

**Not suitable** Prolonged exposure to elevated temperature.

# 8. Exposure controls/personal protection

Ingredient name

Occupational exposure limits

Nationale MAC-lijst (Netherlands).

TGG: 5 mg/m<sup>3</sup> 8 hour(s). Form: Oil mist, mineral

**ACGIH TLVs** 

Base oil - unspecified

Base oil - unspecified

ACGIH (United States).

STEL: 10 mg/m³ 15 minute(s). Form: Mineral oil, mist TWA: 5 mg/m³ 8 hour(s). Form: Mineral oil, mist

For information and guidance, the ACGIH values are included. For further information on these please consult your supplier.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

**Exposure controls** 

Occupational exposure controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Personal protective equipment Respiratory protection

Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn.

Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required.

Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.

Product name Flohyd SE-S 32 Product code 00946-DE15 Page: 2/5

Date of issue 8 June 2010 Format Netherlands Language ENGLISH

(Netherlands) (ENGLISH)

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. **Hand protection** 

Recommended: nitrile aloves

Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of use.

Eye protection Safety glasses with side shields.

Skin and body Use of protective clothing is good industrial practice.

> Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

#### 9. Physical and chemical properties

### **General information**

**Appearance** 

**Physical state** Liquid. Yellow. Colour Mild Odour

Important health, safety and environmental information

Flash point pen cup: 230°C (446°F) [Cleveland.] **Viscosity** Kinematic: 32.5 mm<sup>2</sup>/s (32.5 cSt) at 40°C Kinematic: 6.44 mm<sup>2</sup>/s (6.44 cSt) at 100°C

Pour point

880 kg/m3 (0.88 g/cm3) at 15°C **Density** 

insoluble in water. **Solubility** 

**Partition coefficient** 

(LogKow)

# 10 . Stability and reactivity

The product is stable.

Possibility of hazardous

reactions

Inder normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Keep away from heat, sparks and flame.

Reactive or incompatible with the following materials: oxidizing materials. Materials to avoid

**Hazardous decomposition** 

products

combustion products may include the following:

carbon oxides

sulfur oxides

Inder normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. Toxicological information

**Acute toxicity** Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may

lead to dermatitis.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause

nausea and diarrhoea.

At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal

decomposition products occurs.

**Chronic toxicity** 

**Chronic effects** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Effects and symptoms** 

Eyes No significant health hazards identified. Skin No significant health hazards identified. Inhalation No significant health hazards identified. Ingestion No significant health hazards identified.

Biohyd SE-S 32 Product code 400946-DE15 **Product name** Page: 3/5

Date of issue 8 June 2010 **Format Netherlands** Language ENGLISH

(Netherlands) (ENGLISH)

# 12. Ecological information

Persistence/degradability **B**íodegradable

Mobility pillages may penetrate the soil causing ground water contamination.

**Bioaccumulative potential** his product is not expected to bioaccumulate through food chains in the environment.

**Environmental hazards** Not classified as dangerous.

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could Other ecological information

also be impaired.

### 13. Disposal considerations

Disposal considerations / **Waste information** 

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Unused product** 

European waste catalogue (EWC)

1/3 01 11\* synthetic hydraulic oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

# 14. Transport information

Not classified as hazardous for transport (ADR/RID, ADNR, IMDG, ICAO/IATA)

### 15. Regulatory information

Classification and labelling have been performed according to EU directives 1999/45/EC and 67/548/EEC as amended and adapted. Label requirements

Risk phrases

This product is not classified according to EU legislation.

Other regulations

**Europe inventory United States inventory** 

Australia inventory (AICS)

(TSCA 8b)

M components are listed or exempted. MI components are listed or exempted. At least one component is not listed.

MI components are listed or exempted.

M components are listed or exempted.

Canada inventory **China inventory (IECSC)** Japan inventory (ENCS) Korea inventory (KECI)

Philippines inventory

(PICCS)

MI components are listed or exempted. MI components are listed or exempted. M least one component is not listed.

### 16. Other information

**History** 

Date of issue/ Date of

revision

Date of previous issue 19/10/2004. Prepared by **Product Stewardship** 

Notice to reader

✓ Indicates information that has changed from previously issued version.

08/06/2010.

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not

Biohyd SE-S 32 Product code 400946-DE15 **Product name** Page: 4/5

Date of issue 8 June 2010 Language ENGLISH **Format Netherlands** 

(Netherlands) (ENGLISH) be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name Flohyd SE-S 32 Product code 700946-DE15 Page: 5/5

Date of issue 8 June 2010 Format Netherlands Language ENGLISH

(Netherlands) (ENGLISH)