

## Yield Reporting Form: HP LaserJet P1566 cartridge model CE278A

### Declaration of Yield

#### **Toner cartridge yield:**

Average cartridge yield 2100 standard pages<sup>1</sup>

*Declared yield value in accordance with ISO/IEC 19752*

#### Toner lab data and results

Average <sup>1</sup>	2129
Standard Dev.	17
90% lower confidence limit <sup>1</sup>	2119

Test date: beginning	2009-1-19
Test dates: ending	2009-1-20
Number of cartridges used in testing	9
Number of cartridges used in calculations	9
Type of cartridge	Hewlett Packard CE278A all in one
Shake procedure used?	Yes, at first and second fade
Print mode	continuous
Job size	100 pages per job to 1900 pages, 25 thereafter
Number of engines used in testing	3
Media	HP Everyday 80g
Paper size	A4
Paper feed orientation	short edge
Computer model	HP Compaq dc7700
Operating system	Win XP
Application software	Adobe Reader 9.0
Print driver version	20091104
Connection type	USB
Test page version*	2004(E)

Power on/off every day	No
------------------------	----

Engine serial numbers:	Engine Firmware Version:
VNC3H00015	20091029
VNC3H00001	20091029
VNC3H00004	20091029

\*filename: c034911\_ISO\_IEC\_19752\_2004(E)\_Test\_Page.pdf from ISO SC28 website

## Cartridge testing data:

CE278A		LJ P1566	Humidity, %RH			Temperature, C			Cartridge Yield
Cartridge	Lot Code	Engine SerNo	Max	Min	Average	Max	Min	Average	
CE278A-001	9K15M1Dk	VNC3H00015	49.5	44.8	47.6	25.0	23.2	24.0	2141
CE278A-002	9K17M1Dk	VNC3H00001	49.5	44.8	47.6	25.0	23.2	24.0	2136
CE278A-003	9K17M1Dk	VNC3H00004	49.5	44.8	47.6	25.0	23.2	24.0	2149
CE278A-004	9K19M1Dk	VNC3H00015	49.5	44.8	47.6	25.0	23.2	24.0	2092
CE278A-005	9K17M1Dk	VNC3H00001	49.5	44.8	47.6	25.0	23.2	24.0	2137
CE278A-006	9K19M1Dk	VNC3H00004	49.5	44.8	47.6	25.0	23.2	24.0	2115
CE278A-007	9K19M1Dk	VNC3H00015	49.5	44.8	47.6	25.0	23.2	24.0	2139
CE278A-008	9K17M1Dk	VNC3H00001	49.5	44.8	47.6	25.0	23.2	24.0	2121
CE278A-009	9K17M1Dk	VNC3H00004	49.5	44.8	47.6	25.0	23.2	24.0	2134

<sup>1</sup> In an ISO report commonly two values are listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information, visit [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies).