ZOELLNER CONSTRUCTION CO., INC.875 PCR 500 Perryville MO 63775 573/547-8030 fax: 547-6671

March 4, 2013

ATTN: Frank Tran

U.S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352

TO WHOM IT MAY CONCERN:

Please terminate our license effective immediately.

Sincerely,

ZOELLNER CONSTRUCTION CO., INC.

Gail Zoellner V. President

ZOELLNER CONSTRUCTION CO., INC. 875 PCR 500 Perryville MO 63775 573/547-8030 fax: 547-6671

March 4, 2013

U.S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352

TO WHOM IT MAY CONCERN:

Please see the attached Bill of Sale. As of this date we have sold our Troxler Portable Nuclear Guage. Please remove our company from all correspondence and send us a final bill for any fees we may owe through this date.

Sincerely,

ZOELLNER CONSTRUCTION CO., INC.

Gail Zoellner

ZOELLNER CONSTRUCTION CO., INC. 875 PCR 500

Perryville, MO 63775-8261 573/547-8030 fax: 573-547-6671

BILL OF SALE

SOLD TO: Baer Engineering DATE: 03-04-2013

313 N. Jackson Street

Perryville, MO 63775

ONE Troxler Portable Nuclear Moisture/Density Gauge, Mdl 3440, S/N 26109

Attached are documents needed for legal transfer of a nuclear device, including records of the most recent leak test and Zoellner Construction's license. The gauge was purchased from Good Earth Testing, LLC June 10, 2009.

Price: Three thousand hundred and no/100 (\$3,000.00)

ZOELLNER CONSTRUCTION CO., INC.

Signed: //////

BAER ENGINEERING

Signed:

| h | | |
|-----|------|-----|
| NDC | FORM | 271 |
| | | |

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 3 PAGES

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct,

| source, and special nuclear material design deliver or transfer such material to persons shall be deemed to contain the conditions applicable rules, regulations, and orders of below. | authorized to receive it in a specified in Section 183 of | accordance with the regulation of the Atomic Energy Act of 19 | s of the applicable Part(s). This license 954, as amended, and is subject to all |
|--|---|--|---|
| Licensee | | | |
| Zoellner Construction Co., Inc. | | 3. License number 24-32 | 733-01 |
| 2. 875 pcr 500 | | 4. Expiration date March | 31, 2019 |
| Perryville, MO 63775 | | 5. Docket No. 030-3790 | |
| | | Reference No. | |
| Byproduct, source, and/or 7. special nuclear material | Chemical and/or physica | po | aximum amount that licensee may ossess at any one time under this sense |
| A. Cesium-137 | A. Sealed sources with NRC under or with an Agree incorporated in a gauging device attem 9 of this lice | 10 CFR 32.210 ment State and a compatible as specified in | No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State, total possession limit of 9 millicuries. |
| B. Americium-241 | B. Sealed sources with NRC under or with an Agree incorporated in a gauging device ltem 9 of this lice | 10 CFR 32.210 ment State and a compatible as specified in | No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State, total possession limit of 44 millicuries. |

Authorized use

A. and B.

To be used in Troxler 3400 Series moisture/density gauge for measuring physical properties of materials.

CONDITIONS

- 10. Licensed material may be used or stored at the licensee's facilities located at 875 pcr 500, Perryville, Missouri, and may be used at temporary job sites of the licensee anywhere in the United States where the U. S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
- 11. The Radiation Safety Officer (RSO) for this license is Matthew Zoellner.
- 12. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application received December 30, 2008.

- 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
 - C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis: analysis of leak samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
 - F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
- 15. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
- 16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by NRC, to account for all sources and/or devices received and possessed under the license.
- 17. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
- 18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport. A minimum of two independent physical controls that form tangible barriers to

| NRC CORM 374A | U.S. NUCLEAR REGULATORY COMMISSION | | PAGE | 3 | of | 3 | PAGES |
|---------------|--|--------------------------------------|------|---|----|---|---------------------------------------|
| | | License Number 24-32733-01 | | | | | |
| | MATERIALS LICENSE SUPPLEMENTARY SHEET | Docket or Reference Number 030-37900 | | | | | |
| | | | | | | | · · · · · · · · · · · · · · · · · · · |
| • | | | | | | | |


secure portable gauges from unauthorized removal whenever the portable gauge is not under the control and constant surveillance of the licensee are required.

- 19. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the Commission or an Agreement State to perform such services.
- 20. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
 - If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.
- 21. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35 (d) for establishing financial assurance for decommissioning.
- 22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application received December 30, 2008; and
 - B. Facsimile letter and application dated March 16, 2009.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

| MAR 1 9 2009 | By Loung. Hweter |
|--------------|----------------------------|
| | Loren J. Huefer |
| | Materials Licensing Branch |

Region III



www.qalicl.com

Qal-Tek Associates 3998 Commerce Circle Idaho Falls, Idaho 83401

Ph: (208) 523-5557 Fax: (208) 524-8470

3217 W Hampden Englewood, CO 80110 Ph: (303) 319-2022

SEALED RADIOACTIVE SOURCE LEAK TEST REPORT

Company: Good Earth Testing Street: 34445 LAMOTH RD City/St/Zip: Bonne Terre, MO 63628

Phone: 573-358-3374 Cell:573-366-4629

7801 N Lamar, Ste E204

Austin, Texas 78752

Ph: (512) 407-9252

Fax:

101147

Ref #: S0880-09

6 LT Frequency: Months

TEST INSTRUMENT

| Mfg'r.: | Ludium | Model: | 3030_2 | Serial #: | 219696 | Cal. Date: | 08/01/08 |
|---------|------------|---------------|--------|---------------|--------|------------|----------|
| MDA: | <0.005 µCi | a efficiency: | >36% | β efficiency: | >38% | Dat. Type: | ZnS (Ag) |

Oal-Tak Associates certify the above instrument has been calibrated using radioactive standards traceable to NIST, or traceable to calibration facilities for other ISO members, or have been derived from accopiable values of natural/physical constraints, or have been derived by ratio spe of calibration techniques. Accuracy of the principal radiation celibration sources used is greater than or equal to the required accuracy of the equipment being calibrated. The Oal-Tek Associates calibration system conforms in ANSI N323-1997. All calibrations are performed in accordance with the Oal-Tek Associates Quality Assurance Management Program (QAMP) by QP-PRO-001, which is available by written request.

LEAK TEST RESULTS

| Mfg'r | Model # | Inst. Serial # | Isotope | Activity | net a | СРМ | net b/g | CPM | pass/fail |
|---------|---------|----------------|---------|----------|-------|-----|---------|-----|-----------|
| | | 22122 | AM241 | 40 mCi | C |) | - 6 | 3 | Р |
| Troxler | 3440 | 26109 | Cs137 | 8 mCi | C |) | 5 | 5 | Р |

Date Sources Leak Tested:

06/07/09

Next Leak Test Due:

12/07/09

Oal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCt

Instrument Technician

Monte Pope

4-22-09

| P.O. Box 12057 | Research Triangle | Park, |
|--|----------------------|--------------------------------------|
| th Garaina 27709 | Ų.S.A. _{Q∠} | 17J82005768 |
| | (E) - 1 | 46-1- |
| | gal# | 00.240. - |
| | dionuclide | 128/20/05 |
| 100 Maria 100 E. P. L. P. 100 F. L. P. 1 | C. Ob. | |
| | | vådii -27709 <i>€ i</i> * POSTAGE |
| <u> </u> | | The same of the same |
| | | |
| - See Rever | se Side | • |
| * * | | |

The Tast of LIC

| | and the same of th |
|------------------------------|--|
| | Mar. 047J8200576 |
| Device - Model # 34/4 | Serial: # 552 |
| Source(s) - Serial # 75 | Badignuclide 55 |
| | dadionudide <u>fish 277</u> 00 |
| Date of Test: 1 16-06 | WS POSTAGE |
| | |
| Leak Test Reminder - See Rev | erse Side |
| 10:60 Back Top on | |
| 3442 Londonth Ro | |
| Burn Terre Mo | C3628 |
| Mak 1 1/2 | users. |
| 181 306 462 | 7 |



3008 Comwallis Rd. P.O. Box 12057 Research Triangle Park, North Carolina 27709, U.S.A.

Device - Model # 3440 , Serial # 26/09

Source(s) - Serial # 75-9/37 , Radionuclide C5 /37

Serial # 47-72491, Radionuclide AM-241: BE

Date of Test: 1-18-06

Please print legibly and firmly. This is your return address label.

- · Good Earth Testing · 3445 Lambeth Road
- Bonne Terre Mo 03628

Your Name: Mark Halbert
Telephone: (673) 366-4629

ORIGINAL COPY

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alpha contamination; and, that the results of this analysis shows the removable activity to be less than 0.005 microcuries.

50



3008 Cornwallis Rd. P.O. Box 12057 Research Triangle Park, North Carolina 27709, U.S.A.

Device - Model # 3430 , Serial # 32384

Source(s) - Serial # 750 - 7632 Radionuclide C3 137

Serial # 47-13582 , Radionuclide An241: BE

Date of Test: 6-18-6

Please print legibly and firmly. This is your return address label.

Bonne Ferm Mo 63628

Your Name: Mark 14albert

Telephone: 573) -366-4629

ORIGINAL COPY

| LEAK TEST ANALYSIS |
|----------------------------|
| This certifies that the |
| sample accompanying |
| this form has been |
| analyzed using an |
| approved monitoring |
| method that measures |
| both beta/gamma & alph |
| contamination; and, that |
| the results of this analys |
| shows the removable |
| activity to be less than |
| 0.005 microcuries. |
| |
| |
| |

TUROMER

3008 Comwallis Rd. P.O. Box 12057 Research Triangle Park, North Carolina 27709, U.S.A.

Device - Model # 3440 , Serial # 26/09

Source(s) - Serial # 75 9137, Radionuclide CS 137

Serial # 4722491 , Radionuclide Am 241: BE

Date of Test: 6-18-06

| | | e | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

Good Earth Testing LLC

Bonne Ferre Mo 63628

· 3445 hambeth Rd

Your Name: Mak Halbert
Telephone: 573 366 - 4629

ORIGINAL COPY

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alph contamination; and, that the results of this analysi shows the removable activity to be less than 0.005 microcuries.

| activity to be less than 0.005 microcuries. |
|---|
| |
| |
| |

0.005 microcuries. activity to be less than shows the removable the results of this analysis confamination; and, that both beta/gamma & alpha method that measures approved monitoring analyzed using an this torm has been eample accompanying This certifies that the

LEAK TEST ANALYSIS

CLISTOMER RECEIPT

Please print legibly and firmly. This is your return address label.

Date of Test: 1-10-56

Serial # 47-7241, Radionuclide AM-241.18E

Device - Model # 3440
Serial # 75.9137
Serial # 75.9137
Source(s) - Serial # 75.9137

1:00113 3008 Comwallis Ad. P.O. Box 12057 Research Triangle Park, North Carolina 27709, U.S.A.

| 激励 4 | Sept. | S CONTRACT | (##f)* | 011 | 201 |
|-------------|-----------|------------|-------------|------------|-----|
| Ţ | | · Ya | 7 '4 | # ~ | • |
| | WELL ST | | للماء | | |
| Schille. | ASSESSED. | | 14 15 | | |

3008 Cornwallis Rd. P.O. Box 12057 Research Triangle Park, North Carolina 27709, U.S.A.

Device - Model # 3430 , Serial # 32387

Source(s) - Serial # ______ Radionuclide ______ Radionuclide

Serial # 5/7/13564. Radionuclide And 29/186

Date of Test:

Please print legibly and firmly. This is your return address label.

Good Early Forty LL. 3448 Lambert Rd.

Brings True At 67425

Telephone: (873) 1360 476 127

CUSTOMER RECEIPT

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alpha contamination; and, that the results of this analysis shows the removable activity to be less than 0.005 microcuries.



3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

| LE | AK TEST CERTIFICA | ATE |
|--|---|----------------------------|
| DEVICE: | | |
| Model: 3440 Serial No: | 26109 | |
| SEALED SOURCES: | | |
| 47-22491 03/21/1996 AM | ACTIVITY ICLIDE (GBq) (mCi) -241:BE 1.48 40 S-137 0.296 8 | |
| LEAK TEST ANALYSIS: | | |
| Sample collected on: 07/18/2005 | | |
| Sample analyzed on: 07/20/2005 | at 2:45:00 PM | |
| Analyzed by: R THOMPS | ЮИ | |
| | ALPHA | BETA-GAMMA |
| Conversion factor (cpm/Bq) | 1.28E+01 | 2.10E+01 |
| Background measurement (cpm) | 1 | . 25 |
| Sample measurement (cpm) | 0 | 33 |
| Activity (Bq) | < MDA | < MDA |
| Min. Detectable Activity (Bq) | 4.7E-01 | 1.2E+00 |
| Constitution of the Consti | | |
| This certifies that the above leak to ☑ Less than 185 Bq (0.005 uCi) | | er than 185 Bq (0.005 uCi) |
| If greater than 185 Bq (0.005 uCi): | | |
| Person Notified | Date | |
| Phone | and/or Fax | |

and/or

Fax



Phone

Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

| LEAK TEST CERTIFICATE | | | | | | |
|---|---|------------|--|--|--|--|
| DEVICE: | | | | | | |
| Model: 3440 Serial No: | 26109 | | | | | |
| SEALED SOURCES: | | | | | | |
| 75-9137 02/06/1996 C | ACTIVITY ICLIDE (GBq) (mCi) S-137 0.296 8 -241:BE 1.48 40 | | | | | |
| LEAK TEST ANALYSIS: | | | | | | |
| Sample collected on: 01/18/2006 | | | | | | |
| Sample analyzed on: 02/10/2006 | at 2:40:00 PM | | | | | |
| Analyzed by: C. Ekwuribe | : | | | | | |
| | ALPHA | BETA-GAMMA | | | | |
| Conversion factor (cpm/Bq) | 1.28E+01 | 2.04E+01 | | | | |
| Background measurement (cpm) | 1 | 28 | | | | |
| Sample measurement (cpm) | 1 | 37 | | | | |
| Activity (Bq) | < MDA | < MDA | | | | |
| Min. Detectable Activity (Bq) | 6.1E-01 | 1.3E+00 | | | | |
| In the second control of the second control | | | | | | |
| This certifies that the above leak test results are: ☑ Less than 185 Bq (0.005 uCi) ☐ Greater than 185 Bq (0.005 uCi) | | | | | | |
| If greater than 185 Bq (0.005 uCi) | | | | | | |
| Person Notified | Date | | | | | |

and/or

Fax



9194852250

Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

LEAK TEST CERTIFICATE

DEVICE:

Model: 3440

Serial No: 26109

SEALED SOURCES:

ACTIVITY

MEASURE DATE

NUCLIDE

(GBq) (m¢i)

75-9137

SERIAL NO.

02/06/1996

CS-137

0.296

47-22491

03/21/1996

AM-241:BE 1.48 40

8

LEAK TEST ANALYSIS:

Sample collected on: 01/18/2006

Sample analyzed on:

02/10/2006

at 2:40:00 PM

Analyzed by:

C. Ekwuribe

| | ALPHA | BETA-GAMMA |
|-------------------------------|----------|------------|
| Conversion factor (cpm/Bq) | 1.28E+01 | 2,04E+01 |
| Background measurement (cpm) | 1 | 28 |
| Sample measurement (cpm) | 1 | 37 |
| Activity (Bq) | < MDA | < MDA |
| Min. Detectable Activity (Bq) | 6.1E-01 | 1;3E+00 |

| Less than 185 Bq (0.005 uCi) | Sults are: Greater than 185 Bq (0.005 uCi) |
|-------------------------------------|---|
| | |
| If greater than 185 Bq (0.005 uCi): | |
| Person Notified | Date |
| Phone | and/or Fax |



3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

| LEAK TEST CERTIFICATE | | | | | |
|--|---|----------------------------|--|--|--|
| DEVICE: | | | | | |
| Model: 3440 Serial No: | 26109 | | | | |
| 75-9137 02/06/1996 C | ACTIVITY CLIDE (GBq) (mCi) S-137 0.296 8 | | | | |
| 47-22491 03/21/1996 AM | -241:BE 1.48 40 | | | | |
| LEAK TEST ANALYSIS: | | | | | |
| Sample collected on: 06/18/2006 | | | | | |
| Sample analyzed on: 06/23/2006 | at 10:36:00 AM | | | | |
| Analyzed by: HARRY P. I | PENDLETON,JR. | | | | |
| | ALPHA | BETA-GAMMA | | | |
| Conversion factor (cpm/Bq) | 1.28E+01 | 2.04E+01 | | | |
| Background measurement (cpm) | 1 | 28 | | | |
| Sample measurement (cpm) | 0 | 31 | | | |
| Activity (Bq) | < MDA | < MDA | | | |
| Min. Detectable Activity (Bq) | 6.1E-01 | 1.3E+00 | | | |
| | | | | | |
| This certifies that the above leak to ☑ Less than 185 Bq (0.005 uCi) | _ | er than 185 Bq (0.005 uCi) | | | |
| If greater than 185 Bq (0.005 uCi): | | | | | |
| Person Notified | Date | | | | |
| Phone | and/or Fax | | | | |

Fax

and/or



3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250 License: NC 032-0182-1

MARK HALBERT GOOD EARTH TESTING 3445 LAMBETH BONNE TERRE, MO 63628

| | _ | | | TE 0 T | AFD: | | | _ |
|---|----------|---|---|--------|------|-----------|----------|---|
| 1 | - | Δ | ĸ | TEST | | H : L | 1 | - |
| - | | _ | | , , | | . • | ~ , | _ |

DEVICE:

Model: 3440

Serial No: 26109

SEALED SOURCES:

Serial No. Measure Date

Nuclide

GBq

mCi

47-22491

03/21/1996

AM-241:BE

1.48

40

75-9137

02/06/1996

CS-137

0.296

8

LEAK TEST ANALYSIS:

Sample collected on:

12/05/2006

Sample analyzed on:

12/08/2006 at 12:01:00 PM

Analyzed by:

HARRY P. PENDLETON, JR.

| | ALPHA | BETA-GAMMA |
|-------------------------------|----------|------------|
| Conversion factor (cpm/Bq) | 1.28E+01 | 2.02E+01 |
| Background measurement (cpm) | 0 | 27 |
| Sample measurement (cpm) | 0 | 20 |
| Activity (Bq) | < MDA | < MDA , |
| Min. Detectable Activity (Bq) | 4.1E-01 | 1.3E+00 |

| This certifies that the leak test results are: | |
|--|-----------------------------------|
| ☑ Less than 185 Bq (0.005 uCi) | ☐ Greater than 185 Bq (0.005 uCi) |



3008 Cornwallis Rd., P.O. Box 12057 Research Triangle Park, NC 27709 Tel: (877) 876-9537 Fax: (919) 485-2250 License: NC 032-0182-1

MATT ZOELLWER ZOELLWER CONSTRUCTION COMPANY 875 PCR 500 PERRYVILLE, MO 63775

| | CERTI | |
|--|---------------|------|
| | / · L L J I I | |
| | | |

DEVICE:

Model: 3440

Serial No: 26109

SEALED SOURCES:

 Serial No.
 Measure Date
 Nuclide
 GBq
 mCi

 47-22491
 3/21/1996
 Am-241:Be
 1.48
 40

75-9137

2/6/1996

Cs-137

0.296

8

LEAK TEST ANALYSIS:

Sample collected on:

03/11/2013

Sample analyzed on:

03/18/2013

at 10:35:00 AM

Analyzed by:

HEB

| | ALPHA | BETA-GAMMA |
|-------------------------------|----------|------------|
| Conversion factor (cpm/Bq) | 1.25E+01 | 1.97E+01 |
| Background measurement (cpm) | 0 | 24 |
| Sample measurement (cpm) | Ż | 23 |
| Activity (Bq) | < MDA | < MDA |
| Min. Detectable Activity (Bq) | 4.2E-01 | 1.3E+00 |

| This certifies that the leak test results are: | | | | |
|--|-------------|----------|---------------------|------|
| ☑ Less than 185 Bq (0.005 uCi) | Greater tha | ın 185 B | q (0.0 0 5 ı | ıCi) |

GAUGE TRANSFER/DISPOSAL FORM

This form can be used for recordkeeping or to notify the Agency of a portable nuclear gauge which is transferred or disposed of. A transfer sheet should be completed for every gauge that transfers out of the licensee's possession (sale, disposal or for service). Transferor License Number: 24-32733-01 Telephone Number: License Name: 20/11/2 Construction Co. Inc. Address: 875 per 500 Perryville Mo 63775 Gauge/Transfer Information Complete the following information for each gauge which is transferred or disposed. On the "TRANSFERRED TO:" line, indicate to whom the gauge was transferred, for what purpose (sold, disposed of, transfer to a different license, or for service/calibration). Receiver/transferee license must allow for additional gauges. Manufacturer: Transferred To: Baer Engineering Model number: 3440 Serial number: 26/09 Penruille mo 63775 Source serial #'s: Date of Transfer: 03/25/ Reason for transfer Porchase Last leak test date: 3/18/2013 Receiver license #/state: 24-3.503 RSO/Official name: Ma Signature: //aud// Transfer checklist: Gauge case is undamaged and labels are legible; Bill of Lading has been completed and attached to Emergency Information Sheet; Gauge inventory/gauge log has been adjusted; if gauge is damaged - disposal/service facility receiving the gauge has been notified in advance & proper transport case is used. Note: Make sure that the receiver's license lists the exact type/model of gauge you are transferring. Likewise, assure that the receiver/transferee gauge limit has not been exceeded. If you are unsure, contact the receiver's regulatory agency. Make copies for your records, for the receiver/transferee and for the agency. Keep copies of any other transfer documentation (Bill of Sale, shipping receipts, etc) I certify that the above information is true and correct to the best of my knowledge. Signature of transferor RSO or person authorized to act on behalf of licensee.

Tran, Frank

From:

Gail Zoellner < Gail Z@zcco.biz>

Sent:

Tuesday, April 09, 2013 1:09 PM

To:

Tran, Frank

Cc: Subject: Riner, Kelly TERMINATION OF LICENSE LETTER

Attachments:

NRC TERMINATION LETTER20130409115800.pdf

AS REQUESTED...

Gail Zoellner
V. Pres. & Secretary
ZOELLNER CONSTRUCTION CO.., INC.
875 PCR 500
Perryville MO 63775-8261
573/547-8030 fax: 547-6671

gailz@zcco.biz