



COPYRIGHTED MATERIAL

Index

A

Abit, 138–141

Accelerated Graphics Port (AGP),
11, 499

accidental deletion troubleshooting,
476

accidental formatting troubleshooting,
476

Ad-Aware, 487

Ad-Aware SE Personal, 448

adapters

about, 11

audio, 103–105

Adaptive Speed Leveling (ASL), 500

adding

hard drives, 156–159

memory, 152–154

parallel ports, 379

address, 499

address bus, 25, 499

Advanced SCSI Programming
Interface (ASPI), 500

advanced tools, 90–91

adware, 446

AGP (Accelerated Graphics Port)

about, 11, 499

bus, 79

video display adapter, 303, 307–308

alternative floppy drives, 214–215

aluminum plates shielding, 6

AMD

about, 11, 17

microprocessors, 27, 41, 54–57

American Megatrends, 453

AMI BIOS, 453

amplitude, 499

analog, 499

analog loopback, 500

anti-aliasing, 500

antiglare monitors, 337

aperture grille video, 301

API (application program interface)

about, 500

video display adapters, 309, 318

application events, 458–459

application program interface (API)

about, 500

video display adapter, 309, 318

application settings, printers, 387

application software, 500

Application-Specific Integrated
Circuit (ASIC), 500

APS, 407

arbitration, 500

arithmetic logic unit, 24
ARQ (Automatic Repeat Request),
 500
artifacts, 331
ASCII code, 500
ASIC (Application-Specific Integrated
 Circuit), 500
ASL (Adaptive Speed Leveling), 500
aspect ratio, LCDs, 332
ASPI (Advanced SCSI Programming
 Interface), 500
asynchronous, 500
asynchronous devices, 359
AT bus, 500
AT command set, 500
AT motherboard, 110
ATA/33, 500
ATA/66, 500
ATA/100, 500
ATA/133, 500
ATA (Advanced Technology
 Attachment), 500
Athlon, 11, 500
ATI, 305
ATX motherboards, 6, 10, 500

ATX specification, Intel, 6
audio adapters, 103–105
autodetection, 500
Automated System Recovery, 470
Automatic Repeat Request (ARQ),
 500
Aztecs, 190

B

Babbage, Charles, 190
baby AT motherboard, 110
baby cases, 7
backside bus, 501
backup
 about, 437
 current document backup, 437–438
 daily, 441
 deep storage, 439
 files, 487
 floppy disks, 440
 memory key, 440
 method, 439
 Outlook Express e-mail files,
 442–443

RAID, 443
removable storage, 440–441
strategy, 437
testing, 443
third-party, 442
utilities, 441
version, 438
weekly, 441
what to backup, 439
Windows utilities, 441–442
Windows Vista, 442
bandwidth, 408, 501
bank, 501
bank switching, 501
base memory, 501
Basic Input/Output System (BIOS)
 about, 14, 59–60, 97–98, 501
 boot options, 66
 changing chips, 69–70
 disabling ports, 66–67
 elements, 60–66
 failure, 67
 flash updates, 69
 installing, 69
 sources for chips, 67

- system requirements, 67–69
- video cards, 66
- batteries, 103**
- baud, 501**
- BBS (Bulletin Board System), 501**
- Belkin Super G MIMO router, 430**
- belt-and-suspenders solution, 435**
- benchmark, 501**
- benchmark index, microprocessors, 43–48**
- beta release software, 488**
- bidirectional**
 - parallel ports, 374
 - printers, 386
- bigger hard drives, 497**
- BIOS (Basic Input/Output System)**
 - about, 14, 59–60, 97–98, 501
 - boot options, 66
 - changing chips, 69–70
 - disabling ports, 66–67
 - elements, 60–66
 - failure, 67
 - flash updates, 69
 - installing, 69
 - sources for chips, 67
 - system requirements, 67–69
 - video cards, 66
- bit, 501**
- bit depth**
 - about, 501
 - scanners, 405
- bitmap, 501**
- bits per second (BPS), 501**
- Blu-ray discs, 292**
- Bluetooth wireless, 431**
- boot, 501**
- boot disk, 471–472**
- boot drive, 501**
- boot options, BIOS, 66**
- boot sector, 501–502**
- boot sector virus, 446**
- booting from CD or DVD, 472**
- BPS (bits per second), 501**
- Branch prediction, 24**
- brightness, monitors, 336**
- broadband, 502**
- BTX form factors, 7**
- BTX mother boards, 10, 502**
- buckling key technology, 394**
- buffer, 502**
- buffer underrun, 295**
- buffered memory, 203**
- buffering, video display adapters, 319**
- built-in sound facilities, 413**
- Bulletin Board System (BBS), 501**
- burn, 502**
- burst mode, 502**
- buses**
 - about, 73, 502
 - AGP, 79
 - boards, 502
 - connectors, 99–100, 502
 - design, 74, 299
 - DMA, 86
 - front-side, 74
 - HyperTransport, 76–78
 - I/O subsystems, 82–83
 - IRQs, 83–86
 - ISA, 80
 - mastering, 502
 - memory, 82
 - mice, 398, 402
 - PC cards, 80–82
 - PCI, 78–79

Continued

buses (*continued*)

PCI Express, 75–76

peripheral, 75

slots, 11

topology, 421

buying memory, 194**bytes**

about, 502

parallel ports, 375

C**cable modems**, 358, 359–360**cables**

about, 130, 423–424

floppy drive, 222

modems, 368–369

parallel ports, 375

printers, 494

cache

about, 502

memory, 207–208

call-waiting, modems, 370**capacity, hard drives**, 231–234**care, floppy disks**, 217**Carrier Sense Multiple Access With
Collision Detection**, 420**CAS (Column Address Strobe)**, 502**CAS Latency**, 502–503**cases**

about, 14

designs, 5

desk space, 7

electromagnetic shielding, 4–5

looking inside, 10–11

opening case, 3–4

purpose, 4

tower, 7

vertical, 7

CAT7, 503**Category 6 cables**, 424**Category 7 cables**, 424**CAV (constant angular velocity)**, 503**CCITT**, 503**CCITT standards, modems**, 367**CD-Audio**, 503**CD-Bridge**, 503**CD capacity**, 288**CD-R**, 503**CD-ROM drives**, 7, 11, 15**CD-ROM/extended architecture**, 503**CD-ROM/XA**, 503**CD-ROMs**, 286, 503**CD-Rs**, 284–287**CD-RW drives**, 11**CD-RWs**, 284–287, 503**CDs**

about, 283–284

CD capacity, 288

CD-ROMs, 286

CD-Rs, 284–287

CD-RWs, 284–287

data buffer, 287

data specifications, 286

drive speed, 286–287

how they work, 284–285

installation, 294–296

interfaces, 292–294

music CDs, 288

speed ratings, 285

Celeron

about, 11, 503

microprocessors, 53–54

Centronics interface, 503**Centronics port**, 373

- CGA, 503
- changing
 - chips, BIOS, 69–70
 - default operating system, 473
- character-oriented printers, 381
- character printers, 381
- checking
 - cables, 491
 - memory, 196–198
 - status of device, Device Manager, 462–463
- CheckIt Diagnostics, 453
- checksum, 503
- chips
 - about, 503
 - memory, 195
- chipsets, 96–97, 503
- CHKDSK, 454
- choosing antivirus and security software, 447–450
- CISC, 503
- clean and dry computers, 488
- Clean Boot, 470–471
- clean computer, 489
- clearing CMOS settings, 490–491
- clock multiplier, 503
- clock speed
 - about, 504
 - microprocessors, 25
- clocks, 102–103
- clone, 504
- cluster, 504
- CLV, 504
- CMOS, 504
- CMOS battery, 111
- CMYK, 504
- coaxial, 504
- coaxial cables, 424
- CODEC, 504
- coercivity, removable storage devices, 280
- cold boot, 504
- color
 - monitors, 337
 - video, 301–302
 - video display adapter, 311
- COM port, 504
- command overhead, 504
- command prompt, 504
- Command Prompt, Safe Mode, 470
- COMMAND.COM, 504
- Compact Disc-Audio, 503
- Compact Disc-Digital Audio (CD-DA), 503
- Compact Disc-Recordable (CD-R), 503
- CompactFlash, 504, 509
- Compaq computers, 16
- compatibility, parallel ports, 375
- compression, 504
- computers
 - cooling, 6–7
 - fans, 6–7
 - modular design, 11–14
 - types, 16
- concentrator, 423
- CONFIG.SYS, 504
- configuration, 504
- configuration memory, expansion cards, 118
- connectors
 - about, 130
 - mice, 402–403
 - sound cards, 412
 - video display adapter, 309

contrast ratio, 331
control chipset, 111
conventional memory, 504–505,
 510
cool video cards, 308–309
cooling
 computers, 6–7, 489
 physics, 6
 system, 126–130
coprocessor, 505
cost
 hard drives, 235–236
 parts shopping, 182–183
cover
 reinstalling, 18–19
 testing, 91–92
CPUs, 11, 14, 94–96, 505
crimes against computers
 backing up files, 487
 beta release software, 488
 clean and dry computers, 488
 clean computer, 489
 cooling computer, 489
 fragmented disks, 488
 housecleaning for computer, 488

instruction manuals, 489
mispowering system, 489
pre-release software, 488
sweeper, 488
technical support, 489
updates for computer, 488
virus prevention, 487
crossover cable, 505
current document backup,
 437–438
cycle time, 505
cyclic redundancy check (CRC),
 505
cylinder, 505
cylindrical screens, monitors, 337
Cyrix, 17

D

DAC, 505
daily backup, 441
daisy chain, 505
damaged hard disk repair, 477–478
data buffers, CDs, 287
data buses, microprocessors, 24
data compression, modems, 368
data prefetch, 505
data recovery utilities, 453–454
data separation circuit, 505
data specifications, CDs, 286
data structure, hard drives,
 245–248
DDR2
 memory, 201
 video display adapter, 313
DDR SDRAM, 505
debug, 505
Debugging Mode, 469
deep storage backup, 439
default, 505
defragmenting utilities, 455
degaussing coil, 330
Dell computers, 16
density, 506
design
 bus, 74
 parallel ports, 374
desktop cases, 7
Device Driver Roll Back, 465–466
device drivers, 506

- Device Manager
 - about, 459–462
 - checking status of device, 462–463
 - disabling devices, 463
 - hardware profiles, 463–464
 - installing devices, 463
 - Safe Mode, 470
- Device Version Conflict Manager, 465
- devices, Safe Mode, 469
- diagnostic tools
 - limitations, 452
 - monitors, 341
 - Safe Mode, 469–470
- diagnostic utilities, 450–454
- dial-up modems
 - about, 361–364, 370
 - standards, 366–368
- digital and analog signals, LCDs, 332
- digital audiotape (DAT), 280
- digital signal, video display adapter, 302
- digital signing, 465
- Digital Visual Interface, 332
- DIMMs, 200, 506
- DIN connector, 506
- DIPs, 100–101, 506
- directory, floppy disks, 219–220
- Directory Services Restore Mode, 469
- DirectX, 318
- dirt inside computer, 11
- Disable Automatic Restart on System Failure, 469
- Disable Driver Signature Enforcement, 469
- disabling devices, Device Manager, 463
- disabling ports, BIOS, 66–67
- disk analyzers, 454
- disk cache, 506
- disk compression, 506
- disk/data diagnostics, 451
- Diskeeper, 455
- Display Properties screen, 302
- DisplayMate products, 341
- displays
 - about, 103
 - adapters, 506
 - quality, 479
- distortion, sound cards, 415
- DLL, 506
- DMA
 - about, 98–99, 506
 - bus, 86
- DMA/33, 263–266
- DMF, 506
- DOCSIS, 506
- dongle, 506
- DOS, 506
- dot-matrix printers, 381
- dot pitch
 - about, 506
 - monitors, 335
- double buffering, 506
- DoubleSpace, 497
- downward compatibility, video display adapter, 304
- DRAM, 506
- drive speed, CDs, 286–287
- drivers
 - printers, 386–387
 - Safe Mode, 469
 - sound, 414

Continued

- drivers (*continued*)
 - troubleshooting, 479
 - video display adapter, 309
 - drives
 - CD-ROM, 7, 11, 15
 - CD-RW, 11
 - helical-scan drives, 279–280
 - zip, 277–278, 524
 - DriveSpace, 497
 - DS/DD, 507
 - DSL, 507
 - DSL modems, 361
 - DSP, 507
 - dual boot, 507
 - dual core microprocessors, 49–52
 - duplex, 507
 - Duron, 11, 507
 - DVD-RAM, 290
 - DVD-ROMs, 289
 - DVD-Rs, 290
 - DVD-RWs, 290
 - DVD-Video, 289
 - DVD + RW, 290
 - DVDs
 - about, 507
 - drives, 7, 290–291
 - high-capacity, 288–291
 - installation, 294–296
 - interfaces, 292–294
 - recorders, 289
 - system requirements, 292
 - DVI-I Digital Video Interface, 310
 - DX4, 507
- ## E
- ECC (Error Checking and Correcting), 203, 507
 - ECP, 507
 - EDO RAM
 - about, 507
 - memory, 205
 - EEPROM, 507
 - EGA, 507
 - EIDE, 263–266
 - EISA, 507
 - electricity resistance, 6
 - electromagnetic shielding
 - laptop computers, 6
 - portable computers, 6
 - embedded controller, 507
 - emergency boot disk, 472
 - EMI, 507
 - EMS, 508
 - Enable Boot Logging, 469
 - Enable VGA Mode, 469
 - encoding scheme, 508
 - Energy Star, 508
 - enhanced EPP, parallel ports, 374–376
 - enhanced IDE, 508
 - EPP, 508
 - EPROM, 508
 - Error Checking and Correcting (ECC), 203
 - error correction modems, 367–368
 - errors
 - about, 458
 - memory, 209–210
 - ESDI, 508
 - Ethernet, 420, 508
 - even chips, 70
 - Event Log, 458
 - Event Viewer, 458–459
 - exabyte, 508
 - exhaust fans, computer, 6–7
 - exiting programs not responding, 458
 - expanded memory, 508, 510

- expansion cards
 - about, 11, 116
 - configuration memory, 118
 - installing, 116–117
 - modern machines, 155–156
 - Plug-and-Play, 117–118
 - removing, 116
 - setup, 118
 - expansion slots, 11, 508
 - extended capabilities port ECP, 374–376
 - extended memory, 508, 510
 - external drive, 508
 - external DVD/CD interfaces, 293–294
 - external hard drives
 - about, 270–272
 - removable storage devices, 278
 - external modems, 15, 368
 - external SATA port, 353–354
- F**
- failure, BIOS, 67
 - fans
 - computer, 6–7
 - rating, 508
 - Fast Page Mode DRAM, 508
 - FAT16, 508
 - FAT32
 - about, 508
 - hard drives, 253–254
 - FAT (Fat Allocation Table), 492, 508
 - FAT floppy disks, 219–220
 - fax mode, 509
 - fax modems, 365–366
 - FCB (File Control Block), 509
 - FCC (Federal Communications Commission), 5
 - FDD (floppy disk drive), 509
 - FDISK
 - about, 509
 - virus repair, 255
 - feature connector, 509
 - Federal Communications Commission (FCC), 5
 - fiber optic modems, 360
 - files
 - backup, 487
 - virus, 446
 - film scanners, 406–407
 - finding parallel ports, 376–377
 - firewalls, 433–435, 509
 - FireWire, 351–353, 509
 - fixed floppy drives, 213–214
 - fixed-frequency monitor, 509
 - flash disks, 509
 - flash keys, 278–279
 - flash memory, 278–279, 509
 - flash memory drives, 350–351
 - flash updates, 69
 - flashlight, 9
 - flat screen monitors, 337
 - FlexATX, 110
 - floating-point unit, 509
 - Floppy 3 Mode, 509
 - floppy disk controllers
 - about, 220–221
 - installing, 226
 - testing, 223–224
 - floppy disk drives
 - about, 15, 213–214
 - alternatives, 214–215
 - cables, 222
 - fixed, 213–214
 - hardware secrets, 493
 - installing, 224–226

Continued

floppy disk drives (*continued*)
internal, 224–226
magnetic, 215
optical media, 215
power supply, 223
random access, 215
removable, 213–214
sequential, 215

floppy disks
about, 217, 509
backup, 440
care, 217
directory, 219–220
FAT, 219–220
sectors, 218–219
tracks, 218–219

flyback transformer monitors, 330

FM synthesis, 509

Forgotten Password Wizard, 480

form factor, motherboards, 6

format (high-level), 509

format (low-level), 509

formatting hard drives, 248–254

fragmented disks, 488

frame, 509

frame buffer, video display adapter,
310

frequency, 408

front-side bus, 74

Front-side Bus (FSB), 509

FSB Front-side Bus, 509

FTP file transfer protocol, 509

full-duplex, 509

full-sized towers, 7

function keys, 509

G

game controllers, 15, 404–405

gas plasma display, 509

Gateway computers, 16

gateway/routers, 423

GDDR, video display adapter, 313

gender, 509

gender bender, 509

general antenna, 427

general MIDI, 510

geometric engine, video display
adapters, 319

GIF (Graphics Interchange Format),
510

giga, 510

gigabit, 510

Gigabit Ethernet, 420

gigabyte, 510

gold, 200

Gouraud shading, 510

GPF (General Protection Fault), 510

GPU (Graphics Processing Unit), 510

graphical user interfaces (GUIs), 330

graphics driver interface (GDI),
309–316

gray shades, monitors, 337

green monitors, 338–339

grounding strap, 3

GUI (graphical user interface), 510

H

half-duplex, 510

hard copy. *See* printers

hard disk drives
about, 15, 229
adding, 156–159

- buying, 242–243
- capacity, 231–234
- controllers, 492–493
- cost, 235–236
- data structure, 245–248
- disasters, 239
- DMA/33, 263–266
- EIDE, 263–266
- external drives, 270–272
- FAT32, 253–254
- FDISK, 255
- FDISK virus repair, 255
- fit, 237–238
- formatting, 248–254
- high-level formatting, 252–253
- how it works, 230–232
- hybrid hard disk drives, 242
- installing parallel ATA cable, 268–269
- installing serial ATA drive, 269
- interfaces, 256–266
- internal drives, 270–272
- life, 239
- logical structure, 247–248
- low-level formatting, 249
- monitoring, 241
- MTBF mean time between failures, 242–244
- NTFS, 254
- parallel ATA, 263–264, 266–267
- partitioning, 249–252
- RAID systems, 241–242
- Recovery Console, 256
- removing ATA connection, 267
- repartitioning, 255–256
- SATA 1.5, 262
- SATA 3.0, 262–263
- SATA 6.0, 263
- Serial ATA, 259–262
- specifications, 245
- speed, 234–235
- testing IDE drives, 266–267
- troubleshooting, 239, 272–273
- Ultra ATA, 263–266
- Ultra ATA/66, 265
- Ultra ATA/100, 265
- Ultra ATA/133, 265–266
- using Setup, 269–270
- Windows ReadyDrive, 242
- hard disks, 492–493, 510**
- hard reset, 510**
- hardware profiles, Device Manager, 463–464**
- hardware secrets**
 - about, 490
 - bigger hard drives, 497
 - check cables, 491
 - clearing CMOS settings, 490–491
 - floppy drives, 493
 - hard disk controller, 492–493
 - hard disks, 492–493
 - liquid on computer, 495
 - memory, 496–497
 - monitors, 494–495
 - page fault errors, 495–496
 - power supply, 491–492
 - printer problems, 493–494
 - resetting system password, 490
 - slow display, 496
- harmonic distortion, 408**
- HD-DVD, 292**
- HDD hard disk drive, 509, 510**
- head, 510**
- head actuator, 510**
- head crash, 510**

- head load time, 510
 - head settle time, 510
 - head unload time, 510
 - heat sink, 510
 - helical scan, 510
 - helical-scan drives, 279–280
 - Hercules standard, 510
 - Hertz, 510
 - Hewlett Packard computers, 16
 - hexadecimal, 510
 - hibernation, machine, 160–161
 - high-capacity removable drives, 15
 - high-end devices, removable storage devices, 280
 - high-level formatting, hard drives, 252–253
 - high memory, 510
 - HIMEM.SYS, 511
 - HMA high memory area, 511
 - host, 511
 - hot-pluggable, 458
 - housecleaning for computer, 488
 - HTML (Hypertext Markup Language), 511
 - HTTP (Hypertext Transfer Protocol), 511
 - hub and spoke topology, 420, 421
 - hub mapping, 511
 - hubs
 - about, 423, 511
 - USB, 347–350
 - hum, sound cards, 415
 - hypertext, 511
 - HyperThreading, microprocessors, 26
 - HyperTransport bus, 76–78
- I**
- I/O input/output, 512
 - I/O port address, 512
 - I/O subsystems bus, 82–83
 - IBM clones, 511
 - IBM computers, 16
 - IBM PC, 17
 - IBM PS/2 computers, 11
 - IDE drives, testing, 266–267
 - IDE (Integrated Device Electronics), 511
 - ideal system, 177–178
 - identifying
 - microprocessors, 42–43
 - process associated with programs, 458
 - IEEE 1394, 511
 - IEEE 1394 FireWire, 351–353
 - IEEE 802.11 standard, 428
 - IEEE 802.x, 511
 - image quality, video, 301
 - images, monitors, 330
 - INF file, 511
 - information event, 458
 - infrared mouse, 398
 - initiator, 511
 - inkjet printers, 382, 511
 - installing
 - BIOS (Basic Input/Output System), 69
 - CD, 294–296
 - cover, 18–19
 - devices, Device Manager, 463
 - DVD, 294–296
 - expansion cards, 116–117
 - floppy disk drive, 224–226
 - floppy drive controller, 226

- mice, 403
 - monitors, 341
 - motherboards, 113–116
 - parallel ATA cable, 268–269
 - parallel ports, 378–379
 - serial ATA drive, 269
 - sound cards, 413
 - video display adapters, 320–322
 - video display cards, 323–324
 - instruction decoder, 24
 - instruction manuals, 489
 - integrated I/O, 103
 - Intel
 - ATX specification, 6
 - microprocessors, 26–39
 - Intel Core 2 Duo, 131–132
 - interfaces
 - CDs, 292–294
 - DVDs, 292–294
 - hard drives, 256–266
 - scanners, 406
 - video display adapter, 303–306
 - interference, electronic devices, 6
 - interlaced monitors, 336
 - interleave, 511
 - interleaved memory, 511
 - intermittent hardware problems, 450
 - internal drive, 511
 - internal DVD/CD interfaces, 292–294
 - internal floppy disk drives, 224–226
 - internal hard drives, 270–272
 - internal modems, 15, 369–370
 - Internet
 - firewalls, 433
 - security, 432
 - troubleshooting, 483–484
 - Internet Connection Firewall (ICF), 434
 - Internet service providers (ISPs), 357
 - interrupt 13, 512
 - interrupt 13 Extensions, 512
 - interrupt vector table, 512
 - interruptions, 450, 511–512
 - IO.SYS, 512
 - IP address, 512
 - IRQs, 83–86, 512
 - ISA (Industry Standard Architecture), 80, 512
 - ISO (International Standards Organization), 512
 - isochronously, 353
 - isotropic filtering, 317
 - ISP (Internet service provider), 512
 - Itanium, 512
 - Itanium 2 microprocessor, 53
- ## J
- jacks, sound card, 412
 - Jacquard, Joseph Marie, 190
 - Jaz drives, 278
 - joystick, 512
 - JPEG, 512
 - jumper, 512
- ## K
- K6 chips, 11
 - K (Kilo), 512
 - Kb (Kilobit), 512
 - KB (Kilobyte), 512
 - Kbps (Kilobits per second), 512
 - KBps (kilobytes per second), 512
 - Kensington trackballs, 398
 - kernel, 512

keyboards

- about, 14, 393–398
- buffers, 512
- controllers, 512
- how it works, 396–397
- IBM, 394
- maintenance, 397–398
- manufacturers, 395
- mice, 398–404
- special commands, 396
- testing, 398
- trackballs, 398–404
- wireless, 393–394

KHz, 512

kilo, 512

KVM Switch, 512

L

L1 cache, 513

L2 cache, 513

landing zone, 513

laptop computers, electromagnetic
shielding, 6

laser printers, 382–384, 513

last ditch repair troubleshooting,
485Last Known Good Configuration,
466–467, 469

latency, 513

LBA Logical Block Addressing, 513

LCDs

- about, 327–328, 513
- aspect ratio, 332
- digital and analog signals, 332
- how it works, 331–332
- pixel response rate, 332
- resolution, 334
- screen mode, 333
- size, 333–334
- viewing angle, 333

LED printers, 382–384

LEDs, 513

Lightning Data Transport, 511

LIM (Lotus-Intel-Microsoft), 513

line conditioners, 492

line printers, 381

Linksys, 430

liquid on computers, 495

local area network (LAN), 427, 513

local bus, 513

locations, memory, 198–200

logic

- about, 513
- memory, 191–193

logical structure, hard drives,
247–248

logical unit, 513

Logitech mice, 398

loopback plug combinations, parallel
ports, 378low-level formatting, hard drives,
249, 513

low-profile cases, 7

low volume sound cards, 414–415

LPT1, 513

LPX, 110

M

macro virus, 446

magnetic floppy drives, 215

magnetic RAM, 204

magneto-optical disk drive, 513

main memory, 513

- mainboard, 11
- mainframe, 513
- maintenance
 - keyboards, 397–398
 - mice, 404
 - modern machines, 159
- manufacturers, keyboards, 395
- mask pitch video, 301
- masked write, video display adapter, 313
- master, 513
- Master Boot Record (MBR), 502, 513
- math coprocessors, 509
- MBps, 514
- Mbps, 514
- MCA, 514
- McAfee VirusScan, 448
- MDA Monochrome Display Adapter, 514
- Mean Time Between Failure, 515
- mechanical mice, 399
- media, 514
- mega, 514
- megabit, 514
- megabyte, 514
- megaflops, 514
- megahertz (MHz), 514
- memory
 - about, 111, 189–190, 514
 - adding, 152–154
 - buffered, 203
 - bus, 82
 - buying, 194
 - cache, 207–208
 - checking, 196–198
 - chips, 195
 - conflict, 450
 - DDR2, 201
 - ECC, 203
 - EDO RAM, 205
 - errors, 209–210
 - hardware secrets, 496–497
 - history, 190–191
 - locations, 198–200
 - logic, 191–193
 - magnetic RAM, 204
 - metals, 200
 - modules, 205–206
 - parity, 195
 - Rambus, 204
 - RDRAM, 204
 - ReadyBoost, 208–209
 - registered, 203
 - requirements, 193–194
 - SDRAM, 201
 - speed, 195, 206–207
 - technology, 201
 - troubleshooting, 474
 - video display adapter, 311–313
 - video display memory, 310–311
 - Windows Vista, 208–209
- Memory Diagnostic Tool, 474
- memory key backup, 440
- memory management unit, 514
- metals, memory, 200
- method, backup, 439
- mice
 - about, 398–404, 515
 - connecting, 402–403
 - how it works, 399–401
 - installing, 403
 - maintenance, 404
 - skitters, 403
 - testing, 403

Continued

- mice** (*continued*)
 - tracking resolution, 401–402
 - types, 398
- micro**, 514
- Micro-Star**, 136–138
- microfilter CRT monitors**, 337
- micron**, 514
- microphones**, 416
- microprocessors**
 - about, 11, 21–22, 514
 - address bus, 25
 - AMD, 27, 41, 54–57
 - benchmark index, 43–48
 - Celeron, 53–54
 - clock speed, 25
 - data bus, 24
 - dual core, 49–52
 - how it works, 23–24
 - HyperThreading, 26
 - identifying, 42–43
 - Intel, 26–39
 - Itanium 2, 53
 - monitors, 330
 - Moore’s Law, 22–23
 - multi-core, 26
 - Pentium 4, 52
 - Pentium D, 52
 - speeds, 5
- Microsoft IPX/SPX**, 426
- Microsoft mice**, 398
- Microsoft NetBEUI**, 426
- Microsoft TCP/IP**, 426
- mid-sized towers**, 7
- milli**, 514
- Million Instructions Per Second**, 514
- minicomputers**, 514
- mispowering system**, 489
- missing device drivers**, 478
- MMX**, 514
- modems**
 - about, 357–358, 515
 - cables, 368–369
 - call-waiting, 370
 - CCITT standards, 367
 - data compression, 368
 - dial-up, 370
 - error correction, 367–368
 - external, 368
 - internal, 369–370
 - 56K capacity, 371
 - need for, 358–359
 - speeds, 358
 - telecom problems, 370
 - troubleshooting, 368
- modern machines**
 - about, 145
 - adding hard drives, 156–159
 - adding memory, 152–154
 - expansion cards, 155–156
 - hibernation, 160–161
 - maintenance, 159
 - older, 161–171
 - opening, 150–151
 - passwords, 159–160
 - power, 160–161
 - standby, 160–161
 - testing, 151–152
 - tour, 145–150
 - upgrades, 171–174
- Modified Frequency Modulation**, 514
- modified frequency modulation (MFM)**, 515
- module for Rambus memory**, 519
- modules, memory**, 205–206
- monaural sound cards**, 415

monitors

- about, 14, 327–328, 515
- antiglare, 337
- brightness, 336
- color, 337
- components, 330
- contrast, 336
- CRT, 328–329
- cylindrical screens, 337
- degaussing coil, 330
- diagnostics, 341
- dot pitch, 335
- flat screens, 337
- flyback transformer, 330
- graphical user interfaces GUIs, 330
- gray shades, 337
- green, 338–339
- hardware secrets, 494–495
- images, 330
- installing, 341
- interlaced, 336
- microfilter CRT, 337
- microprocessor, 330
- noninterlaced, 336
- Plug-and-Play, 339

- power supply, 330
- prices, 339–340
- refresh rate, 335
- removing, 341
- resolution, 334
- scan rate, 335
- screen shape, 336–337
- spherical tubes, 337
- spin coating, 337
- testing, 340–341
- types, 330
- video amplifier, 330

Monochrome Graphics Array, 514**Moore's Law, 22–23****motherboards**

- about, 11, 14, 92–94, 515
- BTX, 10, 502
- form factor, 6
- forms, 107–111
- how it works, 105–107
- installing, 113–116
- modern, 130–141
- parts shopping, 185
- removing, 112–113
- traces, 6

Motion Picture Expert Group, 515**MP3, 410****MSCDEX, 515****MSDOS.SYS, 515****multi-card video processing, 307****multi-core microprocessors, 26****multifrequency monitor, 509, 515****Multimedia PC, 515****multipartite virus, 446****multiple-input-multiple-output, 429****multiple operating systems, 473****multiple video display adapters,
320–322****multitasking, 515****multiuser, 515****music CDs, 288****Musical Instrument Digital Interface,
409, 514****N****nano, 515****NEC ChromaClear monitor, 300****network adapters, 15**

Network Address Translation (NAT),
434

Network Awareness, 428

Network Explorer, 428

network interface, 370, 419–420,
421–422

Network Interface Card, 515

network interface card, 420

network software and protocols,
424–426

networks

- belt-and-suspenders solution, 435
- Bluetooth wireless, 431
- components, 419–421
- firewalls, 433–435
- packet-filtering routers, 433
- printers, 384–385
- proxy servers, 433–434
- software and protocols, 424–426
- TCP/IP ports, 432–433
- topologies, 421
- WiFi wireless, 428–429
- wireless, 426–427
- Wireless USB, 431–432

new hardware installation, 476

new program installation, 476

NLX, 110

NLX form factor, 515

no sound cards, 414

node, 515

noise, 515

noise interference, 515

noninterlaced monitors, 336

Nonmaskable Interrupt, 515

nonvolatile memory, 515

north bridge, 515, 521

Norton Antivirus, 447

Norton Disk Doctor, 455

Norton SystemWorks, 488

NTFS hard drives, 254

NTSC, 320, 516

null modem cable, 516

numeric coprocessor, 516

Nvidia, 305

nybble, parallel ports, 375

O

object-oriented language, 384

obsolescence, parts shopping, 182

OCR software

- about, 516
- scanners, 405

odd chips, 70

offset, 516

older modern machines, 161–171

online security protection, 449–450

OpenGL video display adapter, 318

opening

- cases, 3–4, 8–10
- modern machines, 150–151

operating range, 516

operating system housecleaning

- dinosaur sweepups, 482
- safely shutting down Windows,
482–483
- System Tray cleanup, 482
- Temp folder empty, 482
- uninstalling programs properly,
483

operating system (OS), 516

operating temperature, 516

optical media floppy drives, 215

optical mice, 399

optomechanical mice, 400

Original Equipment Manufacturer,
516
OS/2, 516
Outlook Express e-mail files,
442–443
output current, 516
overclocking, 516
OverDrive CPU, 516
overvoltage protection, 516

P

P4-1800, 16
P5-200, 16
P6-200, 16
P5-100-PCI, 16
packet-filtering routers, 433
Packet Internet Groper, 434
packets, 344
page description language printers,
384
page fault errors, 495–496
page frame, 516
page mode memory, 516
paged memory, 516
parallel, 373–374, 516
parallel ATA, 263–264
parallel ATA cables, 268–269
parallel ports
about, 15, 516
adding, 379
bidirectional, 374
bytes, 375
cables, 375
compatibility, 375
designs, 374
enhanced EPP, 374–376
extended capabilities port ECP,
374–376
finding, 376–377
how it works, 375
installing, 378–379
loopback plug combinations, 378
nybble, 375
printers, 385–386
removing, 378–379
settings, 375
testing, 377–378
unidirectional, 374
parity
about, 516
memory, 195
partitioning hard drives, 249–252
partitions, 516
parts shopping
about, 177
cost-effectiveness, 182–183
essentials, 185–187
ideal system, 177–178
motherboards, 185
obsolescence, 182
upgrades, 184
where to buy, 183–184
Windows versions, 178
Windows Vista, 178–180
Windows XP, 181–182
passive hub, 420
password check option, 516
passwords, 159–160
PC cards
about, 517
bus, 80–82
PC-cillin Internet Security 2006,
448

- PC1600 DDR, 517
- PC2100 DDR, 517
- PC100 SDRAM, 517
- PC133 SDRAM, 517
- PCI bus, 78–79
- PCI Express
 - about, 11
 - bus, 75–76
 - video display adapter, 303–304, 306–307
- PCI interface, 303
- peer-to-peer, 517
- Pentium, 517
- Pentium 4, 11, 52, 132–133
- Pentium D, 11, 52
- Pentium 100ES, 16
- performance troubleshooting, 475
- Peripheral Component Interconnect, 517
- peripherals
 - about, 517
 - bus, 75
 - Universal Serial Bus USB, 347–350
- petabyte, 517
- Phase Alternate Line format, 320, 516
- Phillips screwdriver, 8
- phishing, 446
- Photo CDs, 517
- physical address, 517
- physics, computer cooling, 6
- picosecond, 517
- picture element, 300
- PII-300, 16
- PIII-800, 16
- Pin Grid Array, 517
- pinout, 517
- pitch, video, 301
- pixel response rate, 332
- pixels, 517
- platter, 517
- Plug-and-Play
 - about, 100–101, 457, 517
 - expansion cards, 117–118
 - monitors, 339
- PNY, 305
- pointing sticks, 400–401
- polymorphic virus, 446
- portable computers, electromagnetic shielding, 6
- Portable Network Graphics, 517
- ports, color coding, 14
- PostScript, 517
- Power-On Self-Test, 517
- power supplies
 - about, 11, 15, 119–125, 518
 - floppy drive, 223
 - good signal, 518
 - hardware secrets, 491–492
 - heat, 450
 - modern machines, 160–161
 - monitors, 330
 - removing, 126
 - replacing, 126
 - testing, 125–126
- pre-boot diagnostics, 452
- pre-release software, 488
- prices, monitors, 339–340
- primary, 518
- Printer Control Language, 384
- printers
 - about, 15
 - application settings, 387
 - bidirectional, 386
 - cables and power, 494
 - character, 381

- character-oriented, 381
- dot-matrix, 381
- drivers, 386–387
- inkjet, 382
- laser, 382–384
- LED, 382–384
- line, 381
- networking, 384–385
- page description languages, 384
- parallel port, 385–386
- problems, 493
- self-test, 494
- software, 386
- speed, 387–389
- switch box, 494
- system configuration, 494
- troubleshooting, 385–386, 389–390
- types, 381–385

processor interrupt, 518

processors, 17–18, 518

Program Information File, 517

Programmable Read-Only Memory, 518

protected mode, 518

proxy servers, 433–434

PS/2-compatible mouse port, 398

PS/2 mice, 402

PS/2 Personal System 2, 518

R

radiation, RF, 5

radio frequency (RF), 5

RAID, 443, 518

RAM, 14, 98, 518

Rambus memory, 204

random access floppy drives, 215

**Random Access Memory to Digital
Analog Converter, 518**

raster pattern, 329

Rate Adaptive Digital Subscriber, 361

RDRAM

about, 518

memory, 204

video display adapter, 313

read/write head, 518

ReadyBoost memory, 208–209

real mode, 518

reboot, 518

recovering lost setup, 478

Recovery Console

hard drives, 256

troubleshooting, 470

refresh, 518

refresh rate

monitors, 335

video, 301

video display adapter, 313

register, 518–519

registered memory, 203

registry, 519

Registry Checker, 465

Registry Editor, Safe Mode, 470

remote connection help, 478

removable floppy drives, 213–214

**removable storage backup,
440–441**

removable storage devices

about, 275–276

coercivity, 280

digital audiotape DAT, 280

external hard drives, 278

flash keys, 278–279

flash memory, 278–279

Continued

removable storage devices (*continued*)

- helical-scan drives, 279–280
- high-end devices, 280
- Jaz drives, 278
- troubleshooting, 280
- USB memory keys, 278–279
- zip drives, 277–278

removing

- expansion cards, 116
- monitors, 341
- motherboards, 112–113
- parallel ports, 378–379
- power supplies, 126
- video display cards, 323–324

repair rules

- avoid touching interior of powered computer, 3
- ground yourself, 4
- keep track of parts, 4
- use sturdy surface, 4

repartitioning hard drives, 255–256, 473

- replacing power supplies, 126
- resetting system password, 490
- resistance, electricity, 6

resolution

- about, 519
- LCDs, 334
- monitors, 334
- scanners, 405
- video display adapter, 313–316

restore point, 467**RF interference, 519****RF (radio frequency), 5****RGB (red-green-blue), 519****ribbon cable, 519****RIMMs, 200****ring topology, 421****ripped recordings, 409****RISC Reduced Instruction Set Computing, 519****RJ-11, 519****RJ-45, 519****ROM, 519****ROM address, 519****ROM BIOS, 111****ROM shadow, 519****router, 519****RS-232C, 520****Run Length Limited, 519****running Windows, Safe Mode, 468****S****safe boot, 457****Safe Mode**

- about, 495
- Command Prompt, 470
- Device Manager, 470
- devices, 469
- diagnostic tools, 469–470
- drivers, 469
- options, 468–469
- Registry Editor, 470
- running Windows, 468
- starting computer, 468–469
- System Restore, 470
- Windows services, 469

Safe Mode with Command Prompt, 469**Safe Mode with Networking, 468–469****safely shutting down Windows, 482–483**

- safety, opening case, 3–4
- sampling rate, 520
- SATA 1.5, 262
- SATA 3.0, 262–263
- SATA 6.0, 263
- SATA devices, 7
- SATA port, 353–354
- scan rate monitors, 335
- SCANDISK, 454
- ScanDisk, 488
- scanners
 - about, 405–406, 520
 - bit depth, 405
 - film, 406–407
 - interfaces, 406
 - OCR software, 405
 - resolution, 405
- screen mode LCDs, 333
- screen shape, monitors, 336–337
- screwless cases, 8
- SDR video display adapter, 313
- SDRAM, 201, 520
- secondary, 520
- sector, 520
- sectors, floppy disks, 218–219
- security programs
 - adding, 446–447
 - choosing antivirus and security software, 447–450
 - defragmenting utilities, 455
 - diagnostic and data recovery utilities, 453–454
 - diagnostic utilities, 450–453
 - disk analyzers, 454
- security-related events, 458
- seek time, 520
- segment, 520
- self-test, printers, 494
- sequential floppy drives, 215
- serial, 520
- Serial ATA, 259–262, 520
- serial ATA drives, 269
- serial communications, 373, 520
- serial lines, 343
- serial mice, 398, 402
- serial ports, 15
- serpentine, 216
- server, 520
- Service Set Identifier (SSI), 430
- settings, parallel ports, 375
- settle time, 520
- setup
 - about, 520
 - expansion cards, 118
 - hard drives, 269–270
 - sound adapters, 410–411
 - WiFi router, 430–431
- SGRAM, 520
- shadow copy, 468
- shadowing, 520
- shielding aluminum plates, 6
- signal-to-noise ratio, 408, 520
- SIMMs, 200, 520
- Single Inline Package (SIP), 521
- single users, 521
- size, LCDs, 333–334
- skitters, mice, 403
- slow display, 496
- slow shutdown, 475
- slow startup, 475
- Small Computer System Interface, 520
- Small Office/Home Office, 521
- Smart Media, 521
- Smart Media cards, 509

- socket wrench, 8
- soft modems, 364–365
- software
 - application software, 500
 - firewalls, 433
 - interrupts, 521
 - printers, 386
- sound adapters, 407–416
- sound cards
 - about, 15
 - built-in sound facilities, 413
 - connectors, 412
 - distortion, 415
 - fixes, 414–416
 - hum, 415
 - installing, 413
 - jacks, 412
 - low volume, 414–415
 - microphones, 416
 - monaural sound, 415
 - no sound, 414
 - speakers, 415–416
 - specifications, 408
 - testing, 413
 - troubleshooting, 414–416
 - weak sound, 415
- sound drivers, 414
- sound file resolution, 408
- sources for chips, 67
- south bridge, 521
- speakers, 415–416
- special commands, keyboards, 396
- specifications, sound cards, 408
- speculative execution, 24
- speed
 - CDs, 285
 - hard drives, 234–235
 - memory, 195, 206–207
 - printers, 387–389
 - troubleshooting, 475
 - video, 302
- spherical tubes monitors, 337
- spike protectors, 492
- spin coating monitors, 337
- Spybot, 487
- spyware, 446
- SRAM, 521
- SRX, 430
- SSFDC, 521
- ST412/ST506, 521
- stack, 521
- Stacker, 497
- standby, 160–161
- star topology, 420, 421
- start/stop bits, 521
- Start Windows Normally, 469
- starting computer, Safe Mode,
 - 468–469
- state, 521
- stateful port inspection, 434
- step rate, 521
- subwoofer, 416
- surface mount, 521
- surge protector, 521
- SVGA, 521
- SVGA adapters, 316–317
- SVGA cards, 322
- sweeper, 488
- switch box, printers, 494
- switched hub, 420
- switches, 423
- Sybot Search and Destroy, 448
- synchronous devices, 359
- system, 521
- system boot parameters, 522
- system configuration printers, 494
- System Configuration Utility, 475,
 - 481

system crashes, 480–481
system files, 522
system reporting utilities, 453
system requirements, 67–69
System Restore
 Safe Mode, 470
 troubleshooting, 467–468
system snoopers, 451
System Tools menu, 464
System Tray cleanup, 482
system unit case, 91–92
SYSTEM.INI, 522

T

tape drives, 522
target, 522
task, 522
TCP/IP, 522
TCP/IP ports, 432–433
technical support, 489
telecom problems, modems, 370
Temp folder empty, 482
terabyte, 522
Terminate and Stay Resident, 522

termination, 522
testing
 backup, 443
 cover, 91–92
 IDE drives, 266–267
 keyboards, 398
 mice, 403
 modern machines, 151–152
 monitors, 340–341
 parallel ports, 377–378
 power supplies, 125–126
 sound cards, 413
 system unit case, 91–92
texels, 522
text mode, 522
third-party backup, 442
timeout, 522
tin, 200
token ring, 522
tools
 advanced, 90–91
 antistatic strip, 2
 flashlight, 9
 grounding pad, 2
 needed, 89–90

Phillips screwdriver, 2
wrist strap, 2
topologies, networks, 421
Torx screwdriver, 8
touching interior of computer, 3
towers, 7, 522
tpi tracks per inch, 522
traces, motherboard, 6
track density, 522
track skew factor, 522
track-to-track access time, 522
trackballs, 398–404, 401
tracking Registry, 484–485
tracking resolution, mice, 401–402
tracks, 522
tracks, floppy disks, 218–219
transfer rate, 522
transient response, 522
Trojan Horse, 446
troubleshooting
 about, 457
 accidental deletion, 476
 accidental format, 476
 Automated System Recovery, 470

Continued

troubleshooting (*continued*)

- boot disk, 471–472
- booting from CD or DVD, 472
- CD installation, 294–296
- changing default operating system, 473
- Clean Boot, 470–471
- damaged hard disk repair, 477–478
- Device Driver Roll Back, 465–466
- Device Manager, 459–464
- display quality, 479
- drivers, 479
- DVD installation, 294–296
- emergency boot disk, 472
- Event Viewer, 458–459
- exiting programs not responding, 458
- hard drives, 272–273
- identifying process associated with programs, 458
- Internet, 483–484
- last ditch repair, 485
- Last Known Good Configuration, 466–467
- memory problems, 474
- missing device drivers, 478
- modems, 368
- multiple operating systems, 473
- new hardware installation, 476
- new program installation, 476
- operating system housecleaning, 482–483
- performance, 475
- printers, 385–386, 389–390
- recovering lost setup, 478
- Recovery Console, 470
- remote connection help, 478
- removable storage devices, 280
- repartitioning hard disk, 473
- resetting Windows password, 481
- Safe Mode, 468–470
- slow shutdown, 475
- slow startup, 475
- sound cards, 414–416
- speed, 475
- SVGA cards, 322
- System Configuration Utility, 475
- system crashes, 480–481
- System Restore, 467–468

- tracking Registry, 484–485
- undeleting, 476–477
- unformatting, 477
- VGA cards, 322
- video adapter driver, 480
- Windows system information utility, 464–465
- Windows Vista advanced utilities, 473–474

true color, 522

TV output, 319–320

TWAIN, 523

twisted pair cables, 423–424

twisted pairs, 523

U

Ultra ATA, 263–266

Ultra ATA/33, 500

Ultra ATA/66, 265

Ultra ATA/100, 265

Ultra ATA/133, 265–266

UMA Upper Memory Area, 523

UMB Upper Memory Blocks, 523

undeleting, 476–477

- unformatting, 477
- unidirectional parallel ports, 374
- uninstalling programs, 483
- uninterruptible power supply (UPS),
492, 521, 523
- universal asynchronous receiver/
transmitter (UART), 358, 523
- Unix, 523
- unplug computer, 3
- updates for computer, 488
- upgrades
 - modern machines, 171–174
 - parts shopping, 184
- upper memory, 510, 523
- URL (Uniform Resource Locator), 523
- USB
 - about, 523
 - development, 345–347
 - devices, 7
 - flash memory drives, 350–351
 - hubs, 347–350
 - memory keys, 278–279
 - mice, 398, 402
 - peripherals, 347–350
- utilities, backup, 441

V

- V-Sync video, 301
- version backup, 438
- vertical blanking interval, 523
- vertical cases, 7
- VGA cards, 322
- video
 - aperture grille, 301
 - colors, 301–302
 - image quality, 301
 - mask pitch, 301
 - pitch, 301
 - pixels, 300
 - processor, 299
 - refresh rate, 301
 - resolution, 300–301
 - speed, 302
 - V-Sync, 301
- video adapter drivers, 480
- video adapters, 14, 300
- video amplifiers, monitors, 330
- video cards, BIOS, 66
- video devices, 15

- video display adapters
 - 3-D, 318–319
 - about, 302–303
 - AGP interface, 303, 307–308
 - API, 309, 318
 - buffering, 319
 - color depth, 311
 - connectors, 309
 - cool video cards, 308–309
 - DDR2, 313
 - digital signal, 302
 - DirectX, 318
 - downward compatibility, 304
 - drivers, 309
 - DVI-I (Digital Video Interface), 310
 - frame buffer, 310
 - GDDR, 313
 - geometric engine, 319
 - graphics driver interface (GDI),
309–316
 - how it works, 309–316
 - installing, 320–322
 - interfaces, 303–306
 - masked write, 313

Continued

video display adapters (*continued*)
memory needed, 311–313
multi-card video processing, 307
multiple, 320–322
OpenGL, 318
PCI Express, 303–304, 306–307
PCI interface, 303
RDRAM, 313
refresh rate, 313
resolution, 313–316
SDR, 313
SVGA, 316
video display memory, 310–311
Windows 98, 320–322

video display cards
installing, 323–324
removing, 323–324

video display memory, 310–311

Video Electronics Standards
Association, 316

Video Graphics Array, 523

video memory, 299

video monitor, 299

View System Recovery Options, 469

viewing angle, LCDs, 333

virtual address, 523

virtual memory, 523

virtual mode, 523

virus, 523

virus prevention, 487

viruses, 445–450

VL-bus, 523

Voice over Internet Protocol, 524

Voice over IP, 524

voltage spike, 524

voltage surge, 524

VRAM, 524

Vx, 524

W

wait state, 524

warm boot, 524

warnings, 5, 458

weak sound cards, 415

web cameras, 406

weekly backup, 441

Weitek processor, 524

wheel mice, 400

where to buy parts, 183–184

whole machine diagnostics, 451

WiFi
networks, 426–427
router setup, 430–431
wireless, 428–429

WiFi Protected Access (WPA), 430

Windows
parts shopping, 178
Safe Mode, 469
system information utility,
464–465
utilities, 441–442

Windows 98 video display adapters,
320–322

Windows Defender, 487

Windows Vista
advanced utilities, 473–474
Backup, 442
memory, 208–209
parts shopping, 178–180

Windows Vista Network Center,
427–428

Windows XP, 181–182

WIN.INI, 524

WinModems, 364–365

Wired Equivalent Privacy (WEP), 430
wireless access point (WAP), 427
wireless adapters, 427
wireless mouse, 398
wireless networks, 426–427
wireless range sender, 427
wireless repeater, 427
wireless routers, 427
Wireless USB, 431–432
word, 524

WORM drive, 524
worms, 445–450
write precompensation, 524

X

Xenix, 524
XMS (Extended Memory
Specification), 524
XT class, 524

Y

yottabyte (YB), 524

Z

z-buffering, 524
zettabyte (ZB), 524
ZIF (Zero Insertion Force), 524
zip drives, 277–278, 524