
ANANT KUMAR, M.D.


# New Patient Questionnaire Thoracic and Lumbar Spine

Please answer all questions completely

Date:

Patient Name:							
Referring doctor name and address:							
If you were not re	ferred by a physicia	n, how die	d you find	our office?			
Primary care doc	tor name and addres	ss:					
1. Your age:	Years	<u>Gender</u> :		lale 🛛 Fer	male		
2. Symptoms:	BACK pain □LEG	pain 🗆 N	umbness	🗆 Weakness 🗆	Other		
3. How long hav	e you had your sym	ptoms?					
4. What caused	your symptoms?	Unknown	ı 🗆 Injury	Other			
5. Have your sy	mptoms improved or	worsene	d recently	/? 🗆 Improved	□ Worsened		
6. When did and	d what caused your	symptoms	s improve	or worsen?			
What % of your symptoms is in the What % of your symptoms is							
BACK and LEG?	) (please check <u>one</u>	<u>e</u> box)	in each	LEG? (please c	heck <u>one</u> box)		
□ BACK 0%, LEC	□ BACK 0%, LEG 100% □ No LEG symptoms						
□ BACK 10%, LEG 90% □ Right 0%, Left 100%							
□ BACK 25%, LEG 75% □ Right 10%, Left 90%							
□ BACK 50%, LE	EG 50%		□ Right	25%, Left 75%			
□ BACK 75%, LE	EG 25%		□ Right 50%, Left 50%				
□ BACK 90%, LE	EG 10%		□ Right 75%, Left 25%				
□ BACK 100%, L	.EG 0%		□ Right 90%, Left 10%				
]				□ Right 100%, Left 0%			
Where in your L	EG do you	Where i	n your LEG do you		Where in your LEG do you		
have PAIN or TIM	NGLING?	have NI	UMBNESS		have WEAKNESS		
Right	Left	Right	Le	ft	Right Left	t	
□ None	□ None	□ None		□ None	□ None	□ None	
□ Buttock	□ Buttock	🗆 Butto	ck	Buttock	□ Buttock	Buttock	
$\Box$ Thigh, back	🗆 Thigh, back	🗆 Thigh	1	🗆 Thigh	🗆 Thigh	🗆 Thigh	
🗆 Thigh, front	🗆 Thigh, front	$\Box$ Calf		□ Calf	□ Calf	□ Calf	
□ Calf	Calf Calf Ankle		;	□ Ankle	□ Ankle	□ Ankle	
□ Foot	Foot	□ Foot/	toes	□ Foot/toes	Foot	□ Foot	





Please mark the areas on the diagram where you are having symptoms and the location where the symptoms radiate.

Please use the following symbols to indicate the type of symptoms and the location of the symptoms:

Pain= -----

Pins and Needles= 00000000

Numbness= XXXXXXXXXXXXX

7. How does your pain travel: Stays in my BACK Starts in the BACK and goes down the LEG									
8.	8. The worst position for pain is:								
9.	9. Bending forward?  Increases the pain  Decreases the pain  No effect								
10.	Lyin	<b>g down?</b> 🗆 Increa	ses the pain $\Box$	Decreases the pain	□ No effect				
11.	How	many minutes ca	an you STAND w	vithout pain? □ 0-′	10 🗆 15-30 🗆 30-60 🗆 60+				
12.	How	many minutes ca	an you WALK wi	ithout pain? 🛛 0-′	10 🗆 15-30 🗆 30-60 🗆 60+				
13.	Doe	s coughing or sne	ezing increase	your symptoms?	□ Yes □ No				
14.	Do y	ou have difficulty	with bowel or <b>b</b>	oladder control? 🗆	No 🛛 Yes; since				
15.	Have	e you missed wor	k because of yo	ur symptoms? 🗆 l	No $\Box$ Yes; how much time				
16.	Prev	vious treatments f	or my condition	have included: (ch	neck <u>any</u> boxes that apply)				
I		lothing (no medici	nes, therapy, ma	nipulations, injectior	ns, or braces)				
I	□ <u>P</u>	Physical therapy: did it help relieve your symptoms?							
I	□ <u>C</u>	Chiropractic manipulation; did it help relieve your symptoms?							
I	□ <u>B</u>	Braces; did it help relieve your symptoms?							
I	□ <u>S</u>	Spine injections: How many injections have you had?							
	For how long did the injections relieve your pain?								
I	□ <u>S</u>	Surgery							
	F	How many surgeries have you had on your BACK?							
	V	When was/were the surgery(ies) on your BACK?							
	C	Did surgery relieve your symptoms?							
□ <u>Other treatment</u> :									
17. Previous doctors seen for your spine problem:									
		Doctor	Specialty	City	Recommendations/Treatments				

### 18. List pain medications and dose taken for your spine problem:

Medication	Dose

### MEDICAL CONDITIONS THAT YOU HAVE OR HAD IN THE PAST: (check all that apply)

<ul> <li>□ None apply</li> <li>□ Heart attack</li> <li>□ Diabetes</li> <li>□ Heart failure</li> <li>□ Stroke</li> <li>□ High blood pressure</li> <li>□ Seizures</li> <li>□ Osteoarthritis</li> <li>□ Mental illness</li> <li>□ Rheumatoid arthritis</li> <li>□ Kidney stones</li> <li>□ Ankylosing spondylitis</li> <li>□ Kidney failure</li> <li>□ Gout</li> <li>□ Stomach ulcers</li> <li>□ Osteoporosis</li> <li>□ Cancer (type)</li> <li>□ Serious injuries (explain)</li> </ul>		<ul> <li>Lung disease</li> <li>HIV</li> <li>AIDS</li> <li>Tuberculosis</li> <li>Asthma</li> <li>Blood clot in LEG</li> <li>Alcoholism</li> </ul>	<ul> <li>Liver trout</li> <li>Hepatitis</li> <li>Thyroid tro</li> <li>Bleeding d</li> <li>Anemia</li> <li>Blood clot</li> <li>Drug use</li> </ul>	ouble lisorders
□ Other (explain)		□ None		
ARE YOU ALLERGIC	TO ANY MEDICINE?	<ul> <li>No known drug allergies</li> <li>Reaction</li> </ul>		
Are you allergic to late Have you had complic PAST SURGICAL HIST	ex?			
Please list previous surge	-	□ None SURGEON		DATE
				~~~~~
$\Box$ Heart trouble $\Box$ Strok	e problems		□ Alcoholisr zures	n

SO	CIAL HISTOR	Y: (check all that apply)					
1.	Work status:	□ Working:Full time Part time □ Retired □ Disabled □ Unemployed					
	Dccupation:						
2.	2. Marital status:  Married  Single  Co-habitating  Widowed  Divorced						
3.	I live:  Alone  With:						
4.	Number of living children:						
5.	Tobacco and r	nicotine use: 🗆 Never 🗆 Cigar 🗆 Chew 🗆 Pipe					
	□ Cigarettes _	packs per day for years.					
	🗆 Quit – Wher	n?after smoking packs per day for years					
6.	Alcohol intake	□ Never $\Box$ <2 drinks/month $\Box$ 1-2 drinks/week $\Box$ 1-2 drinks/day					
7.	Drug use:	$\Box$ Never $\Box$ Currently $\Box$ In the past					
8.	If you have sco	pliosis how old were you when you started your menstrual cycle?					
9.	Because of my	/ spine problem, I have filed or plan to file:					
	□ A lawsuit □	A Worker's Compensation claim  Neither					
		<b>TEMS:</b> (check all that apply) □ None apply □ Recent weight change □ Poor appetite □ Hot or cold spells □ Fever or chills					
Ey	es	$\Box$ None apply $\Box$ Change of vision $\Box$ Reading glasses					
Са	rdiac	$\Box$ None apply $\Box$ Abnormal heartbeat $\Box$ Heart or chest pain $\Box$ Swollen ankles					
Re	spiratory	□ None apply □ Shortness of breath □ Morning cough					
Ga	strointestinal	□ None apply □ Frequent Constipation □ Frequent diarrhea □ Stomach pain □Ulcers					
		Nausea or vomiting					
Ge	nitourinary	□ None apply □ Frequent urination □ Burning with urination □ Difficulty starting urination					
Neurologic		$\Box$ None apply $\Box$ Frequent headaches $\Box$ Blackouts $\Box$ Seizures $\Box$ Weakness					
Ski	n	□ None apply □ Frequent rash □ Acne					
EN	MT	□ None apply □ Gum trouble □ Toothache □ Loss of hearing □ Cavities □ Missing teeth					
		Dentures Ear pain/infection Nosebleeds Hoarseness					
		Difficulty swallowing					
He	me/Lymph	□ None apply □ Anemia □ Blood clots□ Easily bruising □ Bleeding disorder					
Ps	ychiatric	<ul> <li>□ None apply □ Depression □ Schizophrenia □ Bipolar disorder □ Alcoholism</li> <li>□ Drug abuse</li> </ul>					
Pa	tient Signature	Date					
Ph	ysician Signatu	reDate					

<u>Phy</u>	vsical Examination (FOR	OFFICE USE C	<b>DNLY</b> – Patients	continue to t	<u>he next page)</u>		
1.	Constitutional:						
	a. Vital Signs: H	leight	_Weight	Pulse	_Resp	_	
	b. Appearance:	Nutrition	Habitus	Deformity	Grooming		
2.	Neurological						
	a. Orientation (F	PERSON/PLAC	E/TIME)	Mood/ Affect	(depression, ar	nxiety, agitation)	
3.	SKIN (scars, ulcerations	, etc; location);	Neck	Back	BUE	BLE	
4.	Adams forward bend: PT	Г	MT	TL/L			
5.	Pain Range of Motion Co	ervical/Thoraco	lumbar Spine (Y	es/No)			
6.	Pain palpation Cervical/	Thoracolumbar	Spine (Yes/No;	Location)			
7.	GAIT: Tandem gait: (ste	ady / unsteady)	; Able to Heel w	alk: (+ / - ); At	ole to Toe walk	:(+ / - )	
8.	Motor: Delt Bi Tri	WE WF FF	INT Psoas Q	uad DF EH	IL PF INV E	VER	
	R						
	L						
9.	Sensation: (symmetric,	deficits, region	of deficit):				
10.	DTR: Biceps Triceps R L	BR Knee	Ankles Babi	nski Hoffm	an's Clonus	Umbilicus	
11.	Cardiovascular: DP R	PT Vascu	lar changes	Swelling			
	L			Straight LI			
Lab	D/EMG Results:			Pain hip R	tretch Test		
<u>Exa</u>	am type Date of	obtained	<u>Findings</u>	Pain knee			
					Ider ROM		
				Coordinati	on		
				SI pain Rhomberg	1		
<u>Dia</u>	gnostic Imaging				, bital tunnel ex	am	
Eve	amtuno	Data abtainad	L Einding				
	am type	Date obtained	<u>Finding</u>	<u> </u>			

Assessment <u>Recommendations:</u> Prescription Drug (mod-mgmt)\_\_\_\_\_Physical Therapy (low-mgmt) Injections (high DxP) Surgery (high)

### **Colorado Back and Spine – Dr. Anant Kumar** Modified Oswestry Low Back Pain Disability Questionnaire<sup>a</sup>

This questionnaire has been designed to give your doctor information as to how your back pain has affected your ability to manage in everyday life. Please answer every question by placing a mark in the **one** box that best describes your condition today. We realize you may feel that two of the statements may describe your condition, **but please mark ONLY the box that most closely describes your current condition**.

<sup>a</sup>Modified by permission of The Chartered Society of Physiotherapy from Fairbanks JCT, Couper J, Davies JB, et al. The Oswestry Low Back Pain Disability Questionnaire. *Physiotherapy* 1980;66:271-273.

#### **Pain Intensity**

- □ I can tolerate the pain I have without having to use pain medication
- □ The pain is bad, but I can manage without having to take pain medication
- □ Pain medication provides me with complete relief from pain
- Pain medication provides me with moderate relief from pain
- □ Pain medication provides me with little relief from pain
- □ Pain medication has no effect on my pain

#### Personal Care (e.g., Washing, Dressing)

- □ I can take care of myself normally without causing increased pain
- □ I can take care of myself normally, but it increases my pain
- □ It is painful to take care of myself and I am slow and careful
- □ I need help, but I am able to manage most of my personal care
- $\Box$  Î need help every day in most aspects of self care
- □ I do not get dressed, I wash with difficulty and stay in bed

#### Lifting

- □ I can lift heavy weights without increased pain
- □ I can lift heavy weights but it gives increased pain
- □ Pain prevents me from lifting heavy weights off the floor, but I can manage if the weights are conveniently positioned (e.g., on a table)
- Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned
- □ I can lift only very light weights
- $\Box$  I cannot lift or carry anything at all

#### Walking

- □ Pain does not prevent me from walking any distance
- $\Box$  Pain prevents me from walking more than 1 mile
- $\Box$  Pain prevents me from walking more than  $\frac{1}{2}$  mile
- $\Box$  Pain prevents me from walking more than  $\frac{1}{4}$  mile
- $\Box$  I can only walk with crutches or a cane
- $\Box$  I am in bed most of the time and have to crawl to the toilet

#### Sitting

- □ I can sit in any chair as long as I like
- □ I can only sit in my favorite chair as long as I like
- □ Pain prevents me from sitting for more than 1 hour
- $\Box$  Pain prevents me from sitting for more than  $\frac{1}{2}$  hour
- □ Pain prevents me from sitting for more than 10 minutes
- $\Box$  Pain prevents me from sitting at all

#### Standing

- □ I can stand as long as I want without increased pain
- □ I can stand as long as I want, but it increases my pain
- Pain prevents me from standing more than 1 hour
- $\Box$  Pain prevents me from standing more than  $\frac{1}{2}$  hour
- □ Pain prevents me from standing more than 10 minutes
- $\Box$  Pain prevents me from standing at all

#### Sleeping

- □ Pain does not prevent me from sleeping well
- □ I can sleep well only by using pain medication
- □ Even when I take pain medication, I sleep less than 6 hours
- □ Even when I take pain medication, I sleep less than 4 hours
- □ Even when I take pain medication, I sleep less than 2 hours
- $\Box$  Pain prevents me from sleeping at all

#### Social Life

- □ My social life is normal and does not increase my pain
- □ My social life is normal, but it increases my level of pain
- Pain prevents me from participating in more energetic activities (e.g., sports, dancing)
- □ Pain prevents me from going out very often
- □ Pain has restricted my social life to my home
- □ I have hardly any social life because of my pain

#### Traveling

- $\Box$  I can travel anywhere without increased pain
- $\Box$  I can travel anywhere, but it increases my pain
- $\Box$  My pain restricts my travel over 2 hours
- □ My pain restricts my travel over 1 hour
- ☐ My pain restricts my travel to short necessary journeys under ½ hour
- ☐ My pain prevents all travel except for visits to the physician/therapist or hospital

#### **Employment/Homemaking**

- ☐ My normal homemaking/job activities do not cause pain
- □ My normal homemaking/job activities increase my pain, but I can still perform all that is required of me
- □ I can perform most of my homemaking/job duties, but pain prevents me from performing more physically stressful activities (e.g., lifting, vacuuming)
- □ Pain prevents me from doing anything but light duties
- □ Pain prevents me from doing even light duties
- □ Pain prevents me from performing any job or homemaking chores

Patient Signature

Date

### **Zurich Claudication Questionnaire**

**Please read:** This questionnaire has been designed to give the doctor information as to how your back pain has affected your ability to manage in everyday life. Please answer every section and mark in each section only the **ONE** box that applies to you. We realize you may consider that two of the statements in any one section related to you, but please just mark the box that most closely describes your problem.

#### Symptom Severity Scale

- 1. The pain you have had on average including the pain in your back, buttocks and pain that goes down you legs:
- $\Box$  Very Severe
- $\Box$  Severe
- $\Box$  Moderate
- $\Box$  Mild
- □ None

## 2. How often have you had back, buttock, or leg pain?

- $\Box$  Every minute of the day
- $\Box$  Everyday for most of the day
- $\Box$  Everyday, for at least a few minutes
- $\Box$  At least once a week
- $\Box$  Less than once a week

#### 3. The pain in your back or buttocks?

- $\Box$  Very Severe
- □ Severe
- □ Moderate
- $\Box$  Mild
- □ None

#### 4. The pain in your legs or feet?

- □ Very Severe
- $\Box$  Severe
- □ Moderate
- $\Box$  Mild
- $\Box$  None

#### 5. Numbness or tingling in your legs or feet?

- $\Box$  Very Severe
- $\Box$  Severe
- $\Box$  Moderate
- $\Box$  Mild
- □ None

#### 6. Weakness in your legs or feet?

- $\Box$  Very Severe
- □ Severe
- □ Mild
- $\Box$  None

#### 7. Problems with your balance?

- ☐ Yes, often I feel my balance is off, or that I'm not sure footed
- □ Yes, sometimes I feel my balance is off, or that I'm not sure footed
- $\Box$  No, I have had no problems with balance

#### **Physical Function Scale**

#### 8. How far have you been able to walk?

- $\Box$  Less than 50 feet
- $\Box$  Over 50 feet, but less than 2 blocks
- $\Box$  Over 2 blocks, but less than 2 miles
- $\Box$  Over 2 miles

## 9. Have you taken walks outdoors or in malls?

- 🗆 No
- $\Box$  Yes, but always with pain
- $\Box$  Yes, but sometimes with pain
- $\Box$  Yes, comfortably

# **10.** Have you been shopping for groceries other items?

- 🗆 No
- $\Box$  Yes, but always with pain
- $\Box$  Yes, but sometimes with pain
- $\Box$  Yes, comfortably

# 11. Have you walked around the different rooms in your house or apartment?

- 🗆 No
- $\Box$  Yes, but always with pain
- $\Box$  Yes, but sometimes with pain
- $\Box$  Yes, comfortably

12. Have you walked from your bedroom to the bathroom?

- $\Box$  Yes, but always with pain
- $\Box$  Yes, but sometimes with pain
- $\Box$  Yes, comfortably

Patient Signature

Date