

(A GOVT. OF INDIA ENTERPRISE)

O/o THE EXECUTIVE ENGINEER (C) BSNL CIVIL DIVISION Dehradun

TENDER DOCUMENT

NAME OF WORK: Day to day maintenance in different T.E Building & staff quarter compound under SSA Haridwar.

> ACCOUNTS OFFICER BSNL CIVIL DIVISION, DEHRADUN

NAME OF WORK: Day to day maintenance in different T.E Building & staff quarter compound under SSA Haridwar.

| INDEX | |
|---|----|
| | |
| IMPORTANT INSTRUCTIONS TO ALL TENDERERS | 3 |
| IMPORTANT INSTRUCTIONS TO TENDERERS WHO HAVE DOWNLOADED THE TENDER | |
| DOCUMENT FROM WEBSITE | 4 |
| DECLARATION TO BE GIVEN BY THE TENDERERS WHO HAVE DOWNLOADED THE TENDER | |
| DOCUMENT FROM THE WEBSITE | 5 |
| BSNL W-6 | 7 |
| ABRIDGED FORM BSNL W-8 | 11 |
| PERFORMA OF SCHEDULES | 13 |
| GENERAL CONDITIONS OF CONTRACT | 17 |
| SPECIAL CONDITIONS FOR THE CONTRACT | 18 |
| PROFORMA FOR AGREEMENT | 20 |
| FORM OF PERFORMANCE SECURITY | 22 |
| GUARANTEE TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER | |
| COMPLETION IN RESPECT OF WATER SUPPLY AND SANITARY INSTALLATIONS | 24 |
| GUARANTEE BOND TO BE EXECUTED BY THE CONTRACTOR FOR WATER PROOFING | |
| TREATMENT FOR BASEMENT/TERRACE/TOILETS | 25 |
| SCHEDULE OF QUANTITIES | 26 |

IMPORTANT INSTRUCTIONS TO ALL TENDERERS

All tenderers should read the following important instructions carefully before actually quoting rates:

- 1. The Standard Form (The General Conditions of Contract for Civil Works 2006 incorporating all correction up to date) will not be issued along with the Tender Documents but the same shall form part of the agreement to be drawn and signed by the both parties after acceptance of tender. The Standard Form shall be available in downloadable manner from website http://www.uttaranchal.bsnl.co.in
- The tenderer should read carefully & understand the Additional Conditions/ Special Conditions, Additional Specifications and Particular Specifications, Schedule of Quantity, drawings etc attached with the tender document/available on website <u>http://www.uttaranchal.bsnl.co.in</u> before actually quoting rates for the work.
- 3. Quoted rate shall deem to include cost of all materials, labour, operations, taxes and any other contingent item described in items, specifications etc. unless otherwise specified.
- 4. The rate shall also deem to include cost of any other material, labour, operations etc. without which the work would not be satisfactorily complete even though such material, labour, operation would not have been specifically mentioned in specifications etc. unless otherwise specified.
- 5. The schedule of items, estimated cost etc in this contract are based on CPWD DSR 2007 and Local Market.
- 6. The tenderers, who have downloaded the tender document from the website, should read the important instructions & declaration given in pages '4' & '5' carefully before submitting the tenders.

IMPORTANT INSTRUCTIONS TO TENDERERS WHO HAVE DOWNLOADED THE TENDER DOCUMENT FROM WEBSITE

The tenderers who have downloaded the tenders from the web, should read the following important instructions carefully before actually quoting the rates & submitting the tender document:

- The tenderer should see carefully & ensure that the complete tender document including schedule of quantity as per the index given on page '2' has been downloaded properly & there are 38 (Thirty Eight) pages in all in the tender document.
- 2. The printout of tender document should be taken on A-4 size paper only & the printer settings etc are such that document is printed as appearing in the web & there is no change in formatting, number of pages etc.
- 3. The tenderer should ensure that no page in the downloaded tender document is missing.
- 4. The tenderer should ensure that all pages in the downloaded tender document are legible & clear & are printed on a good quality paper.
- 5. The tenderer should ensure that every page of the downloaded tender document is signed by tenderer with stamp (seal).
- 6. On page '1' of the downloaded tender document, the name of the tenderer should be filled by the tenderer.
- 7. The tenderer should ensure that the downloaded tender document is **properly bound** and wax sealed before submitting the same. The loose/ spiral bound/improperly sealed tenders shall be rejected out rightly.
- 8. In case of any correction(s)/addition(s)/alteration(s)/omission(s) in the tender document, it shall be treated as non-responsive and shall be rejected.
- 9. The tenderer shall furnish a declaration to this effect that no addition(s)/ deletion(s) /correction(s) have been made in the tender document submitted and it is identical to the tender document appearing on Website.
- 10. The tenderer should read carefully & sign the declaration given on page no. **5** before submitting the tender.
- 11. The **cost of tender and eligibility credentials** should be submitted separately in the envelope-1 containing the EMD as detailed in NIT marked "**Earnest money plus cost of tender and eligibility credentials**". The **Tender** shall be placed in sealed envelop-2 marked as "**Tender**". The sealed envelop no. 1 & 2 as above shall then be placed in another sealed envelop-3. All the three envelop have been superscribed by the data of name of work, Name of Tenderer and Last date of receipt of Tender.
- 12. In case of any doubt in the downloaded tender, the same should be got clarified from the o/o **EXECUTIVE ENGINEER (C)**, **BSNL CIVIL DIVISION**, **Dehradun** before submitting the tender.

DECLARATION TO BE GIVEN BY THE TENDERERS WHO HAVE DOWNLOADED THE TENDER DOCUMENT FROM THE WEBSITE

It is to certify that:

- 1. I / We are submitting the tender in the proforma as downloaded directly from the website & there is no change in formatting, number of pages etc.
- 2. I / We are submitting tender document which is same/ identical as available on the website.
- 3. I / We have not made any modification / corrections / additions etc in the tender documents downloaded from web by me / us.
- 4. I / We have checked that no page is missing and all pages as per the index are available & that all pages of tender document submitted by us are clear & legible.
- 5. I / We have signed (with stamp) all the pages of the tender document before submitting the same.
- 6. I / We have wax sealed the tender documents properly before submitting the same.
- 7. I / We have submitted the cost of tender and eligibility credentials, along with the Earnest money as detailed in NIT, separately in sealed envelop-1marked "Earnest money plus cost of tender and eligibility credentials". The Tender has been placed in sealed envelop-2 marked as "Tender". The sealed envelop no. 1 & 2 as above have been placed in another sealed envelop-3. All the three envelop have been superscribed by the data of "name of work", "Name of Tenderer" and "Last date of receipt of Tender".
- 8. I / We have read carefully & understood the important instructions to the all tenderers & to tenderers who have down loaded the tenders from the website.
- 9. In case at any stage later, it is found there is difference in our downloaded tender documents from the original, BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me / us.
- 10. In case, at any stage later, it is found there is difference in our downloaded tender document from the original, the tender / work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage whenever it is so noticed. I / WE will not claim any damages / compensation on this account.
- 11. In case, at any stage later, it is found there is difference in our downloaded tender documents from the original, I / We may also be debarred for further participation in the tender in the concerned BSNL Civil Zone & would also render me / us liable to be removed from the approved list of contractors of the Company.
- 12. If this declaration is not signed by the tenderer(s), in case of the Tender Document is downloaded from the website, the tender shall be treated as non responsive & shall not be opened.

Dated

(TENDERER) (SIGN WITH SEAL)

DECLARATION

(TO BE GIVEN BY THE TENDERER REGARDING RELATIVES AS PER PARA '14' OF BSNL-6. THIS SHALL BECOME A PART OF AGREEMENT)

Name of Work:- Day to day maintenance in different T.E Building & staff quarter compound under SSA Haridwar.

| 1 | s/o Shri | resident of |
|---|--|---------------------------------------|
| | hereby certify the second s | hat none of my relative(s) as defined |
| in para '14' of BSNL – 6 is / are emplo | oyed in BSNL Civil Zone, Uttarakha | nd. |

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me.

DATED :

(CONTRACTOR) *(SIGN WITH SEAL)

* - To be signed & submitted as detailed in para '14' of BSNL-6.

(The certificate in case of Proprietorship Firm shall be given by the proprietor; for Partnership Firm certificate shall be given by all partners and in case of Limited Company, by all Directors of the company.)

BSNL W-6

NIT No: 23/NIT/EE(C)/BSNL/DDN/2013-14 BHARAT SANCHAR NIGAM LIMITED

(Government of India Enterprise) (CIVIL WING)

NOTICE INVITING TENDER

1.0 Item rate tenders are invited on behalf of BHARAT SANCHAR NIGAM (A Government of India Enterprise) from approved and eligible contractors of D.O.T/BSNL Civil Wing, Deptt. of Post, CPWD, Uttarakhand State PWD (B&R only), MES, and Railways for the work of **Day to day maintenance in**

different T.E Building & staff quarter compound under SSA Haridwar. The Central / State Govt. undertakings shall also be eligible to tender under usual terms & conditions applicable to them from time to time.

- 1.1 The work is estimated to Cost Rs. 457716/- (Rupees Four Lac Fifty Seven Thousand Seven Hundred Sixteen only).
- 1.2 Tenders will be issued to eligible contractors provided they produce proof of their valid enlistment with the appropriate authority.
- 2.0 Agreement shall be drawn with the successful Tenderer on prescribed Form No. BSNL W-8, which is available as a BSNL publication. Tenderer shall quote his rates as per various terms and conditions contained in The General Conditions of Contract for Civil Works 2006 with upto date correction slips (available on web-site http://www.uttaranchal.bsnl.co.in and in the office of the officer inviting tender) duly superseded by additional conditions/ specifications attached with the Tender Document which shall form part of the agreement.
- 3.0 The time allowed for carrying out the work will be **6** (Six) Months, from the **10**th day after the date of issue of letter of acceptance of work, or, from the first day of handing over of the site, whichever is later, in accordance with phasing, if any, indicated in the Tender Document.
- 4.0 The site for the work is available.
- 5.0 The last date of receipt of applications for issue of tender forms (in prescribed format) can also be down loaded from

BSNL website http://www.uttaranchal.bsnl.co.in and date of issue of tender forms will be as follows:

- i) Last date of receipt of application: **06.09.2013** upto 16.00 hours.
- ii) Last date of issue of tender forms: 07.09.2013 upto 16.00 hours
- 6.0 Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of the contract to be complied with by the Contractor whose tender may be accepted and other necessary documents, can either be down loaded from the BSNL website http://www.uttaranchal.bsnl.co.in or be seen in the office of the EE(C), BSNL Civil Division, 3 Tyagi Road, Dehradun between 11.00 hours. & 16.00 hours from 02.09.2013 to 07.09.2013, everyday except on Sundays and Public Holidays. Tender documents, excluding standard form, will be issued from his office, during the hours specified above on payment of the following: -
 - (i) Rs. <u>500</u>/- plus sales tax Rs. 68/- (as applicable) as cost of tender (Non refundable) in cash or demand drafts/pay orders of a schedule bank drawn in favour of Accounts Officer, BSNL Civil Division, Dehradun.
 - (ii) The tender shall be accompanied by Earnest money of Rs. <u>9154</u>/- in cash (upto Rs.2500/-only)/ deposit at Call receipt of a scheduled bank/fixed deposit receipt of a scheduled bank/demand draft of a scheduled bank issued in favour of the <u>Accounts Officer, BSNL Civil Division, Dehradun</u>. When amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of Bank Guarantee also. In such case, minimum 50% of earnest money (but not less than Rs. 5 lakh) or Rs. 25 lakh, whichever is less, will have to be deposited in the shape prescribed above. For balance amount of earnest money, bank guarantee will also be acceptable.

Note: Money due to contractor in any other work or earnest money of the previous call of the same work shall not be adjusted towards earnest money. The "cost of tender" and "earnest money" should be submitted through separate instruments.

7.0 Tenders, which should always be placed in sealed envelope, in the manner detailed at para 9 below, will be received by the <u>EE(C)</u>, <u>BSNL Civil Division</u>, <u>Dehradun</u> upto 15.00 Hrs. on <u>10.09.2013</u> and will be opened by him or his authorized representative in his office on the same day at 15.30 Hrs. After opening the main envelope 3, the

envelope 1 containing the Earnest Money along with the cost of the tender as applicable and eligibility credentials shall be opened first. The envelope 2 containing tender shall be opened only for those tenderers whose Earnest Money, cost of tender and eligibility is found in order.

The unopened tenders shall be returned to the tenderers after the final decision on the tender is reached.

8. The description of the work is as follows: -

Day to day maintenance in different T.E Building & staff guarter compound under SSA Haridwar.

9.0 Submission of tender : - Tender shall be submitted in following manner:

- In case the tender document is down loaded form BSNL website. 91
- "Earnest money plus cost of Tender and eligibility credentials" shall be placed in sealed 911 envelope-1 Marked "Earnest money plus cost of Tender and eligibility credentials".
- 9.1.2 The "Tender" shall be placed in sealed envelope-2 and will be superscripted as "Tender"
- 9.1.3 The sealed envelope no. 1,&2 as above containing "Earnest money plus cost of Tender, Eligibility Credentials", and the "Tender" shall be placed in another sealed envelope -3. 9.1.4
 - All the three envelopes shall be superscripted with following data on it.
 - Name of work (i)
 - Name of tenderer (ii)
 - (iii) Last date of receipt of tender

9.2 In case tender document is purchased from Division office.

- 9.2.1: Earnest Money deposit in required format or proof of payment of EMD (if paid in cash) and copies of documents showing eligibility credentials to be placed in sealed envelope no.1
- 9.2.2 Envelope no. 2 will be as per Para 9.1.2.
- 9.2.3: The sealed envelopes1&2 shall be placed in another sealed envelope no.3
- 9.2.4 : same as 9.1.4

Note: In case the eligibility credentials are not found in order at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law.

- 9.3 The tender in which rates/percentage are to be quoted should be properly bound and sealed (wax sealed/adhesive tape sealed). Loose/spiral bound submission (in case the tender is down loaded from website) shall be rejected out rightly. In case of any correction/addition/alteration/omission in tender document vis-à-vis tender document available on website shall be treated as non-responsive and shall be summarily rejected.
- 10. Copies of other drawings and documents pertaining to the work will be open for inspection by the tenderers at the office of the above-mentioned officer.
- 10.1 Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
- 11 The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
- 12 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of 13 accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 14 The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
 - Member of Hindu Undivided family (UHF).
 - They are Husband and Wife. (ii)
 - The one is related to other in the manner as father, mother, son(s) & Son's wife (daughter-in-law), (iii) Daughter(s), Daughter's husband (son-in-law), brother(s), brother's wife, sister(s), sister's husband (brother-in-law).

The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee/ gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is going to apply for tender/work. The format of the certificate is as under:-

"I,_________s/o Shri _______Resident of hereby certify that none of my relative (s) as defined above is/are employed in concerned BSNL Civil Zone. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me".

The certificate in case of Proprietorship Firm shall be given by the proprietor; for Partnership Firm certificate shall be given by all partners and in case of Limited Company, by all Directors of the company. However, Government of India/Financial Institutions nominees and independent non-official part-time Directors appointed by Govt. of India or the Governor of the State are excluded from the purview of submission of this certificate while submitting tenders by Limited Companies.

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 15. No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU's is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- 16. The tender for the work shall remain open for acceptance for a period of <u>30 (THIRTY)</u> days from the date of opening of the tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 17. (A) In case of works having estimated cost upto and including Rs. 15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled. In case of works of estimated to cost Rs.15, 00,000/- and above, the successful tenderer shall, upon issue of letter of acceptance of Tender, shall be required to furnish Performance Guarantee @ 5% of the tendered value in the form of irrevocable Bank Guarantee of requisite amount to the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender by the BSNL. In the event of failure on the part of the successful tenderer to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled.
 - (B) Regarding Clause 17 of BSNL W-6 the Security deposit of the contractor shall not be refunded before the expiry of twelve months (Six months in the case of work costing Rs. Fifteen Lakh and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. .
- 18. This Notice Inviting Tender (BSNL W-6) shall form a part of the Contract Document. In accordance with clause 1 & 1A of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee, the letter of commencement of work shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 30 days from such date, formally sign the agreement consisting of:
 - a) The Notice Inviting Tender, all the documents including additional/special conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - b) Standard BSNL W-8 as on website http://www.uttaranchal.bsnl.co.in
 - c) Agreement signed on non-judicial stamp paper as per Performa annexed to the tender document.
- 19. Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below: -

- (a) In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
 - (b) The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in where the payment is a local Branch i.e. tenderer is having bank account in the same place from made by BSNL unit.
 - (c) In case payment is made to outside branch i.e. tenderer is having bank account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the tenderer only.
 - (d) The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts where the value of the contract is more than Rs. 10 lakhs.
- 20. First running account bill shall be paid only after
 (a) signing of the Agreement/Contract by both the parties, and
 (b) progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 21. If a contractor after purchasing the tender does not quote consecutively on three occasions, the contractor may be debarred for further purchase of tenders for a period of six months.
- 22. General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED with upto date correction slip are available on website http://www.uttaranchal.bsnl.co.in as well as in the Divisional/ Sub divisional Office.
- 23. The tenderer shall furnish a declaration to this effect (In case of downloaded tender) that no addition/deletion/correction have been made in the tender document submitted and it is identical to the tender document appearing on website. Every page of down loaded tender shall be signed by the tenderer with stamp (seal) of his firm/organisation.
- 24. The Contractor shall have to fully abide by the relevant provision of Employee's Provident Fund Act 1952 and rules framed therein from time to time and they have to obtain and produce EPF registration within one month of award of work.

Executive Engineer (C) BSNL Civil Division, Dehradun

For & on behalf of the Bharat Sanchar Nigam Limited

NIT No: 23/NIT/EE(C)/BSNL/DDN/2013-14

| | ABRIDGED | FORM BSNL W-8 |
|-----------------------------|--------------|--------------------|
| STATE Uttarakhand | CIRCLE: | <u>Uttarakhand</u> |
| | DIVISION: | <u>Dehradun</u> |
| ZONE Uttarakhand Civil Zone | SUB-DIVISION | N: <u>Hardwar</u> |

Item Rate Tender & Contract for Works

Tender for the work of:- Day to day maintenance in different T.E Building & staff quarter compound under SSA Haridwar.

- (i) To be submitted by 15.00 hours on 10.09.2013 to Executive Engineer (C), BSNL Civil Division, 3 Tyagi Road, Dehradun.
- (ii) To be opened in presence of tenderer who may be present at 15:30 hours on 10.09.2013 in the office of Executive Engineer (C), BSNL Civil Division, 3 Tyagi Road, Dehradun.

| Issued to: | | |
|--------------|--|--|
| Signature o | (Contractor) of officer issuing the documents | |
| Designatior | ۱ | |
| Date of Issu | ue | |

TENDER

I/ We have read and examined notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/ We hereby tender for the execution of the work specified for the Bharat Sanchar Nigam Limited within the time specified in schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/ We agree to keep the tender open for <u>30</u> days from the due date of submission thereof and not to make any modifications in its terms and conditions. If I/we withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

A sum of Rs. <u>9154/- (Nine Thousand One Hundred Fifty Four)</u> only, has been deposited in prescribed manner as earnest money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

I/We agree that, in case of works of estimated cost exceeding Rs.15,00,000/-, to deposit an amount equal to 5% of Tendered value of the work as performance guarantee in the form of bond of any Scheduled Bank of India in accordance with the proforma prescribed or in the form of Fixed Deposit Receipt etc., within 15 days of the issue of letter of acceptance of Tender by the BSNL. I/We am/are aware that in the event of failure on my/our part to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled

I/ We hereby intimate that for receiving payments I/we have an account in ______ Bank with account No. ______ where the ECS/EFT facility of e-payment is available.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a

person to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We agree that should I/We fail to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Bharat Sanchar Nigam Limited and the same may at the option of the competent authority on behalf of the Bharat Sanchar Nigam Limited be recovered without prejudice to any right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.

The information in respect of works in hand is as per proforma enclosed.

"I/we agree that this contract is subject to jurisdiction of Court at **Dehradun** only." (Where the NIT/Tender has been issued) Dated.....

Witness: Address: Occupation:

Postal Address: -

Signature of Contractor

ACCEPTANCE

The above tender (as modified by you (Contractor) and as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the Bharat Sanchar Nigam Limited for a sum of Rs._____ (Rupees______

The letters referred to below shall form part of this Contract Agreement:-

(a)

(b)

For & on behalf of the Bharat Sanchar Nigam Limited.

Signature _ _

)

Dated.....

Name and designation_____

PERFORMA OF SCHEDULES

| SCHEE | DULE "A" | | | | | |
|---|---|--------------|---------------------------|---|----------------|--|
| | | | Schedule of Quantities (I | Enclosed) | | |
| SCHEE | DULE "B" | | | | | |
| Sched | ule of Materials to be | e issued to | the contractor | | | |
| | | | • | | Place of issue | |
| 3. No. | Description of Item | Quantity | which the materials will | Rates in figures & words at F which the materials will be charged from the contractor | | |
| 1 | 2 | 3 | 4 | | 5 | |
| | | | NIL | | | |
| | SCHEDULE "C" | | | | | |
| I OOIS A | and Plants to be hired | to the contr | actor | | | |
| S. No. | Description | of Item | Hire charges per day | | Place of issue | |
| 1 | 2 | | 3 | | 4 | |
| | | | NIL | | | |
| | | | | | | |
| | DULE "D" | | | | | |
| | schedule for specific becial Conditions of (| | ents/documents for the wo | ork. If any(enclosed) | | |
| SCHEE | DULE "E" | | | | | |
| - | - | aterials, La | bour etc. for escalation. | | | |
| | | | | | | |
| CLAUS | SE 10 | | | | | |
| Compo | onent of Materials exp | ressed as | \sim | | | |
| | t of Total Value of Wo | | " X " | | 75 % | |
| Component of Labour expressed as percent of Total Value of Work | | | "ү" | Deleted | 25 % | |
| | | | | | | |

| SCHEE | SCHEDULE "F" | | | | | | | | |
|--|--|---|---|---|--|--|--|--|--|
| | Reference to General Conditions of Contract | | | | | | | | |
| Name of | fWork | | | maintenance in different T.E Building & staff quarter under SSA Haridwar. | | | | | |
| Estimate | ed cost of Work | Rs | | (Rupees Four Lac Fifty Seven Thousand Seven Hundred en) only. | | | | | |
| Earnest | Money | Rs | | UPEES Nine Thousand One Hundred Fifty Four | | | | | |
| | 5 | on | | | | | | | |
| Performance Guarantee (5 % of the tendered value in the for of Bank Guarantee from Schedule Bank in respect of works wi estimated cost put to tende exceeding Rs. 15 Lakhs) | | | d `' | ees only) | | | | | |
| (10 % of with est to Rs. 14 value in from Sc works | Deposit f the tendered value for imated cost put to ten 5 Lakhs) (5 % of the te the form of Bank Gua sheduled Bank in resp with estimated cost xceeding Rs. 15 Lakh | der up ndered rantee pect o put to) | b d e f | | | | | | |
| | GENERAL RULES A | | RECTIONS | | | | | | |
| Officers | inviting tender | E | Executive Er | ngineer (C), BSNL Civil Division, Dehradun. | | | | | |
| to be e | m percentage for quant xecuted beyond whic ned in accordance wi | n rate | s are to be | | | | | | |
| Definitio | ons | | | See below | | | | | |
| 2(v) | Engineer-in charge | | Executive | Engineer (C), BSNL Civil Division, Dehradun. | | | | | |
| 2(viii) | Accepting Authority | | Executive Engineer (C), BSNL Civil Division, Dehradun. | | | | | | |
| 2(x) | Percentage on cost labour to cover all profit | | | | | | | | |
| 2(xi) | Standard Schedule o Rates | f | CPWD DSR-2012 with upto date correction slips | | | | | | |
| 9(ii) | Standard BSNL Cont Form | ract | BSNL W 8 forms as modified and corrected upto date as on the date of opening of the tender. | | | | | | |
| Clause | 2 | | | | | | | | |
| | Authority for f | xing nder | Executive | Engineer (C), BSNL Civil Division, Dehradun. | | | | | |
| Clause | 2 A | | | | | | | | |
| | Whether Clause shall be applicable | 2 A | | NO | | | | | |
| Clause | 3A | | | | | | | | |
| | Whether Clause shall be applicable | 3 A | | YES/NO | | | | | |
| Clause | | | | | | | | | |
| i) | Time allowed execution of work. | for | 6 (Six) Mo | onths | | | | | |
| ii) | Authority to give fair reasonable extension time for completion work. | n of | Executive | Engineer (C), BSNL Civil Division, Dehradun. | | | | | |

| Clause | 6A | | | | | | | | | | | |
|-------------------------------|-----------|--|------------------------|--|----------|----------------|---------------|------------------------------|----------|--|----------------------------------|--|
| | | Whether Clause 6A shall be applicable | | | | | NO | | | | | |
| Clause | o 7 | | | | | | | | | | | |
| Olduse | 67 | Gross value with net pay for materials | of adva | ances | | | | | | | | |
| | | such payme payment. | | | | | | | | | | |
| Clause | | | a a d i a tha a s | | have to | | | aa hala | | | | |
| (a) | cement | CTD Bars | sed in the | work shall | nave to | b be pro | curea | | | nain/secondary properties of the properties of t | | |
| (b) | | TMT Bars | | | | | | | | by Secondary pro | | |
| Clause | 11 | | | | | | | | | | | |
| | | Specification of | | followed | d for | CPWD correc | | | ns 2009 | , Vol I & II with u | pto date | |
| Clause | 12 | | | | | | | | | | | |
| 12.2 & ⁻ Clause | | Limit for va any individ which sub shall not be | ual trade clauses (| beyond | | | | | 5(| 0% | | |
| | Comp | petent authorit | ty for decid | ling | | | | | | NL Civil Circle, D that Chief Engir | ehradun upto 5% eer (C), BSNL | |
| | | | | | | | | Dehradı | | | | |
| Clause | | | | | | | | | | | | |
| | | ide lines for fi be as per the | | | technica | al staff a | and ra | te of rec | overy in | case of non comp | bliance,for a | |
| Si. No. | | Minimum Qualification of Technical Representative | Discipline | Designation (Principal Technical/Technical representative) | | | um Experience | Minimum Experience Number | | Rate at which recovery shall be made from the contractor in the event of not provision of | | |
| | | Minimur Re | | L Desigr Techr rep | | | | | | Figures | Words | |
| 1 | | Graduate Engineer | Civil | Princip Repres | | | Nil | | 1 | 10000/- PM | Ten Thousanc Per Month | |
| O | R | Diploma Engineer | -do- | -do- | | | 5 | | -do- | -do- | -do- | |
| Clause | ə 37 (i) | <u> </u> | | | | | | | | | | |
| -14430 | Ext | tent of Servi | | ayable by | y Conti | ractor | for B | uilding | and | | | |
| | | nstruction W | | | | | | | | | | |
| | Mii | % of total Senistry of Fin 2012-Servic | ance, Go | ovt. of In | dia vid | e Noti | | | | | | |
| Clause | | | | | | | | | | | | |
|) (a) | on th | edule / staten ne basis of De | lhi Sched | ule of Ra | tes 201 | 2 printe | | | | | | |
| i) | | ation permis | | | - | ties | | | | | | |
| a) | tend | - | | | s put to | | | | | | | |
| | · · · · · | nder not more than Rs. 5 lakhs | | | | | 2 0/ minus | | | | | |
| | i) no | ot more than r | ore than 5 lakhs | | | | | 3 % minus | | | | |

| b) | Steel reinforcement and structural steel sections each diameter, section and category. | for 2 % minus |
|-------|--|--|
| | Star prices to be considered | ed for escalation & recoveries |
| SI.No | Material | Star Price (Rate in Figures and Words) |
| 1 | For Cement | |
| 2(a) | For Mild steel | N.A. |
| 2(b) | For Reinforcement Steel conforming to BIS 1786 (Fe 415 Grade) | N.A. |
| 2(c) | For Reinforcement Steel TMT bars conforming to | |
| 2(d) | For Galvanized Steel | N.A. |

GENERAL CONDITIONS OF CONTRACT

1.0 The "Contract" shall, in general, be governed by the **BSNL General Conditions of Contract for Civil Works 2006** with upto date corrections. (A BSNL publication, available in downloadable manner from website <u>http://www.uttaranchal.bsnl.co.in</u> consisting of:

a) General Rules and Directions,

- b)Conditions of Contract,
- c) Various standard clauses with correction(s) up to the date stipulated in Schedule 'F' of Tender Document,
- d)Safety Code,
- e)Model Rules for the protection of Health and Sanitary arrangements for Workers employed by BSNL or its contractors,
- f) Contractor's Labour Regulations,
- g) Performa of Registers, and
- h) List of Acts and omissions for which fines can be imposed.
- i) Additional Conditions.
- j) Additional Specifications,
- k) Particular Specifications, and
- 2.0 However, all additions and modifications to the conditions as available in this tender document consisting of:
 - a) Notice Inviting Tender (i.e., BSNL W-6),
 - b) BSNL W-8 (i.e., Item Rate Tender & Contract for Works),
 - c) Schedules "A" to "F",
 - d) Special condition of contract
 - e) Drawings and designs, if any and,
 - f) Including agreement/ guarantee bonds on non-judicial stamp paper and acceptance thereof together with any correspondence leading there to shall also form part of the contract.
- 3.0 The quoted rates for various items in the tender shall be inclusive of all the additional conditions/ specifications and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.
- 4.0 Wherever any reference to any Indian Standard (BIS) Specifications occurs in the documents relating to this contract, the same shall be inclusive of all up to date amendments or revisions.
- 5.0 Wherever "DSR" is referred to in the tender documents, it shall mean "CPWD Delhi Schedule of Rates 2007 with all up to date correction slips as on the date of opening of tenders".
- 6.0 **SERVICE TAX** The tenderer may note that they are liable for payment of service tax as per Govt. of India Rules. For this purpose they have to submit their 15 digit service tax registration number as per rule 4A(1) of The service tax rule 1994, the contractor has to issue invoice/challans/bills which are serially numbered and contains the name and address of service provider and service receiver, description of service , value of service and service tax payable along with proof of the service tax payment.

SPECIAL CONDITIONS FOR THE CONTRACT

The following special conditions shall be applicable in addition to all other conditions given in this tender form. However, nothing extra shall be paid on these account unless otherwise mentioned.

1.1 The materials / articles to be consumed in the work shall be amongst the following list unless otherwise specifically mentioned in this tender documents:

| SL. NO. | DESCRIPTION OF ITEM | BRAND NAME OF EQUIVALENT TO BE USE IN THE WORK | CONSUMPTION FOR (Old work One or more coat) |
|------------|--|--|---|
| 1.(a) | Acrylic Smooth Exterior Paint | Trump of M/s. Snowcem India Ltd. | 0.09 Litres/Sqm |
| 1. (b) | Acrylic Smooth Exterior Paint | Trump of M/s. Snowcem India Ltd. | 0.167 Litres/Sqm (Two or more coat) |
| 2.(a) | Oil Bound Distemper | Asian- Tractor /Berger-BISON / Jenson & Nicolson | 0.10 Kg./Sqm |
| 2. (b) | Oil Bound Distemper | Asian- Tractor /Berger-BISON / Jenson & Nicolson | 0.15 Kg./Sqm (Two or more coat) |
| 3. | Plastic Emulsion paint | Asian-Premium emulsion/ Berger 'RANGOLI'/ Jenson & Nicolson | 0.073Litre./Sqm |
| 4. | Bitumastic Paint 100mm dia 75 mm dia | Asian Paint | 0.019 Litre/ Metre 0.0143 Litre/ Metre |
| 5.(a) | Synthetic Enamel paint | Berger 'LUXOL HI-GLOSS/Asian- Apcolite | 0.07Litre./Sqm |
| 5. (b) | Synthetic Enamel paint on G.S. Sheet | Berger 'LUXOL HI-GLOSS/Asian- Apcolite | 0.046Litre./Sqm |
| 6. | Water Proofing Cement Paint | SNOWCEN- PLUS | 0.22 Kg./Sqm |
| 7. | Acid proof Paint | Berger 'EPILUX' Shalimar 'EPIGUARD' Jenson 'EPILAC' | 0.07Litre./Sqm |
| 8. | Ready Mixed Paint | Gattu (Asian) /Berger 'Butter Fly'/ Jenson & Nicolson 'UMBRELLA' | 0.075Litre./Sqm |
| 9. | PRIMER Steel | Red oxide primer-Asian/ Jenson & Nicolson-ZInc Chromate'/ | 0.054Litre./Sqm |
| | Wood | Wood primer-Asian/Jenson & Nicolson Wood Primer | 0.075Litre./Sqm |
| 10. | Cemprover Primer | Cemprover primer | 0.08Litre./Sqm |
| 11. | White washing | Rajasthan/ Katni | 0.10 Kg./Sqm |

- 1.2 The Contractor shall within 07 (Seven) days of issue of award letter intimate to the concerned Sub-Divisional Engineer & Executive Engineer regarding the make / brand / manufacturer of the materials etc, he intends to use in the work from the list given above in para 1.1.
- 2.0 The make / brand once approved shall be changed only with the prior approval of Engineer-incharge
- 3.0 The brand of paint, distemper oil bound distemper, Acid proof paint and water proofing paint should be used as per para 1.1 and any change be approved by Engineer-in-charge before its use and the contractor shall ensure that the same brand and shade is used in the entire work.
- 4.0 Removing of white/colour wash/Dry/oil bound distemper completely shall be carried at by wetting the surface by applying the water with brushes. The surface shall then be scrapped with the help of metallic/ M.S. scrapper or by other means as directed by Engineer-In-Charge including preparation of the surface smooth and even by filling the uneven surface, patches scratches and holes etc. with specified putty, sand papering and making the surface smooth as directed by the Engineer-In-Charge.

- 5.0 White wash lime/colour wash mixed with gum and indigo (neel) 3gm/kg of lime to give an even shade including preparation of smooth surface by scrapping all loose places and scraps and filling the small holes and patches of places with mortar of same mix all complete including removing splashes as directed by Engineer-In-Charge.
- 6.0 Distempering with dry distemper/oil bound distempers water proofing cement paint may be of approved brand including preparation of smooth surface by making free from mortar, dropping and foreign matters by thoroughly brushing all complete including removing of splashes and dropping and cleaning the entire area and filling the holes and small patches with plaster of paris mixed with colour to be used.
- 7.0 Painting with synthetic enamel paint, or any other paint of approved brand, including preparation of surface by cleaning the grease, dirt, smokes etc. rubbing with sand paper and removing all loose paint and particles and filling the patches and cracks with filler prepared with paint and making smooth and uniform surface by sand papering etc. all complete including removal of splashes dropping etc. and cleaning the entire area.
- 8.0 Scrapping the existing layer of spirit polish by means of glass strips/M.S. scrappers as the original surface of the wood to be visible and preparing the surface smooth by sand papering etc. including necessary repairs to scratches as per direction of Engineer-In-Charge.
- 9.0 The surface of French spirit polishing should be prepared by sand paper, filling the holes scratches and indentations with, glazier putty and finally, a coat of wood filler, made mixing ground chalk in methylated spirit at the rate of 1.5Kg. of whiting per litre of spirit. The surface again be rubbed down perfectly as per direction of the Engineer-In-Charge (pure shellac @ 140 gm. Per litre of methylated sprit is to be dissolved)
- 10.0 Leakage / dampness shall be attended prior to start of execution.
- 11.0 Scrapping or minor repair work shall be got done first and approved by Engineer-in-charge or his representative before starting of A/R & M/O works.
- 12.0 The approved material as per theoretical consumption shall be brought to the site and shall be got approved by the Engineer-in-charge before start of execution.
- 13.0 Approved paints, oil or varnishes shall be brought to the site of work by the contractor in their original containers in sealed condition. The materials shall be kept in the joint custody of the contractor and the representative of the Engineer-in-charge. The empty container shall not be removed from the site of work, till the completion of the work has been recorded and permission obtained from the Engineer-in-charge.

(Contractor)

EXECUTIVE ENGINEER (C) BSNL CIVIL DIVISION, DEHRADUN

PROFORMA FOR AGREEMENT

(ON NON-JUDICIAL STAMP PAPER OF APPROPRIATE VALUE)

WHEREAS

- A. The BSNL is desirous that the construction of ________at ______at _____should be executed as mentioned, enumerated or referred to in the tender including Press Notice Inviting Tender, General Conditions of the Contract, Special Conditions of the Contract, Specifications, Drawings, Plans, Time Schedule of completion of jobs, Schedule of Quantities and Rates, Agreed Variations, other documents, has called for Tender.
- B. The contractor has inspected the site and surroundings of the work specified in the tender documents and has satisfied himself by carefully examination before submitting his tender as to the nature of the surface, strata, soil, sub-soil and grounds, the form and nature of the site and local conditions the quantities, nature and magnitude of the work the availability of labour and materials necessary for the execution of work, the means of access to site, the supply of power and water thereto and the accommodation he may require and has made local and independent enquiries and obtained complete information as to the matters and things referred to or implied in the tender documents or having any connection therewith, and has considered the nature and extent of all the probable and possible situations, delays, hindrances or interferences to or with the execution and completion of the work to be carried out under the contract, and has examined and considered all other matters, conditions and things and probable and possible contingencies, and generally all matters incidental thereto and ancillary thereof affecting the execution and completion of the work and which might have influenced him in making his tender.
- C. The tender documents including the BSNL's Press Notice Inviting Tender, General conditions of contract, Special Conditions of Contract, Schedule of Quantities and rates, General obligations, Specifications, Drawings, plan, time schedule for completi0n of work. Letter of Acceptance of tender and any statement of agreed variations with its enclosures copies of which are hereto annexed form part of this contract though separately set out herein and are included in the expression Contract wherever herein used.

AND WHEREAS

NOW THIS AGREEMENT WITNESSTH & IT IS HEREBY AGREED AND DECLARED AS FOLLOWS.

- 1. In consideration of the payment to be made to the contract for the work to be executed by him, the contractor hereby convenient with the BSNL that the contractor shall and will duly provide, execute, complete and maintain the said work and shall do and perform all other acts and things in the contract mentioned or described or which are to be implied and there-from or may be reasonably necessary for the completion of the said works and at the said times and in the manner and subject to the terms and conditions or stipulations mentioned in the contract, AND
- 2. In consideration of the due provisions execution, completion and maintenance of the said work, the BSNL does hereby agree with the contractor that the BSNL will pay to contractor the respective amounts for the work actually done by him and approved by the BSNL at the Schedule or Rates and such other sum payable to the contractor under provision of the contract, such payment to be made at such time in such manner as prescribed for in the contract.

3. "The contract is subject to the jurisdiction of Court at Dehradun only." (Where the NIT/Tender has been issued)

It is specifically and distinctly understood and agreed between the BSNL and the contractor that the contractor shall have no right, title or interest in the site made available by the BSNL for execution of the works or in the building, structures or works executed on the said site by the contractor or in the goods, articles, materials, etc. brought on the said site (unless the same specifically belongs to the contractor) and the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site.

In Witness whereof the parties hereto have here-into set their respective hands and seals in the day and the year first above written.

Signed and delivered for and on behalf of BSNL

Signature and delivered for and on behalf of the contractor

(Contractor)

(BHARAT SANCHAR NIGAM LIMITED) OFFICIAL ADDRESS

Date Place Date Place

IN PRESENCE OF TWO WITNESSES

| SIGNATURE | SIGNATURE |
|-----------|-----------|
| NAME | NAME |
| SIGNATURE | SIGNATURE |
| NAME | NAME |

For Proprietory Concern

Shri......carrying on business under the name

unless the context requires otherwise include his heirs, executors, administrators and legal

representatives).

For Partnership Concern

M/sa partnership firm having its registered office at

.....(hereinafter called the said Contractor which expression shall unless the context

requires otherwise include his heirs, executors, administrators and legal representatives). The partners of

the firms are:

g) Shri, And

h) Shrietc..

For Companies

FORM OF PERFORMANCE SECURITY

BANK GUARANTEE BOND

1. In consideration of the BHARAT SANCHAR NIGAM LIMITED (hereinafter called "the BSNL") having agreed under the terms and conditions of agreement No._____ Dated_____made between _____ and _____ (hereinafter called "the said contractor(s)") for the ______work (hereinafter called "the said agreement") for compliance of his obligation in accordance with the terms and conditions in the said agreement.

We ______ (indicate the name of the Bank) (hereinafter referred to as "as Bank) hereby undertake to pay to the BSNL and amount not exceeding Rs._____ (Rupees _____ only) on demand by the BSNL.

- 3. We undertake to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the contractor (s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

The payment made by us under this bond shall be valid discharge of our liability for payment to there-under and the contractor(s) shall have no claim against us making such payment.

- 4. We _____(Indicate the name of Bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said agreement have been fully paid and it is claims satisfied or discharged or till Engineer-in- charge on behalf of the BSNL certifies that the terms and conditions of the said Agreement have been fully and properly carried out be the said contractor(s) accordingly discharges this guarantee.
- 5. We ______(indicate the name of Bank) further agree with the BSNL that the BSNL shall have the fullest liberty without our consent and without affecting any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time to time any of the powers exercisable by the BSNL against the said contractor(s) and to forebear or enforce any of the terms and conditions relating to the said agreement shall not be relieved from our liability by reasons of any such variation or extension being granted to the said contractor(s) or for any forbearance act of omission on that part of the BSNL or any indulgence by the BSNL to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effected or so relieving us.
- 6. The guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
- 7. We ______(indicate the name of Bank) lastly undertake not to revoke guarantee except with the previous consent of the BSNL in writing.
- 8. This guarantee shall be valid upto_____unless extended on demand by BSNL. Notwithstanding any thing mentioned above our liability against this Guarantee is restricted to Rs._____(Rs.______only) and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee, all our liabilities under the Guarantee shall stand discharged.

Date the _____date of _____

for _____ (Indicate the name of Bank)

ANNEXURE – (i)

AFFIDAVIT

| l/We | have | submitted | a banl | k guarantee | for | the | work | | | | |
|----------|-----------|--------------|-----------|-----------------|----------|---------|-----------|----------|-----------|-------|------|
| | | | | (Name of W | 'ork), A | Agreeme | nt No. | | | | |
| Dated: | | | from | | | | | | (Name | of | the |
| Divisior | n) with a | view to seek | exemption | from payment of | f perf | ormance | guarantee | in cash. | This Bank | guara | ntee |
| expires | on | | | | | | | | | | |

I/ We undertake to keep the validity of the bank guarantee intact by getting it extended from time to time at my/our own initiative upto a period of ______ months after the recorded date of completion of the work or as directed by the Engineer in charge.

I/We also indemnify the Bharat Sanchar Nigam Limited against any losses arising out of non-encashment of the bank guarantee if any.

(Deponent) Signature of Contractor

Note: The affidavit is to be given by the Executants before a first class Magistrate.

GUARANTEE TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER SUPPLY AND SANITARY INSTALLATIONS

The agreement made this ______day of _____two thousand and ______between ______S/o _____(hereinafter called the GUARANTOR of the one part) and the BHARAT SANCHAR NIGAM LIMITED (hereinafter called the BSNL of the other part).

WHEREAS THIS agreement is supplementary to the contract. (Herein after called the Contract) dated ______ and made between the GUARANTOR OF THE ONE PART AND the BSNL of the other part, whereby the contractor interalia, undertook to render the work in the said contract recited structurally stable workmanship and use of sound materials.

AND WHEREAS THE GUARANTOR agreed to give a guarantee to the effect that the said work will remain structurally stable and guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc.

NOW THE GUARANTOR hereby guarantee that work executed by him will remain structurally stable, after the expiry of maintenance period prescribed in the contract for the minimum life of ten years, to be reckoned from the date after the expiry of maintenance period prescribed in the contract.

The decision of the Engineer in charge with regard to nature and cause of defects shall be final.

During the period of guarantee the guarantor shall make good all defects to the satisfaction of the Engineer in charge calling upon him to rectify the defects, failing which the work shall be got done by the BSNL by some other contractor at the guarantor's cost and risk. The decision of the Engineer in charge as to the cost payable by the Guarantor shall be final and binding.

That if the guarantor fails to make good all the defects, commits breach there-under then the guarantor will indemnify the Principal and his successor against all loss, damage cost expense or otherwise which may be

incurred by him by eason of any default on the part of the GUARANTOR in performance and observance of this supplementary greement. As to the amount of loss and/or damage and/or cost incurred by the BSNL the decision of the Engineer in harge will be final and binding on the parties.

IN WITNESS WHEREOF those presents have been executed by the obligator_____and ____by or and on behalf of the BHARAT SANCHAR NIGAM LIMITED on the day, month and year first above written.

Signed sealed and delivery by OBLIGATOR in presence of:

1._____

2._____

SIGNED FOR AND ON BEHALF OF THE BHARAT SANCHAR NIGAM LIMITED BY ______in the presence of:

1._____

2._____

GUARANTEE BOND TO BE EXECUTED BY THE CONTRACTOR FOR WATER PROOFING TREATMENT FOR BASEMENT/TERRACE/TOILETS

| The | agreement | made | this_ | | day | of | two thousand and |
|--------|-------------|----------|-------|---------------|-------|----|---|
| | bet | ween | | S/o_ | - | | (hereinafter called the GUARANTOR of |
| the | one part) a | nd the B | HARAT | SANCHAR NIGAM | LIMIT | ED | (hereinafter called the BSNL of the other |
| part). | | | | | | | |

WHEREAS this agreement is supplementary to a contract. (Herein after called the Contract) dated ______ and made between the GUARANTOR OF THE ONE PART AND the BSNL of the other part, whereby the contractor interalia, undertook to render the structures in the said contractor of the work in the said contract recited completely water and leak proof.

THE GUARANTOR hereby guarantee that the water proofing treatment given by him will render the structures completely leak proof and the minimum life of such water proofing treatment shall be ten years to be reckoned from the date after the expiry of maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects. The decision of the Engineer in charge with regard to cause of leakage shall be final.

During the period of guarantee the guarantor shall make good all defects and in case of any defects being found render the structure water proof to the satisfaction of the Engineer in charge at his cost and shall commence the work for such rectification within seven days from the date of issue of notice from the Engineer in charge calling upon him to rectify the defects, failing which the work shall be got done by the BSNL through some other contractor at the guarantor's cost and risk. The decision of the Engineer in charge as to the cost payable by the Guarantor shall be final and binding.

That if the guarantor fails to execute the water proofing, or commits breach there-under then the guarantor will indemnify the Principal and his successor against all loss, damage, cost of expenses or otherwise which may be incurred by him by reason of any of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement.

As to the amount of loss and/or cost incurred by the BSNL on the decision of the Engineer in charge will be final and binding on the parties.

IN WITNESS WHEREOF those presents have been executed by the obligator ______and _____by for and on behalf of the BHARAT SANCHAR NIGAM LIMITED on the day, month and year first above written.

Signed sealed and delivered by OBLIGATOR in presence of:

1._____ 2

SIGNED FOR AND ON BEHALF OF THE BHARAT SANCHAR NIGAM LIMITED BY _______ In presence of:

1._____ 2._____

SCHEDULE OF QUANTITIES

Name of Work: Day to day maintenance in different T.E Building & staff quarter compound under SSA Haridwar.

Earnest Money: Rs. 9154/-

Time of Completion: 6 (Six) Months

| em No | . Description of Item . | Quanti | ty Unit | Rate (Rs.) (In words & Fig | Amoun [:] ure) (Rs.) |
|-----------------|--|--------|------------------------|-------------------------------|----------------------------------|
| 9 | Sub-Head : Concrete Work | | | | , , , |
| S | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : | | | | |
| | 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | 2.00 | One Cubic Metre | | |
| | 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) | 2.00 | One Cubic Metre | | |
| 9 | Sub-Head : Reinforced Cement Concrete | | | | |
| (| Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level. | | | | |
| | Thermo-Mechanically Treated bars. | 20.00 | One Kilogram | | |
| 9 | Sub-Head : Brick Work | | | | |
| I | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: | 0.50 | | | |
| a) (| Cement mortar 1:6 (1 cement : 6 coarse sand) | 0.50 | One Cubic Metre | | |
| I | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : | | Wietre | | |
| a) (| Cement mortar 1:6 (1 cement : 6 coarse sand) | 0.50 | One Cubic Metre | | |
| 5 3 | 12 mm cement plaster of mix : | | | | |
| a) 2 | 1:6 (1 cement: 6 coarse sand) | 10.00 | One Square Metre | | |
| (| 12 mm cement plaster finished with a floating coat of neat cement of mix : | | | | |
| a) : | 1:4 (1 cement: 4 fine sand) | 4.00 | One Square Metre | | |
| 9 | Sub-Head : Wood and PVC Work | | | | |
| (| Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1stclass hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters : | | | | |
| a) 3 | 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws. | 12.00 | One Square Metre | | |
| 0: | of Tenderer Cor> O.W> Om> | Add> | | n of A.E/A.O | Sign of E. |

| Item | No. | Description of Item . | Qua | ntity Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|----------|---------------------|---|-------|-------------------------|--|
| 8 | existing | g and fixing aluminium sheet 26 SWG thick on door shutter (Bathroom and WC doors) using nails e in all respect and as per direction of E-In-Charge. | 10.00 | One Square Metre | |
| 9 | M.S. wii both di | g and fixing wire gauge shutters using galvanized re gauge of average width of aperture 1.4 mm in rections with wire of dia 0.63 mm, for doors, s and clerestory windows with hinges and necessary | | | |
| a) | 35 mm t | hick shutters. | | | |
| i) | required | marked M.S. pressed butt hinges bright finished of size -Kiln seasoned and chemically treated hollock or locally available in market) | 5.00 | One Square Metre | |
| 10 | window | g and fixing wooden moulded beading to door and frames with iron screws, plugs and priming coat on ed surface etc. complete : | | | |
| a) | Kiln se 25x5mm | asoned and chemically treated hollock wood n. | 20.00 | One Running Metre | |
| 11 | | g and fixing nickel plated M.S. pipe curtain rods with ated brackets : | | | |
| a) | 20 mm c | lia (heavy type) | 5.00 | One Running Metre | |
| 12 | window: average | g and fixing fly proof galvanized M.S. wire gauge to s and clerestory windows using wire gauge with width of aperture 1.4 mm in both directions with dia. 0.63 mm all complete. | | | |
| a) | | d class teak wood beading 62X19 mm. | 5.00 | One Square Metre | |
| b) | With 12 | mm mild steel U beading. | 5.00 | One Square Metre | |
| 13 | | g and fixing ISI marked oxidised M.S. single acting nges with necessary screws etc. complete : | 2.00 | Each | |
| a) 14 | Providin | g and fixing ISI marked oxidised M.S. sliding door h nuts and screws etc. complete : | 2.00 | Lacii | |
| a) | 300x16 i | · | 2.00 | Each | |
| b) | 250x16 I | nm | 2.00 | Each | |
| 15 | black fi complet | | | | |
| a) | 250x10 ı | | 2.00 | Each | |
| b) | 200x10 I | | 2.00 | Each | |
| 16 a) | | g and fixing ISI marked oxidised M.S. handles ing to IS:4992 with necessary screws etc. complete : | 5.00 | Each | |

Om.-> Add>

| tem No. | Description of Item . | Quantit | y Unit | Rate (Rs.) (In words & Figu | Amount re) (Rs.) |
|---|--|---------|-----------------|--------------------------------|---------------------|
| univ : 356 door | iding and fixing aluminium die cast body tubular type ersal hydraulic door closer (having brand logo with ISI, IS 54, embossed on the body, door weight upto 35 kg and r width upto 700 mm) with necessary accessories and ws etc. complete. | 5.00 | Each | | |
| anoo : 186 | iding and fixing aluminium sliding door bolts ISI marked dised (anodic coating not less than grade AC 10 as per IS 58) transparent or dyed to required colour or shade with and screws etc. complete : | | | | |
|) 300× | x16 mm | 2.00 | Each | | |
| 250x | (16 mm | 2.00 | Each | | |
| 9 Prov anoc : 18 with | iding and fixing aluminium tower bolts ISI marked dised (anodic coating not less than grade AC 10 as per IS 68) transparent or dyed to required colour or shade necessary screws etc. complete : <10 mm | 4.00 | Each | | |
| 0 Prov ISI m 10 a | iding and fixing aluminium hanging floor door stopper narked anodised (anodic coating not less than grade AC s per IS : 1868)transparent or dyed to required colour shade with necessary screws etc. complete. | 4.00 | Lacii | | |
|) Doul | ble rubber stopper | 10.00 | Each | | |
| inclu prim | I work welded in built up sections/ framed work iding cutting, hoisting, fixing in position and applying a ing coat of approved steel primer using structural steel as required. | | | | |
| | ratings, frames, guard bar, ladder, railings, brackets, s and similar works. | 50.00 | One Kilogram | | |
| Alun | ninium work | | | | |
| vent tubu of ap with nece and Alun mitru inclu pane per a char | iding and fixing aluminium work for doors, windows, ilators and partitions with extruded built up standard ilar sections/appropriate Z sections and other sections oproved make conforming to IS: 733 and IS: 1285, fixing dash fasteners of required dia and size, including essary filling up the gaps at junctions, i.e. at top, bottom sides with required EPDM rubber/neoprene gasket etc. ninium sections shall be smooth, rust free, straight, ed and jointed mechanically wherever required ding cleat angle, Aluminium snap beading for glazing / eling, C.P. brass/ stainless steel screws, all complete as architectural drawings and the directions of Engineer-in- ge. (Glazing, paneling and dash fasteners to be paid for irately) : | | | | |
| (i) For f | ixed portion | | | | |
| requ | dised aluminium (anodised transparent or dyed to ired shade according to IS: 1868, Minimum anodic ing of grade AC 15) | 50.00 | One Kilogram | | |

0.W.->

Om.-> Add>

| Item N | No. | Description of Item . | Quantity | Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|---|--|--|----------|-------------------------|--|
| v t v v r a A r r i i f F c c c s s i A r c c c c r c c c v v v v v v v v v r r a a A f f f c v v v v v v v v v v v v v v v v | ventilato cubular of appro with da necessar and side Aluminiu mitred ncluding oaneling oaneling oaneling charge. (separate Anodise required coating o | and dismantled aluminium for doors, windows, by and partitions with extruded built up standard sections/appropriate Z sections and other sections wed make conforming to IS: 733 and IS: 1285, fixing sh fasteners of required dia and size, including ry filling up the gaps at junctions, i.e. at top, bottom as with required EPDM rubber/neoprene gasket etc. um sections shall be smooth, rust free, straight, and jointed mechanically wherever required g cleat angle, Aluminium snap beading for glazing / t, C.P. brass/ stainless steel screws, all complete as itectural drawings and the directions of Engineer-in- (Glazing, paneling and dash fasteners to be paid for ely) : d aluminium (anodised transparent or dyed to a shade according to IS: 1868, Minimum anodic of grade AC 15) d : Flooring | 100.00 | One Kilogram | |
| i p a | aid ove bigment and poli | one slab flooring over 20 mm (average) thick base r and jointed with grey cement slurry mixed with to match the shade of the slab including rubbing shing complete with base of cement mortar 1 : 4 (1 : 4 coarse sand) : | | | |
| a) 2 | 25 mm t | hick. | 0.50 | One Square Metre | |
|) a Q Q | thicknes conform as White Cement | g and laying Ceramic glazed floor tiles 300x300 mm ss to be specified by the manufacturer) of 1st quality ing to IS :15622 of approved make in colours such e, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Mortar 1:4 (1 Cement : 4Coarse sand) including the joints with white cement and matching pigment nplete. | 2.00 | One Square Metre | |
| 26 E a v | Brick on a bed o with sai | edge flooring with bricks of class designation 7.5 on f 12 mm cement mortar including filling the joints me mortar with common burnt clay F.P.S. (non) bricks: | | | |
| | | , ment : 6 coarse sand) | 15.00 | One Square Metre | |
| | 1:6 (1ce departm | ement : 6 coarse sand) Brick supplied by the eent | 100.00 | One Square Metre | |
| S | Sub-Hea | d : Roofing | | | |
| c r | conform | g wall face unplasticised Rigid PVC rain water pipes ing to IS : 13592 Type A including jointing with seal forming to IS : 5382 leaving 10 mm gap for thermal on.(i)Single socketed pipes. | | | |
| a) 1 | 110 mm | dia meter | 10.00 | One Running Metre | |
| b) 7 | 75 mm c | liameter | 15.00 | One Running Metre | |

| Sign of Tenderer Cor> | 0.W> | Om> | Add> | Sign of A.E/A.O | Sign of E.E. |
|-----------------------|------|-----|------|-----------------|--------------|

| ltem | n No. | Description of Item . | Quantity | Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|----------|---|--|----------|-------------------------|--|
| 28 | accesso conform ring cor expansion | | | | |
| a) | 110 mm | bend | 4.00 | Each | |
| 29 | unplasti 50x50x5 required cement | ng unplasticised -PVC pipe clips of approved design to cised - PVC rain water pipes by means of 50mm hardwood plugs, screwed with M.S. screws of d length including cutting brick work and fixing in mortar 1:4 (1 cement : 4 coarse sand) and making e wall etc. complete. | | | |
| a) | 75 mm | | 5.00 | Each | |
| b) | 110 mm | I | 5.00 | Each | |
| 30 | area 2.5 proper s the sur | to plaster of thickness 12mm to 20mm in patches of 5 sq. meters and under including cutting the patch in shape, raking out joints and preparing and plastering face of the walls complete including disposal of to the dumping ground within 50metres lead : | | | |
| a) | With ce | ment mortar 1:4 (1 cement : 4 fine sand). | 20.00 | One Square Metre | |
| 31 | | ng glass panes, with putty and nails wherever ry including racking out the old putty: | | | |
| a) | | ass panes of thickness 4 mm | 5.00 | One Square Metre | |
| b) | Renewa | l of old putty of glass panes (length) | 10.00 | One Running Metre | |
| 32 33 | the surf of rubbi | out joints in lime or cement mortar and preparing ace for re-pointing or replastering including disposal sh to the dumping ground within 50 metres lead. pointing with cement mortar 1:3 (1 cement : 3 fine | 10.00 | One Square Metre | |
| | sand) m | nixed with 2% of integral water proofing compound ht of cement for flat tile bricks on top of mud phaska | | | |
| a) | With F.F | P.S. brick tiles | 10.00 | One Square Metre | |
| 34 | White w | ashing with lime to give an even shade : | | | |
| a) | Old wor | k (one or more coats) | 100.00 | One Square Metre | |
| 35 | | bering with oil bound washable distemper of edited brand and manufacture to give an even shade : | | | |
| a) | | k (one or more coats) | 200.00 | One Square Metre | |
| 36 | - | with synthetic enamel paint of approved brand and cture of required colour to give an even shade : | | | |
| a) | One or i | more coats on old work. | 100.00 | One Square Metre | |
| | | | | | |

| Item | No. | Description of Item . | Quar | ntity Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|----------|---|---|---------|------------------------|--|
| | Sub - He | ad : Dismantling and Demolishing | | | |
| 37 a) | Demolis means i as per d Nomina | hing cement concrete manually/ by mechanical ncluding disposal of material within 50 metres lead irection of Engineer - in - charge. I concrete 1:3:6 or richer mix (i/c equivalent design | 1.00 | One | |
| | mix) | | | Cubic Metre | |
| 38 | includin unservic | hing brick work manually/ by mechanical means g stacking of serviceable material and disposal of eable material within 50 metres lead as per n of Engineer-in-charge. | | medie | |
| a) | | nt mortar | 15.00 | One Cubic Metre | |
| 39 | stacking be meas | • | | | |
| c) | From br | ick work in cement mortar | 5800.00 | 1000 nos | |
| 40 | ventilato neoprer drawing | g and fixing glazing in aluminium door, window, or shutters and partitions etc. with EPDM rubber / he gasket etc. complete as per the architectural s and the directions of engineer-in-charge . (Cost of um snap beading shall be paid in basic item): | | | |
| a) | With flo | at glass panes of 5.00 mm thickness | 1.00 | One Square Metre | |
| b) | With flo | at glass panes of 8 mm thickness | 2.50 | One Square Metre | |
| 41 | approve having double s doors, in as requ existing single p | g and fixing double action hydraulic floor spring of d brand and manufacture conforming to IS : 6315, brand logo embossed on the body / plate with spring mechanism and door weight upto 125 kg., for ncluding cost of cutting floors ,embedding in floors ired and making good the same matching to the floor finishing and cover plates with brass pivot and piece M.S. sheet outer box with slide plate etc. e as per the direction of Engineer-in-charge. | | | |
| a) | With s thicknes | tainless steel cover plate minimum 1.25 mm | 1.00 | Each | |
| 42 | approve | g and fixing 100mm brass locks (best make of d quality) for aluminium doors including necessary and making good etc. complete. | 5.00 | Each | |
| 43 | dia 100r | g and fixing aluminium round shape handle of outer nm with SS screws etc. complete as per direction of r-in-charge | | | |
| a) | Anodize | d (AC 15) aluminium | 5.00 | Each | |
| 44 | (anodic transpar | g and fixing aluminium handles ISI marked anodised coating not less than grade AC 10 as per IS : 1868) rent or dyed to required colour or shade with ry screws etc. complete : | | | |
| a) | 100 mm | | 5.00 | Each | |

Om.-> Add>

| Item | n No. | Description of Item . | Quantity | Unit | Rate (Rs.) A (In words & Figu | mount re) (Rs.) |
|----------|---|--|----------|------------------------|----------------------------------|--------------------|
| | Sub-Hea | d : Horticulture & Landscaping | | | | |
| 45 a) | source, i stacks w | g and stacking at site dump manure from approved ncluding carriage up to 1 km (manure measured in ill be reduced by 8% for payment) : I through sieve of I.S. designation 4.75mm | 10.00 | One Cubic Metre | | |
| 46 | doors, w beading etc. com and flash including priming cost of c | g and fixing factory made ISI marked steel glazed indows and ventilators side /top /centre hung with and all members such asF7D, F4B, K11 B and K12 B plete of standard rolled steel sections, joints mitred n butt welded and sash bars tenoned and riveted, g providing and fixing of hinges, pivots, including coat of approved steel primer, but excluding the other fittings, complete all as per approved design al weight of only steel members shall be measured pent). | | | | |
| a) | concrete | th 15x3 mm lugs 10 cm. long embedded in cement block 15x10x10 cm of C.C. 1:3:6 (1 Cement : sand : 6 graded stone aggregate 20 mm nominal | 50.00 | One Kilogram | | |
| | | Market Rate Items | | | | |
| 47 | tie rods r refelexin | g of aluminium doors including pering, replacement of corner angle cleats fixing of replacement of pivots reflexing of floors spirings and g the door all complete as per the direction of -In-Charge. | 10.00 | Each | | |
| 48 | Cleaning of rain v disposal all comp | of roof including removing alge, dust leave opening vater pipe inlets and pipe, cleaning of khurras and of rubbish and waste material to out side campus lete as per direction of E-I-C (frequency once in six efore rain) | 1500.00 | One Square Metre | | |
| 49 | at all co sludge, b the near of Engine a frequa including | of manhole chamber i/c interconnecting sewer line ompound at Haridwar i/c removel of earth, silt, irickbats, garbage & other refuses, disposing them to est municipal ground complete as per the direction eer-In-Charge. Cleaning of manhols shall be done at ncy may vary as per site requirement.Note;Rate g the cost of cleaning of manhole covers and the same back in position after completion of work. | 20.00 | Each | | |
| 50 | deposite specified | and opening of sewer line including excavation of d sludge and mud and stacking the same to place as including all complete as per the direction of -In-Charge | 200.00 | One meter | | |
| 51 | sawing | g of leaf of door shutter i/c dismantling planing, for functioning properly refixing the same all e as per the direction of Engineer-in-charge. | 5.00 | Each | | |

| Item | No. | Description of Item . | Quan | itity Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|------|-------------------------------|---|--------|------------|--|
| 52 | welding comple | of steel doors, windows and ventillators by electric greplacemant of necessary hings if required te i/c transportation of welding plant, lingetc,All complete as per the direction of Engineer- ge. | 5.00 | One job | |
| 53 | | ng spindles to CP brass taps all complete as per n of Engineer-In-charge. | 10.00 | Each | |
| 54 | capacity disinfec | g of O/H PVC water storage tanks of specified y i/c dewatering, removal of mass, repair to leakage, tion with bleaching powder all complete as per n of Engineer-in-charge. | | | |
| a) | Upto 50 | 00 litre capacity. | 70.00 | Each | |
| b) | 501 to 2 | 1000 liters. | 10.00 | Each | |
| c) | 1001 to | 50000. | 87800 | One | |
| d) | 50001 t | to 150000 | 150150 | One | |
| 55 | walls of the unr damage | ing and removal of vegetation growing on roofs and f buildings incluiding removal of roots, destroying emoved roots using chamicals etc. and repairing the ed portion all complete as per direction of Engineer- ge. (The rate will be applicable for all heights and n. | 10.00 | Each | |

| ltem | No. | Description of Item . | Quantity | Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|----------|--|--|---------------|--------------|--|
| 56 | mainter Puram I Hardwa GMTD o pillar t fittings sullage joints, e covered waste o the bou ever as maintai herdges pruning forting an rem within mixture pesticid chemica require Charge where e of T & F fertilize and JTC Charge. materia | ng plumbing, mason and labour jobs for day to day hance of all departmental building at Door Sanchar Dheerwali, Shyamlok, Shivalik Nagar, Bhimgoda, DTO ar and inspectio quarters at Bhimgoda, Jwalapur, compound i/c repair/ Fixing of bib cock, stopcock, aps, PVC connection, shower rose, G.I.pipe and SCI pipe and fittings Cleaning of floors/nahani traps, pipes,Gully traps repairs to leakage in toilets traps, etc at all above mentiond building cleaning of open/ d rain water drain including disposal of collected drain including disposal of collected waste out side undry of T.E building and staff quarter and where decided By E-In-Charge and attending labour jobs for ning all plants (Potted Plants also included), shurbs, s, trees, grassy lawns including watering, cutting t, moving with manually operated lawn maker, the soil, mixing necessary, manure uprooting weeds oving all rubbish dry leaves to the dumping ground the 50m distance, levelling of undulation by filling e of sand and good earth applying insecticides/ les by using Bevistin, furadinn-45 or rogure etc and al fertilizer like NPK area Bonemeal etc. as and when d all complete as per the direction of Engineer-In- at Staff quarter campous at Dheerwali colony or ever decided by E-In-Charge(The rate include the cost P only but excluding the cost of insecticides chemical r etc.)and mopping of office rooms in O/o SDE (C) 0 (C) all complete as per the direction of Engineer-In- (All T&P shall be arranged by the agency except dis required which shall be supplied by the ment payment shall made on job basis for period of nth.) | 6.00 | Per month | |
| 57 | remova malba/ | g and grubbing oprations for clearance of grass i/c I of rubish upto 50M lead outside the perphery of the eared as per the direction of Engineer-In-Charge. | 2000.00 | One | |
| 58 | | ng jet spray for WC of approved quality and make as direction of Engineer-in-charge. | 2.00 | Each | |
| 59 50 | frame directio Repairs of bitun proof m | ng and fixing PVC water tank covers with outer locking arrangement etc .All complete as per the in of Engineer-In-charge. to leakage from CGI sheet, roofing i/c replacement nen washer, tighteining of hooks, applying leak naterial at joints etc stop etc.As required all complete lirection of Engineer-In-Charge. | 50.00 5.00 | One job | |
| 51 | Credit f | or old dismantled material | | | |
|) | | 15mm to 25mm pipe | 5.00 | One | |
|) | | ib cock/ stop cock. | 10.00 | Each | |
|) | | ervicable hyraulic door closer | 5.00 | Each | |
|) | | n/panelled/flush door shutter | 5.00 | Each | |
| 2) 2) | | e action floor door spring | 5.00 | Each | |
| e) | Double | action noor door spring | 5.00 | EdCII | |
| | ofTor | nderer Cor> O.W> Om> | Add> | 0: | n of A.E/A.O Sign of E.E. |

| Item | No. | Description of Item . | Quantity | Unit | Rate (Rs.) Amount (In words & Figure) (Rs.) |
|----------|---|---|----------|------------------------|--|
| 62 | slabs by cement preparat mixed w liter/sqn by wate Providin | g and laying water proofing tertment on roofs of applying cement slurry mixed with water proofing compound consisting of applying: a) after surface tion, first layer of slurry of cement @ 2.25 kg/sqm with water proofing cement componud @ 0.20 n. This will be allow to air cure for 4 hours following r curing for 48 hours. g water closet squatting pan (Indian type W.C. pan) | 10.00 | One Square metre | |
| | white P manuall 7231, w and mak | Omm sand cast Iron P or S trap, 10 litre low level V.C. flushing cistern, including flush pipe, with y controlled device(handle lever) conforming to IS : ith all fittings and fixtures complete including cutting sing good the walls and floors wherever required : | 1.00 | Fach | |
| 64 | 580x440 | Vitreous china Orissa pattern W.C. pan of size Omm with integral type foot rests. g solid plastic seat with lid for pedestal type W.C. | 1.00 | Each | |
| a) | • | blid plastic seat with lid | 4.00 | Each | |
| 65 | all conne | g white vitreous china wash basin including making ections but excluding the cost of fittings : | | | |
| a) | | k wash basin of size 550x400mm. | 1.00 | Each | |
| 66 | glass (of board gi and was | g 600x450 mm beveled edge mirror of superior f approved quality) complete with 6 mm thick hard round fixed to wooden cleats with C.P. brass screws hers complete. | 4.00 | Each | |
| 67 a) | | g brass bib cock of approved quality : nominal bore | 5.00 | Each | |
| 68 | Providin | g brass stop cock of approved quality : | | | |
| a) | 15 mm r | nominal bore | 5.00 | Each | |
| 69 a) | quality (| g gun metal gate valve with C.I. wheel of approved screwed end) : nominal bore | 2.00 | Each | |
| a) 70 | | g C.P. brass shower rose with 15 or 20 mm inlet : | 2.00 | Lacii | |
| 70 a) | | diameter | 2.00 | Each | |
| 71 | | g G.I. Union in G.I. pipe including cutting and g the pipe and making long screws etc. complete ork) | | | |
| a) | • | nominal bore | 4.00 | Each | |
| b) | 20 mm r | nominal bore | 4.00 | Each | |
| c) | 40 mm r | nominal bore | 2.00 | Each | |
| 72 | polyethy cover a necessa | g and placing on terrace (at all floor levels) vlene water storage tank ISI : 12701 marked with and suitable locking arrangement and making ry holes for inlet, outlet and overflow pipes but fittings and the base support for tank | 1000.00 | One Litre | |
| 73 | | g C.P. brass long body bib cock of approved quality ing to IS standards and weighing not less than | | | |
| a) | - | nominal bore | 2.00 | Each | |

Sign of Tenderer Cor.->

0.W.->

Om.-> Add>

Sign of A.E/A.O

Sign of E.E.

| ltem No. | | Description of Item . | | Unit | Rate (Rs.) Amount (In words & Figure) (Rs. | |
|----------|----------------------|--|---------------|------------------|---|--|
| | points o nominal | | 1.00 | | | |
| a) | 15mm n | ominal bore | 1.00 | Each | | |
| | | g following items in day to day maintenance b cock 15mm | 10.00 | Each | | |
| | PTMT ba H.D ball. | all cock 15mm complete with epoxy coated al.rod & | 5.00 | Each | | |
| c) | | all cock 20mm complete with epoxy coated al.rod & | 10.00 | Each | | |
| d | | pipe for wash basin & sink including pvc waste | | | | |
| e) | 32 mm | n dia with length not less than 700 mm | 25.00 | Each | | |
| f) - | 40mm d | ia with length not less than 700 mm | 10.00 | Each | | |
| g) | PTMT wa | aste coupling 31/32 mm | 5.00 | Each | | |
| h) | PVC ball | valve for low level cisterns | 4.00 | Each | | |
| i) | PVC ciste | ern handle | 5.00 | Each | | |
| i) | PTMT lo | w level cistern 10 litre capacity | 2.00 | Each | | |
| | | cised PVC connection pipe with brass union 45 cm nm bore | 10.00 | Each | | |
| | - | viveling shower 15 mm | 5.00 | Each | | |
| 76 | providin | ng GI pipes ;- | | | | |
| a) | 15 mm | | 4.00 | One meter | | |
| b) | 20mm | | 5.00 | One meter | | |
| c) | 25mm | | 4.00 | One meter | | |
| d) | 32mm | | 5.00 | One | | |
| e) | 40mm | | 6.00 | meter One | | |
| 77 | Providin | gVitreous china orrisa type w.c. pan size 580 mm | 2.00 | meter One nos | | |
| 78 | | g Vitreous china lipped front urinal | 2.00 | Each | | |
| 79 | Providin | ngTee 32mm | 4.00 | Each | | |
| 80 | Providin | ng Elbow:- | | | | |
| , | 20 mm 25 mm | | 2.00 | Each | | |
| • | 25mm 32mm | | 2.00 10.00 | Each Each | | |
| - | | g G.I. Inlet connection (Tank nipple);- | | | | |
| a) | 20mm | | 5.00 | Each | | |
| b) | 25mm | | 5.00 | Each | | |
| c) | 32mm | | 5.00 | Each | | |

Om.->

| Item | No. | Description o Item . | f | | Quantity | Unit | Rate (Rs.) (In words | Amour & Figure) (| |
|------|----------|-------------------------|------|-----|----------|--------------|-------------------------|----------------------|-----|
| 82 | Providin | ng G.I.Nipple:- | | | | | | | |
| a) | 15mm | | | | 1.00 | One meter | | | |
| b) | 20mm | | | | 1.00 | One meter | | | |
| c) | 25mm | | | | 1.00 | One meter | | | |
| d) | 32mm | | | | 1.00 | One meter | | | |
| gn o | of Tende | erer Cor> | 0.W> | Om> | Add> | Sign | of A.E/A.O | Sign of E | .E. |

Executive Engineer (C) BSNL Civil Division Dehradun

| Correction Slip no5 |
|-------------------------------|
| (To CCC for givil works 2006) |

| (To GCC for civil works-2006) | | | | | | | | |
|-------------------------------|--|---|--|--|--|--|--|--|
| Clause | Present Provision in the Clause | Modified Provision in the Clause | | | | | | |
| No. | | | | | | | | |
| 37 (i) | Sale Tax/Vat (except Service Tax) Building and other construction workers Welfare Cess or any other tax or cess in respect of the contract shall be payable by the contractor and BSNL Shall not entertain any claim whatsoever in this respect However, in respect of Service Tax, same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-in-Charge after satisfying that it has been actually and genuinely paid by the contractor. | Sales Tax/VAT (including Service Tax up to the extent mentioned in Schedule-F), Building and other construction workers Welfare Cess or any other tax or cess in respect of this contract shall be payable by the contractor and BSNL shall not entertain any claim whatsoever in this respect. | | | | | | |
| 38(i) | All tendered rates shall be inclusive of all taxes and levies (except Service Tax) payable under respective statutes However, if any further tax or levy or cess in imposed by statute, after the last stipulated date for the receipt of tender including extensions, if any and the contractor thereupon necessarily and properly pays such taxes/levies the contractor shall be reimbursed the amount so paid provided such payments, if any, is not in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor. | All tendered rates shall be inclusive of all taxes and levies [including Service Tax up to the extent mentioned in Schedule-F under Clause-37(i)], payable under respective statutes, However, if any further tax or levy or cess in imposed by statute, after the last stipulated date for the receipt of tender including extensions, if any, and the contractor thereupon necessarily and properly pays such taxes/levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor. | | | | | | |