Standard Operating Procedures for Particularly Hazardous Substance Osmium Tetroxide

#1	Process
	Chemical reactions using osmium tetroxide.
#2	Hazardous Chemicals/Class of Hazardous Chemicals
	Acutely hazardous material. Extremely poisonous.
#3	PPE - Personal Protective Equipment
	Skin: Avoid skin contact. Wear a lab coat and gloves when the potential for skin contact exists.
	Appropriate gloves include disposable nitrile, neoprene, and PVC gloves. Disposable nitrile gloves
	provide minimum protection for general laboratory use. Change gloves frequently or immediately
	whenever contamination is suspected.
	Eyes: Wear goggles (not vented).
	Inhalation: Contact EH&S (6-6002) for training and information if respiratory protection required.
#4	Engineering/Ventilation Controls
	Mix and use in fume hood. Do not work with osmium tetroxide in open room.
#5	Special Handling Procedures and Storage Requirements
	Review MSDS and this SOP prior to use. Avoid contact with eyes and skin. Use only in fume hood.
	Store in sealed ampoules in hood and store dilute solutions in freezer.
#6	Spill and Accident Procedures
	Bodily contamination: Remove all contaminated clothing immediately.
	Eyes: Exposure is extremely hazardous and can result in blindness. While holding eyelids open,
	flush eyes with copious amounts of water for at least 15 minutes. Seek medical attention
	immediately.
	Skin: Immediately wash skin with soap and copious amounts of water.
	Inhalation: Remove to fresh air. Ingestion: Seek medical attention immediately.
	Consult a medical professional for any necessary follow-up evaluations and treatments.
	Consult a medical professional for any necessary follow-up evaluations and treatments.
	Small spills: Use absorbent such as kitty litter or Oil-Dri soaked in corn oil (200g of kitty litter will absorb
	approximately 100mL of corn oil). Spread kitty litter/oil mixture over spill and allow time for reaction.
	Test for completeness of reaction by suspending a corn oil soaked filter paper over spill. Blackening of
	filter paper indicates OsO4 is still present. Collect and dispose the kitty litter/oil mixture, which contains
	osmium metal, as hazardous waste.
	Large spills: Notify other in area of spill. Turn off ignition sources in area. Evacuate and post doors to
	spill area. Call 911 at Campus for spill response. Restrict persons from area of spill until cleanup is
	complete.
#7	Waste Disposal
	Place complete EH&S waste label on container. Dispose of waste through EH&S within 90 days.
#8	Approval Required
	Supervisor approval required for first time use.
#9	Decontamination Procedures
	Wash surfaces with soap and water. Collect decontamination waste as hazardous waste.
#10	Designated Area
	Use in fume hood located in Room Store in freezer located in Room
For m	nore information relevant to completing this form, review thoroughly Chemical Hygiene

For more information relevant to completing this form, review thoroughly Chemical Hygiene Plan: Section 5.

Training Acknowledgement: *I have read, asked questions, and understand the hazards of and safe working procedures for the activity/materials described herein.*NAME DATE