Heaven's Best Product Mix & Use Chart

Product#	Product	Mix & Use	PH	Shelf Life Unmixed	Shelf Life Mixed
101	Cleaning Solution Paste Form	20 oz. Paste +Water to =1 gallon Cleaning solution concentrate	8.5 to 9.0	5 years	5 years
101	Cleaning Solution Concentrate	1 part concentrate+20 parts water is same as 1.5 cups concentrate+2.5 gallons water= Diluted cleaning solution	8.5 to 9.0	5 years	2 years
101	Diluted Cleaning Solution	Use in 2.5 gallon sprayer	8.5 to 9.0		90 days
102	Citrus Booster	2 to 12 oz. added per 2.5 gallon diluted cleaning Solution.	6.5	3 years	2 years
103	Leather Aniline Cleaner	Use full strength	7	5 years	
104	Leather Deep Cleaner	Use full strength	7	5 years	
105	Leather Protection P-A	Use full strength	9.3	5 years	
106	Leather Moisture P-A	Use full strength	7	5 years	
107	Leather Nubuck Protector	Use full strength	3-5	5 years	
108	Marble Polish	Use full strength	.5-3.0	5 years	
109	Multi-Surface Maintainer	loz to a qt. of water (To refill spotter use #174)	7	5 years	1 year
110	Pet Enzyme Treatment	3.5oz to a qt of water (to refill spotter use #125)	4	5 years	1 year
111	Small Spotter Flip Top	.5 oz cleaning concentrate + 8 oz. water	8.5 to 9.0	Mix upon receipt	2 years
112	Large Spotter Sprayer	2 oz cleaning concentrate + 32 oz. water	8.5 to 9.0	Mix upon receipt	2 years
115	T.G.P.	Use full strength	6.0	6 to 12 mouths	
116	Dry Solvent	Use full strength	5.5	3 years	

Product#	Product	Mix & Use	PH	Shelf Life Unmixed	Shelf Life Mixed
117	Red Dye Remover A	Mix equal parts of A and B	A is 4.5	1 year out of sunlight	5 to 30 minutes
	Red Dye Remover B	Mix equal parts of A and B	B is 14	1 year out of sunlight	5 to 30 minutes
118	Woodstain Remover 1	Mix equal parts of 1 and 2	1 to 5.5	6 to 12 mo. In dark	5 to 30 minutes
	Woodstain Remover 2	Mix equal parts of 1 and 2	2 is 11	6 to 12 mo. In dark	5 to 30 minutes
119	Blood Remover	Use full strength	8	3 years	
120	Rust Remover	Use full strength or 1 to 1 with water	2.5	3 years	30 days
121	Fresh Scent	1 part Fresh Scent to 16 parts water	4	10 years	10 years
122	C.A. Deodorizer	20 ounces concentrate+water=1 gallon Deodorizer Solution 1 to 4 oz. Deodorizer	5.5	3 yr darkens with age	2 yr darkens
123	Final Step Deodorizer	Full strength or 1 to 1 With water	10	3 yr out of sunlight	30 days
124	Orange Deodorizer	Full strength as a solvent 1 to 8 oz. added to 2.5 gal diluted cleaning sol.	5	3 years	30 days
125	Pet Enzyme	1 part enzyme to 10 parts water	4	5 years	1 year
126	Fabric Protector	Use full strength	5.5	3 years	
127	Fast Acting Enzyme	1 to 2 oz. per gallon of water	13	3 years	10 to 30 min.
128	Quick Boost	1 to 4 oz. per 2.5 gal diluted cleaning solution	10	3 years	30 days
130	Ink Remover	Use full strength	5.5	3 yr darkens with age	
131	Defoamer	Inject into Extractor at slow rate	N/E	5years	90 days
132	Disinfectant	1 to 8 oz. per 2.5 gallon diluted cleaning solution	7	3 years	30 days
135	Coffee Remover	Use full strength	2.5	3 years	
136	Water Base Fab. Protector	1:1 Res. 1:4 Comm. With water	4-6	5Years	1 year
140	Leather Cleaner & Con	Use full strength	8	3 years	
145	Gum Freezer	Use full strength out of can		5 years	
150	Stainless Steel Cleaner	Use full Strength	7	5 years	
155	Filtration Line Cleaner	Use full Strength	9.5	3 years	

Product#	Product	Mix & Use	PH	Shelf Life Unmixed	Shelf Life Mixed
160	Hard Surface Acid Cleaner	1:1 cleaner to water	1	5 years	1 year
161	Hard Surface Cleaner	1-16 General 1-1 heavy 1-32 light	12	5 years	90 days
162	Wood Floor Cleaner	Mix 4oz to Gallon of water 1:32	10-10.5	5 years	
163	Grout treator	Use full strength	7-8	5 years	
164	De-Waxer	1 part cleaner to 5 parts cool water	12 to 13	3 years	30 days
165	Wax & Shine	Use full strength	10	3 years	
166	Boston Polish	Use full strength		5 years	
167	De-Color	Use full strength	10	5 years	2 years
168	Dye-Set	Use full strength	2	5 years	2 years
169	Bleach Neutralizer	Use full strength	8	5 years	2 years
170	Dye Red	Mix with water 1-20 Drops	NA	5 years	1 year
171	Dye Yellow	Mix with water 1-20 Drops	NA	5 years	1 year
172	Dye Blue	Mix with water 1-20 Drops	NA	5 years	1 year
173	Stone Enhancer Sealer	Use full strength	NA	5 years	
174	Multi-Surface Maintainer	4 oz to 1 gal of water	7	5 years	2 years

PRODUCT NAME: **Heaven's Best CLEANING SOLUTION** PRODUCT #101

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7/1/12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

None of the components in this mixture are considered hazardous.

Trade Secret 20 Not listed Water 80 Not listed

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C Appearance and Odor: Clear amber liquid and slight citrus

smell

Vapor Pressure: No Data Specific Gravity: 1.1
Vapor Density: 1.0 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point

Extinguishing Media: N/A Use media suitable for surrounding fire.

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None

Routes of entry, Signs and symptoms of exposure:

Skin: Neither an irritant nor a sensitizer in human patch testing.

Eves: Mild irritant.

Inhalation: No toxic effects are known to be associated with inhalation of vapors.

Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: N/A Eyes: Wash eyes. Inhalation: N/A Ingestion: N/A

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: N/A

Protective Gloves: N/A

Eye Protection: N/A Other Protective Clothing or Equipment: N/A

PRODUCT NAME: **Heaven's Best CLEANING SOLUTION** PRODUCT #101

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

None of the components in this mixture are considered hazardous.

Trade Secret Not listed 20
Water Not listed 80

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C Appearance and Odor: Clear amber liquid and slight citrus

smell

Vapor Pressure: No Data Specific Gravity: 1.1
Vapor Density: 1.0 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point

Extinguishing Media: N/A Use media suitable for surrounding fire.

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None

Routes of entry, Signs and symptoms of exposure:

Skin: Neither an irritant nor a sensitizer in human patch testing.

Eyes: Mild irritant.

Inhalation: No toxic effects are known to be associated with inhalation of vapors.

Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: N/A Eyes: Wash eyes. Inhalation: N/A Ingestion: N/A

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: N/A
Protective Gloves: N/A
Eye Protection: N/A

Other Protective Clothing or Equipment: N/A

PRODUCT NAME: **HEAVEN'S BEST CITRUS BOOSTER** PRODUCT #102

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

d-Limonene/Dipente None
Octylphenoxypolyethoxyethanol None
Ethylene Glycol Monbutyl Ether 50 ppm
Isodecyloxypropyliminodipropionic acid None
Monosodium salt None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 192 F Appearance and Odor: Opaque light yellow, citrus odor

Vapor Pressure: Similar to water Specific Gravity: .929 Vapor Density: Same as water Melting Point: N/A

Solubility in Water: Complete Evaporation Rate: Same as water

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: Suitable for container. Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong Alkalis

Hazardous Decomposition or Byproducts: Carbon dioxide, carbon monoxide, sulfur dioxide

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD

Health Hazards: Acute---Irritant, dermatitus, respiratory Routes of entry, Signs and symptoms of exposure:

Skin: Irritation, dermatitis

Eyes: Irritation, burning sensation

Inhalation: Irritant
Ingestion: Call physician!

Medical conditions generally aggravated by exposure: Skin - dermatitis

Carcinogenic: Not listed

Emergency and First Aid Procedures:

Skin: Rinse with water

Eyes: Rinse with water for 15 minutes. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. Ingestion: Drink a lot of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up with sponge or mop and rinse.

Handling and Storing: Keep from excessive heat and freezing temperatures. Other Precautions: Dispose of according to Federal, State or local regulations.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None in ventilated area.

Ventilation: Local Exhaust is adequate. Protective Gloves: Rubber or plastic.

Eye Protection: Safety Glasses.

Other Protective Clothing or Equipment: N/A

MATERIAL SAFETY DATA SHEET

AFATIA					raing to						
SECTION 1 - PRODUCT IDENTIFICATION							0.00.000				
Distributor	N. C.					Emerg	Emergency Phone 816-966-9065				
Address	7809 E. 134th Terra		MO 64030				06 40 07 AS 199	Woods			
	e aniline leather					Produ	ct Type Leathe	r Cleaner			
SECTION	N 2 - HAZARI			TS					200		
-	CHEMICAL NA	AME/COMM	ON NAME		CAS N	O. PERC	ENT(optional)		TLV(Source)		
Cocoamidopro	A 25 000 500				61789-40-0			Not Established			
2-(2-Butoxyet	:hoxy)ethanol)*				112-34-5	1-3		Not Established			
CADALIAZAE	D TITLE III CECTION	L 242 CONTAINS	THE CTARR	ED INODEDIENT	(C) AT THE IND	JOATED DEDOE	NTACEC				
	RD TITLE III,SECTION edients in this produ	7,115	1	1% by weight o				hazardous x	Declared to be	Trade Secret	
	N 3 - PHYSIC	L	Less than	170 by weight o	i less thair o.	170 IOI CAICIII	gens X Not	Tiazardous X	Decial ed to be	: Hade Secret	
	nt(°F.) Near 212		`iE O	÷(120-4.0).(1.0.005) 4	005	n Li	(105) 70			
95-0-7	sure(mm Hg) Unkn		specific Grav	vity(H2O=1.0) (.005 nsity(Air=1) Un		(± 0.5) 7.0			
Solubility in	W Streets	Complete		soluble [_	able (or Dispe	et desease en tidor	Slight (or Par	tial\		
79.5	n Rate(vs. H2O)	Complete		aster		able (or bispe ower		out the Same	liai)		
	e and Odor Liquid	leather odor	Ш.	23101		70001		out the came			
	N 4 - FIRE AN	A Contract of the Contract of	SION H	ZARD DA	TΑ						
Flash Point				one to Boiling		ole Limits Up	per Unknown	Lower Unkno	1007		
Extinguishir	NACTOR SCHOOLS	y chemical, foam		one to boiling			OTINTOUT	OTIKTO	10011		
Special Fire	efighting Procedure	•		spaces without pr	otective clothing	and self-contain	ed air supply.				
	re and Explosion H			<u></u>	is in the second se		30.5				
SECTIO	N 5 - REACTI	VITY DAT	Ά								
Stability 5	Stable		Incompat	ibility Strong o	xidizers						
Hazardous	Decomposition Pr	oducts Carbo	on monoxide a	nd other unidentifi	ed organic gase	s may occur duri	ng incomplete con	nbustion.			
SECTIO	N 6 - HEALTH	HAZARI)S								
Primary Ro	utes of Exposure	X Eye	•	Skin		Oral	□In	halation	Other		
Signs						ation and reddeni	ng. May cause sk	in irritation with certa	in individuals. Inge	stion of this	
and Sympto		use exposed per	rson to vomit a	ınd may result in s	ome diamhea.						
(Acute)	334.3										
Signs and §	Symptoms of Over	exposure(Chr	onic)None kn	own							
Medical Co	nditions by Overexposure		100000000000000000000000000000000000000								
		None known			lc	:arcinogen/Su	spect Carcinog	en Ingredients	NTP MOSHA	TIARCIX NON	
			D FIRST	AID PROC	8		spect Carcinog	en Ingredients	NTP OSHA	_IARC ∑ NON	
_	N 7 - EMERG	ENCY AN			EDURES	5	spect Carcinog	en Ingredients	NTP OSHA	IARC X NON	
Eyes		ENCY AN			EDURES	5	spect Carcinog	en Ingredients	NTP OSHA	IARC X NON	
Eyes Skin	N 7 - EMERG Flush immediately wit	ENCY AN th water for at lea	ast 15 minutes.	. If persistent inita	EDURES	5	spect Carcinog	en Ingredients	NTP OSHA	_larc\(\)Non	
Eyes Skin Ingestion	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities	ENCY AN th water for at lea	ast 15 minutes.	. If persistent inita	EDURES	5	spect Carcinog	en Ingredients	NTP OSHA	∏ARC X NON	
Eyes Skin Ingestion Inhalation	N 7 - EIVIERG Flush immediately wit Not applicable Drink large quantities Not applicable	ENCY ANI th water for at lead of milk or water.	ast 15 minutes. Call a physici	. If persistent inita ian.	EDURES	5	spect Carcinog	en Ingredients	NTP □OSHA	_larc∏non	
Eyes Skin Ingestion Inhalation	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA	ENCY ANI th water for at lead of milk or water.	Call a physici	If persistent irritation.	EDURES	5	spect Carcinog	en Ingredients	NTP □OSHA	_larc∑Non	
Eyes Skin Ingestion Inhalation SECTION Respiratory	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA	ENCY AND th water for at lea of milk or water.	Call a physici	If persistent irritation.	EEDURES tion occurs, cal	5		en Ingredients	NTP □OSHA]IARC X NON	
Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation I	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection	th water for at lease of milk or water. L PROTECT Not needed un Local Extended	CALL a physici CTION IN der normal co haust X	If persistent irritation. IFORIMATI Inditions of use.	CEDURES ition occurs, cal ON	l a physician.	Is Adequate	en Ingredients		_larc\(\bar{\bar}\)\\non	
Eyes Skin Ingestion Inhalation SECTIO Respiratory Ventilation I Protective G	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection Requirements	th water for at lease of milk or water. L PROTEC Not needed un Local Ext Eye Protec	CTION IN the control of the control	If persistent irritation. IFORMATI Inditions of use. Mechanical asses/goggles	CEDURES ition occurs, cal ON	l a physician.	Is Adequate			_IARC X NON	
Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation In	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection Requirements Gloves Not required. N 9 - SPILL O	th water for at lease of milk or water. L PROTEC Not needed un Local Ext Eye Protec	Call a physici CTION IN der normal co haust X EROCED	If persistent irritation. IFORIMATI Inditions of use. Mechanical asses/goggles URES	CEDURES ition occurs, cal ON	l a physician.	Is Adequate			_IARC X NON	
Eyes Skin Ingestion Inhalation SECTIOI Respiratory Ventilation I Protective G SECTIOI Steps to be if Released	N 7 - EMIERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection Requirements Gloves Not required. N 9 - SPILL O Taken or Spilled	th water for at lead of milk or water. LPROTE(Not needed un Local Ext Eye Protec RLEAK F ute with much wa	CTION IN the control of the control	If persistent irritation. IFORIMATI Inditions of use. Mechanical asses/goggles URES	ON Roo Ot	l a physician. on Ventilation ther Protective	Is Adequate			_IARC X NON	
Eyes Skin Ingestion Inhalation SECTIO Respiratory Ventilation I Protective G SECTIO Steps to be if Released Waste Disp	N 7 - EMIERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection Requirements Gloves Not required. N 9 - SPILL O Taken or Spilled	continuation of milk or water. LPROTEC Not needed un Local Exl Eye Protec RLEAK F ute with much wa spose of in accorr	Call a physici CTION IN Inder normal co haust	If persistent irritation. IFORIMATI Inditions of use. Mechanical lasses/goggles URES o drain.	ON Roo Ot	l a physician. on Ventilation ther Protective	Is Adequate			_IARC X NON	
Eyes Skin Ingestion Inhalation SECTIOI Respiratory Ventilation I Protective G SECTIOI Steps to be if Released Waste Disp SECTIOI Precautions	N 7 - EMERG Flush immediately wit Not applicable Drink large quantities Not applicable N 8 - SPECIA Protection Requirements Gloves Not required. N 9 - SPILL O Taken Or Spilled Cosal Methods Discosal Methods Dis	continuation of milk or water. LPROTEC Not needed un Local Ext Eye Protec R LEAK F ute with much wa spose of in accord	Call a physici CTION IN Inder normal co haust	If persistent irritation. IFORIMATI Inditions of use. Mechanical lasses/goggles URES o drain.	ON Roo Ot	l a physician. on Ventilation ther Protective	Is Adequate			_IARC X NON	

exposure to the product, if diluted, under conditions of ordinary use.

33-3D DATE PREPARED May 10, 2006

MSDS: LEATHER PROTECTION PA

PRODUCT#105

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL FAMILY...: AQUEOUS DISPERSION OF RESINS OILS AND FATS

MANUFACTURER/DISTRIBUTOR: LEATHER PRO!

7809 East 134th Terrace

Grandview Missouri USA 64030

816-966-9065 Main 816-765-7453 Fax

2. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no hazardous ingredients above reportable thresholds

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Prolonged or repeated contact may cause irritation of skin and eyes. ROUTE(S) OF ENTRY......: Skin and eye contact with liquid.

CARCINOGENICITY:

NTP.....: No IARC....: No OSHA...: No

4. FIRST AID MEASURES:

SKIN.....: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES......: Hold eyes open and flush for at least 15 minutes with large amounts of water.

Consult physician if irritation occurs.

INGESTION.: Do not induce vomiting. Give two glasses of water to dilute stomach contents. Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: No inhalation hazards are anticipated for this product

5. FIRE FIGHTING MEASURES

FLASH POINT..... Not applicable

EXTINGUISHING MEDIA...Alcohol foam, carbon dioxide, dry powder, or water spray. SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact.

Use butyl rubber gloves. Check suitability recommendations by protective equipment manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

 PHYSICAL FORM:
 White Liquid

 ODOR:
 Odorless pH 7-9

 BOILING POINT:
 >212 oF (>100oC)

 FLASH POINT
 212 oF (100oC)

AUTO IGNITION:>470oF(>250oC)

VAPOR DENSITY: Not available SOLUBILITY IN WATER: SOLUBLE

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide,

and other potentially toxic fumes.

POLYMERIZATION: Will not occur under regular conditions of use. INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Believe to be practically non toxic.

12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers. DISPOSAL CONSIDERATIONS TRANSPORT INFORMATION REGULATORY INFORMATION

Incinerate or dispose of in accordance with Federal, State or Local regulations.

DOT SHIPPING NAME Not regulated.

All components of this product are on the TSCA Inventory. SARA Title III:

To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: CAUTION: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

Prepared: July, 1 2008

MATERIAL SAFETY DATA SHEET (Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION							
Distributor LEATHER PRO!		Emergency Phone 816-966-9065					
Address 7809 E. 134th Terrace Grandview, MO 64030							
Frade Name MOISTURE PA Product Type Leather Spray Cleaner and moisturizer							
SECTION 2 - HAZARDOUS INGREDIENTS							
CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional) TLV(Source)				
Cocoamidopropyl Betaine	61789-40-0		Not Established				
Dimethylpolysiloxane	63148-62-9		Not Established				
Glycerine	56-81-5		Not Established				
	_						
Other ingredients in this product are : X Less than 1% by weight	or less than 0.1%	for carcinogens X	ot hazardous X Declared to be Trade Secre				
SECTION 3 - PHYSICAL DATA							
Boiling point(°F.) Near 212 Specific Gravity(H2O=1.0)	± 0.005) 1.01	0 pH	(± 0.5) 7.0				
Vapor Pressure(mm Hg) Unknown	Vapor Density(Air	=1)	Unknown				
Solubility in water X Complete Insoluble	Emulsifiable (or	Dispersible)	Slight (or Partial)				
Evaporation Rate(vs. H2O) Faster	Slower	X Abou	t the Same				
Appearance and Odor Liquid, leather odor SECTION 4 - FIRE AND EXPLOSION HAZARD DAT	A						
Flash Point(T.C.C.) °F. None to Boiling	Flammable Limi	ts Upper Unknown	Lower Unknown				
Extinguishing Media CO2, dry chemical, foam, water spray.	1	GIRHOWII	Officiowi				
Special Firefighting Procedures Do not enter confined fire-spaces with	out protective clot	hing and self-containe	d air sunniv				
Unusual Fire and Explosion Hazards None known.	out protective clot	ning and sen-containe	a an supply.				
SECTION 5 - REACTIVITY DATA							
OLD WITH	oxidizers		1				
Hazardous Decomposition Products Carbon monoxide and other unid		ses may occur during	incomplete combustion.				
SECTION 6 - HEALTH HAZARDS		, ,					
Primary Routes of Exposure	Oral	☐ Ini	nalation Uother				
Signs Prolonged or repeated contact of concentrated product and Symptoms individuals. Ingestion of this product may cause exposion of Overexposure	-		1				
(Acute) Signs and Symptoms of Overexposure(Chronic) None known							
Medical Conditions Aggravated by Overexposure None known	Carcino	gen/Suspect Carcinog	en Ingredients NTP OSHA IAROX NON				
SECTION 7 - EMERGENCY AND FIRST AID PROCE		John Guspoor Guroning	THE CONTRACTOR				
Eyes Flush immediately with water for at least 15 minutes. If pers	istent irritation occ	curs, call a physician.					
Skin Not applicable							
Ingestion Drink large quantities of milk or water. Call a physician.							
Inhalation Not applicable SECTION 8 - SPECIAL PROTECTION INFORMATION							
Respiratory Protection Not needed under normal conditions of use.							
Ventilation Requirements Local Exhaust X Mechanical Other							
Protective Gloves Not Eye Protection Safety glasses/goggles Other Protective Clothing Not required for normal use							
SECTION 9 - SPILL OR LEAK PROCEDURES							
Steps to be Taken Dilute with much water and flush to drain. If Released or Spilled							
Waste Disposal Methods Dispose of in accordance with applicable Federal, State and Local ordinances.							
SECTION 10 - STORAGE AND HANDLING INFORMATION							
Precautions to be Taken ^{Do not} get in eyes. in Handling and Storage							
The health hazards given on this Material Safety Data Sheet apply to this			P. D. J. P. C. J. J. C. J. J. C. J.				

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form(as supplied) and may differ significantly at use diluthe signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, if diluted, under conditions of ordinary use.

DATE PREPARED May 31, 2006

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL FAMILY...: AQUEOUS DISPERSION OF RESINS OILS AND FATS

MANUFACTURER/DISTRIBUTOR: LEATHER PRO!

7809 East 134th Terrace

Grandview Missouri USA 64030

816-966-9065 Main 816-765-7453 Fax

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Contains no hazardous ingredients above reportable thresholds

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Prolonged or repeated contact may cause irritation of skin and eyes.

ROUTE(S) OF ENTRY...... Skin and eye contact with liquid.

CARCINOGENICITY:

NTP.....: No IARC....: No OSHA...: No

4. FIRST AID MEASURES:

SKIN.....: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES.......: Hold eyes open and flush for at least 15 minutes with large amounts of water.

Consult physician if irritation occurs.

INGESTION.: Do not induce vomiting. Give two glasses of water to dilute stomach contents.

Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: No inhalation hazards are anticipated for this product

5. FIRE FIGHTING MEASURES

FLASH POINT...... Not applicable

EXTINGUISHING MEDIA...Alcohol foam, carbon dioxide, dry powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact.

Use butyl rubber gloves. Check suitability recommendations by protective equipment

manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: White Liquid ODOR:

..... Odorless pH 7-9

BOILING POINT:>212 oF (>100oC)

FLASH POINT 212 oF (100oC)

AUTO IGNITION: >470oF(>250oC)
VAPOR PRESSURE: Not available
DENSITY: ~1.0 g/ml(25 oC)

VAPOR DENSITY Not available SOLUBILITY IN WATER Soluble

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide,

and other potentially toxic fumes.

POLYMERIZATION: Will not occur under regular conditions of use. INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Believe to be practically non toxic.

12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

DISPOSAL CONSIDERATIONS

TRANSPORT INFORMATION

REGULATORY INFORMATION

Incinerate or dispose of in accordance with Federal, State or Local regulations.

DOT SHIPPING NAME Not regulated.

All components of this product are on the TSCA Inventory. SARA Title III:

To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: CAUTION: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION

Rtkleatherprotect.doc

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

Prepared: February 10, 2003

PRODUCT NAME: MARBLE POLISH

PRODUCT # 108

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 3
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: ACGIH TLV %: Magnesium Silico Flouride 16949-65-8 3Mg/M3 3mg/m3 10.0

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 F Appearance and Odor: Opaque Pink/Mint oder

Vapor Pressure: No Data Specific Gravity: 1.1 Vapor Density: No Data Melting Point: N/A Solubility in Water: Miscible Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Hazardous Decomposition or Byproducts: Strong Oxidizers. Chlorine releasing. Chemical Ammonia

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: Same signs & symptoms of exposure

Routes of entry, Inhalation, Ingestion, Skin: All possible

Skin: Wash with soap and water. Especially between the nails.

Eyes: Flush with water for 15 minutes. If irritation persists call physician.

Inhalation: Get person to fresh air. If unconscious call physician.

Ingestion: Drink large amounts of water followed by milk of magnesia.

Medical conditions generally aggravated by exposure: Same as signs and symptoms of over exposure.

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: Wash with soap and water. Especially between the nails

Eyes:. Flush with water for 15 minutes

Inhalation: Get person to fresh air. If unconscious call physician

Ingestion: Drink large amounts of water followed by milk of magnesia

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: Discarded product accordance with state and local regulation.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: N/A

Protective Gloves: Rubber. Plastics Eye Protection: Glasses, Goggles

Other Protective Clothing or Equipment: Chemical resistant clothing.

PRODUCT NAME: MULTI-SURFACE MAINTAINER(Spotter32) PRODUCT #109

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Emergency: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

Polyethoxynonphenoxy ethanol 6841254 none Isopropanol 67630 400 ppm

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F. Appearance and Odor: yellow liquid/ lemon scent.

Vapor Pressure: Specific Gravity: 1.00 Vapor Density: (Air=1): Melting Point: N/A

Solubility in Water: Complete Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: N/A.

Special Fire Fighting Procedures: Non Flammable

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: None.

Hazardous Decomposition or By products: Will not occur.

Hazardous Polymerization: None. Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.

Skin: Mild irritant. Eyes: Possible irritant. Inhalation: N/A.

Ingestion: May cause irritation.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.

Inhalation: N/A. Ingestion:Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: PET ENZYME TREATMENT (SPOTTER) PRODUCT #110

SECTION I

M-CO INC. Least=0 P.O. Box 607 HEALTH: 0 Slight=1 Moderate=2 Rexburg, Id 83440 FLAMMABILITY: 0 Date: 7-1-12 High=3 REACTIVITY: 0 Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel:

%:

Proprietary Formulation Hazardous Components:

None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 100c Appearance and Odor: Opaque liquid, slight ordor.

Vapor Pressure: Equivalent to water Specific Gravity: 1.00 Vapor Density: 1.0 Melting Point: N/A Solubility in Water: Complete Evaporation Rate: ND

> SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: Carbon dioxide, dry chemical, or Water spray.

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Decomposition or Byproducts: Not Know. Hazardous Polymerization: Will not occur.

> SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure: Skin: May irritate extremely sensitive individuals.

Eyes: Possible eye irritant.

Inhalation: Inhaling mist could cause irritation to lungs and mucus membranes.

Ingestion: Ingestion may result in abdominal pain, nausea, and vomiting.

Medical conditions generally aggravated by exposure: Unknown.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse skin with clear water.

Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.

Inhalation: Not applicable.

Ingestion: Watch victim for any signs of illness, induce vomiting only if advised by physician. Get

medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills:

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions. Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not required.

Ventilation: Not required.

Protective Gloves: Recommended

Eye Protection: Safety glasses with side shield

Other Protective Clothing or Equipment: Not required.

PRODUCT NAME: HEAVEN'S BEST SPOTTER

PRODUCT #111-112

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

None of the components in this mixture are considered hazardous.

Trade Secret 20 Not listed Water 80 Not listed

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C Appearance and Odor: Clear amber liquid and slight citrus

smell

Vapor Pressure: No DataSpecific Gravity: 1.1Vapor Density: 1.0Melting Point: N/ASolubility in Water: CompleteEvaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point

Extinguishing Media: N/A Use media suitable for surrounding fire.

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None

Routes of entry, Signs and symptoms of exposure:

Skin: Neither an irritant nor a sensitizer in human patch testing.

Eyes: Mild irritant.

Inhalation: No toxic effects are known to be associated with inhalation of vapors.

Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: N/A Eyes: Wash eyes. Inhalation: N/A Ingestion: N/A

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: N/A
Protective Gloves: N/A
Eve Protection: N/A

Other Protective Clothing or Equipment: N/A

PRODUCT NAME: **HEAVEN'S BEST T.G.P.**

PRODUCT #115

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 1
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

Water

Surfactant Blend

2-Butoxyethanol 25ppm

Menth-1, 8-diene

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data Appearance and Odor: Clear liquid, Citrus Odor.

Vapor Pressure: No Data

Vapor Density: No Data

Vapor Density: No Data

Solubility in Water: Emulsifiable

Specific Gravity: 0.920

Melting Point: N/A

Evaporation Rate: No Data

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 300 F (coc)

Extinguishing Media: Use water spray or fog, foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Fumes produced under fire conditions may be toxic and irritating.

Explosion Hazards: Heated containers may explode.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizers or strong acids.

Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and unidentified organic

compounds.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eves: Mild irritant.

Inhalation: See First Aid Procedure's. Ingestion: See First Aid Procedure's.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with noncombustible absorbent and place in container for disposal. Keep all chemicals out of reach of children.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Always wash hands after using chemical.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.

Ventilation: Local Exhaust, adequate. Avoid breathing vapors.

Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: DRY SOLVENT

PRODUCT #116

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 3
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY: 0
 Moderate=2

 Date:7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

Odorless mineral spirits 64742-48-9

This product contains the following chemicals subject to the reporting requirements of SARA 313 and 49

CFR 372.

Trichloroethylene 79-01-6 75

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 194 F Appearance and Odor: Clear colorless liquid.

Vapor Pressure: 100 Specific Gravity: 1.10
Vapor Density: 5 Melting Point: N/A
Solubility in Water: Slight Evaporation Rate: Faster

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: Water

Special Fire Fighting Procedures: Self contained breathing apparatus.

Explosion Hazards: Be aware of decomposition products.

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: None

Hazardous Decomposition or Byproducts: Hydrogen Chloride, Phosgene

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None Established.

Routes of entry, Signs and symptoms of exposure:

Skin: Prolonged contact defats skin and causes irritation.

Eyes: Causes irritation. Use goggles or glasses with side shields.

Inhalation: Causes anesthetic action, cardiac sensitation.

Ingestion: May cause gastro intestinal irritation.

Medical conditions generally aggravated by exposure: Not Established.

Carcinogenic: None

Emergency and First Aid Procedures:

Skin: Wash with soap and water, if irritation persists consult physician.

Eyes: Flush with water, if irritation persists consult physician.

Inhalation: Remove to fresh air, if unconscious give artificial respiration, if breathing is difficult consult

physician.

Ingestion: DO NOT INDUCE VOMITING, Get immediate medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb into material such as sawdust etc.

Handling and Storing: Keep away from heat or flames. Keep container tightly closed and store in a cool place. Do not mix with other chemicals.

Other Precautions: Dispose of to a landfill in conformance with Local, State, and Federal regulations. This product contains ingredients subject to the reporting requirements of SARA 313 and CFR 372 as indicated above in this MSDS.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use an approved respirator for organic vapors.

Ventilation: Fans or equivalent. Protective Gloves: Impervious to solvents. Protect parts of body that may come in contact with product.

PRODUCT NAME: RED DYE REMOVER

PRODUCT #117

Extreme=4

SECTION I

Phone: (208)-359-1106

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

EMERGENCY: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Activator Solution: Cas# Osha/Pel

%

Trisodium-2-hydroxy-1,2,3-Propane

Tricarboxylatedihydrate 68-04-02

Dodecyl (sulfophenoxy) benzenesulfonic acid

disodium salt 028519-02-1
Oxybis disodium salt 025167-32-2
Sodium sulfate 007757-82-6
Sodium Cloride 007647-14-5
Sodium Hydrogen Sulfite 7631-90-5

Basic Solution:

Poly(oxy-1,2-ethanediyl), alpha-(1,1,3,3-tetramethylbutyl) phenyl)-omega-hydroxy 9036-19-5

Dimethyl Carbinol 67-63-0

Tetrasodium salt of ethylenediaminetetraacetic acid tetrahydrate 013235-36-4

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 212 F VAPOR PRESSURE: N/A
MELTING POINT: N/A VAPOR DENSITY: N/A
SPECIFIC GRAVITY: N/A H2O SOLUBLE DISPERS.
APPEARANCE: PALE AMBER LIQUID EVAPORATION RATE: N/A

ODOR: ODOR OF SULPHER DIOXIDE PH: 6-7

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Flammable Limits: (LEL: N/A) (UEL: N/A)

Extinguishing Media: CO2, Water, Dry Chemical, Alcohol Foam

Special Fire Fighting Procedures: Use NIOSH approved self contained, pressure breathing apparatus and

protective clothing where this material is involved in a fire.

Unusual fire and explosion hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Conditions to Avoid: excessive heat

Incompatibility: strong acids, oxidizers, aluminum

Hazardous decomposition: liberates oxides of sulpher & Na20

Hazardous polymerization: No

SECTION VI HEALTH HAZARD DATA

ROUTES OF ENTRY: (Skin: yes) (Inhalation: yes) (Ingestion: yes)

SIGNS, SYMPTOMS AND TREATMENTS:

Inhalation: May be irritating Eye contact: Irritating to eyes

Skin contact: May be irritating upon prolonged contact

Ingestion: May cause nausea

CARCINOGENIC: This product contains no known carcinogenic chemicals MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: none known

FIRST AID MEASURES: Inhalation: remove to fresh air

Eye contact: flush liberally with water for 15 minutes and consult physician.

Skin contact: flush with water

Ingestion: get immediate medical attention

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

SPILLS: Wipe or mop up and flush to sanitary sewer if permitted by federal, state and local regulations. For large spills, contain by diking with soil or other non combustible sorbant material, then dispose into DOT approved waste container. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste.

NEUTRALIZING CHEMICALS: Dilutes in water

WASTE DISPOSAL: Rinse empty container before disposing

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING: Avoid high temperatures, strong acids, or oxidizers

SECTION VIII PERSONAL PROTECTION

VENTILATION: Use with adequate ventilation

RESPIRATORY PROTECTION: Not generally required in normal use

EYE PROTECTION: Safety goggles

GLOVES: Protective gloves OTHER: Not generally required

SECTION IX SPECIAL PRECAUTIONS

One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices. PRODUCT NAME: WOOD STAIN REMOVER Container Part 1 PRODUCT #118

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY:0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

Phone: (208) 359-1106 REACTIVITY: 0 High=5
Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel: %:

Proprietary Trade Secret Hazardous Components:

None

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 102 C Appearance and Odor: Clear liquid with mild odor.

Vapor Pressure: ND Specific Gravity: 1.13 Vapor Density: ND Melting Point: -8 C

Solubility in Water: Complete Evaporation Rate: ND PH: 3-3.5

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: C02, Water, Dry Chemical, Foam

Special Fire Fighting Procedures: Do not enter confined fire space without proper protective equipment

including a NIOSH approve self contained breathing apparatus.

Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Organics, Other Flammables.

Hazardous Decomposition or Byproducts: Oxygen which supports combustion

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant to skin. Eyes: Severe irritant to eyes.

Inhalation: Irritation and difficulty in breathing.

Ingestion: Nausea.

Medical conditions generally aggravated by exposure:

Carcinogenic: None

Emergency and First Aid Procedures:

Skin: Rinse skin with clear water.

Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical

attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions. Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: For exposure above established limits use NIOSH/MSMA approved dust/mist

mask.

Ventilation: Mechanical--Recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: WOOD STAIN REMOVER Container Part 2 PRODUCT #118

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY: 0
 Moderate=2

 Date 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel: %:

Proprietary Trade Secret Hazardous Components: None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 87 C Appearance and Odor: Clear liquid with pungent odor.

Vapor Pressure: ND Specific Gravity: 1.01 Vapor Density: ND Melting Point: NA

Solubility in Water: Complete Evaporation Rate: >1 PH: 13

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: C02, Water, Dry Chemical, Foam

Special Fire Fighting Procedures: Do not enter confined fire space without proper protective equipment

including a NIOSH approves self contained breathing apparatus.

Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong Oxidizers

Hazardous Decomposition or Byproducts: Will not occur.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant to skin. Eyes: Severe irritant to eyes.

Inhalation: Irritation and difficulty in breathing.

Ingestion: Nausea.

Medical conditions generally aggravated by exposure:

Carcinogenic: None

Emergency and First Aid Procedures:

Skin: Rinse skin with clear water.

Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical

attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water or milk. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions. Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: For exposure above established limits use NIOSH/MSMA approved dust/mist mask.

Ventilation: Mechanical--Recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: BLOOD & PROTEIN REMOVER

PRODUCT #119

SECTION I

 ADCO Inc.
 Least=0

 900 W. Main
 HEALTH: 1
 Slight=1

 Sedalia, MO 65301
 FLAMMABILITY: 1
 Moderate=2

 Date7-1-12
 REACTIVITY: 0
 High=3

 Phone: (800) 424-9300 (Chemtrec)
 EMERGENCY: 1-800-821-7556 (ADCO)
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Light yellow liquid bland, slight

ammonia

Vapor Pressure: No Data Specific Gravity: 1.004
Vapor Density: Melting Point: N/A
Solubility in Water: Miscible Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: over 200 F

Extinguishing Media: Dry chemical, carbon dioxide, foam, water fog. Compatible with all types.

Special Fire Fighting Procedures: Avoid directing strong water stream into material\may cause foaming.

Wear self-contained breathing apparatus when fighting fires in confined areas.

Explosion Hazards: Exposure to fire or high temperatures may produce noxious irritation or toxic fumes.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong oxidizers.

Hazardous Decomposition or Byproducts: Burning produces toxic, irritating fumes.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Acute---May cause drying or irritation if splashed into eyes or on prolonged, repeated contact with skin.

Routes of entry, Signs and symptoms of exposure:

Skin: May see some irritation over an extended period of time.

Eyes: Irritation

Inhalation: None known.

Ingestion: See first aid procedures.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: None of the ingredients of this mixture have been identified as a carcinogen or probable

carcinogen by NTP, IARC, or OSHA Emergency and First Aid Procedures:

Skin: Completely flush the skin with water.

Eyes: Flush eyes for 15 minutes with water.

Inhalation: No treatment necessary.

Ingestion: Do Not Induce Vomiting. If symptoms persist, seek medical assistance.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Larger spills-soak up on absorbent material and transfer to containers for disposal as nonhazardous waste. Small spills-flush to sewer with water.

Handling and Storing: KEEP OUT OF REACH OF CHILDREN.

Other Precautions: DO NOT TAKE INTERNALLY. Keep containers closed when not is use.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None required when used as directed with adequate ventilation.

Ventilation: Normal industrial ventilation is adequate.

Protective Gloves: Ordinarily not needed. Use if contact with chemical is prolonged or frequent.

Eye Protection: Use goggles or face mask if splashing is likely.

Other Protective Clothing or Equipment: N/A

PRODUCT NAME: **HEAVEN'S BEST RUST REMOVER** PRODUCT #120

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH:
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY:
 Moderate=2

 Date: 7-1-12
 REACTIVITY:
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

Trade Secret, no hazardous components

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 217 Appearance and Odor: Light Amber and odorless.

Vapor Pressure: N/A Specific Gravity: 1.1
Vapor Density: N/A Melting Point: N/A
Solubility in Water: 100% Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None T.C.C.

Extinguishing Media: Foam, Dry Chemical. Special Fire Fighting Procedures: N/A

Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Reacts with metals and regular glass. Hazardous Decomposition or Byproducts: None Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None

Routes of entry, Signs and symptoms of exposure:

Skin: Irritant to sensitive skin.

Eyes: Irritant to eyes.

Inhalation: No toxic effects are known to be associated with inhalation of vapors.

Ingestion: May cause illness.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: None known.

Emergency and First Aid Procedures:

Skin: Avoid contact if you have sensitive skin.

Eyes: Flush with water. Inhalation: N/A

Ingestion: Seek Prompt Medical attention if swallowed.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CRF 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A Ventilation: Adequate

Protective Gloves: PVC, PE, or Neoprene.

Eye Protection: Safety Glasses

Other Protective Clothing or Equipment: N/A

Hygienic Work Practices: Avoid Breathing Vapor. Always wash hands after using any chemical.

PRODUCT NAME: FRESH SCENT

PRODUCT #121

SECTION I

M-CO Inc. Least=0 P.O. Box 607 HEALTH: 1 Slight=1 Rexburg, Id 83440 FLAMMABILITY: 2 Moderate=2 Date7-1-12 REACTIVITY: 0 High=3 Phone: (208) 359-1106 Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components. Contains Isopropyl Alcohol Cas#: 67-63-0 Osha/Pel: N/A

%, less than .02%

Conforms to the RIFM and IFRA guidelines

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A Appearance and Odor: Clear to Light Yellow

Vapor Pressure: Specific Gravity: .915 - .920 N/A

Vapor Density: Melting Point: N/A N/A Evaporation Rate: N/A Solubility in Water: Completely Soluble

SECTION FIRE AND EXPLOSION HAZARD DATA IV

Flash Point: Concentrate 117 Degree F, RTU 230 Degree F TCC Extinguishing Media: Carbon Dioxide or other oil combatant types

Special Fire Fighting Procedures: Same as above

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Hazardous Decomposition or Byproducts: N/A Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute and Chronic): No acute and/or chronic health hazards. No significant adverse reactions have been reported. Liquid in eyes may cause limited, temporary irritation.

Routes of entry, Signs and symptoms of exposure:

Skin: None Eyes: minor irritation, Inhalation: minor irritation, Ingestion: minor irritation,

Medical conditions generally aggravated by exposure: none

Carcinogenic: None

Emergency and First Aid Procedures: Remove to fresh air. Eyes should be flushed with water.

Skin: none

Eyes: Flush with water

Inhalation: Remove to fresh air. Ingestion: Remove to fresh air.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Floor dessicant

Handling and Storing: Avoid Open Flame

Other Precautions: None

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not usually required, Protective Gloves: None, Eye Protection: None Ventilation: Local exhaust - Not required, Mechanical (General) Fan or Blowers when required.

Other Protective Clothing or Equipment: None

PRODUCT NAME: **CHERRY ALMOND DEODORIZER** PRODUCT #122

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

n-Alkyl (50% C14, 40% C12, 10% C16)

dimethyl benzyl ammonium chloride 5 % Not established Reodorant perfume 2 % Not established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 214 F Appearance and Odor: Light tan liquid, cherry almond odor

Vapor Pressure: N/A Specific Gravity: 1.08
Vapor Density: N/A Melting Point: N/A

Solubility in Water: 98% Evaporation Rate: Buryl Acetate=1 Similar to water

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong oxidizing or reducing agents.

Hazardous Decomposition or Byproducts: Oxides of carbon and nitrogen.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eyes: Mild irritant.

Inhalation: See First Aid Procedure's. Ingestion: See First Aid Procedure's.

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: N/A

Emergency and First Aid Procedures:

Skin: Rinse with water.

Eyes: Immediately rinse with water for 15 minutes. Get medical attention if irritation persists.

Inhalation: If overexposure occurs, remove to fresh air.

Ingestion: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or large

quantities of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up and rinse area with water.

Handling and Storing: Protect from freezing. Keep out of reach of children.

Other Precautions: N/A

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate ventilation.

Ventilation: Local Exhaust Protective Gloves: N/A Eye Protection: Safety Glasses

Other Protective Clothing or Equipment: N/A

PRODUCT NAME: FINAL STEP DEODORIZER

PRODUCT #123

SECTIONI

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %: chlorine Dioxide 10049-04-4 Not Established <1

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Clear liquid, slight chlorine

Vapor Pressure: N\A Specific Gravity: 1.05 Vapor Density: N\A Melting Point: N\A

Solubility in Water: Complete Evaporation Rate: less than ether **S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA**

Flash Point: None

Extinguishing Media: N\A

Special Fire Fighting Procedures: Do not enter a confined fire space with out proper equipment including a

NIOSH approved self contained breathing apparatus.

Explosion Hazards: None

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Do not mix with strong acids

Hazardous Decomposition or Byproducts: Chlorine Dioxide or chlorine.

Hazardous Polymerization: Will not occur.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Protective Gloves: Rubber or neoprene.

Eyes: Mild irritant. Eye Protection: Chemical goggles with side shields.

Inhalation: Mild Irritation to respiratory system. Ventilation: Mechanical recommended.

Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None Known.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse with clear water.

Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use. Do not freeze.

Other Precautions: Keep this and all chemicals out of reach of children.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

PRODUCT NAME: **HEAVEN'S BEST ORANGE DEODORIZER** PRODUCT# 124

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 1
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

%:

Components are not listed as hazardous None

100

per ACGIH

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Clear yellow liquid, Citrus odor.

Vapor Pressure: 1 mm Specific Gravity: .863

Vapor Density: 1.1 Melting Point: n/a

Solubility in Water: Appreciable Evaporation Rate: Butyl Acetat=1 lt 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 115 F

Extinguishing Media: Dry powder, chemical foam, carbon dioxide.

Special Fire Fighting Procedures: Self contained breathing apparatus, full face piece operated in pressure

demand or other positive mode.

Explosion Hazards: n/a

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong oxidizing agents.

Hazardous Decomposition or Byproducts: Ammonia, Carbon Dioxide, Carbon Monoxide and various

Hydrocarbons.

Hazardous Polymerization: May occur.

Conditions to Avoid: Polymerization catalysts such as aluminum chloride.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Acute.

Routes of entry, Signs and symptoms of exposure:

Skin: Irritant, dermatitis may result.

Eyes: Irritant Eye Protection: Splash Goggles or Face Shield.

Inhalation: Irritant, respiratory inflammation may occur. Avoid Breathing vapor or mist.

Ingestion: See First Aid Procedure's.

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures: Skin: Wash with soap and water.

Eyes: Flush eyes with water for 15 minutes. Call a physician.

Inhalation: Remove to fresh air. Administer oxygen if necessary. Call a physician. Ingestion: Dilute by drinking water or milk. Contact a physician immediately.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Eliminate source of ignition. Absorb on dirt, sand, or other suitable absorbent.

Handling and Storing: Keep away from fire or flame, avoid breathing vapors. Keep out of reach of children. Protective clothing and boots.

Other Precautions: Follow federal, state, and local regulations when disposing of waste.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate Ventilation. Protective Gloves: PVC, PE, or Neoprene

PRODUCT NAME: PET ENZYME

PRODUCT #125

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 0
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel:

%:

Proprietary Formulation Hazardous Components:

None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 100c Appearance and Odor: Opaque liquid, slight ordor.

Vapor Pressure: Equivalent to water
Vapor Density: 1.0
Solubility in Water: Complete

Specific Gravity: 1.00
Melting Point: N/A
Evaporation Rate: ND

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: Carbon dioxide, dry chemical, or Water spray.

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A

Decomposition or Byproducts: Not Know. Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure: Skin: May irritate extremely sensitive individuals.

Eyes: Possible eye irritant.

Inhalation: Inhaling mist could cause irritation to lungs and mucus membranes.

Ingestion: Ingestion may result in abdominal pain, nausea, and vomiting.

Medical conditions generally aggravated by exposure: Unknown.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse skin with clear water.

Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.

Inhalation: Not applicable.

Ingestion: Watch victim for any signs of illness, induce vomiting only if advised by physician. Get

medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills:

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions. Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not required.

Ventilation: Not required.

Protective Gloves: Recommended

Eye Protection: Safety glasses with side shield

Other Protective Clothing or Equipment: Not required.

PRODUCT NAME: **HEAVEN'S BEST FABRIC PROTECTOR** PRODUCT #126

SECTION I

 M-CO INC.
 Least=0

 247 N. 1st East P.O. Box 607
 HEALTH:3
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY:3
 Moderate=2

 Date: 7-1-12
 REACTIVITY:0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:

Cas#:
%:
Isoparaffinic Hydrocarbons
Copolymer Resin

N/A

Osha/Pel:
300

Not Established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 311-348 F Appearance and Odor: Slight Hydrocarbon colorless Vapor

Pressure: <10mm Hg at 77 F

Vapor Density: Heavy

Specific Gravity: .75

Melting Point: N/A

Solubility in Water: <0.7% essentially insoluble Evaporation Rate: Slower than Ether

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 106 F

Extinguishing Media: Use foam, dry chemical or Co2. Water fog may lessen fire intensity.

Special Fire Fighting Procedures: Use self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.

Explosion Hazards: Isolate from excessive heat. Closed containers may explode when exposed to extreme heat. Keep container closed when not is use.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizing agents.

Hazardous Decomposition or Byproducts: Carbon Monoxide and Carbon Dioxide. Aldehydes

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Prolonged or repeated skin contact can cause drying irritation, and dermatitis.

Eyes: Eye Contact can cause irritation, redness, tearing, and blurred vision.

Inhalation: Excessive inhalation of vapors can cause giddiness, headache, dizziness, and nausea.

Ingestion: Seek medical assistance.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: None known.

Emergency and First Aid Procedures:

Skin: Remove contaminated clothing and wash skin with soap and warm water.

Eyes: Flush eyes with water for 15 minutes or until irritation subsides.

Inhalation: Remove to fresh air. Call a physician.

Ingestion: Obtain medical assistance to determine the best emergency treatment.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dike and contain spill. Clean up immediately. Avoid buildup of vapors.

Handling and Storing: Keep away from excessive heat, sparks and flame. Store in a clean, dry area. Keep product away from moisture and close containers when not in use.

Other Precautions: Intentional misuse by deliberately concentrating or inhaling vapors may be harmful or fatal.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally needed.

Ventilation: Provide sufficient mechanical and/or local ventilation to maintain exposure levels below the TLV.

Protective Gloves: Use chemical resistant gloves if needed to avoid repeated or prolonged skin contact.

PRODUCT NAME: FAST ACTING ENZYME

PRODUCT #127

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-08
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:

Cas#:
%:
Sodium Carbonate 497-19-8 Not Established
Sodium Silcate 6834-92-0 Not Established
Nonhazardous Components
Triacylglycerol Liqase 9001-62-1

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N\A Appearance and Odor: Granular material with pleasant odor

Vapor Pressure: N\ASpecific Gravity: 1.15Vapor Density: N\AMelting Point: N\ASolubility in Water: CompleteEvaporation Rate: N\A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: N\A

Special Fire Fighting Procedures: Do not enter a confined fire space with out proper equipment including a

NIOSH approved self contained breathing apparatus.

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Do not mix with strong acids

Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known Routes of entry, Signs and symptoms of exposure:

Skin: Severe irritant. Eyes: Severe irritant.

Inhalation: Irritation to respiratory system. Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None Known.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse with clear water.

Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use. Do not freeze. Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

Ventilation: Mechanical recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

PRODUCT NAME: **QUICK BOOST**

PRODUCT #128

SECTION I

M-CO INC. Least=0

P.O. Box 607 HEALTH: 1 Slight=1
Rexburg, Id 83440 FLAMMABILITY: 0 Moderate=2
Date: 7-1-12 REACTIVITY: 0 High=3
Phone: (208) 359-1106 Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Components: Cas#: Osha/Pel:
Sodium Tripolyphosphate 7758-29-4 Not Established
Sodium Trimetaphospate 7785-84-4 Not Established
Tetrasodium pyrophosphate 7722-88-5 Not Established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N\A Appearance and Odor: White Granular material no odor

Vapor Pressure: N\A
Vapor Density: N\A
Solubility in Water: 14.8 @ 25 degrees C
Evaporation Rate: N\A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: N\A

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Do not mix with strong acids

Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known Routes of entry, Signs and symptoms of exposure:

Skin: Slight irritant. Eyes: Slight irritant.

Inhalation: Irritation to respiratory system. May cause coughing, chest tightness or pain, runny nose, or burning throat.

Ingestion: Gastric pain and vomiting, nausea, or diarrhea.

Medical conditions generally aggravated by exposure: None Known.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse with clear water.

Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention. Give oxygen.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use.

Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

Ventilation: Mechanical recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: **HEAVEN'S BEST INK REMOVER**

PRODUCT #130

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 1
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

Dipropylene glycol nethyl ether 34590-94-8 N-methyl pyrolidone 872-50-4

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data Appearance and Odor: Yellowish Clear liquid, mild Odor.

Vapor Pressure: No Data

Vapor Density: No Data

Specific Gravity: 1.03

Melting Point: N/A

Solubility in Water: Partially soluble

Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 300 F (coc)

Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Vapors are heavier than air care should be taken to force air into room to remove vapors.

Explosion Hazards: Remove all sources of ignition prior to applying.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizers or strong acids.

Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and heat.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eyes: Possible irritant.

Inhalation: Vapors are harmful if inhaled Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water. If irritation results, apply skin cream

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: **DEFOAMER**

PRODUCT #131

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

NONE

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >35C Appearance and Odor: Viscous Liquid White Slight odor.

Vapor Pressure: No Data Specific Gravity: @ 25C: 1.0

Vapor Density: No Data
Melting Point: N/A
Solubility in Water: Partially soluble
Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA

Extinguishing Media: NA. Special Fire Fighting Procedures: Explosion Hazards: NONE

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizers or strong acids.

Hazardous Decomposition or Byproducts: NONE. Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Dehydration and congestion may occur in internal organs..

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eves: Possible irritant.

Inhalation: No first aid should be needed. Ingestion: No know applicable information.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: If large quantities were swallowed. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate ventilation.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eve Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: **DISINFECTANT & ANTI - BACTERIAL** PRODUCT #132

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 3
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 1
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:
Dimethylbenzyl ammonium choride 68424-85-1 NA
Dimethyl Ammonium chloride 68424-95-3 NA

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 214 F Appearance and Odor: Clear liquid, mild Odor.

Vapor Pressure: No Data

Vapor Density: No Data

Vapor Density: No Data

Solubility in Water: Complete

Specific Gravity: 1.00

Melting Point: N/A

Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None)

Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: None.

Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizers or strong acids.

Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and heat.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eyes: Possible irritant.

Inhalation: Vapors are harmful if inhaled Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water. If irritation results, apply skin cream

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: COFFEE REMOVER

PRODUCT #135

SECTION I

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Components: Cas#: Osha/Pel: %

Sodium Metabisulfite 3133-92-6

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N\A Appearance and Odor: White Granular material no odor

Vapor Pressure: N\A Specific Gravity: 1.15
Vapor Density: N\A Melting Point: N\A
Solubility in Water: 15 percent Evaporation Rate: N\A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: N\A

Special Fire Fighting Procedures: Do not enter fire space with out proper protective equipment including a

NOISH approved self contained breathing apparatus.

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Do not mix with strong acids

Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None Known

Routes of entry, Signs and symptoms of exposure:

Skin: Slight irritant. Eyes: Slight irritant.

Inhalation: Irritation to respiratory system.

Ingestion: Gastric pain and vomiting, nausea, or diarrhea. Medical conditions generally aggravated by exposure: None Known.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse with clear water.

Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention. Give oxygen.

Ingestion: Immediately drink large quantities of water, citrus juice, milk or other liquid. Avoid alcohol. Get medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use.

Other Precautions: Keep this and all chemicals out of reach of children.

•

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

Ventilation: Mechanical recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: WATER BASED FABRIC PROTECTOR PRODUCT #136

SECTION I

 M-CO INC.
 Least=0

 247 N. 1st East P.O. Box 607
 HEALTH:1
 Slight=1

 Rexburg, ID 83440
 FLAMMABILITY:0
 Moderate=2

 Date: 7-1-12
 REACTIVITY:0
 High=3

 Phone: (208) 359-1106
 EMERGENCY: 1-800-359-2095
 Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	%	Osha/Pel:
Water	7732-18-5	88-96	
Partially Fluorinated Urethane		1-5	
Phenolic Resin Condensate		1-3	
Acrylic Polymer		1-3	
1,3 Propanediol	504-63-2	1-2	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: NA Appearance and Odor: Opaque Liquid, Tan Vapor Pressure: NA Specific Gravity: 1.02 @ 20C (68F) Vapor Density: Heavy Melting Point: N/A

Solubility in Water: 100%

Welling Point: N/A

Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Does not ignite

Extinguishing Media: Use water, dry chemical or Co2.

Special Fire Fighting Procedures: Use self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.

Explosion Hazards: Closed containers may explode when exposed to extreme heat. Keep container closed when not is use.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizing agents.

Hazardous Decomposition or Byproducts: Carbon Monoxide and Carbon Dioxide. Aldehydes

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Prolonged or repeated skin contact can cause skin irritation.

Eyes: Eye Contact can cause irritation, Immediately flush with water for 15 minutes.

Inhalation: Excessive inhalation of vapors can cause lung irritation.

Ingestion: Do not induce vomiting. Immediately give 2 glasses of water. Seek medical assistance.

Medical conditions generally aggravated by exposure:

Carcinogenic: None known.

Emergency and First Aid Procedures:

Skin: Remove contaminated clothing and wash skin with soap and warm water.

Eyes: Flush eyes with water for 15 minutes or until irritation subsides.

Inhalation: Remove to fresh air. Call a physician.

Ingestion: Obtain medical assistance to determine the best emergency treatment.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dike and contain spill. Clean up immediately. Avoid buildup of vapors.

Handling and Storing: Keep away from excessive heat, sparks and flame. Store in a clean, dry area. Keep product away from moisture and close containers when not in use.

Other Precautions: Intentional misuse by deliberately concentrating or inhaling vapors may be harmful or fatal.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally needed. Ventilation: Provide sufficient mechanical and/or local ventilation to maintain exposure levels below the TLV.Protective Gloves: Use chemical resistant gloves if needed to avoid repeated or prolonged skin contact.

PRODUCT NAME: LEATHER CLEANER & CONDITIONER PRODUCT #140

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 2
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

Water 007732-18-5

Citrus Oil Amine Soap Polysiloxane

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 200 degrees F Appearance and Odor: Yellowish paste, citrus odor.

Vapor Pressure: No DataSpecific Gravity: .95Vapor Density: No DataMelting Point: N/ASolubility in Water:80-90 percentEvaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA

Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: None known.

Hazardous Decomposition or Byproducts: Acrid fumes

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Eyes: Mild irritant. Inhalation: Mild irritant. Ingestion: May cause nausea.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: GUM FREEZER

PRODUCT #145

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 4
 Moderate=2

 Date7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: Propane 74-98-6 1,000ppm Butane 06-97-8 800ppm

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-6.4 to +10.9 F Appearance and Odor: clear liquid, sweet petroleum

Vapor Pressure: 46 Specific Gravity: .56 Vapor Density: Melting Point:

Solubility in Water: none Evaporation Rate: immediate at temperatures above -6.4 F

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable

Extinguishing Media: Dry chemical (B-C), H2O

Special Fire Fighting Procedures: Keep cool using water spray. Protect personnel from bursting containers

Explosion Hazards: Vapors heavier than air and may travel along ground.

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: none

Hazardous Decomposition or Byproducts: Carbon Monoxide, Volatile Hydrocarbon Vapors

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: liquid can cause free burns and irritation. Eyes: liquid can cause free burns and irritation.

Inhalation: yes Ingestion: not likely

Medical conditions generally aggravated by exposure: none known

Carcinogenic: No.

Emergency and First Aid Procedures:

Skin: Warm affected area gradually. Flush with plenty of water. Get medical attention. Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately. Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.

Ingestion: Do not induce vomiting. Get medical attention immediately

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A

Handling and Storing: Store in cool place away from fire or flame. Other Precautions: Do not smoke near or use near fire of flame.

S E C T I O N VIII CONTROL MEASURES

SECTION VIII CONTROL MEASURES

Respiratory Protection: none required for normal use

Ventilation: Well ventilated area

Protective Gloves: none required for normal use.

Eye Protection: safety glasses

Other Protective Clothing or Equipment: none required for normal use.

PRODUCT NAME: STAINLESS STEEL CLEANER

PRODUCT # 150

SECTIONI

M-CO Inc. Least=0 Slight=1 P.O. Box 607 HEALTH: 1 Rexburg, Id 83440 FLAMMABILITY: 1 Moderate=2 Date: 7-1-12 **REACTIVITY: 0** High=3 Extreme=4 Phone: (208) 359-1106

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Osha/Pel: %: Hazardous Components: Cas#:

Water 7732-18-5 40-70 White Mineral oil (Petroleum) 8042-47-5 10-30 Naphthol Spirits 64742-48-9 7-13 Sorbitan Oleate 1338-43-8 3-7 Sorbitol 50-70-4 1-5

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Thick, white emulsion, mild citrus.

Vapor Pressure: NA Specific Gravity: 1 Vapor Density: NA Melting Point: NA Solubility in Water: NA Evaporation Rate: NA

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 208 F

Extinguishing Media: Class A extinguishing agent.

Special Fire Fighting Procedures: Non-Flammable: Ordinary combustible material

Explosion Hazards: NA

S E C T I O N V REACTIVITY DATA

Stability: Stable Incompatibility: none

Hazardous Decomposition or Byproducts: Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization: Will not occur

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Mild skin irritation: redness, swelling, and itching.

Eyes: Mild eye irritation: localized redness, pain, and tearing.

Inhalation: Irritation: cough, sneezing, nasal discharge, headaches, hoarseness, and nose and

throat pain.

Ingestion: abdominal pain, nausea, diarrhea and vomiting.

Medical conditions generally aggravated by exposure: none known

Carcinogenic: No.

Emergency and First Aid Procedures:

Skin: Wash area with soap and water. If signs persist, get medical attention..

Eyes: Flush eyes with large amounts of water. Get medical attention. Eye Protection: safety glasses Inhalation: If sign/symptoms develop, move to fresh air. If signs persist seek medical attention.

Ingestion: Do not induce vomiting unless instructed to do so by medical personnel. Give victim 2

glasses of water. Get medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Call 1-800-364-3577 for information of handling spills.

Handling and Storing: Store in normal warehouse conditions, avoid contact with product.

Other Precautions: Do not eat, drink or smoke near product.

PRODUCT NAME: FILTRATION-LINE CLEANER

PRODUCT #155

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY:0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

NONE N/A N/A

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-N/D Appearance and Odor: Floral Scent

Vapor Pressure: N/D
Vapor Density: N/D
Solubility in Water N/D
Solubility in Water N/D
Solubility in Water N/D
Solubility in Water N/D
Specific Gravity: .
Melting Point:
RTU ph: 9.5 - 9.9

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 212 F

Extinguishing Media: Use water to cool nearby containers and structures exposed to fire.

Special Fire Fighting Procedures: Keep cool using water spray. Wear self-contained breathing apparatus and full protective

clothing.

Explosion Hazards: Hazardous combustion products may include and are not limited to carbon dioxide monoxide.

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: none

Hazardous Decomposition or Byproducts: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and

other unidentified thermal decomposition products from this product or its packaging.

Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: none

Routes of entry, Signs and symptoms of exposure:

Skin: May cause slight temporary irritation.

Eyes: May cause slight temporary eye irritation; injury to eye tissue unlikely.

Inhalation: May cause slight temporary irritation.

Ingestion: Small amounts swallowed, incidental to normal handling operations, are not likely to cause injury.

Medical conditions generally aggravated by exposure: none known

Carcinogenic: No.

Emergency and First Aid Procedures:

Skin: Wash with soap and water.

Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.

Inhalation: Remove to fresh air.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give

two glasses of water.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A

Handling and Storing: Store out of reach of children; keep container closed Store in cool place well-ventilated place.

Other Precautions: Avoid contact with skin and eyes. Wash hands thoroughly after handling.

SECTION VIII CONTROL MEASURES

Respiratory Protection: none required for normal use

Ventilation: Well ventilated area

Protective Gloves: none required for normal use.

Eye Protection: safety glasses

Other Protective Clothing or Equipment: none required for normal use

PRODUCT NAME: HARD SURFACE ACID CLEANER

PRODUCT #160

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 2
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Emergency: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:Cas#:Osha/Pel:%:Urea Monohydrochloride506-89-8>30%Glycol Ether DPNB29911-28-2<5%</td>

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 Appearance and Odor: Amber liquid with slight acrid odor.

Vapor Pressure: No Data Specific Gravity: 1.1
Vapor Density: No Data Melting Point: N/A
Solubility in Water: Complete PH (1%solution) 1.0

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point

Extinguishing Media: water spray, carbon dioxide, drychemical.

Special Fire Fighting Procedures: Wear self contained breathing apparatus & full body protection

Explosion Hazards: Temperatures above 140oF acid action on most metals may release hydrogen, a highly flammable and

explosive gas

SECTION V REACTIVITY DATA

Stability: Stable up to 230oF

Incompatibility: Incompatible with oxidizing agents. May be extremely hazardous in contact with chlorates or nitrates.

Contact with hypochlorites will liberate toxic gases. Contact with ammonia will generate heat. .

Hazardous Decomposition or Byproducts: Thermal decomposition may yield oxides of carbon, nitrogen and chlorine.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Heating above 230oF results in exothermic decomposition with rapid release of carbon dioxide gas.

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.

Skin: Mild irritant. Eyes: **Cause burns to eyes**. Inhalation: May cause irritation.

Ingestion: May be harmful or fatal if ingested.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with soap water for 15 minutes Get medical attention.

 $Eyes: Immediately \ flush \ with \ clear \ water \ for \ 15 \ minutes. \ Get \ medical \ attention \ if \ irritation \ persists.$

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: If large quantities were swallowed. DO NOT INDUCE VOMITING Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with chemical absorbent material and sweep up for disposal or contain and collect for use Prevent spill.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eve Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: HARD SURFACE CLEANER (New)

PRODUCT #161

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Emergency: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:Cas#:Osha/Pel:%:Butoxy Ethanol111-76-22Mg/M2Mg/m

Sodium Hydroxide 1310-73-2 50 ppm

Glycol Ether N/A

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data Appearance and Odor: Yellow liquid with slight citrus odor.

Vapor Pressure: No Data
Specific Gravity: 1.015
Vapor Density: No Data
Melting Point: N/A
Solubility in Water: Complete
Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point

Extinguishing Media: NA Use media suitable for surrounding fire.

Special Fire Fighting Procedures: N/A

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: N/A.

Hazardous Decomposition or Byproducts: Oxides of carbon and phosphorus.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Extreme Heat

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.

Skin: Mild irritant. Eyes: Possible irritant. Inhalation: May cause irritation.

Ingestion: May cause irritation. Get medical Attention. Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists. Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: If large quantities were swallowed. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: WOOD FLOOR CLEANER

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Emergency: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %: Water 7732-18-5 to 100 Potassium Tall Oil Soap 61790-44-1 5 to 10 0 to 5 Nonionic Surfactant 9016-45-9 Tetrasodium EDTA 64-02-8 0 to 5 Tetrasodium Pyrophosphate 7722-88-5 0 to 5 Perfume Oils 0 to 5 N/A

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F. Appearance and Odor: Amber liquid with sassafras odor.

Vapor Pressure:20mm@68F. Specific Gravity: 1.02 Vapor Density: (Air=1):>1 Melting Point: N/A

Solubility in Water: Complete Evaporation Rate: (water=1):<1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: N/A.

Special Fire Fighting Procedures: Non Flammable

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: None.

Hazardous Decomposition or By products: Will not occur.

Hazardous Polymerization: None. Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.

Skin: Mild irritant. Eyes: Possible irritant. Inhalation: N/A.

Ingestion: May cause irritation. Get medical Attention.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.

Inhalation: N/A.

Ingestion:Dilute with 2glasses of water. Get medical attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: GROUT TREATOR

SECTIONI

M-CO INC.

P.O. Box 607

Rexburg, Id 83440

Date: 7-1-12

Phone: (208) 359-1106

Least=0

Slight=1

Moderate=2

REACTIVITY: 0

High=3

Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Isopropylic alcohol	67-63-0	986 mg/m3	<10%
Butylgicol	111-76-2	100 mg/m3	<10%
1-metoxi-2-propanol	107-98-2	360 mg/m3	<10%
1-metoxi-2-propanol	107-98-2	360 mg/m3	<10%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >101 C

Appearance and Odor: Clear solvent with ammonia odor
Vapor Pressure: ND Specific Gravity: .995
Vapor Density: ND Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A
S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: Carbon dioxide chemical foam.

Special Fire Fighting Procedures: Volatile ingredients can burn. Eliminate all firing points. Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

Explosion Hazards: Combustion can produce toxic gasses.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: None known

Decomposition or Byproducts: None Known Hazardous Polymerization: Will not occur. **S E C T I O N VI HEALTH HAZARD DATA**

SECTION VI HEALIH HAZAKU DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: May Slight irritant

Eves: Irritant.

Inhalation: Avoid breathing vapors Respiratory Protection: As needed

Ingestion: Get medical attention immediately

Medical conditions generally aggravated by exposure:

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Flush with clean water. Protective Gloves: Rubber.

Eyes: For eye contact immediately flush with clear running water for 15 minutes.

Get medical attention. Eye Protection: Safety glasses.

Inhalation: Remove to fresh air.

Ingestion: Do not induce vomiting. Immediately drink large quantities of water. S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute Absorb with inert material.

Handling and Storing: Do not store above 100 F

PRODUCT NAME: **DE-WAXER**

SECTIONI

M-CO INC.

P.O. Box 607

Rexburg, Id 83440

Date 7-1-12

Phone: (208) 359-1106

Least=0

Slight=1

FLAMMABILITY: 0

Moderate=2

REACTIVITY: 0

High=3

Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	% :
2-Butoxyethanol	111-76-2	50 (ppm)	<21
Benzyl Alcohol	100-51-6	6 (ppm)	<10
Monoethanolamine	141-43-5	6 (ppm)	5-10
Sodium Xylene Sulfonate	1300-72-7	NA	<5
Perfume Oil	100-52-7	NA	<1
Nonionic Surfactant	9016-45-9	NA	0-5
Mixed Amphocarboxylates	NA	NA	0-5
Tetrasodium salt of			
ethylendiaminetetraacetic acid	64-02-8	NA	<1
Dye	NA	NA	<1
Water	7732-18-5	NA	55-60%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >214 F Appearance and Odor: Pale green Banana like

Vapor Pressure: >20mm Hg @ 68 F Specific Gravity: .993 Vapor Density: >1 (Air=1) Melting Point: NA

Solubility in Water: Complete Evaporation Rate: <1 compared to butyl acetate

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA

Extinguishing Media: NA

Special Fire Fighting Procedures: None

Explosion Hazards: None

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Strong acids or Oxidizers Decomposition or Byproducts: None Known Hazardous Polymerization: Will not occur.

172

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Corrosive to skin Eyes: Corrosive to eyes Inhalation: Harmful

Ingestion: Harmful if swallowed, irritation to mouth, throat, and stomach

Medical conditions generally aggravated by exposure: Asthma and related respiratory illness may be aggravated by exposure. Severe over exposure can produce lung damage, chocking, unconsciousness or death.

Carcinogenic:

Emergency and First Aid Procedures:

Skin: Causes Burns. Remove contaminated clothing. Flush area with water for 15 minutes, seek

medical attention.

Eyes: Corrosive to eyes. Immediately flush with water for 15 minutes keeping eyelids open. Seek medical attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, call a Physician. Ingestion: Corrosive to mouth, throat, and gastrointestinal system. Do Not induce vomiting.

Dilute with 2 glasses of water. Seek Medical Attention.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with inert material and place in appropriate waste container.

Handling and Storing: Not for use of storage in or around home.

Other Precautions: Prevent entry to sewers, basement or confined areas. Neutralize with vinegar or acetic acid or use a basic spill kit.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: Use appropriate respirator.

Ventilation: Mechanical Protective Gloves: Rubber. Eye Protection: Safety glasses.

Other Protective Clothing or Equipment:

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: WAX AND SHINE 25

SECTIONI

 M-CO INC.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Water	7732-18-5	NA	>50%
Acrylic Copolymer	NA	NA	45-50%
Polyethylene Wax Emulsion	NA	NA	0-5%
Diethylene Glycol Methyl Ether	111-90-0	25 (ppm)	0-5%
Dipropylene Glycol Methyl Ethe	r 34590-94-8	NA	0-5%
Tributoxethyl Phosphate	78-51-3	NA	0-5%
Fluorochemicals in water	NA	NA	0-5%
Optical Brightener	NA	NA	0-5%
Zinc Ammonium Carbonate			
Compound	38714-47-5	NA	0-5%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >212 F Appearance and Odor: Grayish White Liquid

Vapor Pressure: ND Specific Gravity: 1.03 Vapor Density: >1 (Air=1) Melting Point: 0 F Solubility in Water: NA Evaporation Rate: <1

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: Non-flammable substance

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: None known

Decomposition or Byproducts: None Known Hazardous Polymerization: Will not occur.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Skin Destruction or dermatitis

175

Eyes: Irritant. Inhalation: NA Ingestion: NA

Medical conditions generally aggravated by exposure:

Carcinogenic:

Emergency and First Aid Procedures:

Skin: Flush with clean water.

Eyes: Rinse immediately with plenty of water.

Inhalation: Remove to fresh air.

Ingestion: Drink several glasses of water or milk. Seek Medical attention immediately.

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with inert material.

Handling and Storing: Avoid contact with skin Other Precautions: Full suite, boots, and gloves **S E C T I O N VIII CONTROL MEASURES**

Respiratory Protection: Avoid breathing concentrated fumes

Ventilation: Normal ventilation Protective Gloves: Rubber. Eye Protection: Safety glasses.

Other Protective Clothing or Equipment:

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: WOOD FLOOR WAX

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 2
 Moderate=2

 Date7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

 Hazardous Components:
 Cas#:
 Osha/Pel:
 %:

 Mineral Spirits
 8052-41-3
 60-75

 Turpentine
 8006-64-2
 10-25

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-300 c (149) F Appearance and Odor: Amber- Turpentine

Vapor Pressure: ND Specific Gravity: 1.0 Vapor Density: ND Melting Point: Solubility in Water: ND Evaporation Rate:

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable 108 F Extinguishing Media: Dry chemical (B-C), H2O

Special Fire Fighting Procedures: Keep cool using water spray. Protect personnel from bursting containers Explosion Hazards: Hazardous combustion Products may include and are not limited to carbon dioxide monoxide.

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: none

Hazardous Decomposition or Byproducts: Carbon Monoxide, Volatile Hydrocarbon Vapors

Hazardous Polymerization: Will not occur

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: liquid can cause free burns and irritation. Eyes: liquid can cause free burns and irritation.

Inhalation: yes Ingestion: not likely

Medical conditions generally aggravated by exposure: none known

Carcinogenic: No.

Emergency and First Aid Procedures:

Skin: Warm affected area gradually. Flush with plenty of water. Get medical attention. Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately. Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.

Ingestion: Do not induce vomiting. Get medical attention immediately

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A

Handling and Storing: Store in cool place away from fire or flame. Other Precautions: Do not smoke near or use near fire of flame.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: none required for normal use

Ventilation: Well ventilated area

Protective Gloves: none required for normal use.

Eve Protection: safety glasses

Other Protective Clothing or Equipment: none required for normal use.

PRODUCT NAME: **DE-COLOR**

PRODUCT #167

SECTION I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 Least=0
HEALTH: 3 Slight=1
FLAMMABILITY: 2 Moderate=2
REACTIVITY: 2 High=3
Extreme=4

S E C T I O N $\,$ II $\,$ HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 50% Trade Secret 50%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F Appearance and Odor: Green Alcohol

Vapor Pressure: NA Specific Gravity: 1
Vapor Density: 1 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs. Ingestion: Give two glasses of water Call physician

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

 $\mbox{Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.$

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 C (392 F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

Section 3 - 56

PRODUCT NAME: DYE-SET

PRODUCT #168

S E C T I O N I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 Least=0

HEALTH: 2 Slight=1

FLAMMABILITY: 0 Moderate=2

REACTIVITY: 1 High=3

Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 50% Trade Secret 50%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F Appearance and Odor: Clear Vineger

Vapor Pressure: NA Specific Gravity: 1
Vapor Density: 1 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs. Ingestion: Give two glasses of water Call physician

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

 $\,$ Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 C (392 F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: **BLEACH NEUTRALIZER**

PRODUCT #169

SECTION I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 Least=0
HEALTH: 0 Slight=1
FLAMMABILITY: 0 Moderate=2
REACTIVITY: 0 High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 50% Trade Secret 50%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F Appearance and Odor:Clear Oderless
Vapor Pressure: NA Specific Gravity: 1

Vapor Density: 1 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.

Ingestion: Give two glasses of water Call physician Medical conditions generally aggravated by exposure: $\ensuremath{\text{N/A}}$

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

Section 3 - 60

PRODUCT NAME: **RED DYE**

PRODUCT #170

SECTION I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 Least=0
HEALTH: 0 Slight=1
FLAMMABILITY: 0 Moderate=2
REACTIVITY: 0 High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 20% Trade Secret 80%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F

Vapor Pressure: NA

Vapor Density: 1

Solubility in Water: Complete

Appearance and Odor: Red

Specific Gravity: 1

Melting Point: N/A

Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.

Ingestion: Give two glasses of water Call physician Medical conditions generally aggravated by exposure: $\ensuremath{\text{N/A}}$

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

 $\,$ Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

Section 3 - 62

PRODUCT NAME: YELLOW DYE

PRODUCT #171

SECTION I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0

Slight=1 Moderate=2 High=3 Extreme=4

Least=0

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 20% Trade Secret 80%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F Appearance and Odor: Yellow Vapor Pressure: NA Specific Gravity: 1
Vapor Density: 1 Melting Point: N/A

Vapor Density: 1Melting Point: N/ASolubility in Water: CompleteEvaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs. Ingestion: Give two glasses of water Call physician

Medical conditions generally aggravated by exposure: N/A

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: **BLUE DYE** PRODUCT #172

SECTION I

M-CO Inc. P.O. Box 607 Rexburg, Id 83440 Date: 6/5/12

Phone: (208) 359-1106 Emergency: 1-800-359-2095 Least=0
HEALTH: 0 Slight=1
FLAMMABILITY: 0 Moderate=2
REACTIVITY: 0 High=3
Extreme=4

S E C T I O N $\,$ II $\,$ HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:

Water 20% Trade Secret 80%

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F

Vapor Pressure: NA

Vapor Density: 1

Solubility in Water: Complete

Appearance and Odor: Blue
Specific Gravity: 1

Melting Point: N/A

Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable

Incompatibility: Incompatible with strong oxidizing agents.

Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema. Routes of entry, Signs and symptoms of exposure:

Skin: Irritation with discomfort or rash; allergic skin rashes.

Eyes: Irritation, burning sensation, redness, itching or watering of eyes. Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.

Ingestion: Give two glasses of water Call physician Medical conditions generally aggravated by exposure: $\ensuremath{\text{N/A}}$

Carcinogenic: Not listed.

Emergency and First Aid Procedures:

Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.

Eyes: Rinse eye with water for 15 minutes, call a physician Inhalation: Move to fresh air. If breathing problems develop, see a physician Ingestion: Call a physician

S E C T I O N $\,$ VII $\,$ PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrite exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

Section 3 - 66

PRODUCT NAME: STONE ENHANCER & SEALER

SECTION I

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 2
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 3
 Moderate=2

 Date7-1-12
 REACTIVITY: 1
 High=3

 Phone: (208) 359-1106
 Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %: Triethoxyoctylsilane 2943-75-1 7-13 Hexyltrimethoxysilane 3069-19-0 3-7 Titanium tetrabutanolate 5593-70-4 1-5 Methyl alcohol 67-56-1 1-5 N-Butyl alcohol 71-36-3 0.1 - 1

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-275 c 527) F Appearance and Odor: Yellow Low odor

Vapor Pressure: ND Specific Gravity: 1.1
Vapor Density: ND Melting Point: NA
Solubility in Water: insoluble Evaporation Rate: NA

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable 68 F

Extinguishing Media: Dry chemical (B-C), H2O

Special Fire Fighting Procedures: Use Powder, foam, carbon dioxideUsing water spray unsuitable.

Explosion Hazards: Hazardous combustion Products may include and are not limited to carbon oxides monoxide.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Acids, Bases, oxidizers.

Hazardous Decomposition or Byproducts: Oxides of Carbon formaldehyde

Hazardous Polymerization: NA

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: May cause irritation. Eyes: May cause eye irritation.

Inhalation: May cause respiratory tract irritation

Ingestion: Harmful if swallowed

Medical conditions generally aggravated by exposure: Prolong contact may dry skin and eye irritation

Carcinogenic: No.

Emergency and First Aid Procedures:

Skin: Flush with plenty of water. Get medical attention.

Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.

Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.

Ingestion: Do not induce vomiting. Get medical attention immediately

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak into absorbent material. Keep out of drains, sewers, ditches and waterways.

Handling and Storing: Store in cool place away from fire or flame.

Other Precautions: Do not eat or smoke near or use near fire of flame.

SECTION VIII CONTROL MEASURES

Respiratory Protection: In case of insufficient ventilation. Wear suitable respiratory equipment

Ventilation: Well ventilated area

Protective Gloves: Wear suitable gloves. Eye Protection: Wear eye/face protection.

Other Protective Clothing or Equipment: Wear suitable protective clothing.

PRODUCT NAME: MULTI-SURFACE MAINTAINER

PRODUCT #174

SECTIONI

 M-CO Inc.
 Least=0

 P.O. Box 607
 HEALTH: 1
 Slight=1

 Rexburg, Id 83440
 FLAMMABILITY: 0
 Moderate=2

 Date: 7-1-12
 REACTIVITY: 0
 High=3

 Phone: (208) 359-1106
 Emergency: 1-800-359-2095
 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

Polyethoxynonphenoxy ethanol 6841254 none Isopropanol 67630 400 ppm

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F. Appearance and Odor: yellow liquid/ lemon scent.

Vapor Pressure: Specific Gravity: 1.00 Vapor Density: (Air=1): Melting Point: N/A

Solubility in Water: Complete Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: N/A.

Special Fire Fighting Procedures: Non Flammable

Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable Incompatibility: None.

Hazardous Decomposition or By products: Will not occur.

Hazardous Polymerization: None. Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.

Skin: Mild irritant. Eyes: Possible irritant. Inhalation: N/A.

Ingestion: May cause irritation.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.

Inhalation: N/A. Ingestion:Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: Local Exhaust, adequate Protective Gloves: Rubber or neoprene. Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.