

MATERIAL SAFETY DATA SHEET (MSDS)

IDENTITY: STRUCTURE CONTROL SYSTEM-AMAZON OIL

MANUFACTURER'S CODE: 12AO

SECTION 1.

MANUFACTURER'S NAME:

AWARE PRODUCTS
9250 MASON AVENUE
CHATSWORTH, CA 91311

24 Hr. EMERGENCY TELEPHONE NUMBER:

CHEMTREC 800-424-9300 (within the USA)

TELEPHONE NUMBER FOR INFORMATION:

818-206-6700

FAX NUMBER: 818-717-1676

Date Prepared : 9-Oct-09

SECTION 2. HAZARD INGREDIENTS/IDENTITY INFORMATION:

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

| HAZARDOUS COMPONENTS | % RANGE | CAS NO. | OSHA PEL | ACGIH TLV |
|----------------------|---------|---------|----------|-----------|
| N/A | N/A | N/A | N/A | N/A |

SECTION 3. HAZARDS IDENTIFICATION:

I. EMERGENCY OVERVIEW:

TYPE OF HAZARD: Not applicable.

APPEARANCE: Brown, hazy, slightly viscous liquid.

II. POTENTIAL HEALTH EFFECTS:

INHALATION: Not applicable.

SKIN CONTACT: May be irritating to extra-sensitive skin.

EYE CONTACT: May cause irritation.

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

MATERIAL SAFETY DATA SHEET (MSDS)

MANUFACTURER'S NAME: AWARE PRODUCTS, 9250 MASON AVENUE, CHATSWORTH, CA 91311
INFORMATION/EMERGENCY NO. CHEMTREC 800-424-9300 (within the USA)
NAME OF PRODUCTS: STRUCTURE CONTROL SYSTEM-AMAZON OIL

SECTION 4. FIRST AID MEASURES:

INHALATION: Not applicable.

SKIN: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.

EYES: Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

SECTION 5. FIRE FIGHTING MEASURES:

FLAMMABILITY CLASSIFICATION: not flammable **FLASH POINT:** not applicable

EXTINGUISHING MEDIA: Foam, CO₂, water fog, sand/earth.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not applicable.

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

DISPOSAL METHOD: Sweep up and dispose of in accordance with Federal, State and local regulations.

SECTION 7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: Use as directed.

STORAGE PRECAUTIONS: Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.

OTHER PRECAUTION: Caution! Spilled material is slippery.

MATERIAL SAFETY DATA SHEET (MSDS)

MANUFACTURER'S NAME: AWARE PRODUCTS, 9250 MASON AVENUE, CHATSWORTH, CA 91311
INFORMATION/EMERGENCY NO. CHEMTREC 800-424-9300 (within the USA)
NAME OF PRODUCTS: STRUCTURE CONTROL SYSTEM-AMAZON OIL

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

ENGINEERING CONTROL: Not required.

RESPIRATION PROTECTION: Not applicable.

PROTECTIVE GLOVES: Not required.

EYE AND FACE PROTECTION: Not required.

HYGIENIC WORK PRACTICES: No special practices noted. No eating or drinking while working with this material.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

BOILING RANGE: Not determined. **VAPOR DENSITY:** X HEAVIER _____ LIGHTER THAN AIR

EVAPORATION RATE: _____ FASTER X SLOWER, THAN ETHER

PERCENT VOLATILE PER VOLUME: ~98.0%

APPEARANCE: Brown, hazy, slightly viscous liquid.

ODOR/TASTE: Floral

SOLUBILITY IN WATER: Not miscible.

pH (range): N/A

Specific Gravity: 0.95 +/- 0.01

VISCOSITY (range): 1,400 to 2,200 cps RVT spindle #6 @ 10 rpm.

SECTION 10. STABILITY AND REACTIVITY:

STABILITY: _____ UNSTABLE X STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia.

HAZARDOUS POLYMERIZATION: _____ MAY OCCUR X _____ WILL NOT OCCUR

CONDITIONS TO AVOID: Extreme temperatures.

MATERIAL SAFETY DATA SHEET (MSDS)

| | |
|----------------------------------|---------------------------------------------------------|
| MANUFACTURER'S NAME: | AWARE PRODUCTS, 9250 MASON AVENUE, CHATSWORTH, CA 91311 |
| INFORMATION/EMERGENCY NO. | CHEMTREC 800-424-9300 (within the USA) |
| NAME OF PRODUCTS: | STRUCTURE CONTROL SYSTEM-AMAZON OIL |

SECTION 11. TOXICOLOGICAL INFORMATION:

HEALTH WARNING: Not applicable.

SECTION 12. ECOLOGICAL INFORMATION:

Avoid uncontrolled release of this material.

SECTION 13. DISPOSAL CONSIDERATIONS:

WASTE DISPOSAL METHOD: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.

SECTION 14. TRANSPORT INFORMATION:

DOT CLASSIFICATION: Not regulated.

SECTION 15. REGULATORY INFORMATION:

TSCA: Not applicable.

SARA, Title III, Section 313 (40CFR 372): Not applicable.

California Proposition 65: not applicable

SECTION 16. OTHER INFORMATION:

REVISION : N/A

DISCLAIMER:

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on it's own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.