

**AUNDE MEXICO S.A. de C.V.**

**IMPLEMENTATION FOR**

**DESADV MESSAGE**

**VERSION D.97A**

**Revision History**

<b>Version Number</b>	<b>Date Updated</b>	<b>Description of change</b>
<b>1</b>	<b>July 27, 2010</b>	<b>Created Document</b>

# SEGMENT CLARIFICATION

## **Heading Section:**

### **UNH Message Header**

A service segment starting and uniquely identifying a message. The message type code for the Despatch advice message is DESADV.

Note: Despatch advice messages conforming to this document must contain the following data in segment UNH, composite S009:

Data element 0065 DESADV            0052 D            0054 97A            0051 UN

### **BGM Beginning of Message**

A segment for unique identification of the Despatch Advice document, by means of its name and its number.

### **DTM Date/Time/Period**

Date/time/period related to the whole message. The DTM segment must be specified at least once to identify the Despatch Advice date.

### **MEA Measurements**

A segment specifying the weight and volume of the consignment.

## **Segment Group 2: NAD-LOC-SG3-SG4**

A group of segments identifying names, addresses, locations, and required supporting documents relevant to the whole Despatch Advice.

### **NAD Name and Address**

A segment for identifying names, addresses, and their functions relevant to the whole Despatch Advice. Identification of the parties involved is recommended for the Despatch Advice message, and is to be given in the NAD segment.

It is recommended that where possible, only the coded form of the party ID should be specified, e.g. the buyer and seller are known to each other, thus only the coded ID is required. The consignee or delivery address may vary and would have to be clearly specified, preferably in structured format.

## **Segment Group 6: TDT-PCD-SG7**

A group of segments specifying details of the mode and means of transport and date/time of departure and destination relevant to the whole despatch advice.

### **TDT Details of Transport**

A segment specifying the carriage, and the mode and means of transport of the goods being despatched.

## **Detail Section:**

### **Segment Group 10: CPS-FTX-SG11-SG15**

A group of segments providing details of all package levels and of the individual despatched items contained in the consignment. This segment group provides the capability to give the hierarchical packing relationships. The group defines a logical top-down order structure. The lowest level package information of the hierarchy is followed by the detail product information.

### **CPS Consignment Packing Sequence**

A segment identifying the sequence in which packing of the consignment occurs, e.g. boxes loaded onto a pallet.

### **Segment Group 11: PAC-MEA-QTY-SG12-SG13**

A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level.

### **PAC Package**

A segment specifying the number and type of the packages/physical units and the physical type of packaging for the despatched goods.

**Segment Group 15: LIN-PIA-IMD-MEA-QTY-ALI-GIN-GIR-DLM-DTM-NAD-TDT-HAN-FTX-MOA-SG16-SG17-SG18-SG19-SG20-SG23**

A group of segments providing details of the individual despatched items.

**LIN Line Item**

A segment identifying the product being despatched.

All other segments in the detail section following the LIN segment refer to that line item.

**PIA Additional Product Id**

A segment providing additional product identification.

**QTY Quantity**

A segment to give quantity information concerning the product.

**GIN Goods Identity Number**

A segment providing identity numbers of the goods being despatched, e.g. serial numbers for assembled equipment.

**Segment Group 16: RFF-NAD-CTA-DTM**

A group of segments to give reference numbers and dates.

**RFF Reference**

A segment identifying documents related to the line item.

**Summary Section:**

**UNT Message Trailer**

A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

# DESADV Aunde Despatch Advice Message

## Introduction:

A message specifying details for goods despatched or ready for despatch under agreed conditions. The United Nations Despatch Advice Message serves both as a specification for Delivery Despatch Advice and also as a Returns Despatch Advice message. Throughout this document, the reference to 'Despatch Advice' may be interpreted as conveying the wider meaning of 'Delivery Despatch Advice/Returns Despatch Advice'.

## Notes:

Segment usage requirements are listed on the looping outline pages in the left column. These usage requirements are also noted at the top of each segment description page and denoted by 'Usage'.

Legend of Element Usage as noted in Left column of each Segment Page

M - Mandatory as per the EDIFACT 97.A standard

>> - Mandatory as per Aunde requirements

R - Recommended as per Aunde requirements

<blank> - Optional, may be used at Aunde's discretion

X - Not used as per Aunde requirements

## Heading Section:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
M	0010	UNH	Message Header	M	1		
M	0020	BGM	Beginning of Message	M	1		
Must Use	0030	DTM	Date/Time/Period	C	10		
Not Used	0040	ALI	Additional Information	C	5		
Rec	0050	MEA	Measurements	C	5		
Not Used	0060	MOA	Monetary Amount	C	5		
Not Used	0070		Segment Group 1: RFF-DTM	C		10	
Not Used	0080	RFF	Reference	M	1		
Not Used	0090	DTM	Date/Time/Period	C	1		
Must Use	0100		Segment Group 2: NAD-LOC-SG3-SG4	C		10	
M	0110	NAD	Name and Address	M	1		
Not Used	0120	LOC	Place/Location Identification	C	10		
Not Used	0130		Segment Group 3: RFF-DTM	C		10	
Not Used	0140	RFF	Reference	M	1		
Not Used	0150	DTM	Date/Time/Period	C	1		
Not Used	0160		Segment Group 4: CTA-COM	C		10	
Not Used	0170	CTA	Contact Information	M	1		
Not Used	0180	COM	Communication Contact	C	5		
Not Used	0190		Segment Group 5: TOD-LOC-FTX	C		10	
Not Used	0200	TOD	Terms of Delivery or Transport	M	1		
Not Used	0210	LOC	Place/Location Identification	C	5		
Not Used	0220	FTX	Free Text	C	5		
Must Use	0230		Segment Group 6: TDT-PCD-SG7	C		10	
M	0240	TDT	Details of Transport	M	1		
Not Used	0250	PCD	Percentage Details	C	6		
Not Used	0260		Segment Group 7: LOC-DTM	C		10	

Not Used	0270	LOC	Place/Location Identification	M	1
Not Used	0280	DTM	Date/Time/Period	C	10
Not Used	0290				
Not Used	0300	EQD	Equipment Details	M	1
Not Used	0310	MEA	Measurements	C	5
Not Used	0320	SEL	Seal Number	C	25
Not Used	0330	EQA	Attached Equipment	C	5
Not Used	0340				
Not Used	0350	HAN	Handling Instructions	M	1
Not Used	0360	FTX	Free Text	C	10

### Detail Section:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
	0370		Segment Group 10: CPS-FTX-SG11-SG15	C		9999	
M	0380	CPS	Consignment Packing Sequence	M	1		
Not Used	0390	FTX	Free Text	C	5		
Rec	0400		Segment Group 11: PAC-MEA-QTY-SG12-SG13	C		9999	
M	0410	PAC	Package	M	1		
Not Used	0420	MEA	Measurements	C	10		
Not Used	0430	QTY	Quantity	C	10		
Not Used	0440		Segment Group 12: HAN-FTX	C		10	
Not Used	0450	HAN	Handling Instructions	M	1		
Not Used	0460	FTX	Free Text	C	10		
Not Used	0470		Segment Group 13: PCI-RFF-DTM-GIR-SG14	C		1000	
Not Used	0480	PCI	Package Identification	M	1		
Not Used	0490	RFF	Reference	C	1		
Not Used	0500	DTM	Date/Time/Period	C	5		
Not Used	0510	GIR	Related Identification Numbers	C	99		
Not Used	0520		Segment Group 14: GIN-DLM	C		99	
Not Used	0530	GIN	Goods Identity Number	M	1		
Not Used	0540	DLM	Delivery Limitations	C	10		
	0550		Segment Group 15: LIN-PIA-IMD-MEA-QTY-ALI-GIN-GIR-DLM-DTM-NAD-TDT-HAN-FTX-MOA-SG16-SG17-SG18-SG19-SG20-SG23	C		9999	
M	0560	LIN	Line Item	M	1		
Must Use	0570	PIA	Additional Product Id	C	10		
Not Used	0580	IMD	Item Description	C	25		
Not Used	0590	MEA	Measurements	C	10		
Must Use	0600	QTY	Quantity	C	10		
Not Used	0610	ALI	Additional Information	C	10		
Rec	0620	GIN	Goods Identity Number	C	100		
Not Used	0630	GIR	Related Identification Numbers	C	100		
Not Used	0640	DLM	Delivery Limitations	C	100		
Not Used	0650	DTM	Date/Time/Period	C	5		
Not Used	0660	NAD	Name and Address	C	5		
Not Used	0670	TDT	Details of Transport	C	1		
Not Used	0680	HAN	Handling Instructions	C	20		
Not Used	0690	FTX	Free Text	C	99		
Not Used	0700	MOA	Monetary Amount	C	5		

	0710		Segment Group 16: RFF-NAD-CTA-DTM	C		99	
M	0720	RFF	Reference	M		1	
Not Used	0730	NAD	Name and Address	C		1	
Not Used	0740	CTA	Contact Information	C		1	
Not Used	0750	DTM	Date/Time/Period	C		1	
	0760		Segment Group 17: DGS-QTY-FTX	C		10	
Not Used	0770	DGS	Dangerous Goods	M		1	
Not Used	0780	QTY	Quantity	C		1	
Not Used	0790	FTX	Free Text	C		5	
	0800		Segment Group 18: LOC-NAD-DTM-QTY	C		100	
Not Used	0810	LOC	Place/Location Identification	M		1	
Not Used	0820	NAD	Name and Address	C		1	
Not Used	0830	DTM	Date/Time/Period	C		1	
Not Used	0840	QTY	Quantity	C		10	
	0850		Segment Group 19: SGP-QTY	C		1000	
Not Used	0860	SGP	Split Goods Placement	M		1	
Not Used	0870	QTY	Quantity	C		10	
	0880		Segment Group 20: PCI-DTM-MEA-QTY-SG21-SG22	C		9999	
Not Used	0890	PCI	Package Identification	M		1	
Not Used	0900	DTM	Date/Time/Period	C		5	
Not Used	0910	MEA	Measurements	C		10	
Not Used	0920	QTY	Quantity	C		1	
	0930		Segment Group 21: GIN-DLM	C		10	
Not Used	0940	GIN	Goods Identity Number	M		1	
Not Used	0950	DLM	Delivery Limitations	C		100	
	0960		Segment Group 22: HAN-FTX-GIN	C		10	
Not Used	0970	HAN	Handling Instructions	M		1	
Not Used	0980	FTX	Free Text	C		5	
Not Used	0990	GIN	Goods Identity Number	C		1000	
	1000		Segment Group 23: QVR-DTM	C		10	
Not Used	1010	QVR	Quantity Variances	M		1	
Not Used	1020	DTM	Date/Time/Period	C		5	

### Summary Section:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
Not Used	1030	CNT	Control Total	C	5		
M	1040	UNT	Message Trailer	M	1		

Segment: **UNH** Message Header

Position: 0010

Group:

Level: 0

Usage: Mandatory

Max Use: 1

Purpose: To head, identify and specify a message.

Dependency Notes:

Semantic Notes:

Comments:

Notes: UNH+DESADV1+DESADV:D:97A:UN'

#### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	0062		<b>MESSAGE REFERENCE NUMBER</b> Unique message reference assigned by the sender.	<b>M an..14</b>
M	S009		<b>MESSAGE IDENTIFIER</b> Identification of the type, version etc. of the message being interchanged.	<b>M</b>
M		0065	<b>Message type identifier</b> Code identifying a type of message and assigned by its controlling agency. DESADV Despatch advice message A code to identify the despatch advice message.	<b>M an..6</b>
M		0052	<b>Message type version number</b> Version number of a message type. D Draft version/UN/EDIFACT Directory Message approved and issued as a draft message (Valid for directories published after March 1993 and prior to March 1997). Message approved as a standard message (Valid for directories published after March 1997).	<b>M an..3</b>
M		0054	<b>Message type release number</b> Release number within the current message type version number (0052). 97A Release 1997 - A Message approved and issued in the first 1997 release of the UNTDID (United Nations Trade Data Interchange Directory).	<b>M an..3</b>
M		0051	<b>Controlling agency</b> Code identifying the agency controlling the specification, maintenance and publication of the message type. UN UN/ECE/TRADE/WP.4 United Nations Economic UN Economic Commission for Europe (UN/ECE), Committee on the development of trade (TRADE), Working Party on facilitation of international trade procedures (WP.4).	<b>M an..2</b>
		0057	<b>Association assigned code</b> Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	<b>C an..6</b>
	0068		<b>COMMON ACCESS REFERENCE</b> Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	<b>C an..35</b>
	S010		<b>STATUS OF THE TRANSFER</b> Statement that the message is one in a sequence of transfers relating to the same topic.	<b>C</b>
M		0070	<b>Sequence message transfer number</b> Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.	<b>M n..2</b>

**0073 First/last sequence message transfer indication C a1**

Indication used for the first and last message in a sequence of the same type of message relating to the same topic.

Refer to D.97A Data Element Dictionary for acceptable code values.



**Segment:** **BGM** Beginning of Message

**Position:** 0020

**Group:**

**Level:** 0

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To indicate the type and function of a message and to transmit the identifying number.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:** BGM+351+ASNNUMBER+9'

#### Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
>>	C002	<b>DOCUMENT/MESSAGE NAME</b> Identification of a type of document/message by code or name. Code preferred.	C
>>	1001	<b>Document/message name, coded</b> Document/message identifier expressed in code. 351 Despatch advice	C an..3
X	1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	1000	<b>Document/message name</b> Plain language identifier specifying the function of a document/message.	C an..35
>>	C106	<b>DOCUMENT/MESSAGE IDENTIFICATION</b> Identification of a document/message by its number and eventually its version or revision.	C
>>	1004	<b>Document/message number</b> Reference number assigned to the document/message by the issuer.	C an..35
X	1056	<b>Version</b> To specify the version number or name of an object.	C an..9
X	1060	<b>Revision number</b> To specify a revision number.	C an..6
>>	1225	<b>MESSAGE FUNCTION, CODED</b> Code indicating the function of the message. 9 Original Initial transmission related to a given transaction.	C an..3
X	4343	<b>RESPONSE TYPE, CODED</b> Code specifying the type of acknowledgment required or transmitted. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3

**Segment:** **DTM** Date/Time/Period

**Position:** 0030

**Group:**

**Level:** 1

**Usage:** Conditional (Required)

**Max Use:** 10

**Purpose:** To specify date, and/or time, or period.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Usage Notes:**

**Notes:**

Must Use As per Aunde Requirements.

DTM iterations with the 11 & 137 qualifier are required. The 132 qualifier is optional.

DTM+11:20040161030:203'

DTM+132:20040161500:203'

DTM+137:200402161125:203'

#### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	C507		<b>DATE/TIME/PERIOD</b> Date and/or time, or period relevant to the specified date/time/period type.	<b>M</b>
M		<b>2005</b>	<b>Date/time/period qualifier</b> Code giving specific meaning to a date, time or period.	<b>M an..3</b>
		11	Despatch date and or time (2170) Date/time on which the goods are or are expected to be despatched or shipped.	
		132	Arrival date/time, estimated (2348) Date/time when carrier estimates that a means of transport should arrive at the port of discharge or place of destination.	
		137	Document/message date/time (2006) Date/time when a document/message is issued. This may include authentication.	
>>		<b>2380</b>	<b>Date/time/period</b> The value of a date, a date and time, a time or of a period in a specified representation.	<b>C an..35</b>
>>		<b>2379</b>	<b>Date/time/period format qualifier</b> Specification of the representation of a date, a date and time or of a period.	<b>C an..3</b>
		102	CCYMMDD Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.	
		203	CCYMMDDHHMM Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.	

**Segment:** MEA Measurements

**Position:** 0050

**Group:**

**Level:** 1

**Usage:** Conditional (Advised)

**Max Use:** 5

**Purpose:** To specify physical measurements, including dimension tolerances, weights and counts.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Usage Notes:**

**Notes:**

Aunde may utilize this information, it's recommended that you utilize it.

MEA+AAX+G+LBR:7000'

MEA+AAX+N+LBR:6500'

MEA+AAX+SQ+C62:750'

### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	6311		<b>MEASUREMENT PURPOSE QUALIFIER</b> Specification of the purpose of the measurement. AAX Consignment measurement Measurement related to a consignment; to be specified by the measurement code dimension value.	M an..3
>>	C502		<b>MEASUREMENT DETAILS</b> Identification of measurement type.	C
>>		6313	<b>Property measured, coded</b> Specification of the property measured. G Gross weight [6292] Weight (mass) of goods including packing but excluding the carrier's equipment. N Actual net weight SQ Shipped quantity	C an..3
X		6321	<b>Measurement significance, coded</b> Code specifying the significance of a measurement value. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		6155	<b>Measurement attribute identification</b> Code used to specify non-discrete measurement values. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..17
X		6154	<b>Measurement attribute</b> To specify non-discrete measurement values.	C an..70
>>	C174		<b>VALUE/RANGE</b> Measurement value and relevant minimum and maximum tolerances in that order.	C
M		6411	<b>Measure unit qualifier</b> Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. C62 Units LBR Pounds	M an..3
>>		6314	<b>Measurement value</b> Value of the measured unit.	C an..18
X		6162	<b>Range minimum</b> Minimum of a range.	C n..18
X		6152	<b>Range maximum</b> Maximum of a range.	C n..18

X		<b>6432 Significant digits</b>	<b>C n..2</b>
		To specify the number of significant digits.	
X	<b>7383</b>	<b>SURFACE/LAYER INDICATOR, CODED</b>	<b>C an..3</b>
		Code indicating the surface or layer of a product that is being described.	
		Refer to D.97A Data Element Dictionary for acceptable code values.	

**Group:** **NAD** Segment Group 2: Name and Address  
**Position:** 0100  
**Group:**  
**Level:** 1  
**Usage:** Conditional (Required)  
**Max Use:** 10  
**Purpose:**  
**Usage Notes:** Must Use As per Aunde Requirements.

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0110	NAD	Name and Address	M	1	

**Segment:** **NAD** Name and Address  
**Position:** 0110 (Trigger Segment)  
**Group:** Segment Group 2 (Name and Address) Conditional (Required)  
**Level:** 1  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:**

NAD+ST+AUNDESTDUNS::16++AUNDE MEXICO S.A. DE C.V.+ LOTE 1  
 MANZANA C:PARQUE IND. SAN MIGUEL+ SANTA ANA  
 XALMIMILULCO, HUEJOTZINGO +PUEBLA+74160+MX'  
 NAD+CN+AUNDECNDUNS::16++ G.A. RODRIGUEZ S.C.+ MONTESINOS #166,  
 COL. CENTRO + VERACRUZ +VER+91700+MX'  
 NAD+SU+SUPPLIER-CODE::16' (not the DUNS# - call your buyer for code)

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	3035		<b>PARTY QUALIFIER</b> Code giving specific meaning to a party. ST Ship to Identification of the party to where goods will be or have been shipped. CN Consignee Identification of the party to receive goods. SU Supplier (3280) Party which manufactures or otherwise has possession of goods, and consigns or makes them available in trade.	M an..3
>>	<b>C082</b>		<b>PARTY IDENTIFICATION DETAILS</b> Identification of a transaction party by code.	C
M		3039	<b>Party id. identification</b> Code identifying a party involved in a transaction.	M an..35
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
>>		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. 16 DUNS (Dun & Bradstreet)	C an..3
X	<b>C058</b>		<b>NAME AND ADDRESS</b> Unstructured name and address: one to five lines.	C
X		3124	<b>Name and address line</b> Free form name and address description.	C an..35
X		3124	<b>Name and address line</b> Free form name and address description.	C an..35
X		3124	<b>Name and address line</b> Free form name and address description.	C an..35
X		3124	<b>Name and address line</b> Free form name and address description.	C an..35
X		3124	<b>Name and address line</b> Free form name and address description.	C an..35
R	<b>C080</b>		<b>PARTY NAME</b> Identification of a transaction party by name, one to five lines. Party name may be formatted.	C

**M**

**3036 Party name**

**M an..35**

Name of a party involved in a transaction.

X		<b>3036 Party name</b>	C an..35
		Name of a party involved in a transaction.	
X		<b>3036 Party name</b>	C an..35
		Name of a party involved in a transaction.	
X		<b>3036 Party name</b>	C an..35
		Name of a party involved in a transaction.	
X		<b>3036 Party name</b>	C an..35
		Name of a party involved in a transaction.	
X		<b>3045 Party name format, coded</b>	C an..3
		Specification of the representation of a party name.	
		Refer to D.97A Data Element Dictionary for acceptable code values.	
R	<b>C059</b>	<b>STREET</b>	C
		Street address and/or PO Box number in a structured address: one to three lines.	
M		<b>3042 Street and number/p.o. box</b>	M an..35
		Street and number in plain language, or Post Office Box No.	
X		<b>3042 Street and number/p.o. box</b>	C an..35
		Street and number in plain language, or Post Office Box No.	
X		<b>3042 Street and number/p.o. box</b>	C an..35
		Street and number in plain language, or Post Office Box No.	
X		<b>3042 Street and number/p.o. box</b>	C an..35
		Street and number in plain language, or Post Office Box No.	
R	<b>3164</b>	<b>CITY NAME</b>	C an..35
		Name of a city (a town, a village) for addressing purposes.	
R	<b>3229</b>	<b>COUNTRY SUB-ENTITY IDENTIFICATION</b>	C an..9
		Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.	
R	<b>3251</b>	<b>POSTCODE IDENTIFICATION</b>	C an..9
		Code defining postal zones or addresses.	
R	<b>3207</b>	<b>COUNTRY, CODED</b>	C an..3
		Identification of the name of a country or other geographical entity as specified in ISO 3166.	



**Group:** **TDT** Segment Group 6: Details of Transport  
**Position:** 0230  
**Group:**  
**Level:** 1  
**Usage:** Conditional (Required)  
**Max Use:** 10  
**Purpose:**  
**Usage Notes:** Must Use As per Aunde Requirements.

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0240	TDT	Details of Transport	M	1	

**Segment:** **TDT** Details of Transport  
**Position:** 0240 (Trigger Segment)  
**Group:** Segment Group 6 (Details of Transport) Conditional (Required)  
**Level:** 1  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify the transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport. The segment may be pointed to by the TPL segment.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:** TDT+25+VEHID+:M++ABNA'

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	8051		<b>TRANSPORT STAGE QUALIFIER</b> Qualifier giving a specific meaning to the transport details. 25 Delivery carrier all transport Carrier responsible from the point of origin to the final delivery destination.	M an..3
>>	8028		<b>CONVEYANCE REFERENCE NUMBER</b> Unique reference given by the carrier to a certain journey or departure of a means of transport (generic term). Truck/Conveyance Number	C an..17
>>	C220		<b>MODE OF TRANSPORT</b> Method of transport code or name. Code preferred.	C
X		8067	<b>Mode of transport, coded</b> Coded method of transport used for the carriage of the goods.	C an..3
>>		8066	<b>Mode of transport</b> Method of transport used for the carriage of the goods. Any valid mode of transit code will be accept. 'M' - Motor is preferred.	C an..17
X	C228		<b>TRANSPORT MEANS</b> Code and/or name identifying the type of means of transport.	C
X		8179	<b>Type of means of transport identification</b> Code defining the type of the means of transport being utilized. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..8
X		8178	<b>Type of means of transport</b> Description of the type of the means of transport being utilized.	C an..17
>>	C040		<b>CARRIER</b> Identification of a carrier by code and/or by name. Code preferred.	C
>>		3127	<b>Carrier identification</b> Identification of party undertaking or arranging transport of goods between named points. SCAC Code	C an..17
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3128	<b>Carrier name</b>	C an..35

		Name of party undertaking or arranging transport of goods between named points.	
X	8101	<b>TRANSIT DIRECTION, CODED</b>	C an..3
		Identification of the point of origin and point of direction. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	C401	<b>EXCESS TRANSPORTATION INFORMATION</b>	C
		To provide details of reason for, and responsibility for, use of transportation other than normally utilized.	
X	8457	<b>Excess transportation reason, coded</b>	M an..3
		Indication of reason for excess transportation. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	8459	<b>Excess transportation responsibility, coded</b>	M an..3
		Indication of responsibility for excess transportation. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	7130	<b>Customer authorization number</b>	C an..17
		Customer provided authorization number to allow supplier to ship goods under specific freight conditions. This number will be transmitted back to customer in the dispatch advice message.	
X	C222	<b>TRANSPORT IDENTIFICATION</b>	C
		Code and/or name identifying the means of transport.	
X	8213	<b>Id. of means of transport identification</b>	C an..9
		Identification of the means of transport by name or number.	
X	1131	<b>Code list qualifier</b>	C an..3
		Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	3055	<b>Code list responsible agency, coded</b>	C an..3
		Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	8212	<b>Id. of the means of transport</b>	C an..35
		Identification of the means of transport by name or number.	
X	8453	<b>Nationality of means of transport, coded</b>	C an..3
		Coded name of the country in which a means of transport is registered.	
X	8281	<b>TRANSPORT OWNERSHIP, CODED</b>	C an..3
		Code indicating the ownership of the means of transport. Refer to D.97A Data Element Dictionary for acceptable code values.	

**Group:** **CPS** Segment Group 10: Consignment Packing Sequence  
**Position:** 0370  
**Group:**  
**Level:** 1  
**Usage:** Conditional (Optional)  
**Max Use:** 9999  
**Purpose:**  
**Usage Notes:** Aunde may or maynot require this information

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0380	CPS	Consignment Packing Sequence	M	1	
	0400		Segment Group 11: Package	C		9999
	0550		Segment Group 15: Line Item	C		9999

**Segment:** **CPS** Consignment Packing Sequence  
**Position:** 0380 (Trigger Segment)  
**Group:** Segment Group 10 (Consignment Packing Sequence)      Conditional (Optional)  
**Level:** 1  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To identify the sequence in which physical packing is presented in the consignment, and optionally to identify the hierarchical relationship between packing layers.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:** CPS+1++4'

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	7164		<b>HIERARCHICAL ID. NUMBER</b> A unique number assigned by the sender to identify a level within a hierarchical structure.	<b>M an..12</b>
X	7166		<b>HIERARCHICAL PARENT ID.</b> Identification number of the next higher hierarchical data segment in a hierarchical structure.	<b>C an..12</b>
>>	7075		<b>PACKAGING LEVEL, CODED</b> Indication of level of packaging specified.	<b>C an..3</b>
		4	No packaging hierarchy There is no specifiable level of packaging: packaging is inner and outer level as well.	

**Group:** **PAC** Segment Group 11: Package  
**Position:** 0400  
**Group:** Segment Group 10 (Consignment Packing Sequence) Conditional (Optional)  
**Level:** 2  
**Usage:** Conditional (Advised)  
**Max Use:** 9999  
**Purpose:**  
**Usage Notes:** Aunde may utilize this information, it's recommended that you utilize it.

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0410	PAC	Package	M	1	

**Segment:** PAC Package  
**Position:** 0410 (Trigger Segment)  
**Group:** Segment Group 11 (Package) Conditional (Advised)  
**Level:** 2  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To describe the number and type of packages/physical units.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:**

This segment will only be sent by the supplier if product is being shipped in returnable (trackable inventory) containers. Otherwise it will be omitted.  
 PAC+10+++::BP:AUNDECONTNUM'

### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
>>	7224		<b>NUMBER OF PACKAGES</b> Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing. Number of containers the item in the LIN segment is being shipped in.	C n..8
X	C531		<b>PACKAGING DETAILS</b> Packaging level and details, terms and conditions.	C
X		7075	<b>Packaging level, coded</b> Indication of level of packaging specified. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		7233	<b>Packaging related information, coded</b> Code giving packaging, handling and marking related information. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		7073	<b>Packaging terms and conditions, coded</b> Code identifying packaging terms and conditions. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	C202		<b>PACKAGE TYPE</b> Type of package by name or by code from a specified source.	C
X		7065	<b>Type of packages identification</b> Coded description of the form in which goods are presented.	C an..17
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		7064	<b>Type of packages</b> Description of the form in which goods are presented.	C an..35
R	C402		<b>PACKAGE TYPE IDENTIFICATION</b> Identification of the form in which goods are described.	C
M		7077	<b>Item description type, coded</b> Code indicating the format of a description. Not used by Aunde.	M an..3
M		7064	<b>Type of packages</b> Description of the form in which goods are presented. Not used by Aunde.	M an..35
R		7143	<b>Item number type, coded</b>	C an..3

		Identification of the type of item number.	
		BP	Buyer's part number
			Reference number assigned by the buyer to identify an article.
			This will denote the value in element 7064 is a Aunde part number for the container.
R	7064	<b>Type of packages</b>	C an..35
		Description of the form in which goods are presented.	
			The Aunde part number for the container.
X	7143	<b>Item number type, coded</b>	C an..3
		Identification of the type of item number.	
			Refer to D.97A Data Element Dictionary for acceptable code values.
X	C532	<b>RETURNABLE PACKAGE DETAILS</b>	C
		Indication of responsibility for payment and load contents of returnable packages.	
X	8395	<b>Returnable package freight payment responsibility, coded</b>	C an..3
		To indicate responsibility for payment of return freight charges for packaging that is returnable.	
			Refer to D.97A Data Element Dictionary for acceptable code values.
X	8393	<b>Returnable package load contents, coded</b>	C an..3
		To indicate the composition of goods loaded into a returnable package.	
		4	Loaded with production material
			Description to be provided.



**Group:** **LIN** Segment Group 15: Line Item  
**Position:** 0550  
**Group:** Segment Group 10 (Consignment Packing Sequence) Conditional (Optional)  
**Level:** 2  
**Usage:** Conditional (Optional)  
**Max Use:** 9999  
**Purpose:**  
**Usage Notes:** Aunde may or maynot require this information

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0560	LIN	Line Item	M	1	
Must Use	0570	PIA	Additional Product Id	C	10	
Must Use	0600	QTY	Quantity	C	10	
Rec	0620	GIN	Goods Identity Number	C	100	
	0710		Segment Group 16: Reference	C		99

**Segment:** **LIN** Line Item  
**Position:** 0560 (Trigger Segment)  
**Group:** Segment Group 15 (Line Item)      Conditional (Optional)  
**Level:** 2  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To identify a line item and configuration.  
**Dependency Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:** LIN+++ITEMNUM1:IN'

**Data Element Summary**

	<b>Data Element</b>	<b>Component Element</b>	<b>Name</b>	<b>Attributes</b>
X	1082		<b>LINE ITEM NUMBER</b> Serial number designating each separate item within a series of articles.	C an..6
X	1229		<b>ACTION REQUEST/NOTIFICATION, CODED</b> Code specifying the action to be taken or already taken. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
>>	C212		<b>ITEM NUMBER IDENTIFICATION</b> Goods identification for a specified source.	C
>>		7140	<b>Item number</b> A number allocated to a group or item.	C an..35
>>		7143	<b>Item number type, coded</b> Identification of the type of item number. IN Buyer's item number	C an..3
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	C829		<b>SUB-LINE INFORMATION</b> To provide an indication that a segment or segment group is used to contain sub-line or sub-line item information and to optionally enable the sub-line to be identified.	C
X		5495	<b>Sub-line indicator, coded</b> Indication that the segment and/or segment group is used for sub-line item information. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		1082	<b>Line item number</b> Serial number designating each separate item within a series of articles.	C an..6
X	1222		<b>CONFIGURATION LEVEL</b> Number indicating the level of an object which is in a hierarchy.	C n..2
X	7083		<b>CONFIGURATION, CODED</b> Code indicating the status of the sub-line item in the configuration. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3

**Segment:** **PIA Additional Product Id**  
**Position:** 0570  
**Group:** Segment Group 15 (Line Item)      Conditional (Optional)  
**Level:** 3  
**Usage:** Conditional (Required)  
**Max Use:** 10  
**Purpose:** To specify additional or substitutional item identification codes.  
**Dependency Notes:**  
**Semantic Notes:**  
**Comments:**  
**Usage Notes:** Must Use As per Aunde Requirements.  
**Notes:** PIA+1+SUPPLOT:BB'

#### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	4347		<b>PRODUCT ID. FUNCTION QUALIFIER</b> Indication of the function of the product code. 1                      Additional identification Information which specifies and qualifies product identifications.	M an..3
M	C212		<b>ITEM NUMBER IDENTIFICATION</b> Goods identification for a specified source.	M
>>		7140	<b>Item number</b> A number allocated to a group or item.	C an..35
>>		7143	<b>Item number type, coded</b> Identification of the type of item number. BB                      Lot number A number indicating the lot number of a product. Vendor's Lot Number	C an..3
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	C212		<b>ITEM NUMBER IDENTIFICATION</b> Goods identification for a specified source.	C
X		7140	<b>Item number</b> A number allocated to a group or item.	C an..35
X		7143	<b>Item number type, coded</b> Identification of the type of item number. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		1131	<b>Code list qualifier</b> Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X		3055	<b>Code list responsible agency, coded</b> Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	C an..3
X	C212		<b>ITEM NUMBER IDENTIFICATION</b> Goods identification for a specified source.	C
X		7140	<b>Item number</b> A number allocated to a group or item.	C an..35

X		<b>7143</b>	<b>Item number type, coded</b>	<b>C an..3</b>
			Identification of the type of item number. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>1131</b>	<b>Code list qualifier</b>	<b>C an..3</b>
			Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>3055</b>	<b>Code list responsible agency, coded</b>	<b>C an..3</b>
			Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	<b>C212</b>		<b>ITEM NUMBER IDENTIFICATION</b>	<b>C</b>
			Goods identification for a specified source.	
X		<b>7140</b>	<b>Item number</b>	<b>C an..35</b>
			A number allocated to a group or item.	
X		<b>7143</b>	<b>Item number type, coded</b>	<b>C an..3</b>
			Identification of the type of item number. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>1131</b>	<b>Code list qualifier</b>	<b>C an..3</b>
			Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>3055</b>	<b>Code list responsible agency, coded</b>	<b>C an..3</b>
			Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X	<b>C212</b>		<b>ITEM NUMBER IDENTIFICATION</b>	<b>C</b>
			Goods identification for a specified source.	
X		<b>7140</b>	<b>Item number</b>	<b>C an..35</b>
			A number allocated to a group or item.	
X		<b>7143</b>	<b>Item number type, coded</b>	<b>C an..3</b>
			Identification of the type of item number. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>1131</b>	<b>Code list qualifier</b>	<b>C an..3</b>
			Identification of a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	
X		<b>3055</b>	<b>Code list responsible agency, coded</b>	<b>C an..3</b>
			Code identifying the agency responsible for a code list. Refer to D.97A Data Element Dictionary for acceptable code values.	

**Segment:** **QTY** Quantity  
**Position:** 0600  
**Group:** Segment Group 15 (Line Item)      Conditional (Optional)  
**Level:** 3  
**Usage:** Conditional (Required)  
**Max Use:** 10  
**Purpose:** To specify a pertinent quantity.  
**Dependency Notes:**  
**Semantic Notes:**  
**Comments:**  
**Usage Notes:** Must Use As per Aunde Requirements.  
**Notes:** QTY+1:1000:C62'

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	C186		<b>QUANTITY DETAILS</b> Quantity information in a transaction, qualified when relevant.	<b>M</b>
M		<b>6063</b>	<b>Quantity qualifier</b> Code giving specific meaning to a quantity. 1                      Discrete quantity	<b>M an..3</b>
M		<b>6060</b>	<b>Quantity</b> Numeric value of a quantity.	<b>M n..15</b>
>>		<b>6411</b>	<b>Measure unit qualifier</b> Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. C62                      Units LBR                      Pounds	<b>C an..3</b>

**Segment:** **GIN** Goods Identity Number  
**Position:** 0620  
**Group:** Segment Group 15 (Line Item) Conditional (Optional)  
**Level:** 3  
**Usage:** Conditional (Advised)  
**Max Use:** 100  
**Purpose:** To give specific identification numbers, either as single numbers or ranges.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Usage Notes:**

**Notes:**

Aunde may utilize this information, it's recommended that you utilize it.  
 GIN+AL+KANBAN1'  
 -or-  
 GIN+AL+KANBAN1:KANBAN2' <----to specify a kanban range.

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	7405		<b>IDENTITY NUMBER QUALIFIER</b> Code specifying the type/source of identity number. AL Kanban card number Reference number assigned by a consignee to a Kanban card.	M an..3
M	C208		<b>IDENTITY NUMBER RANGE</b> Goods item identification numbers, start and end of consecutively numbered range.	M
M		7402	<b>Identity number</b> The number given to an object for its unique identification.	M an..35
		7402	<b>Identity number</b> The number given to an object for its unique identification.	C an..35
X	C208		<b>IDENTITY NUMBER RANGE</b> Goods item identification numbers, start and end of consecutively numbered range.	C
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	M an..35
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	C an..35
X	C208		<b>IDENTITY NUMBER RANGE</b> Goods item identification numbers, start and end of consecutively numbered range.	C
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	M an..35
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	C an..35
X	C208		<b>IDENTITY NUMBER RANGE</b> Goods item identification numbers, start and end of consecutively numbered range.	C
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	M an..35
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	C an..35
X	C208		<b>IDENTITY NUMBER RANGE</b> Goods item identification numbers, start and end of consecutively numbered range.	C
X		7402	<b>Identity number</b> The number given to an object for its unique identification.	M an..35

**X**

**7402** The number given to an object for its unique identification.

**Identity number**

**C an..35**

The number given to an object for its unique identification.

**Group:** **RFF** Segment Group 16: Reference  
**Position:** 0710  
**Group:** Segment Group 15 (Line Item) Conditional (Optional)  
**Level:** 3  
**Usage:** Conditional (Optional)  
**Max Use:** 99  
**Purpose:**  
**Usage Notes:** Aunde may or maynot require this information

**Segment Summary**

	<b>Pos.</b>	<b>Seg.</b>		<b>Req.</b>	<b>Max.</b>	<b>Group:</b>
	<b><u>No.</u></b>	<b><u>ID</u></b>	<b><u>Name</u></b>	<b><u>Des.</u></b>	<b><u>Use</u></b>	<b><u>Repeat</u></b>
M	0720	RFF	Reference	M	1	



**Segment:** **RFF** Reference  
**Position:** 0720 (Trigger Segment)  
**Group:** Segment Group 16 (Reference) Conditional (Optional)  
**Level:** 3  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify a reference.  
**Dependency Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:** RFF+ON:PONUMBER:2'

**Data Element Summary**

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	C506		<b>REFERENCE</b> Identification of a reference.	<b>M</b>
M		<b>1153</b>	<b>Reference qualifier</b> Code giving specific meaning to a reference segment or a reference number. ON Order number (purchase) [1022] Reference number assigned by the buyer to an order.	<b>M an..3</b>
>>		<b>1154</b>	<b>Reference number</b> Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	<b>C an..35</b>
>>		<b>1156</b>	<b>Line number</b> Number of the line in the document/message referenced in 1154 Reference number. Original PO Line Number from either the DELFOR or DELJIT schedule.	<b>C an..6</b>
X		<b>4000</b>	<b>Reference version number</b> To uniquely identify a reference by its revision number.	<b>C an..35</b>

**Segment:** **UNT** Message Trailer

**Position:** 1040

**Group:**

**Level:** 0

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To end and check the completeness of a message.

**Dependency Notes:**

**Semantic Notes:**

**Comments:**

**Notes:** UNT+13+DESADV1'

#### Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	0074		NUMBER OF SEGMENTS IN A MESSAGE Control count of number of segments in a message.	M n..6
M	0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender.	M an..14

**Aunde Automotive Seating Conventions  
Advanced Shipping Notice**

**Example 1: Fully qualified ASN**

EDI FORMAT

UNB+UNOA:2+SUPPEXCHID:ZZ+FASJRIV:ZZ+030216:0216+00000000000027'

UNH+10001+DESADV:D:97A:UN'

BGM+351+SHIPPER-NUM+9'

DTM+137:200302191600:203'

DTM+11:200302191700:203'

MEA+AAX+G+LBR:008249'

MEA+AAX+N+LBR:008000'

MEA+AAX+SQ+C62:033'

NAD+ST+FASJRIV::16++MY SHIPTO SITE+2222 STREET  
ST+SOMECITY+MI+48066+USA'

NAD+SU+FNASUPPLIERCODE::16++MY SUPPLY  
COMP+3333 ROAD RD+ACITY+MI+48089+USA'

TDT+25+VECHILEID+M:M++SCAC'

CPS+1++4'

PAC+3+++::BP:FNACONTIDNAME'

LIN+++FNAPARTNUMBER:IN'

PIA+1+SUPPLOTA:BB'

QTY+1:300:C62'

GIN+AL+KANBAN01:KANBAN02'

RFF+ON:PONUMBER:POLINE'

CPS+2++4'

PAC+4+++::BP:FNACONTIDNAME'

LIN+++FNAPARTNUMBER:IN'

QTY+1:200:C62'

GIN+AL+KANBAN3:KANBAN4'

RFF+ON:PONUMBER:POLINE'

UNT+24+10001'

UNZ+1+00000000000027'

INTERPRETATION

EDIFACT UNOA Version 2  
Aunde Supplier Exchange ID, Qualifier ZZ  
Aunde Site Exchange ID, Qualifier ZZ  
Date/Time of Transaction  
Control Number

Message Reference Number and Version being used

Shipper Number  
Status 9 = Original

Date/time when document/message is issued

Date/time when on which the goods are or are expected to be despatched or shipped.

Arrival date/time, estimated