



# **MISSOURI HIGHWAY and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

## **LISTING OF BID ITEMS FOR HIGHWAY CONSTRUCTION**

(ENGLISH AND METRIC VERSIONS)

**EFFECTIVE July 1, 2003**  
(ISSUED January 2, 2003)

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
001-10.10	1.00	LUMP SUM	AIRPORT SURFACE PREPARATION	
001-20.10	1.00	SQUARE YARD	AIRPORT PAVEMENT REMOVAL	
002-01.10	1.00	LUMP SUM	AIRPORT REMOVAL OF IMPROVEMENTS	
002-02.20	0.10	ACRES	AIRPORT GRUBBING	
002-10.10	0.10	ACRES	AIRPORT CLEARING	
002-20.10	1.00	CUBIC YARD	AIRPORT UNCLASSIFIED EXCAVATION	
002-20.60	1.00	CUBIC YARD	AIRPORT CLASS A EXCAVATION	
002-20.70	1.00	CUBIC YARD	AIRPORT CLASS C EXCAVATION	
002-22.10	1.00	CUBIC YARD	AIRPORT COMPACTED EMBANKMENT	
002-22.20	1.00	CUBIC YARD	AIRPORT EMBANKMENT IN PLACE	
002-22.30	0.10	STATION	AIRPORT COMPACTING IN CUT	
002-22.40	0.10	STATION	AIRPORT LINEAR GRADING - CLASS 1	
002-50.10	0.10	ACRES	AIRPORT TEMPORARY SEEDING AND MULCHING	
002-50.20	1.00	LINEAR FOOT	AIRPORT TEMPORARY SLOPE DRAINS	
002-50.25	1.00	LINEAR FOOT	AIRPORT TEMPORARY BERMS (TYPE B)	
002-50.30A	1.00	CUBIC YARD	AIRPORT SEDIMENT BASINS	
002-50.40	0.10	TONS	AIRPORT FERTILIZING	
002-50.50	1.00	EACH	AIRPORT DITCH CHECKS	
002-50.60	1.00	LINEAR FOOT	AIRPORT SILT FENCE	
002-50.70	1.00	CUBIC YARD	AIRPORT SEDIMENT REMOVAL	
003-13.10	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (3 INCHES THICK)	
003-13.20	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (4 INCHES THICK)	
003-13.30	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (5 INCHES THICK)	
003-13.40	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (6 INCHES THICK)	
003-13.50	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (7 INCHES THICK)	
003-13.60	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (8 INCHES THICK)	
003-13.70	1.00	SQUARE YARD	AIRPORT TYPE 5 AGGREGATE BASE (9 INCHES THICK)	
003-13.80	1.00	SQUARE YARD	AIRPORT TYPE 1 AGGREGATE BASE FOR ACCESS ROAD (6 IN. THICK)	
003-15.10	1.00	SQUARE YARD	AIRPORT FLY ASH TREATED SUBGRADE (9 IN. THICK)	
003-15.20	1.00	SQUARE YARD	AIRPORT FLY ASH TREATED SUBGRADE (12 IN. THICK)	
003-15.30	0.10	TONS	AIRPORT FLY ASH	
003-16.10	1.00	SQUARE YARD	AIRPORT LIME TREATED SUBGRADE (9 IN. THICK)	
003-16.20	1.00	SQUARE YARD	AIRPORT LIME TREATED SUBGRADE (12 IN. THICK)	
003-16.30	0.10	TONS	AIRPORT LIME	
003-60.10	1.00	TONS	AIRPORT AGGREGATE SURFACING (CRUSHED STONE B)	
004-03.10	0.10	TONS	AIRPORT ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)	
004-03.20	1.00	TONS	AIRPORT MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)	
004-30.10	1.00	GALLONS	AIRPORT EMULSION (COLD IN-PLACE RECYCLING)	
004-30.20	1.00	SQUARE YARD	AIRPORT MIXING AND PLACING (COLD IN-PLACE RECYCLING)	
004-70.10	1.00	GALLONS	AIRPORT TACK COAT	
004-70.30	1.00	GALLONS	AIRPORT PRIME - LIQUID ASPHALT (RC-70 OR MC-30)	
005-01.15	0.10	SQUARE YARD	AIRPORT CONCRETE PAVEMENT (5 IN. THICK)	
005-01.25	0.10	SQUARE YARD	AIRPORT CONCRETE PAVEMENT (6 IN. THICK)	
005-01.35	0.10	SQUARE YARD	AIRPORT CONCRETE PAVEMENT (7 IN. THICK)	
005-01.45	0.10	SQUARE YARD	AIRPORT CONCRETE PAVEMENT (8 IN. THICK)	
005-01.55	0.10	SQUARE YARD	AIRPORT CONCRETE PAVEMENT (9 IN. THICK)	
005-50.10	0.10	SQUARE YARD	AIRPORT SAW-CUT GROOVING	
005-99.01	1.00	LUMP SUM	AIRPORT - MISC.	
005-99.02	1.00	EACH	AIRPORT - MISC.	
006-01.10	1.00	LUMP SUM	AIRPORT MOBILIZATION	
006-01.20	1.00	LUMP SUM	AIRPORT FIELD LABORATORY	
006-01.30	1.00	LUMP SUM	AIRPORT TEMPORARY MARKING, LIGHTING AND	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			BARRICADES	
006-01.40	1.00	LUMP SUM	AIRPORT TEMPORARY MARKING AND BARRICADES	
006-01.55	1.00	SQUARE FOOT	AIRPORT CONSTRUCTION SIGNS	
006-01.60	1.00	EACH	AIRPORT MOVABLE BARRICADE	
006-01.70	1.00	EACH	AIRPORT WARNING LIGHT, TYPE A	
006-01.80	1.00	EACH	AIRPORT WARNING LIGHT, TYPE B	
006-01.90	1.00	EACH	AIRPORT WARNING LIGHT, TYPE C	
006-10.50	1.00	LINEAR FOOT	AIRPORT 5 STRAND BARBED WIRE FENCE (12 1/2 GAGE)	
006-11.50	1.00	EACH	AIRPORT 16 FT. WIDE, SINGLE SWING FARM FENCE	
006-11.60	1.00	EACH	AIRPORT DRIVEWAY SLIDING GATE, CHAIN-LINK	
006-12.10	1.00	LINEAR FOOT	AIRPORT CHAIN-LINK FENCE (48 INCH, TYPE A)	
006-12.20	1.00	EACH	AIRPORT DRIVEWAY GATE, CHAIN-LINK	
006-12.30	1.00	EACH	AIRPORT WALKING GATE, CHAIN-LINK	
006-12.40	1.00	LINEAR FOOT	AIRPORT WOVEN WIRE FENCE	
006-12.50	1.00	EACH	AIRPORT DRIVE GATE (WOVEN WIRE)	
006-30.10	10.00	GALLONS	AIRPORT BITUMINOUS MATERIAL FOR ACCESS ROAD (SEAL COAT)	
006-30.20	1.00	TONS	AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 1 (FIRST APPLICATION)	
006-30.30	1.00	TONS	AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 2 (SECOND APPLICATION)	
006-40.10	0.10	CUBIC YARD	AIRPORT STRUCTURAL PORTLAND CEMENT CONCRETE	
006-40.20	1.00	POUND	AIRPORT STEEL REINFORCING (STRUCTURAL CONCRETE)	
006-50.10	1.00	SQUARE FOOT	AIRPORT RUNWAY PAVEMENT MARKING (WHITE)	
006-50.20	1.00	SQUARE FOOT	AIRPORT TAXIWAY PAVEMENT MARKING (YELLOW)	
006-50.30	1.00	SQUARE FOOT	AIRPORT PAVEMENT MARKING (BLACK)	
006-51.10	1.00	SQUARE FOOT	AIRPORT PAVEMENT MARKING REMOVAL	
006-60.10	1.00	GALLONS	AIRPORT EMULSIFIED ASPHALT FOR SLURRY SEAL	
006-60.20	0.10	TONS	AIRPORT AGGREGATE FOR SLURRY SEAL	
006-80.10	1.00	CUBIC YARD	AIRPORT ROCK LINING	
006-90.10	1.00	EACH	AIRCRAFT TIE-DOWN ANCHORS	
007-13.10	1.00	LINEAR FOOT	AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (12 IN.)	
007-13.20	1.00	LINEAR FOOT	AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (18 IN.)	
007-13.30	1.00	LINEAR FOOT	AIRPORT CONVENTIONAL UNDERDRAIN (4 IN.)	
007-13.40	1.00	LINEAR FOOT	AIRPORT PIPE-AGGREGATE PAVEMENT UNDERDRAIN	
007-14.10	1.00	EACH	AIRPORT SPLASH PAD	
007-20.39	1.00	EACH	AIRPORT DROP INLETS	
007-40.12	1.00	LINEAR FOOT	AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.15	1.00	LINEAR FOOT	AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.18	1.00	LINEAR FOOT	AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.21	1.00	LINEAR FOOT	AIRPORT 21 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.24	1.00	LINEAR FOOT	AIRPORT 24 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.30	1.00	LINEAR FOOT	AIRPORT 30 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.36	1.00	LINEAR FOOT	AIRPORT 36 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.42	1.00	LINEAR FOOT	AIRPORT 42 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-40.48	1.00	LINEAR FOOT	AIRPORT 48 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
007-41.12	1.00	EACH	AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION	
007-41.15	1.00	EACH	AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION	
007-41.18	1.00	EACH	AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECT	
007-41.21	1.00	EACH	AIRPORT 21 IN. CORRUGATED METALLIC-COATED	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
007-41.24	1.00	EACH	STEEL PIPE FLARED END SECTION AIRPORT 24 IN. CORRUGATED METALLIC-COATED	
007-41.30	1.00	EACH	STEEL PIPE FLARED END SECTION AIRPORT 30 IN. CORRUGATED METALLIC-COATED	
007-41.36	1.00	EACH	STEEL PIPE FLARED END SECTION AIRPORT 36 IN. CORRUGATED METALLIC-COATED	
007-41.42	1.00	EACH	STEEL PIPE FLARED END SECTION AIRPORT 42 IN. CORRUGATED METALLIC-COATED	
007-41.48	1.00	EACH	STEEL PIPE FLARED END SECTION AIRPORT 48 IN. CORRUGATED METALLIC-COATED	
007-50.12	1.00	LINEAR FOOT	STEEL PIPE FLARED END SECTION AIRPORT 12 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.15	1.00	LINEAR FOOT	AIRPORT 15 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.18	1.00	LINEAR FOOT	AIRPORT 18 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.19	1.00	LINEAR FOOT	AIRPORT 18 IN. CLASS IV REINFORCED CONCRETE PIPE	
007-50.21	1.00	LINEAR FOOT	AIRPORT 21 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.24	1.00	LINEAR FOOT	AIRPORT 24 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.25	1.00	LINEAR FOOT	AIRPORT 24 IN. CLASS IV REINFORCED CONCRETE PIPE	
007-50.27	1.00	LINEAR FOOT	AIRPORT 27 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.30	1.00	LINEAR FOOT	AIRPORT 30 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.33	1.00	LINEAR FOOT	AIRPORT 33 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.36	1.00	LINEAR FOOT	AIRPORT 36 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.37	1.00	LINEAR FOOT	AIRPORT 36 IN. CLASS IV REINFORCED CONCRETE PIPE	
007-50.42	1.00	LINEAR FOOT	AIRPORT 42 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.48	1.00	LINEAR FOOT	AIRPORT 48 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.60	1.00	LINEAR FOOT	AIRPORT 60 IN. CLASS III REINFORCED CONCRETE PIPE	
007-50.72	1.00	LINEAR FOOT	AIRPORT 72 IN. CLASS III REINFORCED CONCRETE PIPE	
007-51.12	1.00	EACH	AIRPORT 12 IN. RCP FLARED END SECTION	
007-51.15	1.00	EACH	AIRPORT 15 IN. RCP FLARED END SECTION	
007-51.18	1.00	EACH	AIRPORT 18 IN. RCP FLARED END SECTION	
007-51.21	1.00	EACH	AIRPORT 21 IN. RCP FLARED END SECTION	
007-51.24	1.00	EACH	AIRPORT 24 IN. RCP FLARED END SECTION	
007-51.27	1.00	EACH	AIRPORT 27 IN. RCP FLARED END SECTION	
007-51.30	1.00	EACH	AIRPORT 30 IN. RCP FLARED END SECTION	
007-51.33	1.00	EACH	AIRPORT 33 IN. RCP FLARED END SECTION	
007-51.36	1.00	EACH	AIRPORT 36 IN. RCP FLARED END SECTION	
007-51.42	1.00	EACH	AIRPORT 42 IN. RCP FLARED END SECTION	
007-51.48	1.00	EACH	AIRPORT 48 IN. RCP FLARED END SECTION	
008-10.10	0.10	ACRES	AIRPORT SEEDING	
008-30.10	1.00	SQUARE YARD	AIRPORT SODDING	
008-40.10	1.00	CUBIC YARD	AIRPORT TOPSOILING (OBTAINED ON SITE)	
008-40.20	1.00	CUBIC YARD	AIRPORT TOPSOILING (FURNISHED)	
008-60.11	0.10	ACRES	AIRPORT MULCHING	
008-60.12	0.10	ACRES	AIRPORT TYPE 2 OR TYPE 3 MULCH	
009-10.10	1.00	EACH	AIRPORT ROTATING BEACON (IN PLACE)	
009-11.10	1.00	EACH	AIRPORT HAZARD BEACON (IN PLACE)	
009-12.10	1.00	EACH	AIRPORT BEACON TOWER (IN PLACE)	
009-13.10	1.00	EACH	AIRPORT WIND CONE 12 FT (IN PLACE)	
009-13.20	1.00	EACH	AIRPORT WIND CONE 8 FT (IN PLACE)	
009-13.30	1.00	EACH	AIRPORT WIND CONE (RELOCATE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
009-13.40	1.00	EACH	AIRPORT SEGMENTED CIRCLE	
009-14.10	1.00	EACH	AIRPORT OBSTRUCTION LIGHT (IN PLACE)	
009-15.10	1.00	EACH	AIRPORT PAPI, 2-BOX SYSTEM	
009-15.20	1.00	EACH	AIRPORT PAPI, 4-BOX SYSTEM	
009-15.30	1.00	EACH	AIRPORT PAPI (RELOCATE)	
009-16.10	1.00	EACH	AIRPORT APRON LIGHT (IN PLACE)	
009-20.10	1.00	LINEAR FOOT	AIRPORT CABLE TRENCH	
009-20.11	1.00	LINEAR FOOT	AIRPORT TYPE 1 CABLE TRENCH	
009-20.12	1.00	LINEAR FOOT	AIRPORT TYPE 2 CABLE TRENCH	
009-20.60	1.00	LINEAR FOOT	AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 5KV)	
009-20.68	1.00	LINEAR FOOT	AIRPORT UNDERGROUND CABLE (1/C,#10 AWG, 600V)	
009-20.69	1.00	LINEAR FOOT	AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 600V)	
009-20.70	1.00	LINEAR FOOT	AIRPORT UNDERGROUND CABLE (1/C,#6 AWG, 600V)	
009-20.71	1.00	LINEAR FOOT	AIRPORT UNDERGROUND CABLE (1/C,#4 AWG, 600V)	
009-20.79	1.00	LINEAR FOOT	AIRPORT #10 AWG BARE COPPER GROUND	
009-20.80	1.00	LINEAR FOOT	AIRPORT #8 AWG BARE COPPER GROUND	
009-20.81	1.00	LINEAR FOOT	AIRPORT #6 AWG BARE COPPER GROUND	
009-20.82	1.00	LINEAR FOOT	AIRPORT #4 AWG BARE COPPER GROUND	
009-21.10	1.00	LINEAR FOOT	AIRPORT SINGLE-WAY ELECTRICAL DUCT	
009-21.20	1.00	LINEAR FOOT	AIRPORT MULTI-WAY ELECTRICAL DUCT	
009-21.30	1.00	LINEAR FOOT	AIRPORT 2-4 IN. PVC CONCRETE ENCASED ELECTRICAL DUCT	
009-21.35	1.00	LINEAR FOOT	AIRPORT 4-4 IN. PVC CONCRETE ENCASED ELECTRICAL DUCT	
009-21.40	1.00	LINEAR FOOT	AIRPORT PVC ELECTRICAL DUCT (4 IN.)	
009-34.10	1.00	EACH	AIRPORT 4 KW CONSTANT CURRENT REGULATOR	
009-34.11	1.00	EACH	AIRPORT 7.5 KW CONSTANT CURRENT REGULATOR	
009-34.12	1.00	EACH	AIRPORT 10 KW CONSTANT CURRENT REGULATOR	
009-35.10	1.00	LUMP SUM	AIRPORT ELECTRICAL VAULT ENCLOSURE, REGULATORS AND CONTROLS	
009-40.20	1.00	EACH	AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY, BASE MOUNTED (BLUE)	
009-40.40	1.00	EACH	AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY, STAKE MOUNTED (BLUE)	
009-41.20	1.00	EACH	AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY, BASE MOUNTED (CLEAR/YELLOW)	
009-41.50	1.00	EACH	AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY, STAKE MOUNTED (CLEAR/YELLOW)	
009-41.65	1.00	EACH	AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (YELLOW)	
009-41.70	1.00	EACH	AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (YELLOW)	
009-41.80	1.00	EACH	AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (CLEAR)	
009-41.90	1.00	EACH	AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (CLEAR)	
009-42.20	1.00	EACH	AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (RED/GREEN)	
009-42.21	1.00	EACH	AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (RED/GREEN)	
009-42.35	1.00	EACH	AIRPORT L-867 LIGHT BASE	
009-42.40	1.00	EACH	AIRPORT RUNWAY END INDICATOR LIGHT (REIL) SYSTEM	
009-44.10	1.00	EACH	AIRPORT RETROREFLECTIVE MARKERS	
009-50.13	1.00	EACH	AIRPORT RUNWAY OR TAXIWAY SIGN (SIZE 1, STYLE 4)	
105-10.00	1.00	LUMP SUM	CONSTRUCTION SURVEYING	
105-99.01	1.00	LUMP SUM	MISC.	
108-00.00	1.00	HOURL	TRAINEE REIMBURSEMENT	
108-07.01	1.00	DAY	CONTRACT TIME ADJUSTMENT	
108-08.01	1.00	MINUTES	LIQUIDATED DAMAGES	
108-08.02	1.00	HOURL	LIQUIDATED DAMAGES	
108-08.03	1.00	DAY	LIQUIDATED DAMAGES	
109-10.00	1.00	EACH	STEEL RIGHT OF WAY MARKERS	
109-10.05	1.00	EACH	DRAIN MARKERS	
109-10.06	1.00	EACH	'GIVE 'EM A BRAKE' SIGNS	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
109-10.07	1.00	EACH	DELINEATOR LOG MILE STICKERS	
109-10.08	1.00	EACH	'NO CENTER STRIPE' SIGN	
109-10.10	1.00	EACH	R10-10L, LEFT TURN SIGNAL	
109-10.11	1.00	EACH	R10-10R, RIGHT TURN SIGNAL	
109-10.12	1.00	EACH	R3-5L, LEFT ARROW (SYMBOL) ONLY	
109-10.13	1.00	EACH	R3-5R, RIGHT ARROW (SYMBOL) ONLY	
109-10.14	1.00	EACH	R3-5S, STRAIGHT ARROW (SYMBOL) ONLY	
109-10.15	1.00	EACH	R3-6L, LEFT ARROW STRAIGHT ARROW (SYMBOL)	
109-10.16	1.00	EACH	R3-6R, RIGHT ARROW STRAIGHT ARROW (SYMBOL)	
109-10.17	1.00	EACH	R3-2, NO LEFT TURN (SYMBOL)	
109-10.18	1.00	EACH	R3-1, NO RIGHT TURN (SYMBOL)	
109-10.19	1.00	EACH	R3-3, NO TURN	
109-10.20	1.00	EACH	R10-11, LEFT ONLY ON LEFT ARROW	
109-10.21	1.00	EACH	R10-12, LEFT TURN YIELD ON GREEN (SYMBOLIC CIRCULAR GREEN)	
109-10.22	1.00	EACH	D3-16, STREET NAME	
109-10.23	1.00	EACH	D3-18, STREET OR ROAD NAME	
109-10.24A	1.00	EACH	R10-3C-9, CROSSWALK (PEDESTRIAN SYMBOL)	
109-10.25A	1.00	EACH	R10-3B-9, CROSSWALK (WALK VERBIAGE)	
109-10.26	1.00	EACH	R10-11A, NO TURN ON RED (PRODUCED ON REQUEST)	
109-10.27	1.00	EACH	R10-6, STOP HERE ON RED (PRODUCED ON REQUEST)	
109-10.28	1.00	EACH	S1-1-36, SCHOOL CROSSING AHEAD	
109-10.29	1.00	EACH	'SHOW ME PROGRESS' SIGN	
109-10.30	1.00	EACH	2 IN. ALUMINUM CAP WITH MODOT R/W IMPRINT	
109-10.31	1.00	EACH	6 FT. WHITE CARSONITE POST WITH MODOT R/W STICKER	
109-10.32	1.00	EACH	24 IN. SURVEY PIN	
109-10.33	1.00	EACH	30 IN. SURVEY PIN	
109-10.34	1.00	EACH	LOCATION SURVEY RIGHT OF WAY MARKER	
109-40.00	1.00	EACH	FORCE ACCOUNT	
109-70.00	1.00	LUMP SUM	INTEREST (PROMPT PAYMENT)	
109-99.01	1.00	LUMP SUM	MISC.	
109-99.02	1.00	EACH	MISC.	
109-99.04	1.00	SQUARE FOOT	MISC.	
201-00.00	0.10	ACRES	MOWING	
201-00.01	0.10	HECTARE	MOWING	
201-30.00	1.00	ACRES	CLEARING AND GRUBBING	
201-30.10	1.00	HECTARE	CLEARING AND GRUBBING	
201-31.00	1.00	LUMP SUM	CLEARING AND GRUBBING	
201-99.01	1.00	LUMP SUM	MISC.	
201-99.02	1.00	EACH	MISC.	
201-99.18	1.00	CYCLE	MISC.	
201-99.19	0.10	ACRES	MISC.	
201-99.19M	0.10	HECTARE	MISC.	
201-99.25	0.10	ACRE - CYCL	MISC.	
201-99.25M	0.10	HECTARE - C	MISC.	
201-99.26	0.10	ACRE - CYCL	MISC.	
201-99.26M	0.10	HECTARE - C	MISC.	
201-99.27	0.10	ACRES	MISC.	
201-99.27M	0.10	HECTARE	MISC.	
202-10.10	1.00	EACH	REMOVAL OF BRIDGE	
202-10.20	1.00	LUMP SUM	REMOVAL OF BRIDGES	
202-10.27	1.00	SQUARE FOOT	PARTIAL REMOVAL OF EXISTING BRIDGE DECK	
202-10.28	0.10	SQ METER	PARTIAL REMOVAL OF EXISTING BRIDGE DECK	
202-10.29	1.00	LUMP SUM	PARTIAL REMOVAL OF CULVERT CONCRETE	
202-10.30	1.00	SQUARE FOOT	REMOVAL OF EXISTING BRIDGE DECK	
202-10.31	0.10	SQ METER	REMOVAL OF EXISTING BRIDGE DECK	
202-10.32	1.00	LUMP SUM	PARTIAL REMOVAL OF CULVERT CONCRETE (BRIDGES)	
202-10.33	1.00	LUMP SUM	REMOVAL OF EXISTING BRIDGE DECK	
202-10.34	1.00	SQUARE FOOT	REMOVAL OF EXISTING BRIDGE PRECAST SLAB	
202-10.35	1.00	SQUARE FOOT	SEAL COAT REMOVAL (BRIDGES)	
202-10.36	1.00	SQUARE FOOT	ASPHALT REMOVAL (BRIDGES)	
202-10.37	1.00	LUMP SUM	ASPHALT REMOVAL (BRIDGES)	
202-10.38	1.00	SQUARE YARD	SCARIFICATION OF BRIDGE DECK	
202-10.39	0.10	SQ METER	REMOVAL OF EXISTING BRIDGE PRECAST SLAB	
202-10.40	0.10	SQ METER	SEAL COAT REMOVAL (BRIDGES)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
202-10.41	0.10	SQ METER	ASPHALT REMOVAL (BRIDGES)	
202-10.42	0.10	SQ METER	SCARIFICATION OF BRIDGE DECK	
202-10.50	1.00	LUMP SUM	SPECIAL WORK (BRIDGES)	
202-10.51	1.00	LINEAR FOOT	REMOVAL AND STORAGE OF EXISTING BRIDGE RAIL	
202-10.52	1.00	LINEAR FOOT	CURB REMOVAL (BRIDGES)	
202-10.53	1.00	LINEAR FOOT	CURB REMOVAL FOR THRIE BEAM INSTALLATION	
202-10.54	1.00	LINEAR FOOT	REPLACEMENT OF EXPANSION DEVICE AND ADJACENT CONCRETE	
202-10.55	1.00	LUMP SUM	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	
202-10.56	1.00	SQUARE FOOT	REMOVAL OF LOW SLUMP CONCRETE WEARING SURFACE	
202-10.61	0.50	METER	REMOVAL AND STORAGE OF EXISTING BRIDGE RAIL	
202-10.62	0.50	METER	CURB REMOVAL (BRIDGES)	
202-10.63	0.50	METER	CURB REMOVAL FOR THRIE BEAM INSTALLATION	
202-10.64	0.50	METER	REPLACEMENT OF EXPANSION DEVICE & ADJACENT CONCRETE	
202-10.66	0.10	SQ METER	REMOVAL OF LOW SLUMP CONCRETE WEARING SURFACE	
202-20.10	1.00	LUMP SUM	REMOVAL OF IMPROVEMENTS	
202-20.11	1.00	LINEAR FOOT	PARTIAL DEPTH SAW CUT (SEC 202.20 WORK ONLY)	
202-20.12	0.50	METER	PARTIAL DEPTH SAW CUT (SEC 202.20 WORK ONLY)	
202-20.13	1.00	LINEAR FOOT	FULL DEPTH SAW CUT (SEC 202.20 WORK ONLY)	
202-20.14	0.50	METER	FULL DEPTH SAW CUT (SEC 202.20 WORK ONLY)	
202-40.13	1.00	SQUARE FOOT	REMOVAL OF SURFACING ACM (FRIABLE)	
202-40.14	0.10	SQ METER	REMOVAL OF SURFACING ACM (FRIABLE)	
202-40.23	0.50	METER	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	
202-40.24	1.00	LINEAR FOOT	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	
202-40.27	1.00	SQUARE FOOT	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	
202-40.28	0.10	SQ METER	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	
202-40.29	1.00	SQUARE FOOT	REMOVAL OF CEILING TILE ACM (FRIABLE)	
202-40.31	0.10	SQ METER	REMOVAL OF CEILING TILE ACM (FRIABLE)	
202-40.38	1.00	SQUARE FOOT	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	
202-40.39	0.10	SQ METER	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	
202-40.40	1.00	SQUARE FOOT	REMOVAL OF MISCELLANEOUS ACM (FRIABLE)	
202-40.41	0.10	SQ METER	REMOVAL OF MISCELLANEOUS ACM (FRIABLE)	
202-40.42	0.50	METER	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	
202-40.43	1.00	SQUARE FOOT	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	
202-40.44	0.10	SQ METER	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	
202-40.46	1.00	LINEAR FOOT	REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY II NONFRIABLE)	
202-40.47	0.50	METER	REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY II NONFRIABLE)	
202-40.48	1.00	LINEAR FOOT	REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NONFRIABLE)	
202-40.49	0.50	METER	REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NONFRIABLE)	
202-40.54	1.00	LINEAR FOOT	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	
202-40.67	1.00	SQUARE FOOT	REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE)	
202-40.68	0.10	SQ METER	REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE)	
202-40.70	1.00	SQUARE FOOT	REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)	
202-40.71	0.10	SQ METER	REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)	
202-40.72	1.00	SQUARE FOOT	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE)	
202-40.73	0.10	SQ METER	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE)	
202-40.74	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE)	
202-40.75	0.10	SQ METER	REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE)	
202-40.76	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE ACM ON CONCRETE (FRIABLE)	
202-40.77	0.10	SQ METER	REMOVAL OF FLOOR TILE ACM ON CONCRETE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			(FRIABLE)	
202-40.78	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE)	
202-40.79	0.10	SQ METER	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE)	
202-40.91	1.00	SQUARE FOOT	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-40.92	0.10	SQ METER	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-40.93	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE)	
202-40.94	0.10	SQ METER	REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE)	
202-40.96	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-40.97	0.10	SQ METER	REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-40.98	1.00	SQUARE FOOT	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-40.99	0.10	SQ METER	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	
202-60.10	1.00	EACH	TANK REMOVAL AND DISPOSAL	
202-60.20	1.00	GALLONS	HAZARDOUS RESIDUAL MATERIAL DISPOSAL	
202-60.25	5.00	LITER	HAZARDOUS RESIDUAL MATERIAL DISPOSAL	
202-60.27	1.00	CUBIC YARD	CONTAMINATED SOIL EXCAVATION	
202-60.29A	1.00	TONS	CONTAMINATED SOIL HAULING	
202-60.30	1.00	TONS	CONTAMINATED SOIL DISPOSAL	
202-60.32	1.00	CUBIC METER	CONTAMINATED SOIL EXCAVATION	
202-60.34A	1.00	MEGAGRAM	CONTAMINATED SOIL HAULING	
202-60.35	1.00	MEGAGRAM	CONTAMINATED SOIL DISPOSAL	
202-60.40	1.00	CUBIC YARD	BACKFILL	
202-60.45	1.00	CUBIC METER	BACKFILL	
202-60.50	10.00	GALLONS	TANK PIT WATER DISPOSAL	
202-60.55	50.00	LITER	TANK PIT WATER DISPOSAL	
202-70.00	1.00	EACH	DISPOSAL AND PLUGGING OF WELLS	
202-80.00	1.00	EACH	PLUGGING AND DISPOSAL OF SEPTIC TANKS	
202-99.01	1.00	LUMP SUM	MISC.	
202-99.02	1.00	EACH	MISC.	
202-99.03	1.00	LINEAR FOOT	MISC.	
202-99.03M	0.50	METER	MISC.	
202-99.04	1.00	SQUARE FOOT	MISC.	
202-99.05	0.10	SQUARE YARD	MISC.	
202-99.05M	0.10	SQ METER	MISC.	
202-99.07	0.10	CUBIC YARD	MISC.	
202-99.07M	0.10	CUBIC METER	MISC.	
202-99.10	0.10	TONS	MISC.	
202-99.10M	0.10	MEGAGRAM	MISC.	
202-99.12	10.00	GALLONS	MISC.	
202-99.12M	50.00	LITER	MISC.	
202-99.30	1.00	LUMP SUM	REMOVAL OF IMPROVEMENTS - PARCEL NO.	
202-99.50	1.00	LUMP SUM	DEMOLITION AND REMOVAL OF BUILDINGS - PARCEL NO.	
203-10.00	1.00	CUBIC YARD	CLASS A EXCAVATION	
203-10.05	1.00	CUBIC METER	CLASS A EXCAVATION	
203-20.00	1.00	CUBIC YARD	CLASS C EXCAVATION	
203-20.05	1.00	CUBIC METER	CLASS C EXCAVATION	
203-30.00	1.00	CUBIC YARD	SANDSTONE EXCAVATION	
203-30.05	1.00	CUBIC METER	SANDSTONE EXCAVATION	
203-40.00	1.00	CUBIC YARD	IGNEOUS ROCK EXCAVATION	
203-40.05	1.00	CUBIC METER	IGNEOUS ROCK EXCAVATION	
203-50.00	1.00	CUBIC YARD	UNCLASSIFIED EXCAVATION	
203-50.05	1.00	CUBIC METER	UNCLASSIFIED EXCAVATION	
203-55.00	1.00	CUBIC YARD	EMBANKMENT IN PLACE	
203-55.05	1.00	CUBIC METER	EMBANKMENT IN PLACE	
203-60.00	1.00	CUBIC YARD	COMPACTING EMBANKMENT	
203-60.05	1.00	CUBIC METER	COMPACTING EMBANKMENT	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
203-70.75	0.10	STATION	COMPACTING IN CUT	
203-70.76	5.00	METER	COMPACTING IN CUT	
203-70.80	1.00	CUBIC YARD	SPECIAL FILL	
203-70.85	1.00	CUBIC METER	SPECIAL FILL	
203-99.01	1.00	LUMP SUM	MISC.	
203-99.02	1.00	EACH	MISC.	
203-99.03	1.00	LINEAR FOOT	MISC.	
203-99.03M	0.50	METER	MISC.	
203-99.07	1.00	CUBIC YARD	MISC.	
203-99.07M	0.10	CUBIC METER	MISC.	
204-10.10	1.00	EACH	EMBANKMENT CONTROL STAKE	
204-20.10	1.00	EACH	SETTLEMENT GAUGE	
204-30.10	1.00	EACH	PORE PRESSURE MEASURING DEVICE	
205-10.00	1.00	STATION YAR	OVERHAUL (STATION)	
205-10.05	1.00	STATION CUB	OVERHAUL - 0.1 STATION CUBIC METERS	
205-99.01	1.00	LUMP SUM	MISC.	
205-99.08	1.00	CUBIC YARD	MISC.	
206-10.00	0.50	CUBIC YARD	CLASS 1 EXCAVATION	
206-10.03	0.50	CUBIC YARD	CLASS 1 EXCAVATION IN ROCK	
206-10.05	0.50	CUBIC METER	CLASS 1 EXCAVATION	
206-10.07	0.50	CUBIC METER	CLASS 1 EXCAVATION IN ROCK	
206-20.00	0.50	CUBIC YARD	CLASS 2 EXCAVATION	
206-20.03	0.50	CUBIC YARD	CLASS 2 EXCAVATION IN ROCK	
206-20.05	0.50	CUBIC METER	CLASS 2 EXCAVATION	
206-20.07	0.50	CUBIC METER	CLASS 2 EXCAVATION IN ROCK	
206-30.00	1.00	CUBIC YARD	CLASS 3 EXCAVATION	
206-30.05	1.00	CUBIC METER	CLASS 3 EXCAVATION	
206-31.00	1.00	CUBIC YARD	CLASS 3 EXCAVATION IN ROCK	
206-32.00	1.00	CUBIC METER	CLASS 3 EXCAVATION IN ROCK	
206-35.00	1.00	EACH	CULVERT CLEANOUT	
206-36.00	1.00	LINEAR FOOT	SUPPLEMENTARY FOUNDATION TEST HOLES (NX)	
206-36.05	0.50	METER	SUPPLEMENTARY FOUNDATION TEST HOLES (NX)	
206-36.10	1.00	LINEAR FOOT	SUPPLEMENTARY CORED HOLES	
206-36.15	0.50	METER	SUPPLEMENTARY CORED HOLES	
206-40.00	1.00	CUBIC YARD	POROUS BACKFILL	
206-40.05	1.00	CUBIC METER	POROUS BACKFILL	
206-45.00	1.00	CUBIC YARD	SELECTED GRANULAR BACKFILL	
206-45.05	1.00	CUBIC METER	SELECTED GRANULAR BACKFILL	
206-47.00	1.00	CUBIC YARD	GRANULAR BACKFILL (CULVERTS-BRIDGE)	
206-47.50	1.00	CUBIC YARD	GRANULAR BACKFILL (CULVERTS)	
206-48.00	1.00	CUBIC METER	GRANULAR BACKFILL (CULVERTS-BRIDGE)	
206-48.50	1.00	CUBIC METER	GRANULAR BACKFILL (CULVERTS)	
206-55.00	1.00	LUMP SUM	TEMPORARY SHORING	
206-60.02	1.00	LUMP SUM	COFFERDAMS-BENT2	
206-60.03	1.00	LUMP SUM	COFFERDAMS-BENT3	
206-60.04	1.00	LUMP SUM	COFFERDAMS-BENT4	
206-60.05	1.00	LUMP SUM	COFFERDAMS-BENT5	
206-60.06	1.00	LUMP SUM	COFFERDAMS-BENT6	
206-60.07	1.00	LUMP SUM	COFFERDAMS-BENT7	
206-60.08	1.00	LUMP SUM	COFFERDAMS-BENT8	
206-60.09	1.00	LUMP SUM	COFFERDAMS-BENT9	
206-60.10	1.00	LUMP SUM	COFFERDAMS-BENT10	
206-60.11	1.00	LUMP SUM	COFFERDAMS-BENT11	
206-60.12	1.00	LUMP SUM	COFFERDAMS-BENT12	
206-99.01	1.00	LUMP SUM	MISC.	
206-99.02	1.00	EACH	MISC.	
206-99.03	1.00	LINEAR FOOT	MISC.	
206-99.03M	0.50	METER	MISC.	
206-99.04	1.00	SQUARE FOOT	MISC.	
206-99.05	0.10	SQUARE YARD	MISC.	
206-99.05M	0.10	SQ METER	MISC.	
206-99.07	1.00	CUBIC YARD	MISC.	
206-99.07M	0.10	CUBIC METER	MISC.	
207-10.00	0.10	STATION	LINEAR GRADING CLASS 1	
207-10.05	5.00	METER	LINEAR GRADING CLASS 1	
207-20.00	0.10	STATION	LINEAR GRADING CLASS 2	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
207-20.05	5.00	METER	LINEAR GRADING CLASS 2	
207-99.01	1.00	LUMP SUM	MISC.	
207-99.03	1.00	LINEAR FOOT	MISC.	
207-99.03M	0.50	METER	MISC.	
207-99.09	0.10	STATION	MISC.	
207-99.09M	0.01	KILOMETER	MISC.	
208-10.00	1.00	100 FEET	INTERCEPTION DITCH	
208-10.05	25.00	METER	INTERCEPTION DITCH	
209-99.05	0.10	SQUARE YARD	MISC.	
209-99.05M	0.10	SQ METER	MISC.	
210-10.06	0.10	STATION	SUBGRADE COMPACTION (6-INCH DEPTH)	
210-10.10	5.00	METER	SUBGRADE COMPACTION (150 MM DEPTH)	
210-99.03	1.00	LINEAR FOOT	MISC.	
210-99.03M	0.50	METER	MISC.	
211-10.00	0.50	STATION	SUBGRADE SCARIFYING	
211-10.05	15.00	METER	SUBGRADE SCARIFYING	
211-99.05	0.10	SQUARE YARD	MISC.	
211-99.05M	0.10	SQ METER	MISC.	
212-10.00	0.10	STATION	SUBGRADING AND SHOULDERING CLASS 1	
212-10.05	5.00	METER	SUBGRADING AND SHOULDERING CLASS 1	
212-20.00	0.10	STATION	SUBGRADING AND SHOULDERING CLASS 2	
212-20.05	5.00	METER	SUBGRADING AND SHOULDERING CLASS 2	
212-99.03	1.00	LINEAR FOOT	MISC.	
212-99.03M	5.00	METER	MISC.	
212-99.09	0.10	STATION	MISC.	
212-99.09M	0.10	KILOMETER	MISC.	
213-10.00	0.01	MILE	SHAPING SHOULDERS CLASS 1	
213-10.05	15.00	METER	SHAPING SHOULDERS CLASS 1	
213-20.00	0.01	MILE	SHAPING SHOULDERS CLASS 2	
213-20.05	15.00	METER	SHAPING SHOULDERS CLASS 2	
213-99.01	1.00	LUMP SUM	MISC.	
213-99.03	1.00	LINEAR FOOT	MISC.	
213-99.03M	0.50	METER	MISC.	
213-99.05	0.10	SQUARE YARD	MISC.	
213-99.05M	0.10	SQ METER	MISC.	
213-99.09	0.10	STATION	MISC.	
213-99.09M	0.01	KILOMETER	MISC.	
213-99.20	0.01	MILE	MISC.	
213-99.20M	0.10	KILOMETER	MISC.	
214-10.00	1.00	100 GALLON	WATER	
214-10.05	500.00	LITER	WATER	
215-10.00	0.01	MILE	SHAPING SLOPES, CLASS I	
215-10.05	15.00	METER	SHAPING SLOPES, CLASS I	
215-20.00	0.10	MILE	SHAPING SLOPES, CLASS II	
215-20.05	15.00	METER	SHAPING SLOPES, CLASS II	
215-99.03	1.00	LINEAR FOOT	MISC.	
215-99.03M	0.50	METER	MISC.	
215-99.20	0.10	MILE	MISC.	
215-99.20M	0.10	KILOMETER	MISC.	
217-10.00	1.00	CUBIC YARD	HYDRAULIC EMBANKMENT	
217-10.05	1.00	CUBIC METER	HYDRAULIC EMBANKMENT	
301-05.00	1.00	EACH	SAMPLE OF COMPACTED PLANT MIX BITUMINOUS BASE	
301-20.00	1.00	TONS	MINERAL AGGREGATE (BITUMINOUS BASE) PG64-22	
301-20.05	1.00	MEGAGRAM	MINERAL AGGREGATE (BITUMINOUS BASE) PG64-22	
301-30.02	0.10	TONS	ASPHALT BINDER (BASE WIDENING) PG64-22	
301-30.05	1.00	MEGAGRAM	ASPHALT BINDER (BASE WIDENING) PG64-22	
301-40.00	1.00	TONS	MINERAL AGGREGATE (BASE WIDENING) PG64-22	
301-40.05	1.00	MEGAGRAM	MINERAL AGGREGATE (BASE WIDENING) PG64-22	
301-49.88	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (4 IN. THICK) PG 64-22	
301-49.89	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (4 IN. THICK) PG 64-22	
301-49.90	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (100MM THICK) PG 64-22	
301-49.91	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (100MM THICK) PG 64-22	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
301-49.92	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (4.25 IN. THICK) PG 64-22	
301-49.93	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIX (4.25 IN THICK) PG 64-22	
301-49.94	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (105MM THICK) PG 64-22	
301-49.95	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (105MM THICK) PG 64-22	
301-49.96	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (5.25 IN. THICK) PG 64-22	
301-49.97	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (5.25 IN. THICK) PG 64-22	
301-49.98	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (130MM THICK) PG 64-22	
301-49.99	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (130MM THICK) PG 64-22	
301-50.15	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (6.25 IN. THICK) PG64-22	
301-50.16	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(6.25 IN. THICK) PG64-22	
301-50.17	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE(155MM THICK) PG64-22	
301-50.18	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(155MM THICK) PG64-22	
301-50.19	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(7.25 IN. THICK) PG64-22	
301-50.20	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(7.25 IN. THICK) PG64-22	
301-50.21	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE(180MM THICK) PG64-22	
301-50.22	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(180MM THICK) PG64-22	
301-50.23	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(8.25 IN. THICK) PG64-22	
301-50.24	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(8.25 IN. THICK) PG64-22	
301-50.25	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE(205MM THICK) PG64-22	
301-50.26	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(205MM THICK) PG64-22	
301-50.27	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(9.25 IN. THICK) PG64-22	
301-50.28	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(9.25 IN. THICK) PG64-22	
301-50.29	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE(230MM THICK PG64-22	
301-50.30	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(230MM THICK) PG64-22	
301-50.31	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(10.25 IN. THICK) PG64-22	
301-50.32	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(10.25 IN. THICK) PG64-22	
301-50.33	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (255MM THICK) PG64-22	
301-50.34	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(255MM THICK) PG64-22	
301-50.35	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(11.25 IN. THICK) PG64-22	
301-50.36	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(11.25 IN. THICK) PG64-22	
301-50.37	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE(280MM THICK) PG64-22	
301-50.38	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE(280MM THICK) PG64-22	
301-50.39	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE(12.25 IN. THICK) PG64-22	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
301-50.40	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (12.25 IN. THICK) PG64-22	
301-50.41	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (305MM THICK) PG64-22	
301-50.42	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (305MM THICK) PG64-22	
301-50.43	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (13.25 IN. THICK) PG64-22	
301-50.44	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (13.25 IN. THICK) PG64-22	
301-50.45	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (330MM THICK) PG64-22	
301-50.46	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (330MM THICK) PG64-22	
301-50.47	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (14.25 IN. THICK) PG64-22	
301-50.48	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (14.25 IN. THICK) PG64-22	
301-50.49	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (355MM THICK) PG64-22	
301-50.50	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (355MM THICK) PG64-22	
301-50.51	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (15.25 IN. THICK) PG64-22	
301-50.52	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (15.25 IN. THICK) PG64-22	
301-50.53	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (380MM THICK) PG64-22	
301-50.54	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (380MM THICK) PG64-22	
301-50.55	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (16.25 IN. THICK) PG64-22	
301-50.56	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (16.25 IN. THICK) PG64-22	
301-50.57	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (405MM THICK) PG64-22	
301-50.58	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (405MM THICK) PG64-22	
301-50.59	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (17.25 IN. THICK) PG64-22	
301-50.60	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (17.25 IN. THICK) PG64-22	
301-50.61	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (430MM THICK) PG64-22	
301-50.62	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (430MM THICK) PG64-22	
301-50.63	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS BASE MIXTURE (18.25 IN. THICK) PG64-22	
301-50.64	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (18.25 IN. THICK) PG64-22	
301-50.65	0.10	SQ METER	ASPHALT BINDER BITUMINOUS BASE MIXTURE (450MM THICK) PG64-22	
301-50.66	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS BASE MIXTURE (450MM THICK) PG64-22	
301-60.17	0.10	TONS	ASPHALT BINDER (BITUMINOUS BASE) PG 64-22	
301-60.19	0.10	MEGAGRAM	ASPHALT BINDER (BITUMINOUS BASE) PG64-22	
301-99.05	0.10	SQUARE YARD	MISC.	
301-99.05M	0.10	SQ METER	MISC.	
301-99.10	0.10	TONS	MISC.	
301-99.10M	0.10	MEGAGRAM	MISC.	
301-99.20	0.01	MILE	MISC.	
301-99.20M	0.10	KILOMETER	MISC.	
302-13.11	1.00	SQUARE YARD	STABILIZED PERMEABLE BASE (4IN. THICK)	
302-20.11	1.00	SQ METER	STABILIZED PERMEABLE BASE (100MM THICK)	
303-06.00	1.00	SQUARE YARD	FURNISHING ROCK BASE MATERIAL	
303-06.05	1.00	SQ METER	FURNISHING ROCK BASE MATERIAL	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
303-06.10	1.00	SQUARE YARD	PLACING ROCK BASE (2 FT. THICK)	
303-06.15	1.00	SQ METER	PLACING ROCK BASE (0.6 M THICK)	
303-06.20	1.00	SQUARE YARD	FURNISHING AND PLACING ROCK BASE (2 FT. THICK)	
303-06.25	1.00	SQ METER	FURNISHING & PLACING ROCK BASE (0.6 M THICK)	
303-99.05	0.10	SQUARE YARD	MISC.	
304-00.01	1.00	CUBIC YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE	
304-00.02	1.00	TONS	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE	
304-00.05	1.00	CUBIC METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE	
304-00.06	1.00	MEGAGRAM	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE	
304-00.33	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (3 INCHES THICK)	
304-00.35	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (75 MM THICK)	
304-00.43	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (4 INCHES THICK)	
304-00.45	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (100 MM THICK)	
304-00.53	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (5 INCHES THICK)	
304-00.55	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (125 MM THICK)	
304-00.63	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (6 INCHES THICK)	
304-00.65	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (150 MM THICK)	
304-00.73	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (7 INCHES THICK)	
304-00.75	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (175 MM THICK)	
304-00.83	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (8 IN. THICK)	
304-00.85	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (200 MM THICK)	
304-00.93	1.00	SQUARE YARD	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (9 IN. THICK)	
304-00.95	1.00	SQ METER	TYPE 1 OR TYPE 2 AGGREGATE FOR BASE (225 MM THICK)	
304-04.01	1.00	CUBIC YARD	TYPE 4 AGGREGATE FOR BASE	
304-04.02	1.00	TONS	TYPE 4 AGGREGATE FOR BASE	
304-04.05	1.00	CUBIC METER	TYPE 4 AGGREGATE FOR BASE	
304-04.10	1.00	MEGAGRAM	TYPE 4 AGGREGATE FOR BASE	
304-04.53	1.00	SQUARE YARD	TYPE 4 AGGREGATE FOR BASE (5 IN. THICK)	
304-04.55	1.00	SQ METER	TYPE 4 AGGREGATE FOR BASE (125 MM THICK)	
304-04.63	1.00	SQUARE YARD	TYPE 4 AGGREGATE FOR BASE (6 IN. THICK)	
304-04.65	1.00	SQ METER	TYPE 4 AGGREGATE FOR BASE (150 MM THICK)	
304-04.73	1.00	SQUARE YARD	TYPE 4 AGGREGATE FOR BASE (7 IN. THICK)	
304-04.75	1.00	SQ METER	TYPE 4 AGGREGATE FOR BASE (175 MM THICK)	
304-04.83	1.00	SQUARE YARD	TYPE 4 AGGREGATE FOR BASE (8 IN. THICK)	
304-04.85	1.00	SQ METER	TYPE 4 AGGREGATE FOR BASE (200 MM THICK)	
304-04.93	1.00	SQUARE YARD	TYPE 4 AGGREGATE FOR BASE (9 IN. THICK)	
304-04.95	1.00	SQ METER	TYPE 4 AGGREGATE FOR BASE (225 MM THICK)	
304-05.04	1.00	SQUARE YARD	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	
304-05.05	1.00	SQ METER	TYPE 5 AGGREGATE FOR BASE (100 MM THICK)	
304-99.05	0.10	SQUARE YARD	MISC.	
304-99.05M	0.10	SQ METER	MISC.	
304-99.07	1.00	CUBIC YARD	MISC.	
304-99.07M	0.10	CUBIC METER	MISC.	
304-99.10	0.10	TONS	MISC.	
304-99.10M	0.10	MEGAGRAM	MISC.	
306-10.10	1.00	SQUARE YARD	MODIFIED SUBGRADE	
306-10.20	1.00	SQ METER	MODIFIED SUBGRADE	
306-99.05	0.10	SQUARE YARD	MISC.	
306-99.10	0.10	TONS	MISC.	
308-10.10	1.00	BARREL	CEMENT	
308-10.15	170.00	KILOGRAM	CEMENT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
308-10.20	1.00	TONS	SOIL	
308-10.25	1.00	MEGAGRAM	SOIL	
308-10.30	1.00	TONS	AGGREGATE	
308-10.35	1.00	MEGAGRAM	AGGREGATE	
308-10.40	1.00	CUBIC YARD	AGGREGATE	
308-10.45	1.00	CUBIC METER	AGGREGATE	
308-20.10	1.00	BARREL	CEMENT	
308-20.15	170.00	KILOGRAM	CEMENT	
308-20.20	1.00	CUBIC YARD	SOIL	
308-20.25	1.00	CUBIC METER	SOIL	
308-20.30	1.00	CUBIC YARD	AGGREGATE	
308-20.35	1.00	CUBIC METER	AGGREGATE	
309-05.06	0.10	SQ METER	CONCRETE BASE (150 MM NON-REINF.)	
309-05.07	0.10	SQ METER	CONCRETE BASE (175 MM NON-REINF.)	
309-05.08	0.10	SQ METER	CONCRETE BASE (200 MM NON-REINF.)	
309-05.09	0.10	SQ METER	CONCRETE BASE (225 MM NON-REINF.)	
309-05.10	0.10	SQ METER	CONCRETE BASE (250 MM NON-REINF.)	
309-11.06	0.10	SQUARE YARD	CONCRETE BASE ( 6 IN. NON-REINFORCED)	
309-11.07	0.10	SQUARE YARD	CONCRETE BASE ( 7 IN. NON-REINFORCED)	
309-11.08	0.10	SQUARE YARD	CONCRETE BASE ( 8 IN. NON-REINFORCED)	
309-11.09	0.10	SQUARE YARD	CONCRETE BASE ( 9 IN. NON-REINFORCED)	
309-11.10	0.10	SQUARE YARD	CONCRETE BASE (10 IN. NON-REINFORCED)	
309-99.05	0.10	SQUARE YARD	MISC.	
309-99.05M	0.10	SQ METER	MISC.	
310-10.01	1.00	CUBIC YARD	GRAVEL (A)	
310-10.02	1.00	TONS	GRAVEL (A)	
310-10.05	1.00	CUBIC METER	GRAVEL (A)	
310-10.06	1.00	MEGAGRAM	GRAVEL (A)	
310-20.01	1.00	CUBIC YARD	CRUSHED STONE (B)	
310-20.02	1.00	TONS	CRUSHED STONE (B)	
310-20.05	1.00	CUBIC METER	CRUSHED STONE (B)	
310-20.06	1.00	MEGAGRAM	CRUSHED STONE (B)	
310-30.01	1.00	CUBIC YARD	CHAT (C)	
310-30.02	1.00	TONS	CHAT (C)	
310-30.05	1.00	CUBIC METER	CHAT (C)	
310-30.06	1.00	MEGAGRAM	CHAT (C)	
310-40.01	1.00	CUBIC YARD	GRAVEL (D)	
310-40.02	1.00	TONS	GRAVEL (D)	
310-40.05	1.00	CUBIC METER	GRAVEL (D)	
310-40.06	1.00	MEGAGRAM	GRAVEL (D)	
310-50.01	1.00	CUBIC YARD	GRAVEL (A) OR CRUSHED STONE (B)	
310-50.02	1.00	TONS	GRAVEL (A) OR CRUSHED STONE (B)	
310-50.05	1.00	CUBIC METER	GRAVEL (A) OR CRUSHED STONE (B)	
310-50.06	1.00	MEGAGRAM	GRAVEL (A) OR CRUSHED STONE (B)	
310-60.01	1.00	CUBIC YARD	GRAVEL (A) OR CHAT (C)	
310-60.02	1.00	TONS	GRAVEL (A) OR CHAT (C)	
310-60.05	1.00	CUBIC METER	GRAVEL (A) OR CHAT (C)	
310-60.06	1.00	MEGAGRAM	GRAVEL (A) OR CHAT (C)	
310-70.01	1.00	CUBIC YARD	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	
310-70.02	1.00	TONS	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	
310-70.05	1.00	CUBIC METER	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	
310-70.06	1.00	MEGAGRAM	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	
310-80.01	1.00	CUBIC YARD	SALVAGED SURFACING	
310-80.05	1.00	CUBIC METER	SALVAGED SURFACING	
310-99.05	0.10	SQUARE YARD	MISC.	
310-99.05M	0.10	SQ METER	MISC.	
310-99.07	1.00	CUBIC YARD	MISC.	
310-99.07M	0.10	CUBIC METER	MISC.	
310-99.10	0.10	TONS	MISC.	
310-99.10M	0.10	MEGAGRAM	MISC.	
390-90.00	1.00	CUBIC YARD	TEMPORARY SURFACING	
390-90.05	1.00	CUBIC METER	TEMPORARY SURFACING	
390-99.07	1.00	CUBIC YARD	MISC.	
390-99.07M	0.10	CUBIC METER	MISC.	
390-99.10	0.10	TONS	MISC.	
390-99.10M	0.10	MEGAGRAM	MISC.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
401-05.00	1.00	EACH	SAMPLE OF COMPACTED PLANT MIX BITUMINOUS BASE	
401-11.10	0.10	TONS	ASPHALT BINDER (BITUMINOUS PAVEMENT) PG 64-22 (BP-1 MIX)	
401-11.12	0.10	MEGAGRAM	ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)	
401-11.14	0.10	TONS	ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-2 MIX)	
401-11.15	0.10	MEGAGRAM	ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-2 MIX)	
401-12.15	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS PAVT. MIX PG64-22 (BP-1 MIX) (1.75 IN. THICK)	
401-12.16	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1 MIX) (1.75 IN. THICK)	
401-12.17	0.10	SQ METER	ASPHALT BINDER BITUMINOUS PAVT. MIX PG64-22 (BP-1 MIX) (45MM THICK)	
401-12.18	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1 MIX) (45MM THICK)	
401-12.19	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS PAVT. MIX PG64-22 (BP-2 MIX) (1.75 IN. THICK)	
401-12.20	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-2 MIX) (1.75 IN. THICK)	
401-12.25	0.10	SQ METER	ASPHALT BINDER BITUMINOUS PAVT. MIX PG 64-20 (BP-2MIX) (45 MM THICK)	
401-12.26	0.10	SQ METER	ASPHALT BINDER BITUMINOUS PAVT. MIX PG 64-20 (BP-2 MIX) (45 MM THICK)	
401-12.27	0.10	SQUARE YARD	ASPHALT BINDER BITUMINOUS MIXTURE PG 64-22 (BP-1 MIX) (2 IN. THICK)	
401-12.28	0.10	SQUARE YARD	MINERAL AGGREGATE BITUMINOUS MIXTURE PG 64-22 (BP-1 MIX) (2 IN. THICK)	
401-12.29	0.10	SQ METER	ASPHALT BINDER BITUMINOUS MIXTURE PG 64-22 (BP-1 MIX) (50 MM THICK)	
401-12.30	0.10	SQ METER	MINERAL AGGREGATE BITUMINOUS MIXTURE PG 64-22 (BP-1 MIX) (50 MM THICK)	
401-20.10	1.00	TONS	MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)	
401-20.15	1.00	MEGAGRAM	MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)	
401-20.20	1.00	TONS	MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-2 MIX)	
401-20.25	1.00	MEGAGRAM	MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-2 MIX)	
401-99.05	0.10	SQUARE YARD	MISC.	
401-99.05M	0.10	SQ METER	MISC.	
401-99.10	0.10	TONS	MISC.	
401-99.10M	0.10	MEGAGRAM	MISC.	
402-11.10	0.10	TONS	ASPHALT BINDER (SURFACE LEVELING) PG 64-22	
402-11.12	0.10	MEGAGRAM	ASPHALT BINDER (SURFACE LEVELING) PG64-22	
402-15.10	1.00	MEGAGRAM	MINERAL AGGREGATE (SURFACE LEVELING) PG64-22	
402-20.10	1.00	TONS	MINERAL AGGREGATE (SURFACE LEVELING) PG64-22	
402-99.05	0.10	SQUARE YARD	MISC.	
402-99.05M	0.10	SQ METER	MISC.	
402-99.10	0.10	TONS	MISC.	
402-99.10M	0.10	MEGAGRAM	MISC.	
403-05.00	1.00	EACH	SAMPLE OF COMPACTED PLANT MIX BITUMINOUS BASE	
403-10.50	1.00	SQUARE YARD	ALTERNATE ASPHALTIC CONCRETE WEARING SURFACE (BRIDGE)	
403-10.55	1.00	SQ METER	ALTERNATE ASPHALTIC CONCRETE WEARING SURFACE (BRIDGE)	
403-59.77	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.78	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.79	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX) (45MM THICK)	
403-59.80	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX) (45MM THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-59.81	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.82	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.83	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX) (45MM THICK)	
403-59.84	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX) (45MM THICK)	
403-59.85	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.86	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX) (1.75 IN. THICK)	
403-59.87	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX) (45MM THICK)	
403-59.88	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX) (45MM THICK)	
403-59.89	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX) (1.75 IN. THICK)	
403-59.90	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX) (1.75 IN. THICK)	
403-59.91	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX) (45MM THICK)	
403-59.92	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX) (45MM THICK)	
403-59.93	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX) (1.75 IN. THICK)	
403-59.94	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX) (1.75 IN. THICK)	
403-59.95	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX) (45MM THICK)	
403-59.96	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX) (45MM THICK)	
403-60.27	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.28	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.29	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125LD MIX) (45 MM THICK)	
403-60.30	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125LD MIX) (45 MM THICK)	
403-60.31	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.32	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.33	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125LD MIX) (45 MM THICK)	
403-60.34	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125LD MIX) (45 MM THICK)	
403-60.35	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.36	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125LD MIX) (1.75 IN. THICK)	
403-60.37	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125LD MIX) (45 MM THICK)	
403-60.38	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125LD MIX) (45 MM THICK)	
403-60.51	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MC MIX) (1.75 IN. THICK)	
403-60.52	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MC MIX) (1.75 IN. THICK)	
403-60.53	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MC MIX) (45 MM THICK)	
403-60.54	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MC MIX) (45 MM THICK)	
403-60.55	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125MC MIX) (1.75 IN. THICK)	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-60.56	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MC MIX) (1.75 IN. THICK)	
403-60.57	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125MC MIX) (45 MM THICK)	
403-60.58	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MC MIX) (45 MM THICK)	
403-60.59	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125MC MIX) (1.75 IN. THICK)	
403-60.60	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125MC MIX) (1.75 IN. THICK)	
403-60.61	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125MC MIX) (45 MM THICK)	
403-60.62	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125MC MIX) (45 MM THICK)	
403-60.63	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.64	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.65	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.66	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.67	0.10	SQUARE YARD	ASPHALTIC CEMENT (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.68	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.69	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.70	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.71	0.10	SQUARE YARD	ASPHALTIC CEMENT (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.72	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLP MIX) (1.75 IN. THICK)	
403-60.73	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.74	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLP MIX) (45 MM THICK)	
403-60.75	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.76	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.77	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.78	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.79	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.80	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.81	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.82	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.83	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.84	0.10	SQUARE YARD	MINERAL AGGREGATE ( ASPHALTIC CONCRETE) PG 76-22, (SP125MCLS MIX) (1.75 IN. THICK)	
403-60.85	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.86	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125MCLS MIX) (45 MM THICK)	
403-60.91	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HB MIX) (1.75 IN. THICK)	
403-60.92	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HB MIX) (1.75 IN. THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-60.93	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HB MIX) (45 MM THICK)	
403-60.94	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HB MIX) (45 MM THICK)	
403-60.95	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HB MIX) (1.75 IN. THICK)	
403-60.96	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HB MIX) (1.75 IN. THICK)	
403-60.97	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HB MIX) (45 MM THICK)	
403-60.98	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HB MIX) (45 MM THICK)	
403-61.03	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLP MIX) (1.75 IN. THICK)	
403-61.04	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLP MIX) (1.75 IN. THICK)	
403-61.05	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLP MIX) (45 MM THICK)	
403-61.06	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLP MIX) (45 MM THICK)	
403-61.07	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLP MIX) (1.75 IN. THICK)	
403-61.08	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLP MIX) (1.75 IN. THICK)	
403-61.09	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLP MIX) (45 MM THICK)	
403-61.10	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLP MIX) (45 MM THICK)	
403-61.15	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLS MIX) (1.75 IN. THICK)	
403-61.16	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLS MIX) (1.75 IN. THICK)	
403-61.17	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLS MIX) (45 MM THICK)	
403-61.18	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP125HBLS MIX) (45 MM THICK)	
403-61.19	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLS MIX) (1.75 IN. THICK)	
403-61.20	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLS MIX) (1.75 IN. THICK)	
403-61.21	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLS MIX) (45 MM THICK)	
403-61.22	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP125HBLS MIX) (45 MM THICK)	
403-61.25	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) ( 3 IN. THICK)	
403-61.26	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (3 IN. THICK)	
403-61.27	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (75 MM THICK)	
403-61.28	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (75 MM THICK)	
403-61.29	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (3 IN. THICK)	
403-61.30	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (3 IN. THICK)	
403-61.31	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (75 MM THICK)	
403-61.32	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (75 MM THICK)	
403-61.33	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (3 IN. THICK)	
403-61.34	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (3 IN. THICK)	
403-61.35	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (75 MM THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-61.36	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (75 MM THICK)	
403-61.37	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) ( 3 IN. THICK)	
403-61.38	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (3 IN. THICK)	
403-61.39	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (75 MM THICK)	
403-61.40	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (75 MM THICK)	
403-61.41	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (3 IN. THICK)	
403-61.42	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250MC MIX) (3 IN. THICK)	
403-61.43	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (75 MM THICK)	
403-61.44	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (75 MM THICK)	
403-61.49	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (3 IN. THICK)	
403-61.50	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (3 IN. THICK)	
403-61.51	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (75 MM THICK)	
403-61.52	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (75 MM THICK)	
403-61.53	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (3 IN. THICK)	
403-61.54	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (3 IN. THICK)	
403-61.55	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (75 MM THICK)	
403-61.56	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (75 MM THICK)	
403-61.57	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (3.25 IN. THICK)	
403-61.58	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (3.25 IN. THICK)	
403-61.59	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (80 MM THICK)	
403-61.60	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (80 MM THICK)	
403-61.65	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (4 IN. THICK)	
403-61.66	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (4 IN. THICK)	
403-61.67	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (100 MM THICK)	
403-61.68	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (100 MM THICK)	
403-61.69	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) ( 4 IN. THICK)	
403-61.70	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (4 IN. THICK)	
403-61.71	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (100 MM THICK)	
403-61.72	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (100 MM THICK)	
403-61.73	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (4 IN. THICK)	
403-61.74	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (4 IN. THICK)	
403-61.75	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (100 MM THICK)	
403-61.76	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (100 MM THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-61.77	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (4 IN. THICK)	
403-61.78	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (4 IN. THICK)	
403-61.79	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (100 MM THICK)	
403-61.80	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LD MIX) (100 MM THICK)	
403-61.81	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (4 IN. THICK)	
403-61.82	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (4 IN. THICK)	
403-61.83	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (100 MM THICK)	
403-61.84	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250LD MIX) (100 MM THICK)	
403-61.85	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (4 IN. THICK)	
403-61.86	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (4 IN. THICK)	
403-61.87	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (100 MM THICK)	
403-61.88	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MC MIX) (100 MM THICK)	
403-61.89	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (4 IN. THICK)	
403-61.90	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (4 IN. THICK)	
403-61.91	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (100 MM THICK)	
403-61.92	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MC MIX) (100 MM THICK)	
403-61.93	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (4 IN. THICK)	
403-61.94	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (4 IN. THICK)	
403-61.95	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (100 MM THICK)	
403-61.96	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250MC MIX) (100 MM THICK)	
403-62.01	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (4 IN. THICK)	
403-62.02	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (4 IN. THICK)	
403-62.03	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (100 MM THICK)	
403-62.04	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HB MIX) (100 MM THICK)	
403-62.05	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (4 IN. THICK)	
403-62.06	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (4 IN. THICK)	
403-62.07	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (100 MM THICK)	
403-62.08	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP250HB MIX) (100 MM THICK)	
403-62.13	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (4.25 IN. THICK)	
403-62.14	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (4.25 IN. THICK)	
403-62.15	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (105 MM THICK)	
403-62.16	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (105 MM THICK)	
403-62.17	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (4.25 IN. THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-62.18	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (4.25 IN. THICK)	
403-62.19	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (105 MM THICK)	
403-62.20	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (105 MM THICK)	
403-62.21	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (4.25 IN. THICK)	
403-62.22	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (4.25 IN. THICK)	
403-62.23	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (105 MM THICK)	
403-62.24	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (105 MM THICK)	
403-62.25	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (4.25 IN. THICK)	
403-62.26	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (4.25 IN. THICK)	
403-62.27	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (105 MM THICK)	
403-62.28	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (105 MM THICK)	
403-62.33	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.34	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.35	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (130 MM THICK)	
403-62.36	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP190LD MIX) (130 MM THICK)	
403-62.37	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.38	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.39	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (130 MM THICK)	
403-62.40	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP190LD MIX) (130 MM THICK)	
403-62.41	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.42	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (5.25 IN. THICK)	
403-62.43	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (130 MM THICK)	
403-62.44	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22, (SP190LD MIX) (130 MM THICK)	
403-62.45	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (6.25 IN. THICK)	
403-62.46	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (6.25 IN. THICK)	
403-62.47	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (155 MM THICK)	
403-62.48	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (155 MM THICK)	
403-62.49	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (7.25 IN. THICK)	
403-62.50	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (7.25 IN. THICK)	
403-62.51	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (180 MM THICK)	
403-62.52	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (180 MM THICK)	
403-62.53	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (7.25 IN. THICK)	
403-62.54	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, SP250MD MIX) (7.25 IN. THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-62.55	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (180 MM THICK)	
403-62.56	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (180 MM THICK)	
403-62.57	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (7.25 IN. THICK)	
403-62.58	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (7.25 IN. THICK)	
403-62.59	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (180 MM THICK)	
403-62.60	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (180 MM THICK)	
403-62.61	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (8.25 IN. THICK)	
403-62.62	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (8.25 IN. THICK)	
403-62.63	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (205 MM THICK)	
403-62.64	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (205 MM THICK)	
403-62.65	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (8.25 IN. THICK)	
403-62.66	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (8.25 IN. THICK)	
403-62.67	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (205 MM THICK)	
403-62.68	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (205 MM THICK)	
403-62.69	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (8.25 IN. THICK)	
403-62.70	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (8.25 IN. THICK)	
403-62.71	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (205 MM THICK)	
403-62.72	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (205 MM THICK)	
403-62.73	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (9.25 IN. THICK)	
403-62.74	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (9.25 IN. THICK)	
403-62.75	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (230 MM THICK)	
403-62.76	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (230 MM THICK)	
403-62.77	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (9.25 IN. THICK)	
403-62.78	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (9.25 IN. THICK)	
403-62.79	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (230 MM THICK)	
403-62.80	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (230 MM THICK)	
403-62.81	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (9.25 IN. THICK)	
403-62.82	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (9.25 IN. THICK)	
403-62.83	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (230 MM THICK)	
403-62.84	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (230 MM THICK)	
403-62.85	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (10.25 IN. THICK)	
403-62.86	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (10.25 IN. THICK)	
403-62.87	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (255 MM THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-62.88	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (255 MM THICK)	
403-62.89	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (10.25 IN. THICK)	
403-62.90	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (10.25 IN. THICK)	
403-62.91	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (255 MM THICK)	
403-62.92	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (255 MM THICK)	
403-62.93	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (10.25 IN. THICK)	
403-62.94	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (10.25 IN. THICK)	
403-62.95	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (255 MM THICK)	
403-62.96	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (255 MM THICK)	
403-62.97	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (10.25 IN. THICK)	
403-62.98	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (10.25 IN. THICK)	
403-62.99	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (255 MM THICK)	
403-63.00	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-2, (SP250HC MIX) (255 MM THICK)	
403-63.01	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (10.25 IN. THICK)	
403-63.02	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (10.25 IN. THICK)	
403-63.03	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (255 MM THICK)	
403-63.04	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (255 MM THICK)	
403-63.05	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (11.25 IN. THICK)	
403-63.06	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (11.25 IN. THICK)	
403-63.07	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (280 MM THICK)	
403-63.08	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250LE MIX) (280 MM THICK)	
403-63.09	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (11.25 IN. THICK)	
403-63.10	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (11.25 IN. THICK)	
403-63.11	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (280 MM THICK)	
403-63.12	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (280 MM THICK)	
403-63.13	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (11.25 IN. THICK)	
403-63.14	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (11.25 IN. THICK)	
403-63.15	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (280 MM THICK)	
403-63.16	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (280 MM THICK)	
403-63.17	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (11.25 IN. THICK)	
403-63.18	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (11.25 IN. THICK)	
403-63.19	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, 9SP250HC MIX) (280 MM THICK)	
403-63.20	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (280 MM THICK)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-63.21	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (11.25 IN. THICK)	
403-63.22	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (11.25 IN. THICK)	
403-63.23	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (280 MM THICK)	
403-63.24	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX ) (280 MM THICK)	
403-63.25	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (12.25 IN. THICK)	
403-63.26	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (12.25 IN. THICK)	
403-63.27	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (305 MM THICK)	
403-63.28	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250MD MIX) (305 MM THICK)	
403-63.29	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250MD MIX) (12.25 IN. THICK)	
403-63.30	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (12.25 IN. THICK)	
403-63.31	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (305 MM THICK)	
403-63.32	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250MD MIX) (305 MM THICK)	
403-63.33	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (12.25 IN. THICK)	
403-63.34	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (12.25 IN. THICK)	
403-63.35	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (305 MM THICK)	
403-63.36	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (305 MM THICK)	
403-63.37	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (12.25 IN. THICK)	
403-63.38	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (12.25 IN. THICK)	
403-63.39	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (305 MM THICK)	
403-63.40	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (305 MM THICK)	
403-63.41	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (13.25 IN. THICK)	
403-63.42	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (13.25 IN. THICK)	
403-63.43	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (330 MM THICK)	
403-63.44	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (330 MM THICK)	
403-63.45	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (13.25 IN. THICK)	
403-63.46	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (13.25 IN. THICK)	
403-63.47	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (330 MM THICK)	
403-63.48	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, 9SP250HC MIX) (330 MM THICK)	
403-63.49	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (14.25 IN. THICK)	
403-63.50	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (14.25 IN. THICK)	
403-63.51	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250HC MIX) (355 MM THICK)	
403-63.52	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (355 MM THICK)	
403-63.53	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (14.25 IN. THICK)	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-63.54	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (14.25 IN. THICK)	
403-63.55	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (355 MM THICK)	
403-63.56	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (355 MM THICK)	
403-63.57	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-2,, (SP250HC MIX) (15.25 IN. THICK)	
403-63.58	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (15.25 IN. THICK)	
403-63.59	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (380 MM THICK)	
403-63.60	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22, (SP250HC MIX) (380 MM THICK)	
403-63.61	0.10	SQUARE YARD	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (15.25 IN. THICK)	
403-63.62	0.10	SQUARE YARD	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (15.25 IN. THICK)	
403-63.63	0.10	SQ METER	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (380 MM THICK)	
403-63.64	0.10	SQ METER	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22, (SP250HC MIX) (380 MM THICK)	
403-85.15	0.50	KILOGRAM	SMA FIBERS	
403-89.93	1.00	POUND	SMA FIBERS	
403-90.75	1.00	EACH	BITUMINOUS TEST STRIP	
403-96.35	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX)	
403-96.36	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX)	
403-96.37	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX)	
403-96.38	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125HBSM MIX)	
403-96.39	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX)	
403-96.40	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX)	
403-96.41	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX)	
403-96.42	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125HBSM MIX)	
403-96.43	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX)	
403-96.44	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX)	
403-96.45	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX)	
403-96.46	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125MCSM MIX)	
403-96.47	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX)	
403-96.48	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125MIX)	
403-96.49	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX)	
403-96.50	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125MCSM MIX)	
403-96.51	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX)	
403-96.52	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX)	
403-96.53	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX)	
403-96.54	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCSM MIX)	
403-97.00	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
403-97.01	1.00	TONS	(SP125HB MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.02	0.10	MEGAGRAM	70-22 (SP125HB MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.03	1.00	MEGAGRAM	(SP125HB MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.04	0.10	TONS	70-22 (SP125HB MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.05	1.00	TONS	(SP125HB MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.06	0.10	MEGAGRAM	76-22 (SP125HB MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.07	1.00	MEGAGRAM	(SP125HB MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.12	0.10	TONS	76-22 (SP125HB MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.13	1.00	TONS	(SP125HBLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.14	0.10	MEGAGRAM	70-22 (SP125HBLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.15	1.00	MEGAGRAM	(SP125HBLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.16	0.10	TONS	70-22 (SP125HBLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.17	1.00	TONS	(SP125HBLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.18	0.10	MEGAGRAM	76-22 (SP125HBLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.19	1.00	MEGAGRAM	(SP125HBLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.32	0.10	TONS	76-22 (SP125HBLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	64-22
403-97.33	1.00	TONS	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.34	0.10	MEGAGRAM	64-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	64-22
403-97.35	1.00	MEGAGRAM	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.36	0.10	TONS	64-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.37	1.00	TONS	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.38	0.10	MEGAGRAM	70-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.39	1.00	MEGAGRAM	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.40	0.10	TONS	70-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.41	1.00	TONS	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.42	0.10	MEGAGRAM	76-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	76-22
403-97.43	1.00	MEGAGRAM	(SP125MC MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.44	0.10	TONS	76-22 (SP125MC MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	64-22
403-97.45	1.00	TONS	(SP125MCLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.46	0.10	MEGAGRAM	64-22 (SP125MCLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	64-22
403-97.47	1.00	MEGAGRAM	(SP125MCLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
403-97.48	0.10	TONS	64-22 (SP125MCLP MIX) ASPHALT BINDER (ASPHALTIC CONCRETE) PG	70-22
403-97.49	1.00	TONS	(SP125MCLP MIX) MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			70-22 (SP125MCLP MIX)	
403-97.50	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125MCLP MIX)	
403-97.51	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125MCLP MIX)	
403-97.52	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCLP MIX)	
403-97.53	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCLP MIX)	
403-97.54	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP125MCLP MIX)	
403-97.55	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP125MCLP MIX)	
403-97.56	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125LD MIX)	
403-97.57	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125LD MIX)	
403-97.58	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP125LD MIX)	
403-97.59	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP125LD MIX)	
403-97.60	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125LD MIX)	
403-97.61	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125LD MIX)	
403-97.62	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP125LD MIX)	
403-97.63	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP125LD MIX)	
403-97.80	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190HB MIX)	
403-97.81	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190HB MIX)	
403-97.82	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190HB MIX)	
403-97.83	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190HB MIX)	
403-97.84	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP190HB MIX)	
403-97.85	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP190HB MIX)	
403-97.86	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP190HB MIX)	
403-97.87	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP190HB MIX)	
403-97.88	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP190HB MIX)	
403-97.89	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP190HB MIX)	
403-97.90	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP190HB MIX)	
403-97.91	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP190HB MIX)	
403-97.92	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190HC MIX)	
403-97.93	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190HC MIX)	
403-97.94	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190HC MIX)	
403-97.95	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190HC MIX)	
403-97.96	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP190HC MIX)	
403-97.97	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP190HC MIX)	
403-97.98	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			(SP190HC MIX)	
403-97.99	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190HC MIX)	
403-98.00	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22	
			(SP190MC MIX)	
403-98.01	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190MC MIX)	
403-98.02	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG64-22	
			(SP190MC MIX)	
403-98.03	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190MC MIX)	
403-98.04	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG70-22	
			(SP190MC MIX)	
403-98.05	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190MC MIX)	
403-98.06	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	
			(SP190MC MIX)	
403-98.07	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190MC MIX)	
403-98.08	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22	
			(SP190MC MIX)	
403-98.09	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			76-22 (SP190MC MIX)	
403-98.10	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22	
			(SP190MC MIX)	
403-98.11	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			76-22 (SP190MC MIX)	
403-98.12	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22	
			(SP190MD MIX)	
403-98.13	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190MD MIX)	
403-98.14	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22	
			(SP190MD MIX)	
403-98.15	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190MD MIX)	
403-98.16	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	
			(SP190MD MIX)	
403-98.17	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190MD MIX)	
403-98.18	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	
			(SP190MD MIX)	
403-98.19	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190MD MIX)	
403-98.20	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22	
			(SP190LD MIX)	
403-98.21	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190LD MIX)	
403-98.22	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22	
			(SP190LD MIX)	
403-98.23	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			64-22 (SP190LD MIX)	
403-98.24	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	
			(SP190LD MIX)	
403-98.25	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190LD MIX)	
403-98.26	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22	
			(SP190LD MIX)	
403-98.27	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			70-22 (SP190LD MIX)	
403-98.28	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22	
			(SP190LD MIX)	
403-98.29	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	
			76-22 (SP190LD MIX)	
403-98.30	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22	
			(SP190LD MIX)	
403-98.31	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			76-22 (SP190LD MIX)	
403-98.32	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190LE MIX)	
403-98.33	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190LE MIX)	
403-98.34	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP190LE MIX)	
403-98.35	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP190LE MIX)	
403-98.36	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG64-22 (SP250HB MIX)	
403-98.37	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250HB MIX)	
403-98.38	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250HB MIX)	
403-98.39	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250HB MIX)	
403-98.40	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250HB MIX)	
403-98.41	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250HB MIX)	
403-98.42	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250HB MIX)	
403-98.43	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250HB MIX)	
403-98.44	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP250HB MIX)	
403-98.45	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250HB MIX)	
403-98.46	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP250HB MIX)	
403-98.47	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250HB MIX)	
403-98.48	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250HC MIX)	
403-98.49	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250HC MIX)	
403-98.50	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250HC MIX)	
403-98.51	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250HC MIX)	
403-98.52	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250HC MIX)	
403-98.53	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250HC MIX)	
403-98.54	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250HC MIX)	
403-98.55	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250HC MIX)	
403-98.56	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250MC MIX)	
403-98.57	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250MC MIX)	
403-98.58	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250MC MIX)	
403-98.59	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250MC MIX)	
403-98.60	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250MC MIX)	
403-98.61	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250MC MIX)	
403-98.62	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250MC MIX)	
403-98.63	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250MC MIX)	
403-98.64	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			(SP250MC MIX)	
403-98.65	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250MC MIX)	
403-98.66	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP250MC MIX)	
403-98.67	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250MC MIX)	
403-98.68	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250MD MIX)	
403-98.69	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250MD MIX)	
403-98.70	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250MD MIX)	
403-98.71	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250MD MIX)	
403-98.72	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250MD MIX)	
403-98.73	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250MD MIX)	
403-98.74	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250MD MIX)	
403-98.75	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250MD MIX)	
403-98.76	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250LD MIX)	
403-98.77	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG64-22 (SP250LD MIX)	
403-98.78	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250LD MIX)	
403-98.79	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250LD MIX)	
403-98.80	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250LD MIX)	
403-98.81	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22 (SP250LD MIX)	
403-98.82	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 70-22 (SP250LD MIX)	
403-98.83	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 70-22	
403-98.84	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP250LD MIX)	
403-98.85	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250LD MIX)	
403-98.86	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 76-22 (SP250LD MIX)	
403-98.87	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 76-22 (SP250LD MIX)	
403-98.88	0.10	TONS	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250LE MIX)	
403-98.89	1.00	TONS	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250LE MIX)	
403-98.90	0.10	MEGAGRAM	ASPHALT BINDER (ASPHALTIC CONCRETE) PG 64-22 (SP250LE MIX)	
403-98.91	1.00	MEGAGRAM	MINERAL AGGREGATE (ASPHALTIC CONCRETE) PG 64-22 (SP250LE MIX)	
403-99.02	1.00	EACH	MISC.	
403-99.03	1.00	LINEAR FOOT	MISC.	
403-99.03M	0.50	METER	MISC.	
403-99.04	1.00	SQUARE FOOT	MISC.	
403-99.05	0.10	SQUARE YARD	MISC.	
403-99.05M	0.10	SQ METER	MISC.	
403-99.10	0.10	TONS	MISC.	
403-99.10M	0.10	MEGAGRAM	MISC.	
403-99.11	0.10	POUND	MISC.	
403-99.11M	0.05	KILOGRAM	MISC.	
405-10.01	10.00	GALLONS	LIQUID ASPHALT (ROAD MIX) MC 30	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
405-10.02	10.00	GALLONS	LIQUID ASPHALT (ROAD MIX) MC 70	
405-10.03	10.00	GALLONS	LIQUID ASPHALT (ROAD MIX) MC 250	
405-10.04	10.00	GALLONS	LIQUID ASPHALT (ROAD MIX) MC 800	
405-10.05	10.00	GALLONS	LIQUID ASPHALT (ROAD MIX) MC 3000	
405-10.06	50.00	LITER	LIQUID ASPHALT (ROAD MIX) MC 30	
405-10.07	50.00	LITER	LIQUID ASPHALT (ROAD MIX) MC 70	
405-10.08	50.00	LITER	LIQUID ASPHALT (ROAD MIX) MC 250	
405-10.09	50.00	LITER	LIQUID ASPHALT (ROAD MIX) MC 800	
405-10.10	50.00	LITER	LIQUID ASPHALT (ROAD MIX) MC 3000	
405-20.11	1.00	CUBIC YARD	AGGREGATE GRADATION D	
405-20.12	1.00	TONS	AGGREGATE GRADATION D	
405-20.21	1.00	CUBIC YARD	AGGREGATE GRADATION E	
405-20.22	1.00	TONS	AGGREGATE GRADATION E	
405-20.31	1.00	CUBIC YARD	AGGREGATE GRADATION F	
405-20.32	1.00	TONS	AGGREGATE GRADATION F	
405-20.41	1.00	CUBIC YARD	AGGREGATE GRADATION G	
405-20.42	1.00	TONS	AGGREGATE GRADATION G	
405-20.51	1.00	CUBIC YARD	AGGREGATE GRADATION H	
405-20.52	1.00	TONS	AGGREGATE GRADATION H	
405-20.61	1.00	CUBIC YARD	AGGREGATE GRADATION J	
405-20.62	1.00	TONS	AGGREGATE GRADATION J	
405-25.11	1.00	CUBIC METER	AGGREGATE GRADATION D	
405-25.12	1.00	MEGAGRAM	AGGREGATE GRADATION D	
405-25.21	1.00	CUBIC METER	AGGREGATE GRADATION E	
405-25.22	1.00	MEGAGRAM	AGGREGATE GRADATION E	
405-25.31	1.00	CUBIC METER	AGGREGATE GRADATION F	
405-25.32	1.00	MEGAGRAM	AGGREGATE GRADATION F	
405-25.41	1.00	CUBIC METER	AGGREGATE GRADATION G	
405-25.42	1.00	MEGAGRAM	AGGREGATE GRADATION G	
405-25.51	1.00	CUBIC METER	AGGREGATE GRADATION H	
405-25.52	1.00	MEGAGRAM	AGGREGATE GRADATION H	
405-25.61	1.00	CUBIC METER	AGGREGATE GRADATION J	
405-25.62	1.00	MEGAGRAM	AGGREGATE GRADATION J	
405-30.00	0.01	MILE	PROCESSING (ROAD MIX)	
405-30.05	0.10	KILOMETER	PROCESSING (ROAD MIX)	
405-40.00	1.00	SQUARE YARD	BITUMINOUS PAVEMENT (ROAD MIX)	
405-40.05	1.00	SQ METER	BITUMINOUS PAVEMENT (ROAD MIX)	
405-99.03	1.00	LINEAR FOOT	MISC.	
405-99.03M	0.50	METER	MISC.	
405-99.12	10.00	GALLONS	MISC.	
405-99.12M	50.00	LITER	MISC.	
405-99.20	0.01	MILE	MISC.	
405-99.20M	0.10	KILOMETER	MISC.	
407-05.00	1.00	TONS	SANDING AGGREGATE FOR TACK COAT	
407-05.01	1.00	MEGAGRAM	SANDING AGGREGATE FOR TACK COAT	
407-10.00	50.00	LITER	TACK COAT	
407-10.05	10.00	GALLONS	TACK COAT	
407-99.12	0.10	GALLONS	MISC.	
407-99.12M	0.50	LITER	MISC.	
408-10.10	10.00	GALLONS	PRIME-LIQUID ASPHALT RC 70 OR MC 30	
408-10.11	10.00	GALLONS	PRIME-LIQUID ASPHALT RC 70	
408-10.12	10.00	GALLONS	PRIME-LIQUID ASPHALT RC 250	
408-10.13	10.00	GALLONS	PRIME-LIQUID ASPHALT RC 800	
408-10.14	10.00	GALLONS	PRIME-LIQUID ASPHALT RC 3000	
408-10.15	10.00	GALLONS	PRIME-LIQUID ASPHALT MC 30	
408-10.16	10.00	GALLONS	PRIME-LIQUID ASPHALT MC 70	
408-10.17	10.00	GALLONS	PRIME-LIQUID ASPHALT MC 250	
408-10.18	10.00	GALLONS	PRIME-LIQUID ASPHALT MC 800	
408-10.19	10.00	GALLONS	PRIME-LIQUID ASPHALT MC 3000	
408-10.21	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT RS-1	
408-10.22	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT RS-2	
408-10.23	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT MS-1	
408-10.24	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT MS-2	
408-10.25	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT MS-2H	
408-10.26	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT SS-1	
408-10.27	10.00	GALLONS	PRIME-EMULSIFIED ASPHALT SS-1H	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
408-20.00	1.00	CUBIC YARD	SANDING PRIMER	
408-20.10	50.00	LITER	PRIME-LIQUID ASPHALT RC 70 OR MC 30	
408-20.11	50.00	LITER	PRIME-LIQUID ASPHALT RC 70	
408-20.12	50.00	LITER	PRIME-LIQUID ASPHALT RC 250	
408-20.13	50.00	LITER	PRIME-LIQUID ASPHALT RC 800	
408-20.14	50.00	LITER	PRIME-LIQUID ASPHALT RC 3000	
408-20.15	50.00	LITER	PRIME-LIQUID ASPHALT MC 30	
408-20.16	50.00	LITER	PRIME-LIQUID ASPHALT MC 70	
408-20.17	50.00	LITER	PRIME-LIQUID ASPHALT MC 250	
408-20.18	50.00	LITER	PRIME-LIQUID ASPHALT MC 800	
408-20.19	50.00	LITER	PRIME-LIQUID ASPHALT MC 3000	
408-20.21	50.00	LITER	PRIME-EMULSIFIED ASPHALT RS-1	
408-20.22	50.00	LITER	PRIME-EMULSIFIED ASPHALT RS-2	
408-20.23	50.00	LITER	PRIME-EMULSIFIED ASPHALT MS-1	
408-20.24	50.00	LITER	PRIME-EMULSIFIED ASPHALT MS-2	
408-20.25	50.00	LITER	PRIME-EMULSIFIED ASPHALT MS-2H	
408-20.26	50.00	LITER	PRIME-EMULSIFIED ASPHALT SS-1	
408-20.27	50.00	LITER	PRIME-EMULSIFIED ASPHALT SS-1H	
408-30.00	1.00	CUBIC METER	SANDING PRIMER	
408-99.12	0.10	GALLONS	MISC.	
408-99.12M	0.50	LITER	MISC.	
409-10.05	10.00	GALLONS	BITUMINOUS MATERIAL (SEAL COAT)	
409-10.10	10.00	GALLONS	POLYMER MODIFIED ASPHALT (SEAL COAT)	
409-15.05	50.00	LITER	BITUMINOUS MATERIAL (SEAL COAT)	
409-15.10	50.00	LITER	POLYMER MODIFIED ASPHALT (SEAL COAT)	
409-20.11	1.00	CUBIC YARD	COVER AGGREGATE GRADE 1	
409-20.12	1.00	TONS	COVER AGGREGATE GRADE 1	
409-20.21	1.00	CUBIC YARD	COVER AGGREGATE GRADE 2	
409-20.22	1.00	TONS	COVER AGGREGATE GRADE 2	
409-20.31	1.00	CUBIC YARD	COVER AGGREGATE GRADE 3	
409-20.32	1.00	TONS	COVER AGGREGATE GRADE 3	
409-20.41	1.00	CUBIC YARD	COVER AGGREGATE GRADE 4	
409-20.42	1.00	TONS	COVER AGGREGATE GRADE 4	
409-20.51	1.00	CUBIC YARD	COVER AGGREGATE GRADE 5	
409-20.52	1.00	TONS	COVER AGGREGATE GRADE 5	
409-20.61	1.00	CUBIC YARD	COVER AGGREGATE GRADE 6	
409-20.62	1.00	TONS	COVER AGGREGATE GRADE 6	
409-20.71	1.00	CUBIC YARD	COVER AGGREGATE GRADE 7	
409-20.72	1.00	TONS	COVER AGGREGATE GRADE 7	
409-20.81	1.00	CUBIC YARD	COVER AGGREGATE GRADE 8	
409-20.82	1.00	TONS	COVER AGGREGATE GRADE 8	
409-20.92	1.00	TONS	COVER AGGREGATE	
409-25.11	1.00	CUBIC METER	COVER AGGREGATE GRADE 1	
409-25.12	1.00	MEGAGRAM	COVER AGGREGATE GRADE 1	
409-25.21	1.00	CUBIC METER	COVER AGGREGATE GRADE 2	
409-25.22	1.00	MEGAGRAM	COVER AGGREGATE GRADE 2	
409-25.31	1.00	CUBIC METER	COVER AGGREGATE GRADE 3	
409-25.32	1.00	MEGAGRAM	COVER AGGREGATE GRADE 3	
409-25.41	1.00	CUBIC METER	COVER AGGREGATE GRADE 4	
409-25.42	1.00	MEGAGRAM	COVER AGGREGATE GRADE 4	
409-25.51	1.00	CUBIC METER	COVER AGGREGATE GRADE 5	
409-25.52	1.00	MEGAGRAM	COVER AGGREGATE GRADE 5	
409-25.61	1.00	CUBIC METER	COVER AGGREGATE GRADE 6	
409-25.62	1.00	MEGAGRAM	COVER AGGREGATE GRADE 6	
409-25.71	1.00	CUBIC METER	COVER AGGREGATE GRADE 7	
409-25.72	1.00	MEGAGRAM	COVER AGGREGATE GRADE 7	
409-25.81	1.00	CUBIC METER	COVER AGGREGATE GRADE 8	
409-25.82	1.00	MEGAGRAM	COVER AGGREGATE GRADE 8	
409-25.92	1.00	MEGAGRAM	COVER AGGREGATE	
409-99.05	0.10	SQUARE YARD	MISC.	
409-99.05M	0.10	SQ METER	MISC.	
409-99.10	0.10	TONS	MISC.	
409-99.10M	0.10	MEGAGRAM	MISC.	
412-00.01	0.10	SQUARE YARD	MICROSURFACING, TYPE A	
412-00.02	0.10	SQUARE YARD	MICROSURFACING, TYPE B	
412-00.11	0.10	SQ METER	MICROSURFACING, TYPE A	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
412-00.12	0.10	SQ METER	MICROSURFACING, TYPE B	
412-00.13	0.10	SQUARE YARD	MICROSURFACING, TYPE R	
412-00.14	0.10	SQ METER	MICROSURFACING, TYPE R	
412-99.05	0.10	SQUARE YARD	MISC.	
412-99.05M	0.10	SQ METER	MISC.	
413-30.00	1.00	SQUARE YARD	ULTRATHIN BONDED WEARING SURFACE, TYPE A	
413-31.00	1.00	SQUARE YARD	ULTRATHIN BONDED WEARING SURFACE, TYPE B	
413-32.00	1.00	SQUARE YARD	ULTRATHIN BONDED WEARING SURFACE, TYPE C	
413-40.00	1.00	GALLONS	BITUMINOUS FOG SEAL	
502-11.06	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 6 IN. NON-REINF)	
502-11.07	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 7 IN. NON-REINF)	
502-11.08	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 8 IN. NON-REINF.)	
502-11.09	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 9 IN. NON-REINF)	
502-11.10	0.10	SQUARE YARD	CONCRETE PAVEMENT (10 IN. NON-REINF)	
502-11.11	0.10	SQUARE YARD	CONCRETE PAVEMENT (11 INCH NON-REINFORCED)	
502-11.12	0.10	SQUARE YARD	CONCRETE PAVEMENT (12 INCH NON-REINFORCED)	
502-11.13	0.10	SQUARE YARD	CONCRETE PAVEMENT (13 INCH NON-REINFORCED)	
502-11.14	0.10	SQUARE YARD	CONCRETE PAVEMENT (14 INCH NON-REINFORCED)	
502-11.26	0.10	SQ METER	CONCRETE PAVEMENT (150 MM NON-REINF.)	
502-11.27	0.10	SQ METER	CONCRETE PAVEMENT (175 MM NON-REINF.)	
502-11.28	0.10	SQ METER	CONCRETE PAVEMENT (200 MM NON-REINF.)	
502-11.29	0.10	SQ METER	CONCRETE PAVEMENT (225 MM NON-REINF.)	
502-11.30	0.10	SQ METER	CONCRETE PAVEMENT (250 MM NON-REINF.)	
502-11.31	0.10	SQ METER	CONCRETE PAVEMENT (275 MM NON-REINF.)	
502-11.32	0.10	SQ METER	CONCRETE PAVEMENT (300 MM NON-REINF.)	
502-11.33	0.10	SQ METER	CONCRETE PAVEMENT (325 MM NON-REINF.)	
502-11.34	0.10	SQ METER	CONCRETE PAVEMENT (350 MM NON-REINF.)	
502-12.06	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 6 IN. REINFORCED)	
502-12.07	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 7 IN. REINFORCED)	
502-12.08	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 8 IN. REINFORCED)	
502-12.09	0.10	SQUARE YARD	CONCRETE PAVEMENT ( 9 IN. REINFORCED)	
502-12.10	0.10	SQUARE YARD	CONCRETE PAVEMENT (10 IN. REINFORCED)	
502-12.11	0.10	SQUARE YARD	CONCRETE PAVEMENT (11 INCH REINFORCED)	
502-12.12	0.10	SQUARE YARD	CONCRETE PAVEMENT (12 INCH REINFORCED)	
502-12.13	0.10	SQUARE YARD	CONCRETE PAVEMENT (13 INCH REINFORCED)	
502-12.14	0.10	SQUARE YARD	CONCRETE PAVEMENT (14 INCH REINFORCED)	
502-12.26	0.10	SQ METER	CONCRETE PAVEMENT (150 MM REINFORCED)	
502-12.27	0.10	SQ METER	CONCRETE PAVEMENT (175 MM REINFORCED)	
502-12.28	0.10	SQ METER	CONCRETE PAVEMENT (200 MM REINFORCED)	
502-12.29	0.10	SQ METER	CONCRETE PAVEMENT (225 MM REINFORCED)	
502-12.30	0.10	SQ METER	CONCRETE PAVEMENT (250 MM REINFORCED)	
502-12.31	0.10	SQ METER	CONCRETE PAVEMENT (275 MM REINFORCED)	
502-12.32	0.10	SQ METER	CONCRETE PAVEMENT (300 MM REINFORCED)	
502-12.33	0.10	SQ METER	CONCRETE PAVEMENT (325 MM REINFORCED)	
502-12.34	0.10	SQ METER	CONCRETE PAVEMENT (350 MM REINFORCED)	
502-13.08	0.10	SQUARE YARD	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	
502-13.09	0.10	SQUARE YARD	CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.10	0.10	SQUARE YARD	CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.11	0.10	SQUARE YARD	CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.12	0.10	SQUARE YARD	CONCRETE PAVEMENT (12 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.13	0.10	SQUARE YARD	CONCRETE PAVEMENT (13 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.14	0.10	SQUARE YARD	CONCRETE PAVEMENT (14 IN. NON-REINFORCED 15 FT. JOINTS)	
502-13.18	0.10	SQ METER	CONCRETE PAVEMENT (200 MM NON-REINFORCED, 4.5 M JOINTS)	
502-13.19	0.10	SQ METER	CONCRETE PAVEMENT (225 MM NON-REINFORCED 4.5 M JOINTS)	
502-13.20	0.10	SQ METER	CONCRETE PAVEMENT (250 MM NON-REINFORCED 4.5 M JOINTS)	
502-13.21	0.10	SQ METER	CONCRETE PAVEMENT (275 MM NON-REINFORCED, 4.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			5 M JOINTS)	
502-13.22	0.10	SQ METER	CONCRETE PAVEMENT (300 MM NON-REINFORCED, 4.5 M JOINTS)	
502-13.23	0.10	SQ METER	CONCRETE PAVEMENT (325 MM NON-REINFORCED, 4.5 M JOINTS)	
502-13.24	0.10	SQ METER	CONCRETE PAVEMENT (350 MM NON-REINFORCED, 4.5 M JOINTS)	
502-14.00	1.00	CUBIC METER	BONDED OVERLAY	
502-14.01	0.10	SQ METER	BONDED OVERLAY PLACEMENT	
502-14.02	1.00	SQ METER	SURFACE PREPARATION	
502-14.03	0.10	SQUARE YARD	UNBONDED CONCRETE OVERLAY (8 IN. NON-REINFORCED)	
502-14.04	0.10	SQ METER	UNBONDED CONCRETE OVERLAY (200 MM NON-REINFORCED)	
502-14.05	0.10	SQUARE YARD	UNBONDED CONCRETE OVERLAY (9 IN. NON-REINFORCED)	
502-14.06	0.10	SQ METER	UNBONDED CONCRETE OVERLAY (225 MM NON-REINFORCED)	
502-14.07	0.10	SQUARE YARD	UNBONDED CONCRETE OVERLAY (10 IN. NON-REINFORCED)	
502-14.08	0.10	SQ METER	UNBONDED CONCRETE OVERLAY (250MM NON-REINFORCED)	
502-14.09	0.10	SQUARE YARD	UNBONDED CONCRETE OVERLAY (11 IN. NON-REINFORCED)	
502-14.10	0.10	SQ METER	UNBONDED CONCRETE OVERLAY (275 MM NON-REINFORCED)	
502-14.11	1.00	CUBIC METER	UNBONDED OVERLAY	
502-14.12	0.10	SQ METER	UNBONDED OVERLAY PLACEMENT	
502-15.00	1.00	CUBIC YARD	BONDED OVERLAY	
502-15.01	0.10	SQUARE YARD	BONDED OVERLAY PLACEMENT	
502-15.02	1.00	SQUARE YARD	SURFACE PREPARATION	
502-15.03	1.00	CUBIC YARD	UNBONDED OVERLAY	
502-15.04	0.10	SQUARE YARD	UNBONDED OVERLAY PLACEMENT	
502-20.00	1.00	LINEAR FOOT	CONCRETE PAVEMENT NEOPRENE JOINT SEAL	
502-25.00	0.50	METER	CONCRETE PAVEMENT NEOPRENE JOINT SEAL	
502-99.02	1.00	EACH	MISC.	
502-99.03	1.00	LINEAR FOOT	MISC.	
502-99.03M	0.50	METER	MISC.	
502-99.05	0.10	SQUARE YARD	MISC.	
502-99.05M	0.10	SQ METER	MISC.	
502-99.07	1.00	CUBIC YARD	MISC.	
502-99.07M	1.00	CUBIC METER	MISC.	
503-10.00	0.10	SQUARE YARD	BRIDGE APPROACH SLAB	
503-10.05	0.10	SQ METER	BRIDGE APPROACH SLAB	
503-10.10	1.00	SQUARE YARD	BRIDGE APPROACH SLAB (BRIDGE)	
503-10.15	1.00	SQ METER	BRIDGE APPROACH SLAB (BRIDGE)	
503-99.05	0.10	SQUARE YARD	MISC.	
503-99.05M	0.10	SQ METER	MISC.	
504-10.00	0.10	SQUARE YARD	CONCRETE APPROACH PAVEMENT	
504-10.10	0.10	SQ METER	CONCRETE APPROACH PAVEMENT	
504-99.05	0.10	SQUARE YARD	MISC.	
504-99.05M	0.10	SQ METER	MISC.	
505-99.03	1.00	LINEAR FOOT	MISC.	
601-10.00	1.00	LUMP SUM	FIELD LABORATORIES	
601-20.00	1.00	LUMP SUM	SPECIAL FIELD LABORATORIES	
601-99.01	1.00	LUMP SUM	MISC.	
601-99.02	1.00	EACH	MISC.	
602-10.00	1.00	EACH	DRAIN MARKER	
602-20.00	1.00	EACH	STEEL RIGHT-OF-WAY MARKER	
602-99.01	1.00	LUMP SUM	MISC.	
602-99.02	1.00	EACH	MISC.	
603-10.10	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 1)	
603-10.11	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 2) (UNDER 1 IN./25MM DIA)	
603-10.12	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 2) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
603-10.13	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 2) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.14	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 2) (3 IN./75 MM DIA AND ABOVE)	
603-10.15	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 3)	
603-10.16	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 4) (UNDER 1 IN./25MM DIA)	
603-10.17	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 4) (1 IN./50 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.18	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 4) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.19	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 4) (3 IN./75 MM DIA AND ABOVE)	
603-10.20	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 5) (UNDER 1 IN./25MM DIA)	
603-10.21	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 5) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.22	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 5) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.23	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 5) (3 IN./75 MM DIA AND ABOVE)	
603-10.24	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 6) (UNDER 1 IN./25MM DIA)	
603-10.25	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 6) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.26	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 6) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.27	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 6) (3 IN./75 MM DIA AND ABOVE)	
603-10.28	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 7) (UNDER 1 IN./25MM DIA)	
603-10.29	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 7) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.30	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 7) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.31	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 7) (3 IN./75 MM DIA AND ABOVE)	
603-10.32	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 8) (UNDER 1 IN./25MM DIA)	
603-10.33	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 8) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.34	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 8) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.35	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 8) (3 IN./75 MM DIA AND ABOVE)	
603-10.36	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 9) (UNDER 1 IN./25MM DIA)	
603-10.37	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 9) (12 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA)	
603-10.38	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 9) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA)	
603-10.39	1.00	EACH	RELOCATING SERVICE CONNECTIONS (CLASS 9) (3 IN./75 MM DIA AND ABOVE)	
603-80.00	1.00	CUBIC YARD	ROCK EXCAVATION	
603-80.01	1.00	CUBIC METER	ROCK EXCAVATION	
603-99.01	1.00	LUMP SUM	WATER	
603-99.02	1.00	EACH	WATER	
603-99.03	1.00	LINEAR FOOT	WATER	
603-99.03M	0.50	METER	WATER	
603-99.07	1.00	CUBIC YARD	WATER	
603-99.07M	0.10	CUBIC METER	WATER	
603-99.13	1.00	FOOT	WATER	
603-99.21	1.00	LUMP SUM	SEWER	
603-99.22	1.00	EACH	SEWER	
603-99.23	1.00	LINEAR FOOT	SEWER	
603-99.23M	0.50	METER	SEWER	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
603-99.24	1.00	CUBIC YARD	SEWER	
603-99.24M	1.00	CUBIC METER	SEWER	
603-99.31	1.00	LUMP SUM	MISC.	
604-20.10	1.00	EACH	ADJUSTING MANHOLE	
604-20.20	1.00	EACH	ADJUSTING BASIN OR INLET	
604-30.10	1.00	LINEAR FOOT	ADJUSTING HOUSE SEWER CONNECTIONS	
604-30.15	0.50	METER	ADJUSTING HOUSE SEWER CONNECTIONS	
604-30.20	1.00	EACH	ENCASEMENT FOR HOUSE SEWER CONNECTIONS	
604-40.11	1.00	EACH	PIPE COLLAR, TYPE A	
604-40.12	1.00	EACH	PIPE COLLAR, TYPE B	
604-40.13	1.00	EACH	PIPE COLLAR, TYPE C	
604-60.10	1.00	EACH	MODIFYING DROP INLET	
604-60.12	1.00	LINEAR FOOT	12. IN. TYPE A SLOTTED DRAIN	
604-60.15	1.00	LINEAR FOOT	15 IN. TYPE A SLOTTED DRAIN	
604-60.18	1.00	LINEAR FOOT	18 IN. TYPE A SLOTTED DRAIN	
604-60.24	1.00	LINEAR FOOT	24IN. TYPE A SLOTTED DRAIN	
604-60.30	1.00	LINEAR FOOT	30IN. TYPE A SLOTTED DRAIN	
604-60.36	1.00	LINEAR FOOT	36IN. TYPE A SLOTTED DRAIN	
604-61.12	1.00	LINEAR FOOT	12IN. TYPE B SLOTTED DRAIN	
604-61.15	1.00	LINEAR FOOT	15IN. TYPE B SLOTTED DRAIN	
604-61.18	1.00	LINEAR FOOT	18IN. TYPE B SLOTTED DRAIN	
604-61.24	1.00	LINEAR FOOT	24IN. TYPE B SLOTTED DRAIN	
604-61.30	1.00	LINEAR FOOT	30IN. TYPE B SLOTTED DRAIN	
604-61.36	1.00	LINEAR FOOT	36IN. TYPE B SLOTTED DRAIN	
604-62.12	1.00	LINEAR FOOT	12IN. TYPE C SLOTTED DRAIN	
604-62.15	1.00	LINEAR FOOT	15IN. TYPE C SLOTTED DRAIN	
604-62.18	1.00	LINEAR FOOT	18IN. TYPE C SLOTTED DRAIN	
604-62.24	1.00	LINEAR FOOT	24IN. TYPE C SLOTTED DRAIN	
604-62.30	1.00	LINEAR FOOT	30IN. TYPE C SLOTTED DRAIN	
604-62.36	1.00	LINEAR FOOT	36IN. TYPE C SLOTTED DRAIN	
604-70.12	0.50	METER	300 MM TYPE A SLOTTED DRAIN	
604-70.15	0.50	METER	375 MM TYPE A SLOTTED DRAIN	
604-70.18	0.50	METER	450 MM TYPE A SLOTTED DRAIN	
604-70.24	0.50	METER	600 MM TYPE A SLOTTED DRAIN	
604-70.30	0.50	METER	750 MM TYPE A SLOTTED DRAIN	
604-70.36	0.50	METER	900 MM TYPE A SLOTTED DRAIN	
604-71.12	0.50	METER	300 MM TYPE B SLOTTED DRAIN	
604-71.15	0.50	METER	375 MM TYPE B SLOTTED DRAIN	
604-71.18	0.50	METER	450 MM TYPE B SLOTTED DRAIN	
604-71.24	0.50	METER	600 MM TYPE B SLOTTED DRAIN	
604-71.30	0.50	METER	750 MM TYPE B SLOTTED DRAIN	
604-71.36	0.50	METER	900 MM TYPE B SLOTTED DRAIN	
604-72.12	0.50	METER	300 MM TYPE C SLOTTED DRAIN	
604-72.15	0.50	METER	375 MM TYPE C SLOTTED DRAIN	
604-72.18	0.50	METER	450 MM TYPE C SLOTTED DRAIN	
604-72.24	0.50	METER	600 MM TYPE C SLOTTED DRAIN	
604-72.30	0.50	METER	750 MM TYPE C SLOTTED DRAIN	
604-72.36	0.50	METER	900 MM TYPE C SLOTTED DRAIN	
604-99.01	1.00	LUMP SUM	MISC.	
604-99.02	1.00	EACH	MISC.	
604-99.03	1.00	LINEAR FOOT	MISC.	
604-99.03M	0.50	METER	MISC.	
604-99.04	1.00	SQUARE FOOT	MISC.	
604-99.05	0.10	SQUARE YARD	MISC.	
604-99.05M	0.10	SQ METER	MISC.	
604-99.07	0.10	CUBIC YARD	MISC.	
604-99.07M	0.10	CUBIC METER	MISC.	
604-99.13	1.00	FOOT	MISC.	
605-10.05	0.50	METER	CLASS A UNDERDRAIN	
605-10.10	1.00	LINEAR FOOT	CLASS A UNDERDRAIN	
605-10.11	1.00	LINEAR FOOT	PIPE AGGREGATE UNDERDRAIN	
605-10.15	1.00	LINEAR FOOT	CLASS A UNPERFORATED UNDERDRAIN PIPE (8 IN.)	
605-10.18	1.00	LINEAR FOOT	CLASS A PERFORATED UNDERDRAIN PIPE (8 IN.)	
605-10.20	0.50	METER	CLASS A UNPERFORATED UNDERDRAIN PIPE (200 MM)	
605-10.23	0.50	METER	CLASS A PERFORATED UNDERDRAIN PIPE (200MM)	
605-20.10	1.00	LINEAR FOOT	CLASS B PERFORATED UNDERDRAIN	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
605-20.15	0.50	METER	CLASS B PERFORATED UNDERDRAIN	
605-20.20	1.00	LINEAR FOOT	CLASS B UNPERFORATED UNDERDRAIN	
605-20.25	0.50	METER	CLASS B UNPERFORATED UNDERDRAIN	
605-30.10	1.00	LINEAR FOOT	CLASS C UNDERDRAIN (TILE)	
605-30.15	0.50	METER	CLASS C UNDERDRAIN (TILE)	
605-30.20	1.00	LINEAR FOOT	CLASS C UNDERDRAIN (FRENCH)	
605-30.25	0.50	METER	CLASS C UNDERDRAIN (FRENCH)	
605-30.30	1.00	LINEAR FOOT	PIPE AGGREGATE PAVEMENT UNDERDRAIN	
605-30.35	0.50	METER	PIPE AGGREGATE PAVEMENT UNDERDRAIN	
605-40.10	1.00	LINEAR FOOT	GEOCOMPOSITE PAVEMENT EDGE DRAIN	
605-40.15	0.50	METER	GEOCOMPOSITE PAVEMENT EDGE DRAIN	
605-40.20	1.00	EACH	OUTLET PIPES AND SPLASH PADS	
605-99.01	1.00	LUMP SUM	MISC.	
605-99.02	1.00	EACH	MISC.	
605-99.03	1.00	LINEAR FOOT	MISC.	
605-99.03M	0.50	METER	MISC.	
606-01.10	1.00	EACH	BULLNOSE GUARDRAIL SYSTEM	
606-10.10	1.00	LINEAR FOOT	GUARDRAIL TYPE A	
606-10.13	1.00	LINEAR FOOT	GUARDRAIL TYPE A, 9 FT. POST, 3'-1.5" SPACING	
606-10.14	1.00	LINEAR FOOT	GUARDRAIL TYPE A WITH RUBRAIL	
606-10.15	0.50	METER	GUARDRAIL TYPE A	
606-10.18	0.50	METER	GUARDRAIL TYPE A, 2700 MM POST, 952.5 MM SPACING	
606-10.19	0.50	METER	GUARDRAIL TYPE A WITH RUBRAIL	
606-10.20	1.00	LINEAR FOOT	GUARDRAIL TYPE B	
606-10.25	0.50	METER	GUARDRAIL TYPE B	
606-10.40	1.00	LINEAR FOOT	GUARDRAIL TYPE D	
606-10.45	0.50	METER	GUARDRAIL TYPE D	
606-10.50	1.00	LINEAR FOOT	GUARDRAIL TYPE E, 6 FT. POST, 3'-1.5" SPACING	
606-10.53	1.00	LINEAR FOOT	GUARDRAIL TYPE E, 9 FT. POST	
606-10.54	1.00	LINEAR FOOT	GUARDRAIL TYPE E, 6 FT POST, 6'3" SPACING	
606-10.55	0.50	METER	GUARDRAIL TYPE E, 1830 MM POST, 952.5 MM SPACING	
606-10.58	0.50	METER	GUARDRAIL TYPE E, 2700 MM. POST	
606-10.59	0.50	METER	GUARDRAIL TYPE E, 1830 MM POST, 1905 MM SPACING	
606-20.00	1.00	EACH	BRIDGE ANCHOR SECTION (BRUSH CURB)	
606-21.00	1.00	EACH	BRIDGE ANCHOR SECTION (CURB TYPE)	
606-22.00	1.00	EACH	BRIDGE ANCHOR SECTION (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY)	
606-22.04	1.00	EACH	BRIDGE ANCHOR SECTION (SAFETY BARRIER CURB) (NEW SAFETY BARRIER CURB CONST. ONLY)	
606-22.05	1.00	EACH	BRIDGE ANCHOR SECTION, 1830 MM POSTS (SAFETY BARRIER CURB)	
606-22.09A	1.00	EACH	BRIDGE ANCHOR SECTION, 9 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY)	
606-22.10A	1.00	EACH	BRIDGE ANCHOR SECTION, 2700 MM POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY)	
606-23.00	1.00	EACH	TRANSITION SECTION, 6 FT. POSTS	
606-23.05	1.00	EACH	TRANSITION SECTION, 1830 MM POSTS	
606-23.08	1.00	EACH	TRANSITION SECTION, 9 FT. POSTS	
606-23.09	1.00	EACH	TRANSITION SECTION, 2700 MM POSTS	
606-24.00	1.00	EACH	BRIDGE ANCHOR SECTION (THRIE BEAM)	
606-24.05	1.00	EACH	BRIDGE ANCHOR SECTION, 1830 MM POSTS	
606-24.07	1.00	EACH	BRIDGE ANCHOR SECTION, 9 FT. POSTS	
606-24.08	1.00	EACH	BRIDGE ANCHOR SECTION, 2700 MM POSTS	
606-25.00	1.00	EACH	THRIE BEAM ANCHOR SECTION (MODIFIED TYPE-C CONCRETE BARRIER)	
606-30.00	1.00	EACH	TERMINAL SECTION - GUARDRAIL	
606-30.10	1.00	EACH	BREAKAWAY CABLE TERMINAL	
606-30.15	1.00	EACH	TYPE A CRASHWORTHY END TERMINAL	
606-30.16	1.00	EACH	TYPE B CRASHWORTHY END TERMINAL	
606-30.17	1.00	EACH	TYPE C CRASHWORTHY END TERMINAL	
606-40.00	1.00	LINEAR FOOT	ONE-STRAND CABLE - ACCESS RESTRAINT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
606-40.05	0.50	METER	ONE-STRAND CABLE - ACCESS RESTRAINT	
606-41.00	1.00	LINEAR FOOT	MEDIAN GUARD CABLE 3 - STRAND	
606-41.05	0.50	METER	MEDIAN GUARD CABLE 3 - STRAND	
606-41.06	1.00	LINEAR FOOT	ROADSIDE GUARD CABLE 3 - STRAND (16 FT. POST SPACING)	
606-41.07	0.50	METER	ROADSIDE GUARD CABLE 3 - STRAND (5 M POST SPACING)	
606-41.08	1.00	LINEAR FOOT	ROADSIDE GUARD CABLE 3 - STRAND (4 FT. POST SPACING)	
606-41.09	0.50	METER	ROADSIDE GUARD CABLE 3 - STRAND (1.2 M POST SPACING)	
606-41.10	1.00	EACH	ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND	
606-41.11	1.00	EACH	ANCHOR ASSEMBLY, GUARD CABLE 3 - STRAND TO GUARDRAIL TRANSITION	
606-61.00	1.00	LINEAR FOOT	GUARDRAIL TYPE A (SALVAGED BEAM)	
606-61.05	0.50	METER	GUARDRAIL TYPE A (SALVAGED BEAM)	
606-62.00	1.00	EACH	GUARDRAIL BEAM	
606-63.00	1.00	EACH	GUARDRAIL POST	
606-64.00	1.00	LINEAR FOOT	GUARDRAIL, RELOCATED AND MODIFIED	
606-64.05	0.50	METER	GUARDRAIL, RELOCATED AND MODIFIED	
606-66.10	1.00	EACH	END ANCHOR	
606-66.20	1.00	EACH	GUARDRAIL ANCHOR, EMBEDDED	
606-66.30	1.00	EACH	GUARDRAIL ANCHOR, ROCK FACE	
606-99.01	1.00	LUMP SUM	MISC.	
606-99.02	1.00	EACH	MISC.	
606-99.03	1.00	LINEAR FOOT	MISC.	
606-99.03M	0.50	METER	MISC.	
607-10.08A	0.50	METER	CHAIN-LINK FENCE (1220 MM)	
607-10.09A	0.50	METER	CHAIN-LINK FENCE (1525 MM)	
607-10.10A	0.50	METER	CHAIN-LINK FENCE (1830 MM)	
607-10.11A	1.00	LINEAR FOOT	CHAIN-LINK FENCE (48 IN.)	
607-10.12A	1.00	LINEAR FOOT	CHAIN-LINK FENCE (60 IN.)	
607-10.13A	1.00	LINEAR FOOT	CHAIN-LINK FENCE (72 IN.)	
607-10.30	1.00	EACH	WALK GATE (CHAIN-LINK)	
607-10.40	1.00	EACH	DRIVE GATE (CHAIN-LINK)	
607-10.43	1.00	LINEAR FOOT	BARBED WIRE EXTENSION BRACKET FOR CHAIN-LINK FENCE	
607-10.44	0.50	METER	BARBED WIRE EXTENSION BRACKET FOR CHAIN-LINK FENCE	
607-10.50	1.00	LINEAR FOOT	CHAIN-LINK FENCE (RETAINING WALLS)	
607-10.54	1.00	LINEAR FOOT	(42 IN.) PROPERTY FENCE (STRUCTURES)	
607-10.55	1.00	LINEAR FOOT	(60 IN.) PROPERTY FENCE (STRUCTURES)	
607-10.56	1.00	LINEAR FOOT	(72 IN.) PROPERTY FENCE (STRUCTURES)	
607-10.57	1.00	LINEAR FOOT	(84 IN.) PROPERTY FENCE (STRUCTURES)	
607-10.58	1.00	LINEAR FOOT	(96 IN.) PROPERTY FENCE (STRUCTURES)	
607-10.60	1.00	LINEAR FOOT	PEDESTRIAN FENCE (STRUCTURES)	
607-10.65	1.00	LINEAR FOOT	(60 IN.) PEDESTRIAN FENCE (STRUCTURES)	
607-10.66	1.00	LINEAR FOOT	(72 IN.) PEDESTRIAN FENCE (STRUCTURES)	
607-10.67	1.00	LINEAR FOOT	(112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)	
607-12.12A	1.00	LINEAR FOOT	CHAIN-LINK FENCE (60 IN.)	
607-15.50	0.50	METER	CHAIN-LINK FENCE (RETAINING WALLS)	
607-15.54	0.50	METER	1065 MM PROPERTY FENCE (STRUCTURES)	
607-15.55	0.50	METER	1525 MM PROPERTY FENCE (STRUCTURES)	
607-15.56	0.50	METER	1830 MM PROPERTY FENCE (STRUCTURES)	
607-15.57	0.50	METER	2135 MM PROPERTY FENCE (STRUCTURES)	
607-15.58	0.50	METER	2440 MM PROPERTY FENCE (STRUCTURES)	
607-15.60	0.50	METER	PEDESTRIAN FENCE (STRUCTURES)	
607-15.65	0.50	METER	1525 MM PEDESTRIAN FENCE (STRUCTURES)	
607-15.66	0.50	METER	1830 MM PEDESTRIAN FENCE (STRUCTURES)	
607-15.67	0.50	METER	(2800 MM) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)	
607-20.10	1.00	LINEAR FOOT	WOVEN WIRE FENCE	
607-20.15	0.50	METER	WOVEN WIRE FENCE	
607-20.20	1.00	EACH	WALK GATE (WOVEN WIRE)	
607-20.30	1.00	EACH	DRIVE GATE (WOVEN WIRE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
607-99.01	1.00	LUMP SUM	MISC.	
607-99.02	1.00	EACH	MISC.	
607-99.03	1.00	LINEAR FOOT	MISC.	
607-99.03M	0.50	METER	MISC.	
608-10.00	0.10	SQUARE YARD	CONCRETE MEDIAN	
608-10.10	0.10	SQUARE YARD	CONCRETE CURB RAMP	
608-10.11	0.10	SQ METER	CONCRETE CURB RAMP (METRIC)	
608-15.00	0.10	SQ METER	CONCRETE MEDIAN	
608-20.04	1.00	LINEAR FOOT	CONCRETE MEDIAN, 4 FT WIDE	
608-20.05	1.00	LINEAR FOOT	CONCRETE MEDIAN, 5 FT WIDE	
608-20.06	1.00	LINEAR FOOT	CONCRETE MEDIAN, 6 FT WIDE	
608-20.07	1.00	LINEAR FOOT	CONCRETE MEDIAN, 7 FT WIDE	
608-20.08	1.00	LINEAR FOOT	CONCRETE MEDIAN, 8 FT WIDE	
608-20.09	1.00	LINEAR FOOT	CONCRETE MEDIAN, 9 FT WIDE	
608-20.10	1.00	LINEAR FOOT	CONCRETE MEDIAN, 10 FT WIDE	
608-20.11	1.00	LINEAR FOOT	CONCRETE MEDIAN, 11 FT WIDE	
608-20.12	1.00	LINEAR FOOT	CONCRETE MEDIAN, 12 FT WIDE	
608-20.13	1.00	LINEAR FOOT	CONCRETE MEDIAN, 13 FT WIDE	
608-20.14	1.00	LINEAR FOOT	CONCRETE MEDIAN, 14 FT WIDE	
608-20.15	1.00	LINEAR FOOT	CONCRETE MEDIAN, 15 FT WIDE	
608-20.16	1.00	LINEAR FOOT	CONCRETE MEDIAN, 16 FT WIDE	
608-20.17	1.00	LINEAR FOOT	CONCRETE MEDIAN, 17 FT WIDE	
608-20.18	1.00	LINEAR FOOT	CONCRETE MEDIAN, 18 FT WIDE	
608-20.19	1.00	LINEAR FOOT	CONCRETE MEDIAN, 19 FT WIDE	
608-20.20	1.00	LINEAR FOOT	CONCRETE MEDIAN, 20 FT WIDE	
608-20.21	1.00	LINEAR FOOT	CONCRETE MEDIAN, 21 FT WIDE	
608-20.22	1.00	LINEAR FOOT	CONCRETE MEDIAN, 22 FT WIDE	
608-25.04	0.50	METER	CONCRETE MEDIAN, 1.2 M WIDE	
608-25.05	0.50	METER	CONCRETE MEDIAN, 1.5 M WIDE	
608-25.06	0.50	METER	CONCRETE MEDIAN, 1.8 M WIDE	
608-25.07	0.50	METER	CONCRETE MEDIAN, 2.1 M WIDE	
608-25.08	0.50	METER	CONCRETE MEDIAN, 2.4 M WIDE	
608-25.09	0.50	METER	CONCRETE MEDIAN, 2.7 M WIDE	
608-25.10	0.50	METER	CONCRETE MEDIAN, 3.0 M WIDE	
608-25.11	0.50	METER	CONCRETE MEDIAN, 3.3 M WIDE	
608-25.12	0.50	METER	CONCRETE MEDIAN, 3.6 M WIDE	
608-25.13	0.50	METER	CONCRETE MEDIAN, 3.9 M WIDE	
608-25.14	0.50	METER	CONCRETE MEDIAN, 4.2 M WIDE	
608-25.15	0.50	METER	CONCRETE MEDIAN, 4.5 M WIDE	
608-25.16	0.50	METER	CONCRETE MEDIAN, 4.8 M WIDE	
608-25.17	0.50	METER	CONCRETE MEDIAN, 5.1 M WIDE	
608-25.18	0.50	METER	CONCRETE MEDIAN, 5.4 M WIDE	
608-25.19	0.50	METER	CONCRETE MEDIAN, 5.7 M WIDE	
608-25.20	0.50	METER	CONCRETE MEDIAN, 6.0 M WIDE	
608-25.21	0.50	METER	CONCRETE MEDIAN, 6.3 M WIDE	
608-25.22	0.50	METER	CONCRETE MEDIAN, 6.6 M WIDE	
608-30.00	0.10	SQUARE YARD	CONCRETE MEDIAN STRIP	
608-35.00	0.10	SQ METER	CONCRETE MEDIAN STRIP	
608-40.04	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 4 FT WIDE	
608-40.05	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 5 FT WIDE	
608-40.06	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 6 FT WIDE	
608-40.07	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 7 FT WIDE	
608-40.08	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 8 FT WIDE	
608-40.09	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 9 FT WIDE	
608-40.10	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 10 FT WIDE	
608-40.11	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 11 FT WIDE	
608-40.12	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 12 FT WIDE	
608-40.13	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 13 FT WIDE	
608-40.14	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 14 FT WIDE	
608-40.15	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 15 FT WIDE	
608-40.16	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 16 FT WIDE	
608-40.17	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 17 FT WIDE	
608-40.18	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 18 FT WIDE	
608-40.19	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 19 FT WIDE	
608-40.20	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 20 FT WIDE	
608-40.21	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 21 FT WIDE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
608-40.22	1.00	LINEAR FOOT	CONCRETE MEDIAN STRIP, 22 FT WIDE	
608-45.04	0.50	METER	CONCRETE MEDIAN STRIP, 1.2 M WIDE	
608-45.05	0.50	METER	CONCRETE MEDIAN STRIP, 1.5 M WIDE	
608-45.06	0.50	METER	CONCRETE MEDIAN STRIP, 1.8 M WIDE	
608-45.07	0.50	METER	CONCRETE MEDIAN STRIP, 2.1 M WIDE	
608-45.08	0.50	METER	CONCRETE MEDIAN STRIP, 2.4 M WIDE	
608-45.09	0.50	METER	CONCRETE MEDIAN STRIP, 2.7 M WIDE	
608-45.10	0.50	METER	CONCRETE MEDIAN STRIP, 3.0 M WIDE	
608-45.11	0.50	METER	CONCRETE MEDIAN STRIP, 3.3 M WIDE	
608-45.12	0.50	METER	CONCRETE MEDIAN STRIP, 3.6 M WIDE	
608-45.13	0.50	METER	CONCRETE MEDIAN STRIP, 3.9 M WIDE	
608-45.14	0.50	METER	CONCRETE MEDIAN STRIP, 4.2 M WIDE	
608-45.15	0.50	METER	CONCRETE MEDIAN STRIP, 4.5 M WIDE	
608-45.16	0.50	METER	CONCRETE MEDIAN STRIP, 4.8 M WIDE	
608-45.17	0.50	METER	CONCRETE MEDIAN STRIP, 5.1 M WIDE	
608-45.18	0.50	METER	CONCRETE MEDIAN STRIP, 5.4 M WIDE	
608-45.19	0.50	METER	CONCRETE MEDIAN STRIP, 5.7 M WIDE	
608-45.20	0.50	METER	CONCRETE MEDIAN STRIP, 6.0 M WIDE	
608-45.21	0.50	METER	CONCRETE MEDIAN STRIP, 6.3 M WIDE	
608-45.22	0.50	METER	CONCRETE MEDIAN STRIP, 6.6 M WIDE	
608-50.07	0.10	SQUARE YARD	PAVED APPROACH, 7 IN.	
608-50.08	0.10	SQUARE YARD	PAVED APPROACH, 8 IN.	
608-55.07	0.10	SQ METER	PAVED APPROACH, 175 MM	
608-55.08	0.10	SQ METER	PAVED APPROACH, 200 MM	
608-60.04	0.10	SQUARE YARD	CONCRETE SIDEWALK, 4 IN.	
608-60.07	0.10	SQUARE YARD	CONCRETE SIDEWALK, 7 IN.	
608-60.08	0.10	SQUARE YARD	CONCRETE SIDEWALK, 8 IN.	
608-65.04	0.10	SQ METER	CONCRETE SIDEWALK, 100 MM	
608-65.07	0.10	SQ METER	CONCRETE SIDEWALK, 175 MM	
608-65.08	0.10	SQ METER	CONCRETE SIDEWALK, 200 MM	
608-99.01	1.00	LUMP SUM	MISC.	
608-99.02	1.00	EACH	MISC.	
608-99.03	1.00	LINEAR FOOT	MISC.	
608-99.03M	0.50	METER	MISC.	
608-99.04	1.00	SQUARE FOOT	MISC.	
608-99.05	0.10	SQUARE YARD	MISC.	
608-99.05M	0.10	SQ METER	MISC.	
609-10.10	1.00	LINEAR FOOT	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	
609-10.11	1.00	LINEAR FOOT	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	
609-10.12	0.50	METER	CONCRETE CURB (150 MM HEIGHT AND UNDER) TYPE S	
609-10.13	0.50	METER	CONCRETE CURB (OVER 150 MM HEIGHT) TYPE S	
609-10.41	1.00	LINEAR FOOT	CONCRETE GUTTER TYPE A	
609-10.42	1.00	LINEAR FOOT	CONCRETE GUTTER TYPE B	
609-10.43	0.50	METER	CONCRETE GUTTER TYPE A	
609-10.44	0.50	METER	CONCRETE GUTTER TYPE B	
609-10.51	1.00	LINEAR FOOT	CURB AND GUTTER TYPE A	
609-10.52	1.00	LINEAR FOOT	CURB AND GUTTER TYPE B	
609-10.53	0.50	METER	CURB AND GUTTER TYPE A	
609-10.54	0.50	METER	CURB AND GUTTER TYPE B	
609-10.55	1.00	LINEAR FOOT	CONCRETE CURB AND GUTTER (4 INCH)	
609-10.56	0.50	METER	CONCRETE CURB AND GUTTER (100 MM)	
609-10.60	0.10	SQUARE YARD	PAVED DITCH	
609-10.65	0.10	SQ METER	PAVED DITCH	
609-20.11	1.00	LINEAR FOOT	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	
609-20.12	1.00	LINEAR FOOT	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B	
609-20.13	1.00	LINEAR FOOT	INTEGRAL CURB TYPE M	
609-20.14	1.00	LINEAR FOOT	INTEGRAL CURB TYPE N	
609-20.15	1.00	LINEAR FOOT	INTEGRAL CURB TYPE O	
609-20.21	1.00	LINEAR FOOT	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	
609-20.22	1.00	LINEAR FOOT	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B	
609-20.31	1.00	LINEAR FOOT	CONCRETE CURB LOW PROFILE TYPE E	
609-20.32	1.00	LINEAR FOOT	CONCRETE CURB LOW PROFILE TYPE F	
609-25.11	0.50	METER	INTEGRAL CURB (150 MM HEIGHT AND UNDER) TYPE A	
609-25.12	0.50	METER	INTEGRAL CURB (150 MM HEIGHT AND UNDER) TYPE	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			B	
609-25.13	0.50	METER	INTEGRAL CURB TYPE M	
609-25.14	0.50	METER	INTEGRAL CURB TYPE N	
609-25.15	0.50	METER	INTEGRAL CURB TYPE O	
609-25.21	0.50	METER	INTEGRAL CURB (OVER 150 MM HEIGHT) TYPE A	
609-25.22	0.50	METER	INTEGRAL CURB (OVER 150 MM HEIGHT) TYPE B	
609-25.31	0.50	METER	CONCRETE CURB LOW PROFILE TYPE E	
609-25.32	0.50	METER	CONCRETE CURB LOW PROFILE TYPE F	
609-30.10	1.00	LINEAR FOOT	ASPHALT CURB	
609-30.15	1.00	LINEAR FOOT	ASPHALT CURB (4 INCH)	
609-35.10	0.50	METER	ASPHALT CURB	
609-35.15	0.50	METER	ASPHALT CURB (100 MM)	
609-40.10	1.00	EACH	DRAIN BASIN	
609-60.00	1.00	SQUARE YARD	DITCH LINER	
609-60.05	1.00	SQ METER	DITCH LINER	
609-60.10A	1.00	CUBIC YARD	FURNISHING TYPE 1 ROCK DITCH LINER	
609-60.15A	1.00	CUBIC METER	FURNISHING TYPE 1 ROCK DITCH LINER	
609-60.20	1.00	CUBIC YARD	FURNISHING TYPE 2 ROCK DITCH LINER	
609-60.25A	1.00	CUBIC METER	FURNISHING TYPE 2 ROCK DITCH LINER	
609-60.30A	1.00	CUBIC YARD	FURNISHING TYPE 3 ROCK DITCH LINER	
609-60.35A	1.00	CUBIC METER	FURNISHING TYPE 3 ROCK DITCH LINER	
609-60.40A	1.00	CUBIC YARD	FURNISHING TYPE 4 ROCK DITCH LINER	
609-60.41	1.00	CUBIC YARD	PLACING TYPE 1 ROCK DITCH LINER	
609-60.42	1.00	CUBIC YARD	PLACING TYPE 2 ROCK DITCH LINER	
609-60.43	1.00	CUBIC YARD	PLACING TYPE 3 ROCK DITCH LINER	
609-60.44	1.00	CUBIC YARD	PLACING TYPE 4 ROCK DITCH LINER	
609-60.45A	1.00	CUBIC METER	FURNISHING TYPE 4 ROCK DITCH LINER	
609-60.46	1.00	CUBIC METER	PLACING TYPE 1 ROCK DITCH LINER	
609-60.47	1.00	CUBIC METER	PLACING TYPE 2 ROCK DITCH LINER	
609-60.48	1.00	CUBIC METER	PLACING TYPE 3 ROCK DITCH LINER	
609-60.49	1.00	CUBIC METER	PLACING TYPE 4 ROCK DITCH LINER	
609-60.50	1.00	CUBIC YARD	BEDDING MATERIAL FOR ROCK DITCH LINER	
609-60.55	1.00	CUBIC METER	BEDDING MATERIAL FOR ROCK DITCH LINER	
609-70.00	1.00	CUBIC YARD	ROCK LINING	
609-75.00	1.00	CUBIC METER	ROCK LINING	
609-99.01	1.00	LUMP SUM	MISC.	
609-99.02	1.00	EACH	MISC.	
609-99.03	1.00	LINEAR FOOT	MISC.	
609-99.03M	0.50	METER	MISC.	
609-99.07	1.00	CUBIC YARD	MISC.	
609-99.07M	0.10	CUBIC METER	MISC.	
610-10.10	0.10	CUBIC YARD	RUBBLE MASONRY-IN MORTAR	
610-10.15	0.10	CUBIC METER	RUBBLE MASONRY-IN MORTAR	
610-10.20	0.10	CUBIC YARD	RUBBLE MASONRY-DRY	
610-10.25	0.10	CUBIC METER	RUBBLE MASONRY-DRY	
610-20.10	1.00	CUBIC FOOT	BRICK MASONRY	
610-20.15	0.05	CUBIC METER	BRICK MASONRY	
610-99.03	1.00	LINEAR FOOT	MISC.	
610-99.03M	0.50	METER	MISC.	
610-99.04	1.00	SQUARE FOOT	MISC.	
610-99.05	0.10	SQUARE YARD	MISC.	
610-99.05M	0.10	SQ METER	MISC.	
611-10.10	1.00	CUBIC YARD	FURNISHING ROCK FILL	
611-10.15	1.00	CUBIC METER	FURNISHING ROCK FILL	
611-10.20	1.00	CUBIC YARD	PLACING ROCK FILL	
611-10.25	1.00	CUBIC METER	PLACING ROCK FILL	
611-20.10	0.50	CUBIC YARD	FULLY GROUTED ROCK FILL	
611-20.15	0.50	CUBIC METER	FULLY GROUTED ROCK FILL	
611-30.10	1.00	CUBIC YARD	FURNISHING TYPE 1 ROCK BLANKET	
611-30.15	1.00	CUBIC METER	FURNISHING TYPE 1 ROCK BLANKET	
611-30.20	1.00	CUBIC YARD	FURNISHING TYPE 2 ROCK BLANKET	
611-30.25	1.00	CUBIC METER	FURNISHING TYPE 2 ROCK BLANKET	
611-30.30	1.00	CUBIC YARD	PLACING TYPE 1 ROCK BLANKET	
611-30.35	1.00	CUBIC METER	PLACING TYPE 1 ROCK BLANKET	
611-30.40	1.00	CUBIC YARD	PLACING TYPE 2 ROCK BLANKET	
611-30.45	1.00	CUBIC METER	PLACING TYPE 2 ROCK BLANKET	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
611-40.10	1.00	SQUARE YARD	GROUTED ROCK SURFACE	
611-40.15	1.00	SQ METER	GROUTED ROCK SURFACE	
611-50.10	0.10	SQUARE YARD	LIGHT STONE REVETMENT	
611-50.15	0.10	SQ METER	LIGHT STONE REVETMENT	
611-50.20	0.10	SQUARE YARD	GROUTED LIGHT STONE REVETMENT	
611-50.25	0.10	SQ METER	GROUTED LIGHT STONE REVETMENT	
611-50.30	0.10	SQUARE YARD	HEAVY STONE REVETMENT	
611-50.35	0.10	SQ METER	HEAVY STONE REVETMENT	
611-50.40	0.10	SQUARE YARD	GROUTED HEAVY STONE REVETMENT	
611-50.45	0.10	SQ METER	GROUTED HEAVY STONE REVETMENT	
611-60.10	0.10	SQUARE YARD	CONCRETE SLOPE PROTECTION	
611-60.15	0.10	SQ METER	CONCRETE SLOPE PROTECTION	
611-70.00	0.10	CUBIC YARD	GABIONS	
611-70.05	0.10	CUBIC METER	GABIONS	
611-99.05	0.10	SQUARE YARD	MISC.	
611-99.05M	0.10	SQ METER	MISC.	
611-99.07	1.00	CUBIC YARD	MISC.	
611-99.07M	0.10	CUBIC METER	MISC.	
612-10.10	1.00	EACH	TEMPORARY BARRICADE	
612-10.20	1.00	EACH	RELOCATED TEMPORARY BARRICADES	
612-10.40	1.00	EACH	PERMANENT BARRICADE	
612-20.08	1.00	EACH	IMPACT ATTENUATOR (8 SAND BARRELS)	
612-20.09	1.00	EACH	IMPACT ATTENUATOR (9 SAND BARRELS)	
612-20.10	1.00	EACH	IMPACT ATTENUATOR (10 SAND BARRELS)	
612-20.12	1.00	EACH	IMPACT ATTENUATOR (12 SAND BARRELS)	
612-20.14	1.00	EACH	IMPACT ATTENUATOR (14 SAND BARRELS)	
612-20.17	1.00	EACH	IMPACT ATTENUATOR (17 SAND BARRELS)	
612-20.19	1.00	EACH	IMPACT ATTENUATOR (19 SAND BARRELS)	
612-20.20	1.00	EACH	REPLACEMENT SAND BARREL	
612-20.30	1.00	EACH	IMPACT ATTENUATOR (RELOCATION)	
612-30.00	1.00	EACH	TRUCK MOUNTED ATTENUATOR (TMA)	
612-99.01	1.00	LUMP SUM	MISC.	
612-99.02	1.00	EACH	MISC.	
612-99.03	1.00	LINEAR FOOT	MISC.	
612-99.03M	0.50	METER	MISC.	
612-99.05	0.10	SQUARE YARD	MISC.	
612-99.05M	0.10	SQ METER	MISC.	
613-10.06	0.10	SQUARE YARD	REMOVAL AND PLACING MATERIAL FOR PARTIAL DEPTH PAVEMENT REPAIR (EXISTING BITUMINOUS OVERLAY)	
613-10.07	0.10	SQ METER	REMOVAL AND PLACING MATERIAL FOR PARTIAL DEPTH PAVEMENT REPAIR (EXISTING BITUMINOUS OVERLAY)	
613-10.08	0.10	TONS	FURNISHING BITUMINOUS MATERIAL FOR PARTIAL DEPTH PAVEMENT REPAIR (EXISTING BITUMINOUS OVERLAY)	
613-10.09	0.10	MEGAGRAM	FURNISHING BITUMINOUS MATERIAL FOR PARTIAL DEPTH PAVEMENT REPAIR (EXISTING BITUMINOUS OVERLAY)	
613-20.00	0.10	SQUARE YARD	PAVEMENT REPAIR CLASS A (CONCRETE)	
613-20.01	1.00	SQUARE YARD	SUBGRADE COMPACTION (6 INCH DEPTH) (PAVEMENT REPAIR)	
613-20.03	1.00	LINEAR FOOT	FULL DEPTH SAW CUT (PAVEMENT REPAIR ONLY)	
613-20.04	1.00	LINEAR FOOT	PARTIAL DEPTH SAW CUT (PAVEMENT REPAIR ONLY)	
613-20.05A	1.00	EACH	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR PAVEMENT REPAIR CLASS A	
613-20.06	0.10	SQUARE YARD	PARTIAL DEPTH PAVEMENT REPAIR (CONCRETE)	
613-20.07	0.10	SQUARE YARD	PARTIAL DEPTH PAVEMENT REPAIR (BITUMINOUS)	
613-20.08	0.10	SQUARE YARD	PAVEMENT REPAIR CLASS B (CONCRETE)	
613-20.09A	1.00	EACH	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR PAVEMENT REPAIR CLASS B	
613-20.10	1.00	SQUARE YARD	TYPE-5 AGGREGATE FOR BASE (4IN. THICK) (PAVEMENT REPAIR)	
613-20.11A	1.00	EACH	DOWEL BAR (FURNISHING AND INSTALLING WITH BASKETS) FOR PAVEMENT REPAIR	
613-25.00	0.10	SQ METER	PAVEMENT REPAIR CLASS A (CONCRETE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
613-25.01	1.00	SQ METER	SUBGRADE COMPACTION (150 MM DEPTH) (PAVEMENT REPAIR)	
613-25.03	0.50	METER	FULL DEPTH SAW CUT (PAVEMENT REPAIR ONLY)	
613-25.04	0.50	METER	PARTIAL DEPTH SAW CUT (PAVEMENT REPAIR ONLY)	
613-25.06	0.10	SQ METER	PARTIAL DEPTH PAVEMENT REPAIR (CONCRETE)	
613-25.07	0.10	SQ METER	PARTIAL DEPTH PAVEMENT REPAIR (BITUMINOUS)	
613-25.08	0.10	SQ METER	PAVEMENT REPAIR CLASS B (CONCRETE)	
613-25.10	1.00	SQ METER	TYPE 5 AGGREGATE FOR BASE (100 MM THICK) (PAVEMENT REPAIR)	
613-99.01	1.00	LUMP SUM	MISC.	
613-99.02	1.00	EACH	MISC.	
613-99.03	1.00	LINEAR FOOT	MISC.	
613-99.03M	0.50	METER	MISC.	
613-99.04	1.00	SQUARE FOOT	MISC.	
613-99.05	0.10	SQUARE YARD	MISC.	
613-99.05M	0.10	SQ METER	MISC.	
614-10.10	10.00	POUND	GRATES AND BEARING PLATES	
614-10.15	5.00	KILOGRAM	GRATES AND BEARING PLATES	
614-11.00	1.00	POUND	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT.)	
614-11.05	5.00	KILOGRAM	CURVED VANE GRATE AND FRAME (600MM X 600MM)	
614-11.10	10.00	POUND	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT.)	
614-11.15	5.00	KILOGRAM	CURVED VANE GRATE AND FRAME (1200MM X 600MM)	
614-20.10	1.00	EACH	12 IN. OR 300MM AUTO FLOODGATE (TYPE 1)	
614-20.11	1.00	EACH	15 IN. OR 375 MM AUTO FLOODGATE (TYPE 1)	
614-20.12	1.00	EACH	18 IN. OR 450 MM AUTO FLOODGATE (TYPE 1)	
614-20.13	1.00	EACH	21 IN. OR 525MM AUTO FLOODGATE (TYPE 1)	
614-20.14	1.00	EACH	24 IN. OR 600MM AUTO FLOODGATE (TYPE 1)	
614-20.15	1.00	EACH	27 IN. OR 675 MM AUTO FLOODGATE (TYPE 1)	
614-20.16	1.00	EACH	30 IN. OR 750 MM AUTO FLOODGATE (TYPE 1)	
614-20.17	1.00	EACH	36 IN. OR 900 MM AUTO FLOODGATE (TYPE 1)	
614-20.18	1.00	EACH	42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 1)	
614-20.19	1.00	EACH	48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 1)	
614-20.20	1.00	EACH	12 IN. OR 300 MM AUTO FLOODGATE (TYPE 2)	
614-20.21	1.00	EACH	15 IN. OR 375 MM AUTO FLOODGATE (TYPE 2)	
614-20.22	1.00	EACH	18 IN. OR 450 MM AUTO FLOODGATE (TYPE 2)	
614-20.23	1.00	EACH	21 IN. OR 525 MM AUTO FLOODGATE (TYPE 2)	
614-20.24	1.00	EACH	24 IN. OR 600 MM AUTO FLOODGATE (TYPE 2)	
614-20.25	1.00	EACH	27 IN. OR 675 MM AUTO FLOODGATE (TYPE 2)	
614-20.26	1.00	EACH	30 IN. OR 750 MM AUTO FLOODGATE (TYPE 2)	
614-20.27	1.00	EACH	36 IN. OR 900 MM AUTO FLOODGATE (TYPE 2)	
614-20.28	1.00	EACH	42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 2)	
614-20.29	1.00	EACH	48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 2)	
614-30.10	1.00	EACH	MANHOLE FRAME AND COVER, TYPE 1-A	
614-30.11	1.00	EACH	MANHOLE FRAME AND COVER, TYPE 1-B	
614-30.12	1.00	EACH	MANHOLE FRAME AND COVER, TYPE 2	
614-30.13	1.00	EACH	MANHOLE FRAME AND COVER, TYPE 3	
614-30.14	1.00	EACH	MANHOLE FRAME AND COVER, TYPE 4	
614-30.20	1.00	EACH	CURB INLET	
614-99.02	1.00	EACH	MISC.	
614-99.11	0.10	POUND	MISC.	
614-99.11M	0.05	KILOGRAM	MISC.	
615-10.00	1.00	MONTH	OFFICE FOR ENGINEER	
615-10.05	1.00	LUMP SUM	WATER TRANSPORTATION FOR ENGINEER	
615-99.01	1.00	LUMP SUM	MISC.	
615-99.14	1.00	MONTH	MISC.	
616-10.05	1.00	SQUARE FOOT	CONSTRUCTION SIGNS	
616-10.06	0.10	SQ METER	CONSTRUCTION SIGNS	
616-10.10	1.00	SQUARE FOOT	RELOCATED SIGNS	
616-10.11	0.10	SQ METER	RELOCATED SIGNS	
616-10.20	1.00	EACH	CHANNELIZER (DRUM-LIKE)	
616-10.21	1.00	EACH	CHANNELIZER (DRUM-LIKE) WITH LIGHT	
616-10.25	1.00	EACH	CHANNELIZER (TRIM LINE)	
616-10.30	1.00	EACH	TYPE III MOVEABLE BARRICADE	
616-10.33	1.00	EACH	DIRECTIONAL INDICATOR BARRICADE	
616-10.34	1.00	EACH	DIRECTIONAL INDICATOR BARRICADE WITH LIGHT	
616-10.40	1.00	EACH	FLASHING ARROW PANEL	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
616-10.45	1.00	EACH	TYPE I OBJECT MARKER	
616-10.46	1.00	EACH	TYPE II OBJECT MARKER	
616-10.47	1.00	EACH	TYPE III OBJECT MARKER	
616-10.50	1.00	EACH	FLASHING ELECTRIC LIGHT	
616-10.51	1.00	EACH	WARNING LIGHT, TYPE A	
616-10.52	1.00	EACH	WARNING LIGHT, TYPE B	
616-10.53	1.00	EACH	WARNING LIGHT, TYPE C	
616-10.54	1.00	EACH	STROBE LIGHT	
616-10.70	1.00	EACH	TUBULAR MARKER	
616-10.71	1.00	EACH	TRAFFIC BARRIER DELINEATOR, WHITE	
616-10.72	1.00	EACH	TRAFFIC BARRIER DELINEATOR, AMBER	
616-10.73	1.00	EACH	TRAFFIC BARRIER DELINEATOR, WHITE / AMBER	
616-10.91	1.00	HOURL	RADAR SPEED ADVISORY SYSTEM OPERATION	
616-10.95	1.00	EACH	RADAR SPEED ADVISORY SYSTEM	
616-10.96	1.00	EACH	CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED	
616-10.98	1.00	EACH	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAINED	
616-11.00	1.00	EACH	CHANGEABLE MESSAGE SIGN, SOLAR POWERED, CONTRACTOR FURNISHED, COMMISSION RETAINED	
616-11.30	1.00	EACH	INSTALLING GIVE EM A BRAKE, 48 IN. X 48 IN. SIGN	
616-11.31	1.00	EACH	INSTALLING GIVE EM A BRAKE 1200 MM X 1200 MM SIGN	
616-11.32	1.00	EACH	INSTALLING 'SHOW ME PROGRESS' SIGN ASSEMBLY	
616-11.40	1.00	EACH	INSTALLING NO CENTER STRIPE SIGN	
616-12.00	1.00	HOURL	LAW ENFORCEMENT	
616-99.01	1.00	LUMP SUM	MISC.	
616-99.02	1.00	EACH	MISC.	
616-99.03	1.00	LINEAR FOOT	MISC.	
616-99.03M	0.50	METER	MISC.	
616-99.04	0.10	SQUARE FOOT	MISC.	
616-99.05	0.10	SQUARE YARD	MISC.	
616-99.05M	0.10	SQ METER	MISC.	
616-99.15	1.00	HOURL	MISC.	
617-10.00	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE A	
617-10.15	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE A	
617-10.25	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE B	
617-10.26	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)	
617-10.35	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE C	
617-20.00	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE B	
617-20.01	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)	
617-30.00	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE C	
617-31.00	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE D	
617-31.01	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)	
617-31.15	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE D	
617-31.16	0.50	METER	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)	
617-36.00	1.00	LINEAR FOOT	CONCRETE TRAFFIC BARRIER, TYPE F	
617-36.00B	1.00	LINEAR FOOT	CONTRACTOR FURNISHED / RETAINED TEMPORARY TYPE F CONCRETE TRAFFIC BARRIER	
617-36.01B	0.50	METER	CONTRACTOR FURNISHED / RETAINED TEMPORARY TYPE F CONCRETE TRAFFIC BARRIER	
617-36.02	1.00	LINEAR FOOT	CONTRACTOR FURNISHED / COMMISSION RETAINED TEMPORARY TYPE F CONCRETE TRAFFIC BARRIER	
617-36.03	0.50	METER	CONTRACTOR FURNISHED / COMMISSION RETAINED TEMPORARY TYPE F CONCRETE TRAFFIC BARRIER	
617-40.00	1.00	EACH	PRECAST BARRIER HEIGHT TRANSITION	
617-50.10	1.00	LINEAR FOOT	RELOCATING TEMPORARY TRAFFIC BARRIER	
617-50.15	0.50	METER	RELOCATING TEMPORARY TRAFFIC BARRIER	
617-60.00	1.00	LINEAR FOOT	STATE FURNISHED CONCRETE TRAFFIC BARRIER	
617-60.05	0.50	METER	STATE FURNISHED CONCRETE TRAFFIC BARRIER	
617-70.00	1.00	EACH	STATE FURNISHED PRECAST BARRIER HEIGHT TRANSITION	
617-99.01	1.00	LUMP SUM	MISC.	
617-99.02	1.00	EACH	MISC.	
617-99.03	1.00	LINEAR FOOT	MISC.	
617-99.03M	0.50	METER	MISC.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
617-99.05	0.10	SQUARE YARD	MISC.	
617-99.05M	0.10	SQ METER	MISC.	
618-10.00	1.00	LUMP SUM	MOBILIZATION	
618-99.01	1.00	LUMP SUM	MISC.	
618-99.02	1.00	EACH	MISC.	
618-99.16	1.00	DOLLARS	MISC.	
619-10.00	1.00	LINEAR FOOT	PAVEMENT EDGE TREATMENT	
619-10.05	0.50	METER	PAVEMENT EDGE TREATMENT	
619-99.01	1.00	LUMP SUM	MISC.	
620-02.06	0.50	METER	TYPE 1 PREFORMED MARKING TAPE, 150 MM WIDE (WHITE)	
620-02.08	0.50	METER	TYPE 1 PREFORMED MARKING TAPE, 200 MM WIDE (WHITE)	
620-02.24	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 24 IN WIDE (YELLOW)	
620-03.06	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 6 IN. WIDE (WHITE)	
620-03.08	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 8 IN. WIDE (WHITE)	
620-03.24	0.50	METER	TYPE 1 PREFORMED MARKING TAPE, 600 MM WIDE (YELLOW)	
620-04.24	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 24 IN. WIDE (WHITE)	
620-05.00	1.00	EACH	TYPE 1 PREFORMED LEFT ARROW	
620-10.00	1.00	EACH	TYPE 1 PREFORMED RIGHT ARROW	
620-15.00	1.00	EACH	TYPE 1 PREFORMED STRAIGHT ARROW	
620-16.00	1.00	EACH	TYPE 1 PREFORMED STRAIGHT-LEFT ARROW	
620-17.00	1.00	EACH	TYPE 1 PREFORMED STRAIGHT-RIGHT ARROW	
620-20.05	0.50	METER	TYPE 1 PREFORMED MARKING TAPE, 600 MM WIDE (WHITE)	
620-21.00	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-21.05	0.50	METER	TYPE 1 PREFORMED MARKING TAPE, INTERSECTION, 100MM, INTERMITTENT WHITE	
620-25.00	1.00	EACH	TYPE 1 PREFORMED WORD (ONLY)	
620-30.00	1.00	EACH	TYPE 1 PREFORMED RAILROAD CROSSING MARKER	
620-50.01A	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 4 IN. SOLID WHITE	
620-50.02A	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 4 IN. INTERMITTENT WHITE	
620-50.03A	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 4 IN. SOLID YELLOW	
620-50.04A	1.00	LINEAR FOOT	TYPE 1 PREFORMED MARKING TAPE, 4 IN. INTERMITTENT YELLOW	
620-50.05	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK ,30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE	
620-50.06	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK ,33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3M LANE	
620-50.07	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK, 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE	
620-50.08	1.00	EACH	TYPE 1 PREFORMED OFF RAMP WRONG WAY ARROW (WHITE)	
620-50.11A	0.50	METER	TYPE 1 PREFORMED MARKING TAPE 100 MM SOLID WHITE	
620-50.12A	0.50	METER	TYPE 1 PREFORMED MARKING TAPE 100 MM INTERMITTENT WHITE	
620-50.13A	0.50	METER	TYPE 1 PREFORMED MARKING TAPE 100 MM SOLID YELLOW	
620-50.14A	0.50	METER	TYPE 1 PREFORMED MARKING TAPE 100 MM INTERMITTENT YELLOW	
620-50.15	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK (3.0 M LANE)	
620-50.16	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK (3.3 M LANE)	
620-50.17	1.00	EACH	TYPE 1 PREFORMED WHITE MIDBLOCK (3.6 M LANE)	
620-50.18	1.00	EACH	TYPE 1 PREFORMED OFF RAMP WRONG WAY ARROW (WHITE)	
620-52.00	1.00	LINEAR FOOT	PREFORMED REMOVABLE MARKING TAPE 8 IN.,	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
620-52.05	0.50	METER	INTERMITTENT WHITE PERFORMED REMOVABLE MARKING TAPE 200 MM,	
620-52.10	1.00	LINEAR FOOT	INTERMITTENT WHITE PERFORMED SHORT TERM MARKING TAPE 8 IN.,	
620-52.15	0.50	METER	INTERMITTENT WHITE PERFORMED SHORT TERM MARKING TAPE 200 MM,	
620-53.01A	1.00	LINEAR FOOT	SOLID WHITE PERFORMED REMOVABLE MARKING TAPE 4 IN.,	
620-53.02A	1.00	LINEAR FOOT	INTERMITTENT WHITE PERFORMED REMOVABLE MARKING TAPE 4 IN.,	
620-53.03A	1.00	LINEAR FOOT	INTERMITTENT WHITE PERFORMED REMOVABLE MARKING TAPE 4 IN.,	
620-53.04A	1.00	LINEAR FOOT	SOLID YELLOW PERFORMED REMOVABLE MARKING TAPE 4 IN. ,	
620-53.10A	0.50	METER	INTERMITTENT YELLOW PERFORMED REMOVABLE MARKING TAPE, 600 MM	
620-53.11A	0.50	METER	WIDE (WHITE) PERFORMED REMOVABLE MARKING TAPE 100 MM	
620-53.12A	0.50	METER	SOLID WHITE PERFORMED REMOVABLE MARKING TAPE 100 MM	
620-53.13A	0.50	METER	INTERMITTENT WHITE PERFORMED REMOVABLE MARKING TAPE 100 MM	
620-53.14A	0.50	METER	SOLID YELLOW PERFORMED REMOVABLE MARKING TAPE 100 MM	
620-53.15	1.00	LINEAR FOOT	INTERMITTENT YELLOW PERFORMED REMOVABLE MARKING TAPE 8 IN.,	
620-53.16	1.00	LINEAR FOOT	SOLID WHITE PERFORMED REMOVABLE MARKING TAPE 8 IN.,	
620-53.17	0.50	METER	SOLID YELLOW PERFORMED REMOVABLE MARKING TAPE 200 MM,	
620-53.18	0.50	METER	SOLID WHITE PERFORMED REMOVABLE MARKING TAPE 200MM,	
620-53.20	1.00	LINEAR FOOT	SOLID YELLOW PERFORMED REMOVABLE MARKING TAPE, 12 IN.	
620-53.25	0.50	METER	WIDE (WHITE) PERFORMED REMOVABLE MARKING TAPE, 300 MM	
620-53.26	1.00	LINEAR FOOT	WIDE (WHITE) PERFORMED SHORT TERM MARKING TAPE 8 IN.,	
620-53.27	1.00	LINEAR FOOT	SOLID WHITE PERFORMED SHORT TERM MARKING TAPE 8 IN.,	
620-53.28	0.50	METER	SOLID YELLOW PERFORMED SHORT TERM MARKING TAPE 200MM,	
620-53.29	0.50	METER	SOLID WHITE PERFORMED SHORT TERM MARKING TAPE 200MM,	
620-53.30	1.00	LINEAR FOOT	SOLID YELLOW PERFORMED SHORT TERM MARKING TAPE, 12 IN.	
620-53.35	0.50	METER	WIDE (WHITE) PERFORMED SHORT TERM MARKING TAPE, 300 MM	
620-54.01A	1.00	LINEAR FOOT	WIDE (WHITE) PERFORMED SHORT TERM MARKING TAPE 4 IN.	
620-54.02A	1.00	LINEAR FOOT	SOLID WHITE PERFORMED SHORT TERM MARKING TAPE 4 IN.,	
620-54.03A	1.00	LINEAR FOOT	INTERMITTENT WHITE PERFORMED SHORT TERM MARKING TAPE 4 IN.,	
620-54.04A	1.00	LINEAR FOOT	SOLID YELLOW PERFORMED SHORT TERM MARKING TAPE 4 IN.,	
620-54.11A	0.50	METER	INTERMITTENT YELLOW PERFORMED SHORT TERM MARKING TAPE 100 MM	
620-54.12A	0.50	METER	SOLID WHITE PERFORMED SHORT TERM MARKING TAPE 100 MM	
620-54.13A	0.50	METER	INTERMITTENT WHITE PERFORMED SHORT TERM MARKING TAPE 100 MM	
620-54.14A	0.50	METER	SOLID YELLOW PERFORM SHORT TERM MARKING TAPE 100 MM	
620-54.25	1.00	LINEAR FOOT	INTERMITTENT YELLOW PERFORMED SHORT TERM MARKING TAPE 24 IN.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
620-54.30	0.50	METER	WIDE (WHITE) PREFORMED SHORT TERM MARKING TAPE 600 MM	
620-54.40	1.00	EACH	WIDE (WHITE) PREFORMED SHORT TERM MARKING TAPE LEFT ARROW	
620-54.41	1.00	EACH	PREFORMED SHORT TERM MARKING TAPE RIGHT ARROW	
620-54.42	1.00	EACH	PREFORMED SHORT TERM MARKING TAPE STRAIGHT ARROW	
620-54.43	1.00	EACH	PREFORMED SHORT TERM MARKING TAPE STRAIGHT-LEFT ARROW	
620-54.44	1.00	EACH	PREFORMED SHORT TERM MARKING TAPE STRAIGHT-RIGHT ARROW	
620-55.01A	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL 4 IN. , SOLID WHITE	
620-55.02A	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL 4 IN. , INTERMITTENT WHITE	
620-55.03A	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL 4 IN. , SOLID YELLOW	
620-55.04A	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL 4 IN. , INTERMITTENT YELLOW	
620-55.05A	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 100 MM SOLID WHITE	
620-55.06A	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 100 MM INTERMITTENT WHITE	
620-55.07A	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 100 MM SOLID YELLOW	
620-55.08A	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 100 MM INTERMITTENT YELLOW	
620-55.10	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, LEFT ARROW (WHITE)	
620-55.11	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, RIGHT ARROW (WHITE)	
620-55.12	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, STRAIGHT-ARROW (WHITE)	
620-55.13	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, STRAIGHT-LEFT ARROW (WHITE)	
620-55.14	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, STRAIGHT-RIGHT ARROW (WHITE)	
620-55.15	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL, 24 IN. WIDE (WHITE)	
620-55.16	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL, 24 IN. WIDE (YELLOW)	
620-55.17	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL, 6 IN. WIDE (WHITE)	
620-55.18	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL, 8 IN. WIDE (WHITE)	
620-55.19	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, WORD (ONLY)	
620-55.20	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, RAILROAD CROSSING MARKER (WHITE)	
620-55.21	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL, OFF RAMP WRONG WAY ARROW (WHITE)	
620-55.22	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL WHITE MIDBLOCK, 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE	
620-55.23	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL WHITE MIDBLOCK, 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3 M LANE	
620-55.24	1.00	EACH	EXTRUDED THERMOPLASTIC MARKING MATERIAL WHITE MIDBLOCK, 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE	
620-55.45	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 600 MM WIDE (WHITE)	
620-55.46	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 600 MM WIDE (YELLOW)	
620-55.47	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 150 MM WIDE (WHITE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
620-55.48	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL 200 MM WIDE (WHITE)	
620-55.60	1.00	LINEAR FOOT	EXTRUDED THERMOPLASTIC MARKING MATERIAL, INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-55.65	0.50	METER	EXTRUDED THERMOPLASTIC MARKING MATERIAL, INTERSECTION, 100MM, INTERMITTENT WHITE	
620-56.30	1.00	LINEAR FOOT	45 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL 4 IN., SOLID WHITE	
620-56.31A	1.00	LINEAR FOOT	45 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., INTERMITTENT WHITE	
620-56.32A	1.00	LINEAR FOOT	45 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., SOLID YELLOW	
620-56.33A	1.00	LINEAR FOOT	45 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., INTERMITTENT YELLOW	
620-56.34	1.00	LINEAR FOOT	45 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL , INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-56.40	0.50	METER	1.15 MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 100MM, SOLID WHITE	
620-56.41	0.50	METER	1.15 MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 100MM, INTERMITTENT WHITE	
620-56.42	0.50	METER	1.15 MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL,100MM, SOLID YELLOW	
620-56.43	0.50	METER	1.15 MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 100MM, INTERMITTENT YELLOW	
620-56.44	0.50	METER	1.15 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, INTERSECTION, 100MM, INTERMITTENT WHITE	
620-56.50A	1.00	LINEAR FOOT	60 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., SOLID WHITE	
620-56.51A	1.00	LINEAR FOOT	60 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., INTERMITTENT WHITE	
620-56.52A	1.00	LINEAR FOOT	60 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., SOLID YELLOW	
620-56.53A	1.00	LINEAR FOOT	60 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, 4 IN., INTERMITTENT YELLOW	
620-56.54	1.00	LINEAR FOOT	60 MIL HOT SPRAY THERMOPLASTIC MARKING MATERIAL, INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-56.60A	0.50	METER	1.50MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL 100MM, SOLID WHITE	
620-56.61A	0.50	METER	1.50MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL 100MM, INTERMITTENT WHITE	
620-56.62A	0.50	METER	1.50MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL 100MM, SOLID YELLOW	
620-56.63A	0.50	METER	1.50MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL 100 MM, INTERMITTENT YELLOW	
620-56.64A	0.50	METER	1.50MM HOT SPRAY THERMOPLASTIC MARKING MATERIAL INTERSECTION, 100MM, INTERMITTENT WHITE	
620-60.00A	1.00	LINEAR FOOT	4 IN. SOLID WHITE WATERBORNE PAINT	
620-60.01A	1.00	LINEAR FOOT	4 IN. SOLID YELLOW WATERBORNE PAINT	
620-60.02A	1.00	LINEAR FOOT	4 IN. INTERMITTENT WHITE WATERBORNE PAINT	
620-60.03A	1.00	LINEAR FOOT	4 IN. INTERMITTENT YELLOW WATERBORNE PAINT	
620-60.20A	0.50	METER	100 MM SOLID WHITE WATERBORNE PAINT	
620-60.21A	0.50	METER	100 MM SOLID YELLOW WATERBORNE PAINT	
620-60.22A	0.50	METER	100 MM INTERMITTENT WHITE WATERBORNE PAINT	
620-60.23A	0.50	METER	100 MM INTERMITTENT YELLOW WATERBORNE PAINT	
620-61.01	1.00	EACH	WATERBORNE PAINT, LEFT ARROW (WHITE)	
620-61.02	1.00	EACH	WATERBORNE PAINT, RIGHT ARROW (WHITE)	
620-61.03	1.00	EACH	WATERBORNE PAINT, STRAIGHT ARROW (WHITE)	
620-61.04	1.00	EACH	WATERBORNE PAINT, STRAIGHT-LEFT ARROW (WHITE)	
620-61.05	1.00	EACH	WATERBORNE PAINT, STRAIGHT-RIGHT ARROW (WHITE)	
620-61.06	1.00	LINEAR FOOT	WATERBORNE PAINT, 6 IN. WIDE (WHITE)	
620-61.07	1.00	EACH	WATERBORNE PAINT, RAILROAD CROSSING MARKER	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			(WHITE)	
620-61.08	1.00	LINEAR FOOT	WATERBORNE PAINT, 8 IN. WIDE (WHITE)	
620-61.09	1.00	LINEAR FOOT	WATERBORNE PAINT, INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-61.10	1.00	EACH	WATERBORNE PAINT WHITE MIDBLOCK 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE	
620-61.11	1.00	EACH	WATERBORNE PAINT WHITE MIDBLOCK 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3 M LANE	
620-61.12	1.00	EACH	WATERBORNE PAINT WHITE MIDBLOCK 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE	
620-61.13	1.00	EACH	WATERBORNE PAINT, WORD (ONLY)	
620-61.14	1.00	EACH	WATERBORNE PAINT, OFF RAMP WRONG WAY ARROW (WHITE)	
620-61.20	1.00	LINEAR FOOT	WATERBORNE PAINT, 8 IN. WIDE (YELLOW)	
620-61.21	0.50	METER	WATERBORNE PAINT, 200 MM WIDE (YELLOW)	
620-61.24	1.00	LINEAR FOOT	WATERBORNE PAINT, 24 IN. WIDE (WHITE)	
620-61.25	1.00	LINEAR FOOT	WATERBORNE PAINT, 24 IN. WIDE (YELLOW)	
620-61.26	0.50	METER	WATERBORNE PAINT, 150 MM WIDE (WHITE)	
620-61.27	0.50	METER	WATERBORNE PAINT, 200 MM WIDE (WHITE)	
620-61.28	0.50	METER	WATERBORNE PAINT, 600 MM WIDE (WHITE)	
620-61.29	0.50	METER	WATERBORNE PAINT, 600 MM WIDE (YELLOW)	
620-61.30	0.50	METER	WATERBORNE PAINT, INTERSECTION, 100MM, INTERMITTENT WHITE	
620-61.50	1.00	LINEAR FOOT	4 IN. SOLID WHITE ACRYLIC COPOLYMER PAINT	
620-61.51	1.00	LINEAR FOOT	4 IN. SOLID YELLOW ACRYLIC COPOLYMER PAINT	
620-61.52	1.00	LINEAR FOOT	4 IN. INTERMITTENT WHITE ACRYLIC COPOLYMER PAINT	
620-61.53	1.00	LINEAR FOOT	4 IN. INTERMITTENT YELLOW ACRYLIC COPOLYMER PAINT	
620-61.60	0.50	METER	100MM SOLID WHITE ACRYLIC COPOLYMER PAINT	
620-61.61	0.50	METER	100MM SOLID YELLOW ACRYLIC COPOLYMER PAINT	
620-61.62	0.50	METER	100MM INTERMITTENT WHITE ACRYLIC COPOLYMER PAINT	
620-61.63	0.50	METER	100MM INTERMITTENT YELLOW ACRYLIC COPOLYMER PAINT	
620-61.71	1.00	EACH	ACRYLIC COPOLYMER PAINT, LEFT ARROW (WHITE)	
620-61.72	1.00	EACH	ACRYLIC COPOLYMER PAINT, RIGHT ARROW (WHITE)	
620-61.73	1.00	EACH	ACRYLIC COPOLYMER PAINT, STRAIGHT ARROW (WHITE)	
620-61.74	1.00	EACH	ACRYLIC COPOLYMER PAINT, STRAIGHT-LEFT ARROW (WHITE)	
620-61.75	1.00	EACH	ACRYLIC COPOLYMER PAINT, STRAIGHT-RIGHT ARROW (WHITE)	
620-61.76	1.00	LINEAR FOOT	ACRYLIC COPOLYMER PAINT, 6 IN. WIDE (WHITE)	
620-61.77	1.00	EACH	ACRYLIC COPOLYMER PAINT, RAILROAD CROSSING MARKER (WHITE)	
620-61.78	1.00	LINEAR FOOT	ACRYLIC COPOLYMER PAINT, 8 IN. WIDE (WHITE)	
620-61.79	1.00	LINEAR FOOT	ACRYLIC COPOLYMER PAINT, INTERSECTION, 4 IN. WIDE, INTERMITTENT WHITE	
620-61.80	1.00	EACH	ACRYLIC COPOLYMER PAINT WHITE MIDBLOCK 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE	
620-61.81	1.00	EACH	ACRYLIC COPOLYMER PAINT WHITE MIDBLOCK 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3 M LANE	
620-61.82	1.00	EACH	ACRYLIC COPOLYMER PAINT WHITE MIDBLOCK 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE	
620-61.83	1.00	EACH	ACRYLIC COPOLYMER PAINT, WORD (ONLY)	
620-61.84	1.00	EACH	ACRYLIC COPOLYMER PAINT, OFF RAMP WRONG WAY ARROW (WHITE)	
620-61.85	1.00	LINEAR FOOT	ACRYLIC COPOLYMER PAINT, 24 IN. WIDE (WHITE)	
620-61.86	1.00	LINEAR FOOT	ACRYLIC COPOLYMER PAINT, 24 IN. WIDE (YELLOW)	
620-61.87	0.50	METER	ACRYLIC COPOLYMER PAINT, 150MM WIDE (WHITE)	
620-61.88	0.50	METER	ACRYLIC COPOLYMER PAINT, 200MM WIDE (WHITE)	
620-61.89	0.50	METER	ACRYLIC COPOLYMER PAINT, 600MM WIDE (WHITE)	
620-61.90	0.50	METER	ACRYLIC COPOLYMER PAINT, 600MM WIDE (YELLOW)	
620-61.91	0.50	METER	ACRYLIC COPOLYMER PAINT, INTERSECTION, 100MM WIDE, INTERMITTENT WHITE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
620-62.01	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING 4 IN., SOLID WHITE	
620-62.02	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING 4 IN., INTERMITTENT WHITE	
620-62.03	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING 4 IN., SOLID YELLOW	
620-62.04	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING 4 IN., INTERMITTENT YELLOW	
620-62.05	0.50	METER	EPOXY PAVEMENT MARKING 100MM SOLID WHITE	
620-62.06	0.50	METER	EPOXY PAVEMENT MARKING 100MM INTERMITTENT WHITE	
620-62.07	0.50	METER	EPOXY PAVEMENT MARKING 100MM SOLID YELLOW	
620-62.08	0.50	METER	EPOXY PAVEMENT MARKING 100MM INTERMITTENT YELLOW	
620-62.10	1.00	EACH	EPOXY PAVEMENT MARKING, LEFT ARROW (WHITE)	
620-62.11	1.00	EACH	EPOXY PAVEMENT MARKING, RIGHT ARROW (WHITE)	
620-62.12	1.00	EACH	EPOXY PAVEMENT MARKING, STRAIGHT- ARROW (WHITE)	
620-62.13	1.00	EACH	EPOXY PAVEMENT MARKING, STRAIGHT-LEFT ARROW (WHITE)	
620-62.14	1.00	EACH	EPOXY PAVEMENT MARKING, STRAIGHT-RIGHT ARROW (WHITE)	
620-62.15	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING, 24 IN. WIDE (WHITE)	
620-62.16	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING, 24 IN. WIDE (YELLOW)	
620-62.17	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING, 6 IN. WIDE (WHITE)	
620-62.18	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING, 8 IN. WIDE (WHITE)	
620-62.19	1.00	EACH	EPOXY PAVEMENT MARKING, WORD (ONLY)	
620-62.20	1.00	EACH	EPOXY PAVEMENT MARKING, RAILROAD CROSSING MARKER (WHITE)	
620-62.21	1.00	EACH	EPOXY PAVEMENT MARKING, OFF RAMP WRONG WAY ARROW (WHITE)	
620-62.22	1.00	EACH	EPOXY PAVEMENT MARKING WHITE MIDBLOCK, 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE	
620-62.23	1.00	EACH	EPOXY PAVEMENT MARKING WHITE MIDBLOCK, 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3 M LANE	
620-62.24	1.00	EACH	EPOXY PAVEMENT MARKING WHITE MIDBLOCK, 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE	
620-62.35	0.50	METER	EPOXY PAVEMENT MARKING 600MM WIDE (WHITE)	
620-62.36	0.50	METER	EPOXY PAVEMENT MARKING 600MM WIDE (YELLOW)	
620-62.37	0.50	METER	EPOXY PAVEMENT MARKING 150MM WIDE (WHITE)	
620-62.38	0.50	METER	EPOXY PAVEMENT MARKING 200MM WIDE (WHITE)	
620-62.40	1.00	LINEAR FOOT	EPOXY PAVEMENT MARKING, INTERSECTION, 4 IN., INTERMITTENT WHITE	
620-62.41	0.50	METER	EPOXY PAVEMENT MARKING, INTERSECTION, 100MM, INTERMITTENT WHITE	
620-70.00A	1.00	LINEAR FOOT	PAVEMENT MARKING REMOVAL (PAINT)	
620-70.05A	1.00	LINEAR FOOT	PAVEMENT MARKING REMOVAL (TAPE)	
620-70.10A	1.00	LINEAR FOOT	PAVEMENT MARKING REMOVAL (THERMOPLASTIC)	
620-70.11	1.00	LINEAR FOOT	PAVEMENT MARKING REMOVAL (EPOXY)	
620-70.15A	0.50	METER	PAVEMENT MARKING REMOVAL (PAINT)	
620-70.20A	0.50	METER	PAVEMENT MARKING REMOVAL (TAPE)	
620-70.25A	0.50	METER	PAVEMENT MARKING REMOVAL (THERMOPLASTIC)	
620-70.30	0.50	METER	PAVEMENT MARKING REMOVAL (EPOXY)	
620-80.60	1.00	EACH	RAISED PAVEMENT MARKER	
620-80.64	1.00	EACH	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	
620-80.65	1.00	EACH	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	
620-80.66	1.00	EACH	SNOWPLOWABLE RAISED PAVEMENT MARKER WITH 1 MONO-DIRECTIONAL WHITE OR CRYSTAL REFLECTOR	
620-80.67	1.00	EACH	SNOWPLOWABLE RAISED PAVEMENT MARKER WITH 2 BI-DIRECTIONAL YELLOW OR AMBER REFLECTOR	
620-80.68	1.00	EACH	SNOWPLOWABLE RAISED PAVEMENT MARKER WITH 2 BI-DIRECTIONAL WHITE/RED REFLECTOR	
620-99.01	1.00	LUMP SUM	MISC.	
620-99.02	1.00	EACH	MISC.	
620-99.03	1.00	LINEAR FOOT	MISC.	
620-99.03M	0.50	METER	MISC.	
620-99.17	0.10	100 FEET	MISC.	
620-99.20	0.01	MILE	MISC.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
620-99.20M	0.10	KILOMETER	MISC.	
621-46.00	0.10	CUBIC YARD	FLOWABLE BACKFILL	
621-46.05	0.10	CUBIC METER	FLOWABLE BACKFILL	
622-10.01	1.00	SQUARE YARD	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)	
622-10.02	1.00	SQ METER	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (75 MM THICK OR LESS)	
622-10.03	1.00	SQUARE YARD	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)	
622-10.04	1.00	SQ METER	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 75 MM THICK)	
622-10.11	1.00	SQUARE YARD	COLD MILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE	
622-10.12	1.00	SQ METER	COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE	
622-20.10	1.00	SQUARE YARD	COLDMILLING BITUMINOUS PAVEMENT FOR DRIVING SURFACE	
622-20.15	1.00	SQ METER	COLDMILLING BIT. PAVEMENT FOR DRIVING SURFACE	
622-30.10	1.00	SQUARE YARD	DIAMOND GRINDING (CONCRETE PAVEMENT)	
622-30.20	1.00	SQ METER	DIAMOND GRINDING (CONCRETE PAVEMENT)	
622-40.10	1.00	SQUARE YARD	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	
622-40.20	1.00	SQ METER	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	
622-99.03	1.00	LINEAR FOOT	MISC.	
622-99.03M	0.50	METER	MISC.	
622-99.05	0.10	SQUARE YARD	MISC.	
622-99.05M	0.10	SQ METER	MISC.	
622-99.09	0.10	STATION	MISC.	
622-99.09M	0.50	KILOMETER	MISC.	
623-99.03	1.00	LINEAR FOOT	MISC.	
623-99.03M	0.50	METER	MISC.	
624-01.01	1.00	SQUARE YARD	GEOTEXTILE FABRIC, TYPE 1	
624-01.02	1.00	SQUARE YARD	GEOTEXTILE FABRIC, TYPE 2	
624-01.03	1.00	SQUARE YARD	GEOTEXTILE FABRIC, TYPE 3	
624-01.04	1.00	SQUARE YARD	GEOTEXTILE FABRIC, TYPE 4	
624-01.11	1.00	SQ METER	GEOTEXTILE FABRIC, TYPE 1	
624-01.12	1.00	SQ METER	GEOTEXTILE FABRIC, TYPE 2	
624-01.13	1.00	SQ METER	GEOTEXTILE FABRIC, TYPE 3	
624-01.14	1.00	SQ METER	GEOTEXTILE FABRIC, TYPE 4	
624-99.05	0.10	SQUARE YARD	MISC.	
624-99.05M	0.10	SQ METER	MISC.	
625-20.00	1.00	EACH	DRILLED HOLE	
625-30.00	0.10	TONS	FLY ASH	
625-30.05	0.10	MEGAGRAM	FLY ASH	
625-35.00	0.10	TONS	PORTLAND CEMENT	
625-35.05	0.10	MEGAGRAM	PORTLAND CEMENT	
625-40.00	1.00	EACH	DEFLECTION TESTING	
625-99.03	1.00	LINEAR FOOT	MISC.	
625-99.03M	0.50	METER	MISC.	
626-10.00	0.10	100 FEET	BITUMINOUS RUMBLE STRIP	
626-10.05	5.00	METER	BITUMINOUS RUMBLE STRIP	
626-20.00	1.00	SQUARE YARD	PORTLAND CEMENT CONCRETE RUMBLE STRIP	
626-20.05	1.00	SQ METER	PORTLAND CEMENT CONCRETE RUMBLE STRIP	
626-99.03	1.00	LINEAR FOOT	MISC.	
626-99.03M	0.50	METER	MISC.	
627-10.00	1.00	GALLONS	PAVEMENT CRACK SEALING (BITUMINOUS PAVEMENT)	
627-20.00	1.00	LINEAR FOOT	PAVEMENT CRACK SEALING (PCCP)	
627-30.00	1.00	LINEAR FOOT	FIBERIZED CRACK SEALING	
700-99.03	1.00	LINEAR FOOT	MISC.	
700-99.03M	0.50	METER	MISC.	
701-00.00	1.00	EACH	SUPPLEMENTARY TELEVISION INSPECTION	
701-10.12	0.10	LINEAR FOOT	12 IN. PEDESTAL PILE	
701-10.30	0.10	LINEAR FOOT	30 IN. PEDESTAL PILE	
701-10.36	0.10	LINEAR FOOT	36 IN. PEDESTAL PILE	
701-10.42	0.10	LINEAR FOOT	42 IN. PEDESTAL PILE	
701-10.48	0.10	LINEAR FOOT	48 IN. PEDESTAL PILE	
701-10.54	0.10	LINEAR FOOT	54 IN. PEDESTAL PILE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
701-10.60	0.10	LINEAR FOOT	60 IN. PEDESTAL PILE	
701-10.66	0.10	LINEAR FOOT	66 IN. PEDESTAL PILE	
701-10.72	0.10	LINEAR FOOT	72 IN. PEDESTAL PILE	
701-10.84	0.10	LINEAR FOOT	84 IN. PEDESTAL PILE	
701-11.00	0.10	LINEAR FOOT	DRILLED SHAFTS (1 FT. 0 IN. DIA.)	
701-11.01	0.10	LINEAR FOOT	DRILLED SHAFTS (1 FT. 6 IN. DIA.)	
701-11.02	0.10	LINEAR FOOT	DRILLED SHAFTS (2 FT. 0 IN. DIA.)	
701-11.03	0.10	LINEAR FOOT	DRILLED SHAFTS (2 FT. 6 IN. DIA.)	
701-11.04	0.10	LINEAR FOOT	DRILLED SHAFTS (3 FT. 0 IN. DIA.)	
701-11.05	0.10	LINEAR FOOT	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	
701-11.06	0.10	LINEAR FOOT	DRILLED SHAFTS (4 FT. 0 IN. DIA.)	
701-11.07	0.10	LINEAR FOOT	DRILLED SHAFTS (4 FT. 6 IN. DIA.)	
701-11.08	0.10	LINEAR FOOT	DRILLED SHAFTS (5 FT. 0 IN. DIA.)	
701-11.09	0.10	LINEAR FOOT	DRILLED SHAFTS (5 FT. 6 IN. DIA.)	
701-11.10	0.10	LINEAR FOOT	DRILLED SHAFTS (6 FT. 0 IN. DIA.)	
701-11.11	0.10	LINEAR FOOT	DRILLED SHAFTS (6 FT. 6 IN. DIA.)	
701-11.12	0.10	LINEAR FOOT	DRILLED SHAFTS (7 FT. 0 IN. DIA.)	
701-11.14	0.10	LINEAR FOOT	DRILLED SHAFTS (8 FT. 0 IN. DIA.)	
701-11.16	0.10	LINEAR FOOT	DRILLED SHAFTS (9 FT. 0 IN. DIA.)	
701-11.18	0.10	LINEAR FOOT	DRILLED SHAFTS (10 FT. 0 IN. DIA.)	
701-11.20	0.05	METER	DRILLED SHAFTS (300 MM DIA.)	
701-11.21	0.05	METER	DRILLED SHAFTS (450 MM DIA.)	
701-11.22	0.05	METER	DRILLED SHAFTS (600 MM DIA.)	
701-11.23	0.05	METER	DRILLED SHAFTS (750 MM DIA.)	
701-11.24	0.05	METER	DRILLED SHAFTS (900 MM DIA.)	
701-11.25	0.05	METER	DRILLED SHAFTS (1050 MM DIA.)	
701-11.26	0.05	METER	DRILLED SHAFTS (1200 MM DIA.)	
701-11.27	0.05	METER	DRILLED SHAFTS (1350 MM DIA.)	
701-11.28	0.05	METER	DRILLED SHAFTS (1500 MM DIA.)	
701-11.29	0.05	METER	DRILLED SHAFTS (1650 MM DIA.)	
701-11.30	0.05	METER	DRILLED SHAFTS (1800 MM DIA.)	
701-11.31	0.05	METER	DRILLED SHAFTS (1950 MM DIA.)	
701-11.32	0.05	METER	DRILLED SHAFTS (2100 MM DIA.)	
701-11.33	0.05	METER	DRILLED SHAFTS (2400 MM DIA.)	
701-11.34	0.05	METER	DRILLED SHAFTS (2700 MM DIA.)	
701-11.35	0.05	METER	DRILLED SHAFTS (3000 MM DIA.)	
701-12.00	0.10	LINEAR FOOT	ROCK SOCKETS (1 FT 0 IN. DIA.)	
701-12.01	0.10	LINEAR FOOT	ROCK SOCKETS (1 FT 6 IN. DIA.)	
701-12.02	0.10	LINEAR FOOT	ROCK SOCKETS (2 FT 0 IN. DIA.)	
701-12.03	0.10	LINEAR FOOT	ROCK SOCKETS (2 FT 6IN. DIA.)	
701-12.04	0.10	LINEAR FOOT	ROCK SOCKETS (3 FT 0 IN. DIA.)	
701-12.05	0.10	LINEAR FOOT	ROCK SOCKETS (3 FT 6 IN. DIA.)	
701-12.06	0.10	LINEAR FOOT	ROCK SOCKETS (4 FT 0 IN. DIA.)	
701-12.07	0.10	LINEAR FOOT	ROCK SOCKETS (4 FT 6 IN. DIA.)	
701-12.08	0.10	LINEAR FOOT	ROCK SOCKETS (5 FT 0 IN. DIA.)	
701-12.09	0.10	LINEAR FOOT	ROCK SOCKETS (5 FT 6 IN. DIA.)	
701-12.10	0.10	LINEAR FOOT	ROCK SOCKETS (6 FT 0 IN. DIA.)	
701-12.11	0.10	LINEAR FOOT	ROCK SOCKETS (6 FT 6 IN. DIA.)	
701-12.12	0.10	LINEAR FOOT	ROCK SOCKETS (7 FT 0 IN. DIA.)	
701-12.13	0.10	LINEAR FOOT	ROCK SOCKETS (7 FT. 6 IN. DIA.)	
701-12.14	0.10	LINEAR FOOT	ROCK SOCKETS (8 FT. 0 IN. DIA.)	
701-12.15	0.10	LINEAR FOOT	ROCK SOCKETS (8 FT. 6 IN. DIA.)	
701-12.16	0.10	LINEAR FOOT	ROCK SOCKETS (9 FT. 0 IN. DIA.)	
701-12.17	0.10	LINEAR FOOT	ROCK SOCKETS (9 FT. 6 IN. DIA.)	
701-12.20	0.05	METER	ROCK SOCKETS (300 MM DIA.)	
701-12.21	0.05	METER	ROCK SOCKETS (450 MM DIA.)	
701-12.22	0.05	METER	ROCK SOCKETS (600 MM DIA.)	
701-12.23	0.05	METER	ROCK SOCKETS (750 MM DIA.)	
701-12.24	0.05	METER	ROCK SOCKETS (900 MM DIA.)	
701-12.25	0.05	METER	ROCK SOCKETS (1050 MM DIA.)	
701-12.26	0.05	METER	ROCK SOCKETS (1200 MM DIA.)	
701-12.27	0.05	METER	ROCK SOCKETS (1350 MM DIA.)	
701-12.28	0.05	METER	ROCK SOCKETS (1650 MM DIA.)	
701-12.29	0.05	METER	ROCK SOCKETS (1800 MM DIA.)	
701-12.30	0.05	METER	ROCK SOCKETS (1950 MM DIA.)	
701-12.31	0.05	METER	ROCK SOCKETS (2100 MM DIA.)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
701-12.32	0.05	METER	ROCK SOCKETS (2250 MM DIA.)	
701-12.33	0.05	METER	ROCK SOCKETS (2400 MM DIA.)	
701-12.34	0.05	METER	ROCK SOCKETS (2550 MM DIA.)	
701-12.35	0.05	METER	ROCK SOCKETS (2700 MM DIA.)	
701-12.36	0.05	METER	ROCK SOCKETS (2850 MM DIA.)	
701-15.04	0.05	METER	300 MM PEDESTAL PILE	
701-15.06	0.05	METER	750 MM PEDESTAL PILE	
701-15.08	0.05	METER	900 MM PEDESTAL PILE	
701-15.10	0.05	METER	1050 MM PEDESTAL PILE	
701-15.12	0.05	METER	1200 MM PEDESTAL PILE	
701-15.14	0.05	METER	1350 MM PEDESTAL PILE	
701-15.16	0.05	METER	1500 MM PEDESTAL PILE	
701-15.18	0.05	METER	1650 MM PEDESTAL PILE	
701-15.20	0.05	METER	1800 MM PEDESTAL PILE	
701-15.22	0.05	METER	2180 MM PEDESTAL PILE	
701-99.02	1.00	EACH	MISC.	
701-99.03	1.00	LINEAR FOOT	MISC.	
701-99.03M	0.05	METER	MISC.	
701-99.11	10.00	POUND	MISC.	
701-99.11M	5.00	KILOGRAM	MISC.	
701-99.13	1.00	FOOT	MISC.	
702-05.10	0.50	METER	STRUCTURAL STEEL PILES (250 MM)	
702-05.12	0.50	METER	STRUCTURAL STEEL PILES (310 MM)	
702-05.14	0.50	METER	STRUCTURAL STEEL PILES (360 MM)	
702-10.10	1.00	LINEAR FOOT	STRUCTURAL STEEL PILES (10 IN.)	
702-10.12	1.00	LINEAR FOOT	STRUCTURAL STEEL PILES (12 IN.)	
702-10.14	1.00	LINEAR FOOT	STRUCTURAL STEEL PILES (14 IN.)	
702-11.14	1.00	LINEAR FOOT	CAST-IN-PLACE CONCRETE PILES (14 IN)	
702-11.20	1.00	LINEAR FOOT	CAST-IN-PLACE CONCRETE PILES (20 IN)	
702-11.24	1.00	LINEAR FOOT	CAST-IN-PLACE CONCRETE PILES (24 IN)	
702-11.35	0.50	METER	350 MM CAST-IN-PLACE CONCRETE PILES	
702-11.50	0.50	METER	500 MM CAST-IN-PLACE CONCRETE PILES	
702-11.60	0.50	METER	600 MM CAST-IN-PLACE CONCRETE PILES	
702-12.00	1.00	LINEAR FOOT	PRECAST CONCRETE PILES	
702-12.05	0.50	METER	PRECAST CONCRETE PILES	
702-15.00	1.00	LINEAR FOOT	PILES	
702-15.05	0.50	METER	PILES	
702-16.00	1.00	LINEAR FOOT	PILES, END BENT ONLY	
702-16.05	0.50	METER	PILES, END BENT ONLY	
702-17.00	1.00	LINEAR FOOT	PILES, INTERMEDIATE BENT ONLY	
702-17.05	0.50	METER	PILES, INTERMEDIATE BENT ONLY	
702-30.00	1.00	LINEAR FOOT	TEST PILES	
702-30.05	0.50	METER	TEST PILES	
702-40.00	1.00	EACH	LOADING TESTS	
702-60.00	1.00	LINEAR FOOT	PRE-BORE FOR PILING	
702-60.05	0.50	METER	PRE-BORE FOR PILING	
702-70.00	1.00	EACH	PILE POINT REINFORCEMENT	
702-99.02	1.00	EACH	MISC.	
702-99.03	1.00	LINEAR FOOT	MISC.	
702-99.03M	0.50	METER	MISC.	
702-99.13	1.00	FOOT	MISC.	
703-20.00	0.10	CUBIC YARD	CLASS B CONCRETE (CULVERTS-BRIDGE)	
703-20.01	0.10	CUBIC YARD	CLASS B CONCRETE (CULVERTS)	
703-20.02	0.10	CUBIC YARD	CLASS B CONCRETE (MISC)	
703-20.03	0.10	CUBIC YARD	CLASS B CONCRETE (SUBSTR)	
703-20.09	0.10	CUBIC YARD	CLASS B CONCRETE (RETAINING WALLS)	
703-20.10	1.00	SQUARE FOOT	CONCRETE FACE PANELS	
703-20.13	0.10	CUBIC METER	CLASS B CONCRETE (MISC)	
703-20.14	0.10	CUBIC METER	CLASS B CONCRETE (SUBSTR)	
703-20.15	0.10	CUBIC METER	CLASS B CONCRETE (RETAINING WALLS)	
703-20.20	1.00	SQUARE FOOT	SUBSTRUCTURE REPAIR (FORMED)	
703-20.21	1.00	SQUARE FOOT	SUBSTRUCTURE REPAIR (UNFORMED)	
703-20.22	1.00	SQUARE FOOT	SUPERSTRUCTURE REPAIR (UNFORMED)	
703-20.25	1.00	EACH	DEADMAN ANCHORAGE ASSEMBLY	
703-25.16	0.10	SQ METER	CONCRETE FACE PANELS	
703-25.17	0.10	SQ METER	SUBSTRUCTURE REPAIR (FORMED)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
703-25.18	0.10	SQ METER	SUBSTRUCTURE REPAIR (UNFORMED)	
703-25.19	0.10	SQ METER	SUPERSTRUCTURE REPAIR (UNFORMED)	
703-30.00	0.10	CUBIC YARD	CLASS B CONCRETE (SEAL COURSE)	
703-30.01	0.10	CUBIC YARD	SEAL CONCRETE	
703-30.02	0.10	CUBIC YARD	CLASS B CONCRETE (SEAL COURSE) (MISC)	
703-30.03	1.00	LUMP SUM	PROTECTIVE COATING - CONCRETE BENTS (WEATHERING STEEL)	
703-30.05	1.00	LUMP SUM	PROTECTIVE COATING - CONCRETE BENTS (DELETERIOUS AGENTS)	
703-30.06	1.00	LUMP SUM	MASONRY PROTECTION SYSTEM	
703-30.07	1.00	LUMP SUM	GRAFFITI PROTECTION SYSTEM	
703-30.08	1.00	LUMP SUM	PROTECTIVE COATING FOR CONCRETE BENTS AND CONCRETE PIERS UNDER EXPANSION DEVICES	
703-30.10	0.10	CUBIC METER	CLASS B CONCRETE (SEAL COURSE)	
703-30.11	0.10	CUBIC METER	SEAL CONCRETE	
703-30.12	0.10	CUBIC METER	CLASS B CONCRETE (SEAL COURSE) MISC	
703-40.00	0.10	CUBIC METER	CLASS B-1 CONCRETE	
703-40.01	0.10	CUBIC YARD	CLASS B-1 CONCRETE	
703-40.02	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)	
703-40.03	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUBSTRUCTURE)	
703-40.04	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL)	
703-40.05	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)	
703-40.06	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)	
703-40.07	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)	
703-40.08	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE SOLID SLAB)	
703-40.09	0.10	CUBIC YARD	CLASS B-1 CONCRETE (RETAINING WALLS)	
703-40.10	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER)	
703-40.11	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)	
703-40.12	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUBSTRUCTURE)	
703-40.13	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL)	
703-40.14	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)	
703-40.15	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)	
703-40.16	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)	
703-40.17	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE SOLID SLAB)	
703-40.18	0.10	CUBIC METER	CLASS B-1 CONCRETE (RETAINING WALLS)	
703-40.19	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER)	
703-40.20	0.10	CUBIC YARD	CLASS B-1 CONCRETE (SUPERSTRUCTURE)	
703-40.21	0.10	CUBIC METER	CLASS B-1 CONCRETE (CULVERTS-BRIDGE)	
703-40.22	0.10	CUBIC METER	CLASS B-1 CONCRETE (CULVERTS)	
703-40.25	0.10	CUBIC METER	CLASS B-1 CONCRETE (SUPERSTRUCTURE)	
703-40.30	0.10	CUBIC YARD	CLASS B-1 CONCRETE (BARRIER CURBS)	
703-40.35	0.10	CUBIC METER	CLASS B-1 CONCRETE (BARRIER CURBS)	
703-40.40	0.10	CUBIC YARD	CLASS B-1 CONCRETE (CULVERTS-BRIDGE)	
703-40.41	0.10	CUBIC YARD	CLASS B-1 CONCRETE (CULVERTS)	
703-42.02	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)	
703-42.04	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL)	
703-42.05	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)	
703-42.06	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)	
703-42.07	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)	
703-42.08	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			SLAB)	
703-42.10	0.10	CUBIC YARD	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER)	
703-42.11	0.10	CUBIC YARD	CLASS B-2 CONC (SUPERSTRUCTURE CONCRETE ON BOX GIRDER)	
703-42.12	1.00	SQUARE YARD	SLAB ON STEEL	
703-42.13	1.00	SQUARE YARD	SLAB ON CONCRETE I-GIRDER	
703-42.14	0.10	CUBIC YARD	CLASS B-2 CONCRETE	
703-42.15	1.00	LINEAR FOOT	SAFETY BARRIER CURB	
703-42.18	1.00	SQUARE YARD	SLAB ON CONCRETE BULB-TEE GIRDER	
703-42.19	1.00	LINEAR FOOT	SAFETY BARRIER CURB (TYPE C)	
703-42.20	1.00	SQUARE YARD	SLAB ON SEMI-DEEP ABUTMENT	
703-42.30	0.10	CUBIC YARD	CLASS B-2 CONCRETE (POST-TENSIONED OVERLAY)	
703-43.02	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)	
703-43.04	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL)	
703-43.05	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)	
703-43.06	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)	
703-43.07	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)	
703-43.08	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB)	
703-43.10	0.10	CUBIC METER	CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER)	
703-43.11	0.10	CUBIC METER	CLASS B-2 CONC (SUPERSTRUCTURE CONCRETE ON BOX GIRDER)	
703-43.12	1.00	SQ METER	SLAB ON STEEL	
703-43.13	1.00	SQ METER	SLAB ON CONCRETE I-GIRDER	
703-43.14	0.10	CUBIC METER	CLASS B-2 CONCRETE	
703-43.15	0.50	METER	SAFETY BARRIER CURB	
703-43.18	1.00	SQ METER	SLAB ON CONCRETE BULB-TEE GIRDER	
703-43.19	0.50	METER	SAFETY BARRIER CURB (TYPE C)	
703-43.25	1.00	SQ METER	SLAB ON SEMI-DEEP ABUTMENT	
703-43.35	0.10	CUBIC METER	CLASS B-2 CONCRETE (POST-TENSIONED OVERLAY)	
703-44.10	1.00	LINEAR FOOT	MEDIAN BARRIER CURB	
703-44.11	1.00	LINEAR FOOT	MEDIAN BARRIER CURB (TYPE C)	
703-44.12	1.00	LINEAR FOOT	MEDIAN BARRIER CURB TRANSITION	
703-44.13	1.00	LINEAR FOOT	MEDIAN BARRIER CURB TRANSITION (TYPE C)	
703-44.15	0.50	METER	MEDIAN BARRIER CURB	
703-44.16	0.50	METER	MEDIAN BARRIER CURB (TYPE C)	
703-44.17	0.50	METER	MEDIAN BARRIER CURB TRANSITION	
703-44.18	0.50	METER	MEDIAN BARRIER CURB TRANSITION (TYPE C)	
703-44.20	1.00	SQUARE FOOT	RAISED MEDIAN BARRIER	
703-44.25	1.00	SQ METER	RAISED MEDIAN BARRIER	
703-44.30	1.00	SQUARE FOOT	SIDEWALK (BRIDGES)	
703-44.35	1.00	SQ METER	SIDEWALK (BRIDGES)	
703-45.10	1.00	LINEAR FOOT	PRECAST SAFETY BARRIER CURB	
703-45.11	1.00	LINEAR FOOT	PRECAST BARRIER CURB WITH OVERHANG	
703-45.13	0.50	METER	PRECAST BARRIER WITH OVERHANG	
703-45.16	0.50	METER	PRECAST SAFETY BARRIER CURB	
703-45.25	1.00	LINEAR FOOT	BRIDGE RAIL OR BARRIER CURB	
703-45.26	0.50	METER	BRIDGE RAIL OR BARRIER CURB	
703-45.35	1.00	LINEAR FOOT	CURB MODIFICATION	
703-45.36	0.50	METER	CURB MODIFICATION	
703-46.00	1.00	LINEAR FOOT	CURB BLOCKOUT	
703-46.50	0.50	METER	CURB BLOCKOUT	
703-50.10	50.00	SQUARE FOOT	REPAIRING CONCRETE DECK (HALF-SOLING)	
703-50.15	5.00	SQ METER	REPAIRING CONCRETE DECK (HALF-SOLING)	
703-50.20	50.00	SQUARE FOOT	FULL DEPTH REPAIR	
703-50.25	5.00	SQ METER	FULL DEPTH REPAIR	
703-50.30	1.00	LINEAR FOOT	SLAB EDGE REPAIR (BRIDGES)	
703-50.31	1.00	LINEAR FOOT	SLAB OVERHANG REPLACEMENT	
703-50.35	0.50	METER	SLAB EDGE REPAIR (BRIDGES)	
703-50.36	0.50	METER	SLAB OVERHANG REPLACEMENT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
703-50.40	50.00	SQUARE FOOT	MODIFIED DECK REPAIR	
703-50.45	5.00	SQ METER	MODIFIED DECK REPAIR	
703-60.00	0.10	CUBIC YARD	CLASS A -1 OR CLASS X CONCRETE	
703-60.10	0.10	CUBIC METER	CLASS A -1 OR CLASS X CONCRETE	
703-70.20	1.00	LUMP SUM	PRESTRESSED CONCRETE SUPERSTRUCTURE	
703-70.23	1.00	SQUARE YARD	EPOXY POLYMER CONCRETE OVERLAY	
703-70.24	1.00	SQUARE YARD	CLASS B-2 CONCRETE	
703-70.25	1.00	SQUARE YARD	CONCRETE WEARING SURFACE	
703-70.27	1.00	SQUARE YARD	SILICA FUME CONCRETE WEARING SURFACE	
703-70.28A	1.00	SQUARE YARD	LATEX MODIFIED CONCRETE WEARING SURFACE	
703-70.29	1.00	SQUARE YARD	LOW SLUMP CONCRETE WEARING SURFACE	
703-70.30	1.00	EACH	PLAIN NEOPRENE BEARING PAD	
703-70.40	1.00	LINEAR FOOT	PLAIN NEOPRENE BEARING PAD	
703-70.41	0.50	METER	PLAIN NEOPRENE BEARING PAD	
703-70.53	1.00	SQ METER	EPOXY POLYMER CONC. OVERLAY	
703-70.54	1.00	SQ METER	CLASS B-2 CONCRETE	
703-70.55	1.00	SQ METER	CONCRETE WEARING SURFACE	
703-70.57	1.00	SQ METER	SILICA FUME CONCRETE WEARING SURFACE	
703-70.58A	1.00	SQ METER	LATEX MODIFIED CONCRETE WEARING SURFACE	
703-70.59	1.00	SQ METER	LOW SLUMP CONCRETE WEARING SURFACE	
703-71.45	1.00	EACH	LAMINATED NEOPRENE BEARING PAD	
703-71.50	1.00	EACH	LAMINATED NEOPRENE BEARING PAD (TAPERED)	
703-71.60	1.00	EACH	LAMINATED NEOPRENE BEARING PAD (STEEL STRUCTURES)	
703-71.65	1.00	EACH	LAMINATED NEOPRENE BEARING PAD (P/S STRUCTURE)	
703-72.50	1.00	EACH	TYPE N PTFE BEARING	
703-72.70	1.00	EACH	POT BEARING	
703-82.15	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (1.25 IN.)	
703-82.17	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (1 5/8 IN.)	
703-82.20	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (2.0 IN.)	
703-82.25	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (2.5 IN.)	
703-82.30	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (3.0 IN.)	
703-82.35	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (3.5 IN.)	
703-82.40	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (4.0 IN.)	
703-82.45	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (4.5 IN.)	
703-82.50	1.00	LINEAR FOOT	PREFORMED COMPRESSION EXPANSION JOINT SEAL (5.0 IN.)	
703-82.60	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (32 MM)	
703-82.63	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (41 MM)	
703-82.66	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (51 MM)	
703-82.69	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (64 MM)	
703-82.72	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (76 MM)	
703-82.75	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (89 MM)	
703-82.78	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (102 MM)	
703-82.81	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (114 MM)	
703-82.84	0.50	METER	PREFORMED COMPRESSION EXPANSION JOINT SEAL (127 MM)	
703-85.00	1.00	LINEAR FOOT	STRIP SEAL EXPANSION DEVICE	
703-85.02	0.50	METER	STRIP SEAL EXPANSION DEVICE	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
703-85.10	1.00	LINEAR FOOT	STRIP SEAL EXPANSION JOINT SYSTEM	
703-85.12	0.50	METER	STRIP SEAL EXPANSION JOINT SYSTEM	
703-85.15	1.00	LINEAR FOOT	ALTERNATE EXPANSION JOINT SYSTEM	
703-85.16	0.50	METER	ALTERNATE EXPANSION JOINT SYSTEM	
703-85.20	1.00	LINEAR FOOT	MODIFICATION OF EXISTING EXPANSION JOINT	
703-85.21	0.50	METER	MODIFICATION OF EXISTING EXPANSION JOINT	
703-85.25	1.00	LINEAR FOOT	DOW CORNING/SSIXJS EXPANSION JOINT SYSTEM	
703-85.35	0.50	METER	DOW CORNING/SSIXJS EXPANSION JOINT SYSTEM	
703-98.98	1.00	SQUARE FOOT	SPECIAL ITEM - REPAIR GIRDER ENDS (UNFORMED)	
703-99.01	1.00	LUMP SUM	MISC.	
703-99.02	1.00	EACH	MISC.	
703-99.03	1.00	LINEAR FOOT	MISC.	
703-99.03M	0.50	METER	MISC.	
703-99.04	1.00	SQUARE FOOT	MISC.	
703-99.05	0.10	SQUARE YARD	MISC.	
703-99.05M	0.10	SQ METER	MISC.	
703-99.07	0.10	CUBIC YARD	MISC.	
703-99.07M	0.10	CUBIC METER	MISC.	
704-10.00	0.10	CUBIC YARD	CLASS X CONCRETE	
704-10.15	0.10	CUBIC METER	CLASS X CONCRETE	
705-10.10	1.00	SQUARE FOOT	PRECAST PRESTRESSED CONCRETE PANELS	
705-10.15	0.10	SQ METER	PRECAST PRESTRESSED CONCRETE PANELS	
705-10.30	1.00	LUMP SUM	POST-TENSION SYSTEM	
705-10.40	1.00	EACH	SHEAR KEY (POST-TENSION)	
705-11.25	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 25 FT SPAN	
705-11.26	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 26 FT SPAN	
705-11.27	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 27 FT SPAN	
705-11.28	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 28 FT SPAN	
705-11.29	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 29 FT SPAN	
705-11.30	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 30 FT SPAN	
705-11.31	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 31 FT SPAN	
705-11.32	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 32 FT SPAN	
705-11.33	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 33 FT SPAN	
705-11.34	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 34 FT SPAN	
705-11.35	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 35 FT SPAN	
705-11.36	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 36 FT SPAN	
705-11.37	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 37 FT SPAN	
705-11.38	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 38 FT SPAN	
705-11.39	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 39 FT SPAN	
705-11.40	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 40 FT SPAN	
705-11.41	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 41 FT SPAN	
705-11.42	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 42 FT SPAN	
705-11.43	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 43 FT SPAN	
705-11.44	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 44 FT SPAN	
705-11.45	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 45 FT SPAN	
705-11.46	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 46 FT SPAN	
705-11.47	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 47 FT SPAN	
705-11.48	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 48 FT SPAN	
705-11.49	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 49 FT SPAN	
705-11.50	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 50 FT SPAN	
705-11.51	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 51 FT SPAN	
705-11.52	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 52 FT SPAN	
705-11.53	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 53 FT SPAN	
705-11.54	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 54 FT SPAN	
705-11.55	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 55 FT SPAN	
705-11.56	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 56 FT SPAN	
705-11.57	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 57 FT SPAN	
705-11.58	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 58 FT SPAN	
705-11.59	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 59 FT SPAN	
705-11.60	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 60 FT SPAN	
705-11.61	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 61 FT SPAN	
705-11.62	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 62 FT SPAN	
705-11.63	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 63 FT SPAN	
705-11.64	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 64 FT SPAN	
705-11.65	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 65 FT SPAN	
705-11.66	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER, 66 FT SPAN	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-11.67	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	67 FT SPAN
705-11.68	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	68 FT SPAN
705-11.69	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	69 FT SPAN
705-11.70	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	70 FT SPAN
705-11.71	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	71 FT SPAN
705-11.72	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	72 FT SPAN
705-11.73	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	73 FT SPAN
705-11.74	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	74 FT SPAN
705-11.75	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	75 FT SPAN
705-11.76	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	76 FT SPAN
705-11.77	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	77 FT SPAN
705-11.78	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	78 FT SPAN
705-11.79	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	79 FT SPAN
705-11.80	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	80 FT SPAN
705-11.81	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	81 FT SPAN
705-11.82	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	82 FT SPAN
705-11.83	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	83 FT SPAN
705-11.84	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	84 FT SPAN
705-11.85	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	85 FT SPAN
705-11.86	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	86 FT SPAN
705-11.87	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	87 FT SPAN
705-11.88	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	88 FT SPAN
705-11.89	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	89 FT SPAN
705-11.90	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	90 FT SPAN
705-11.91	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	91 FT SPAN
705-11.92	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	92 FT SPAN
705-11.93	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	93 FT SPAN
705-11.94	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	94 FT SPAN
705-11.95	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	95 FT SPAN
705-11.96	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	96 FT SPAN
705-11.97	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	97 FT SPAN
705-11.98	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	98 FT SPAN
705-11.99	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	99 FT SPAN
705-12.00	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER,	100 FT SPAN
705-12.06	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	6.0 M SPAN
705-12.07	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	6.5 M SPAN
705-12.08	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	7.0 M SPAN
705-12.09	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	7.5 M SPAN
705-12.10	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	8.0 M SPAN
705-12.11	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	8.5 M SPAN
705-12.12	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	9.0 M SPAN
705-12.13	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	9.5 M SPAN
705-12.14	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	10.0 M SPAN
705-12.15	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	10.5 M SPAN
705-12.16	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	11.0 M SPAN
705-12.17	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	11.5 M SPAN
705-12.18	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	12.0 M SPAN
705-12.19	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	12.5 M SPAN
705-12.20	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	13.0 M SPAN
705-12.21	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	13.5 M SPAN
705-12.22	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	14.0 M SPAN
705-12.23	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	14.5 M SPAN
705-12.24	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	15.0 M SPAN
705-12.25	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	15.5 M SPAN
705-12.26	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	16.0 M SPAN
705-12.27	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	16.5 M SPAN
705-12.28	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	17.0 M SPAN
705-12.29	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	17.5 M SPAN
705-12.30	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	18.0 M SPAN
705-12.31	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	18.5 M SPAN
705-12.32	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	19.0 M SPAN
705-12.33	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	19.5 M SPAN
705-12.34	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	20.0 M SPAN
705-12.35	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	20.5 M SPAN
705-12.36	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	21.0 M SPAN
705-12.37	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	21.5 M SPAN

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-12.38	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	22.0 M SPAN
705-12.39	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	22.5 M SPAN
705-12.40	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	23.0 M SPAN
705-12.41	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	23.5 M SPAN
705-12.42	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	24.0 M SPAN
705-12.43	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	24.5 M SPAN
705-12.44	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	25.0 M SPAN
705-12.45	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	25.5 M SPAN
705-12.46	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	26.0 M SPAN
705-12.47	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	26.5 M SPAN
705-12.48	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	27.0 M SPAN
705-12.49	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	27.5 M SPAN
705-12.50	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	28.0 M SPAN
705-12.51	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	28.5 M SPAN
705-12.52	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	29.0 M SPAN
705-12.53	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	29.5 M SPAN
705-12.54	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	30.0 M SPAN
705-12.55	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	30.5 M SPAN
705-12.56	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	31.0 M SPAN
705-12.57	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	31.5 M SPAN
705-12.58	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	32.0 M SPAN
705-12.59	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	32.5 M SPAN
705-12.60	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	33.0 M SPAN
705-12.61	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	33.5 M SPAN
705-12.62	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	34.0 M SPAN
705-12.63	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	34.5 M SPAN
705-12.64	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	35.0 M SPAN
705-12.65	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	35.5 M SPAN
705-12.66	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	36.0 M SPAN
705-12.67	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	36.5 M SPAN
705-12.68	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	37.0 M SPAN
705-12.69	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	37.5 M SPAN
705-12.70	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	38.0 M SPAN
705-12.71	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	38.5 M SPAN
705-12.72	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	39.0 M SPAN
705-12.73	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	39.5 M SPAN
705-12.74	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	40.0 M SPAN
705-12.75	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	40.5 M SPAN
705-12.76	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	41.0 M SPAN
705-12.77	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	41.5 M SPAN
705-12.78	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	42.0 M SPAN
705-12.79	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	42.5 M SPAN
705-12.80	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	43.0 M SPAN
705-12.81	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	43.5 M SPAN
705-12.82	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	44.0 M SPAN
705-12.83	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	44.5 M SPAN
705-12.84	1.00	EACH	PRESTRESSED CONCRETE I-GIRDER	45.0 M SPAN
705-14.30	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	30 FT SPAN
705-14.31	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	31 FT SPAN
705-14.32	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	32 FT SPAN
705-14.33	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	33 FT SPAN
705-14.34	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	34 FT SPAN
705-14.35	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	35 FT SPAN
705-14.36	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	36 FT SPAN
705-14.37	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	37 FT SPAN
705-14.38	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	38 FT SPAN
705-14.39	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	39 FT SPAN
705-14.40	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	40 FT SPAN
705-14.41	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	41 FT SPAN
705-14.42	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	42 FT SPAN
705-14.43	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	43 FT SPAN
705-14.44	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	44 FT SPAN
705-14.45	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	45 FT SPAN
705-14.46	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	46 FT SPAN
705-14.47	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	47 FT SPAN
705-14.48	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER,	48 FT SPAN



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-15.40	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	23.0 M SPAN
705-15.41	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	23.5 M SPAN
705-15.42	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	24.0 M SPAN
705-15.43	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	24.5 M SPAN
705-15.44	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	25.0 M SPAN
705-15.45	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	25.5 M SPAN
705-15.46	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	26.0 M SPAN
705-15.47	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	26.5 M SPAN
705-15.48	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	27.0 M SPAN
705-15.49	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	27.5 M SPAN
705-15.50	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	28.0 M SPAN
705-15.51	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	28.5 M SPAN
705-15.52	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	29.0 M SPAN
705-15.53	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	29.5 M SPAN
705-15.54	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	30.0 M SPAN
705-15.55	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	30.5 M SPAN
705-15.56	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	31.0 M SPAN
705-15.57	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	31.5 M SPAN
705-15.58	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	32.0 M SPAN
705-15.59	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	32.5 M SPAN
705-15.60	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	33.0 M SPAN
705-15.61	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	33.5 M SPAN
705-15.62	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	34.0 M SPAN
705-15.63	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	34.5 M SPAN
705-15.64	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	35.0 M SPAN
705-15.65	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	35.5 M SPAN
705-15.66	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	36.0 M SPAN
705-15.67	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	36.5 M SPAN
705-15.68	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	37.0 M SPAN
705-15.69	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	37.5 M SPAN
705-15.70	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	38.0 M SPAN
705-15.71	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	38.5 M SPAN
705-15.72	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	39.0 M SPAN
705-15.73	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	39.5 M SPAN
705-15.74	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	40.0 M SPAN
705-15.75	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	40.5 M SPAN
705-15.76	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	41.0 M SPAN
705-15.77	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	41.5 M SPAN
705-15.78	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	42.0 M SPAN
705-15.79	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	42.5 M SPAN
705-15.80	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	43.0 M SPAN
705-15.81	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	43.5 M SPAN
705-15.82	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	44.0 M SPAN
705-15.83	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	44.5 M SPAN
705-15.84	1.00	EACH	PRESTRESSED CONCRETE BOX GIRDER	45.0 M SPAN
705-16.10	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	23.0 M SPAN
705-16.11	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	23.5 M SPAN
705-16.12	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	24.0 M SPAN
705-16.13	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	24.5 M SPAN
705-16.14	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	25.0 M SPAN
705-16.15	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	25.5 M SPAN
705-16.16	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	26.0 M SPAN
705-16.17	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	26.5 M SPAN
705-16.18	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	27.0 M SPAN
705-16.19	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	27.5 M SPAN
705-16.20	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDERS	28.0 M SPAN

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-16.21	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 28.5 M	
705-16.22	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 29.0 M	
705-16.23	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 29.5 M	
705-16.24	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 30.0 M	
705-16.25	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 30.5 M	
705-16.26	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 31.0 M	
705-16.27	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 31.5 M	
705-16.28	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 32.0 M	
705-16.29	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 32.5 M	
705-16.30	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 33.0 M	
705-16.31	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 33.5 M	
705-16.32	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 34.0 M	
705-16.33	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 34.5 M	
705-16.34	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 35.0 M	
705-16.35	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 36.5 M	
705-16.36	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 36.0 M	
705-16.37	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 36.5 M	
705-16.38	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 37.0 M	
705-16.39	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 37.5 M	
705-16.40	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 38.0 M	
705-16.41	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 38.5 M	
705-16.42	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 39.0 M	
705-16.43	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 39.5 M	
705-16.44	1.00	EACH	SPAN PRESTRESSED CONCRETE BULB TEE GIRDERS 40.0 M	
705-16.75	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (75 FT)	
705-16.76	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (76 FT)	
705-16.77	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (77 FT)	
705-16.78	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (78 FT)	
705-16.79	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (79 FT)	
705-16.80	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (80 FT)	
705-16.81	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (81 FT)	
705-16.82	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (82 FT)	
705-16.83	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (83 FT)	
705-16.84	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (84 FT)	
705-16.85	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (85 FT)	
705-16.86	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (86 FT)	
705-16.87	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (87 FT)	
705-16.88	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (88 FT)	
705-16.89	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (89 FT)	
705-16.90	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (90 FT)	
705-16.91	1.00	EACH	PRESTRESSED CONCRETE BULB TEE GIRDER (91 FT)	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-20.52	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 52 FT	
705-20.53	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 53 FT	
705-20.54	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 54 FT	
705-20.55	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 55 FT	
705-20.56	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 56 FT	
705-20.57	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 57 FT	
705-20.58	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 58 FT	
705-20.59	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 59 FT	
705-20.60	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER, 60 FT	
705-25.06	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 6.0 M SPAN	
705-25.07	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 6.5 M SPAN	
705-25.08	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 7.0 M SPAN	
705-25.09	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 7.5 M SPAN	
705-25.10	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 8.0 M SPAN	
705-25.11	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 8.5 M SPAN	
705-25.12	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 9.0 M SPAN	
705-25.13	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 9.5 M SPAN	
705-25.14	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 10.0 M SPAN	
705-25.15	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 10.5 M SPAN	
705-25.16	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 11.0 M SPAN	
705-25.17	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 11.5 M SPAN	
705-25.18	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 12.0 M SPAN	
705-25.19	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 12.5 M SPAN	
705-25.20	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 13.0 M SPAN	
705-25.21	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 13.5 M SPAN	
705-25.22	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 14.0M SPAN	
705-25.23	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 14.5 M SPAN	
705-25.24	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 15.0 M SPAN	
705-25.25	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 15.5 M SPAN	
705-25.26	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 16.0 M SPAN	
705-25.27	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 16.5 M SPAN	
705-25.28	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 17.0 M SPAN	
705-25.29	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 17.5 M SPAN	
705-25.30	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 18.0 M SPAN	
705-25.31	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 18.5 M SPAN	
705-25.32	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 19.0 M SPAN	
705-25.33	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 19.5 M SPAN	
705-25.34	1.00	EACH	PRESTRESSED CONCRETE DOUBLE TEE GIRDER 20.0 M SPAN	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-25.35	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	21.0
705-25.36	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	21.5
705-25.37	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	22.0
705-25.38	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	22.5
705-25.39	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	23.0
705-25.40	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	23.5
705-25.41	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	24.0
705-25.42	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	24.5
705-25.43	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	25.0
705-25.44	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	25.5
705-25.45	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	26.0
705-25.46	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	26.5
705-25.47	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	27.0
705-25.48	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	27.5
705-25.49	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	28.0
705-25.50	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	28.5
705-25.51	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	29.0
705-25.52	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	29.5
705-25.53	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	30.0
705-25.54	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	30.5
705-25.55	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	31.0
705-25.56	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	31.5
705-25.57	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	32.0
705-25.58	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	32.5
705-25.59	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	33.0
705-25.60	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	33.5
705-25.61	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	34.0
705-25.62	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	34.5
705-25.63	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	35.0
705-25.64	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	35.5
705-25.65	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	36.0
705-25.66	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	36.5
705-25.67	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	37.0

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
705-25.68	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	37.5
705-25.69	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	38.0
705-25.70	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	38.5
705-25.72	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	39.0
705-25.73	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	39.5
705-25.74	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	40.0
705-25.75	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	40.5
705-25.76	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	41.0
705-25.77	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	41.5
705-25.78	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	42.0
705-25.79	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	42.5
705-25.80	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	43.0
705-25.81	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	43.5
705-25.82	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	44.0
705-25.83	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	44.5
705-25.84	1.00	EACH	M SPAN PRESTRESSED CONCRETE DOUBLE TEE GIRDER	45.0
705-30.00	1.00	LINEAR FOOT	PRESTRESSED PRECAST CONC I-GIRDER (POST-TENSIONED) (54 IN)	
705-30.05	0.50	METER	PRESTRESSED PRECAST CONCRETE I-GIRDER (POST-TENSIONED) (1372 MM)	
705-40.00	1.00	LINEAR FOOT	PRECAST CONCRETE I-GIRDER (POST-TENSIONED) (54 IN)	
705-40.05	0.50	METER	PRECAST CONCRETE I-GIRDER (POST-TENSIONED) (1372 MM)	
705-50.00	1.00	LINEAR FOOT	PRESTRESSED BARRIER CURB WITH OVERHANG	
705-50.05	0.50	METER	PRESTRESSED BARRIER CURB WITH OVERHANG	
705-99.01	1.00	LUMP SUM	MISC.	
705-99.02	1.00	EACH	MISC.	
706-10.00	10.00	POUND	REINFORCING STEEL	
706-10.05	5.00	KILOGRAM	REINFORCING STEEL	
706-10.20	10.00	POUND	REINFORCING STEEL (CULVERTS-BRIDGE)	
706-10.25	5.00	KILOGRAM	REINFORCING STEEL (CULVERTS-BRIDGE)	
706-10.30	10.00	POUND	REINFORCING STEEL (CULVERTS)	
706-10.35	5.00	KILOGRAM	REINFORCING STEEL (CULVERTS)	
706-10.40	10.00	POUND	REINFORCING STEEL (RETAINING WALL)	
706-10.45	5.00	KILOGRAM	REINFORCING STEEL (RETAINING WALL)	
706-10.60	10.00	POUND	REINFORCING STEEL (BRIDGES)	
706-10.65	5.00	KILOGRAM	REINFORCING STEEL (BRIDGES)	
706-10.70	1.00	EACH	MECHANICAL BAR SPLICE	
706-99.11	1.00	POUND	MISC.	
706-99.11M	0.05	KILOGRAM	MISC.	
707-10.00	1.00	LUMP SUM	CONDUIT SYSTEM ON STRUCTURE	
707-10.10	1.00	LUMP SUM	BRIDGE LIGHTING	
707-10.20	1.00	LUMP SUM	NAVIGATION LIGHTING SYSTEM	
707-10.30	1.00	LUMP SUM	CONDUIT SYSTEM ON STRUCTURE (TELEPHONE)	
707-10.40	1.00	LUMP SUM	CATHODIC PROTECTION SYSTEM	
707-99.01	1.00	LUMP SUM	MISC.	
707-99.02	1.00	EACH	MISC.	
709-10.20	1.00	SQUARE YARD	BRIDGE DECK WATERPROOFING (LIQUID)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
709-10.25	1.00	SQ METER	BRIDGE DECK WATERPROOFING (LIQUID)	
709-10.30	1.00	SQUARE YARD	BRIDGE DECK WATERPROOFING (SHEET TYPE)	
709-10.35	1.00	SQ METER	BRIDGE DECK WATERPROOFING (SHEET TYPE)	
709-99.05	0.10	SQUARE YARD	MISC.	
709-99.05M	0.10	SQ METER	MISC.	
710-10.00	10.00	POUND	REINFORCING STEEL (EPOXY COATED)	
710-10.05	5.00	KILOGRAM	REINFORCING STEEL (EPOXY COATED)	
710-10.10	10.00	POUND	EPOXY COATED TIE BARS (DRILLED AND INSTALLED)	
710-10.15	5.00	KILOGRAM	EPOXY COATED TIE BARS (DRILLED AND INSTALLED)	
710-10.20	10.00	POUND	EPOXY COATED TIE BARS (PLACED AND FASTENED)	
710-10.25	5.00	KILOGRAM	EPOXY COATED TIE BARS (PLACED AND FASTENED)	
710-10.30	1.00	EACH	DOWEL WITH SUPPORT ASSEMBLY	
710-99.02	1.00	EACH	MISC.	
712-09.00	1.00	LINEAR FOOT	EXPANSION DEVICE (FINGER PLATE)	
712-09.05	0.10	METER	EXPANSION DEVICE (FINGER PLATE)	
712-09.10	1.00	LUMP SUM	EXPANSION DEVICE (FINGER PLATE)	
712-09.15	1.00	LINEAR FOOT	EXPANSION DEVICE (FLAT PLATE)	
712-09.20	0.10	METER	EXPANSION DEVICE (FLAT PLATE)	
712-10.00	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (MISC)	
712-10.05	5.00	KILOGRAM	FABRICATED STRUCTURAL CARBON STEEL (MISC)	
712-10.10	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (I-BEAM)	
712-10.15	5.00	KILOGRAM	FABRICATED STRUCTURAL CARBON STEEL (I-BEAM)	
712-10.20	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (PLATE GIRDER)	
712-10.25	5.00	KILOGRAM	FAB. STRUCTURAL CARBON STEEL (PLATE GIRDER)	
712-10.30	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (TRUSSES)	
712-10.35	5.00	KILOGRAM	FABRICATED STRUCTURAL CARBON STEEL (TRUSSES)	
712-10.40	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (CONCRETE)	
712-10.45	5.00	KILOGRAM	FABRICATED STRUCTURAL CARBON STEEL (CONCRETE)	
712-10.50	10.00	POUND	FABRICATED STRUCTURAL CARBON STEEL (BOX GIRDER)	
712-10.55	5.00	KILOGRAM	FABRICATED STRUCTURAL CARBON STEEL (BOX GIRDER)	
712-10.60	1.00	LUMP SUM	FABRICATED SIGN SUPPORT BRACKETS	
712-11.00	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	
712-11.05	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	
712-11.11	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50	
712-11.12	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A-709M, GRADE 345	
712-11.13	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50W	
712-11.15	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709M, GRADE 345W	
712-11.20	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709M, GRADE 345	
712-11.21	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	
712-11.22	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50W	
712-11.23	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709 GRADE HPS70W	
712-11.25	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709M, GRADE 345W	
712-11.26	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709M GRADE HPS485W	
712-11.30	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (TRUSSES)	
712-11.35	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (TRUSSES)	
712-11.40	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (CONCRETE)	
712-11.45	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (CONCRETE)	
712-11.50	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIR) A709M, GRADE 345	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
712-11.51	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIR) A709, GRADE 50	
712-11.52	10.00	POUND	FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709, GRADE 50W	
712-11.55	5.00	KILOGRAM	FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709M, GRADE 345W	
712-11.60	1.00	SQUARE FOOT	STEEL GRID FLOOR (HALF CONCRETE FILLED)	
712-11.61	1.00	SQUARE FOOT	STEEL GRID FLOOR (CONCRETE FILLED)	
712-11.65	0.10	SQ METER	STEEL GRID FLOOR (HALF CONCRETE FILLED)	
712-11.66	0.10	SQ METER	STEEL GRID FLOOR (CONCRETE FILLED)	
712-12.50	1.00	LUMP SUM	STRENGTHENING EXISTING STRINGERS	
712-13.00	10.00	POUND	FABRICATED STRUCTURAL STEEL BEARINGS	
712-13.05	5.00	KILOGRAM	FABRICATED STRUCTURAL STEEL BEARINGS	
712-20.00	10.00	POUND	CARBON STEEL CASTINGS	
712-20.05	5.00	KILOGRAM	CARBON STEEL CASTINGS	
712-22.00	10.00	POUND	GRAY IRON CASTINGS	
712-22.05	5.00	KILOGRAM	GRAY IRON CASTINGS	
712-23.00	1.00	LINEAR FOOT	BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)	
712-23.05	0.50	METER	BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)	
712-30.00	1.00	EACH	STEEL BAR DAM	
712-31.00	1.00	EACH	CLEANING AND COATING EXISTING BEARINGS	
712-31.10	1.00	EACH	BEARING REMOVAL FOR INSPECTION	
712-31.15	1.00	EACH	SURFACING FINISHING BEARING ROCKER	
712-31.20	1.00	EACH	CLEANING, LUBRICATING AND COATING BEARING	
712-31.30	1.00	EACH	REHABILITATE BEARING	
712-31.40	10.00	POUND	NEW BEARING MATERIALS	
712-31.45	5.00	KILOGRAM	NEW BEARING MATERIALS	
712-31.50	1.00	EACH	ANCHOR BOLT REPLACEMENT	
712-32.00	1.00	EACH	REMOVING, COATING AND REINSTALLING LIGHT STANDARDS (BRIDGES)	
712-32.10	1.00	EACH	EARTH QUAKE RESTRAINER ASSEMBLIES	
712-33.00	1.00	LUMP SUM	EXISTING DIAPHRAGM CONNECTIONS TO FLANGE	
712-35.00	1.00	LINEAR FOOT	RAILING FOR STEPS	
712-35.05	1.00	METER	RAILING FOR STEPS	
712-36.10	1.00	EACH	SLAB DRAIN	
712-36.11	1.00	EACH	SLAB DRAIN WITH GRATE	
712-36.20	1.00	LUMP SUM	DRAINAGE SYSTEM (ON STRUCTURE)	
712-40.00	0.10	TONS	PAINTING	
712-40.10	0.10	MEGAGRAM	PAINTING	
712-50.00	0.10	TONS	PAINTING (2 COATS)	
712-50.05	0.10	MEGAGRAM	PAINTING (2 COATS)	
712-50.15	1.00	LUMP SUM	PAINTING (EXISTING AND NEW STEEL)	
712-50.30	1.00	LUMP SUM	REPAINTING EXISTING STEEL	
712-51.00	1.00	LUMP SUM	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	
712-51.10	1.00	LUMP SUM	FIELD APPLICATION OF INORGANIC ZINC PRIMER	
712-52.00	100.00	SQUARE FOOT	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	
712-52.10	100.00	SQUARE FOOT	FIELD APPLICATION OF INORGANIC ZINC PRIMER	
712-53.10	0.10	TONS	FIELD COAT (SYSTEM G) GRAY	
712-53.15	0.10	TONS	INTERMEDIATE FIELD COAT (SYSTEM G) GRAY	
712-53.20	0.10	TONS	FINISH FIELD COAT (SYSTEM G) GRAY	
712-53.25	0.10	TONS	INTERMEDIATE FIELD COAT (SYSTEM G) BROWN	
712-53.30	0.10	TONS	FINISH FIELD COAT (SYSTEM G) BROWN	
712-53.35	0.10	TONS	INTERMEDIATE FIELD COAT (SYSTEM H) GRAY	
712-53.40	0.10	TONS	FINISH FIELD COAT (SYSTEM H) GRAY	
712-53.45	0.10	TONS	INTERMEDIATE FIELD COAT (SYSTEM H) BROWN	
712-53.55	0.10	TONS	FINISH FIELD COAT (SYSTEM H) BROWN	
712-53.60	0.10	TONS	FIELD COAT (SYSTEM H) GRAY	
712-53.65	100.00	SQUARE FOOT	INTERMEDIATE FIELD COAT (SYSTEM G) GRAY	
712-53.70	100.00	SQUARE FOOT	FINISH FIELD COAT (SYSTEM G) GRAY	
712-53.75	100.00	SQUARE FOOT	INTERMEDIATE FIELD COAT (SYSTEM G) BROWN	
712-53.80	100.00	SQUARE FOOT	FINISH FIELD COAT (SYSTEM G) BROWN	
712-53.85	100.00	SQUARE FOOT	INTERMEDIATE FIELD COAT (SYSTEM H) GRAY	
712-53.90	100.00	SQUARE FOOT	FINISH FIELD COAT (SYSTEM H) GRAY	
712-53.95	100.00	SQUARE FOOT	INTERMEDIATE FIELD COAT (SYSTEM H) BROWN	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
712-54.05	100.00	SQUARE FOOT	FINISH FIELD COAT (SYSTEM H) BROWN	
712-54.10	100.00	SQUARE FOOT	FIELD COAT (SYSTEM G) GRAY	
712-54.60	100.00	SQUARE FOOT	FIELD COAT (SYSTEM H) GRAY	
712-55.00	1.00	LUMP SUM	TRANSPORTING SANDBLAST RESIDUE	
712-55.10	1.00	LUMP SUM	TRANSPORTING LEAD CONTAMINATED RESIDUE TO STORAGE AREA	
712-55.20	1.00	LUMP SUM	TRANSPORTING LEAD CONTAMINATED RESIDUE TO THE SMELTER	
712-56.00	1.00	LUMP SUM	DISPOSAL OF LEAD CONTAMINATED RESIDUE	
712-57.00	10.00	SQ METER	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	
712-57.05	1.00	MEGAGRAM	INTERMEDIATE FIELD COAT (SYSTEM G) GRAY	
712-57.10	10.00	SQ METER	FIELD APPLICATION OF INORGANIC ZINC PRIMER	
712-57.15	0.10	MEGAGRAM	FINISH FIELD COAT (SYSTEM G) GRAY	
712-57.25	0.10	MEGAGRAM	INTERMEDIATE FIELD COAT (SYSTEM G) BROWN	
712-57.30	0.10	MEGAGRAM	FIELD COAT (SYSTEM G) GRAY	
712-57.35	0.10	MEGAGRAM	FINISH FIELD COAT (SYSTEM G) BROWN	
712-57.45	0.10	MEGAGRAM	INTERMEDIATE FIELD COAT (SYSTEM H) GRAY	
712-57.50	0.10	MEGAGRAM	FIELD COAT (SYSTEM H) GRAY	
712-57.55	0.10	MEGAGRAM	FINISH FIELD COAT (SYSTEM H) GRAY	
712-57.65	0.10	MEGAGRAM	INTERMEDIATE FIELD COAT (SYSTEM H) BROWN	
712-57.70	10.00	SQ METER	FIELD COAT (SYSTEM H) GRAY	
712-57.75	0.10	MEGAGRAM	FINISH FIELD COAT (SYSTEM H) BROWN	
712-57.85	10.00	SQ METER	INTERMEDIATE FIELD COAT (SYSTEM G) GRAY	
712-57.90	10.00	SQ METER	FIELD COAT (SYSTEM G) GRAY	
712-57.95	10.00	SQ METER	FINISH FIELD COAT (SYSTEM G) GRAY	
712-58.05	10.00	SQ METER	INTERMEDIATE FIELD COAT (SYSTEM G) BROWN	
712-58.15	10.00	SQ METER	FINISH FIELD COAT (SYSTEM G) BROWN	
712-58.25	10.00	SQ METER	INTERMEDIATE FIELD COAT (SYSTEM H) GRAY	
712-58.35	10.00	SQ METER	FINISH FIELD COAT (SYSTEM H) GRAY	
712-58.45	10.00	SQ METER	INTERMEDIATE FIELD COAT (SYSTEM H) BROWN	
712-58.55	10.00	SQ METER	FINISH FIELD COAT (SYSTEM H) BROWN	
712-60.00	1.00	LINEAR FOOT	NON-DESTRUCTIVE TESTING	
712-60.05	0.50	METER	NON-DESTRUCTIVE TESTING	
712-99.01	1.00	LUMP SUM	MISC.	
712-99.02	1.00	EACH	MISC.	
712-99.03	1.00	LINEAR FOOT	MISC.	
712-99.03M	0.50	METER	MISC.	
712-99.04	0.10	SQUARE FOOT	MISC.	
712-99.05	0.10	SQUARE YARD	MISC.	
712-99.05M	0.10	SQ METER	MISC.	
712-99.10	0.10	TONS	MISC.	
712-99.10M	0.10	MEGAGRAM	MISC.	
712-99.11	0.10	POUND	MISC.	
712-99.11M	0.05	KILOGRAM	MISC.	
713-30.00	1.00	LINEAR FOOT	BRIDGE GUARD RAIL (W-BEAM)	
713-30.05	0.50	METER	BRIDGE GUARD RAIL (W-BEAM)	
713-40.00	1.00	LINEAR FOOT	BRIDGE GUARD RAIL (THRIE BEAM)	
713-40.05	0.50	METER	BRIDGE GUARD RAIL (THRIE BEAM)	
713-99.03	0.50	LINEAR FOOT	MISC.	
713-99.03M	0.50	METER	MISC.	
714-10.00	1.00	LINEAR FOOT	BRIDGE RAIL (ONE TUBE)	
714-10.05	0.50	METER	BRIDGE RAIL (ONE TUBE)	
714-20.00	1.00	LINEAR FOOT	HIGH STRENGTH BRIDGE RAIL (ONE TUBE)	
714-20.05	0.50	METER	HIGH STRENGTH BRIDGE RAIL (ONE TUBE)	
714-30.00	1.00	LINEAR FOOT	HIGH STRENGTH BRIDGE RAIL (TWO TUBE)	
714-30.05	0.50	METER	HIGH STRENGTH BRIDGE RAIL (TWO TUBE)	
714-40.00	1.00	LINEAR FOOT	HIGH STRENGTH MEDIAN RAIL (ONE TUBE)	
714-40.05	0.50	METER	HIGH STRENGTH MEDIAN RAIL (ONE TUBE)	
714-50.00	1.00	LUMP SUM	BRIDGE RAIL RELOCATED	
714-99.03	1.00	LINEAR FOOT	MISC.	
714-99.03M	0.50	METER	MISC.	
715-10.01	1.00	EACH	VERTICAL DRAIN AT END BENTS	
717-10.00	10.00	BOARD FEET	TIMBER	
717-10.05	0.01	CUBIC METER	TIMBER	
717-20.00	10.00	BOARD FEET	TREATED TIMBER	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
717-20.05	0.01	CUBIC METER	TREATED TIMBER	
717-99.01	1.00	LUMP SUM	MISC.	
718-10.10	1.00	LUMP SUM	FURNISHING SUPERSTRUCTURE	
718-10.11	1.00	LUMP SUM	PARTIAL FURNISHING OF SUPERSTRUCTURE	
718-10.20	1.00	LUMP SUM	ERECTING SUPERSTRUCTURE	
718-10.30	1.00	LUMP SUM	REMOVING AND STORING SUPERSTRUCTURE	
718-99.01	1.00	LUMP SUM	MISC.	
718-99.02	1.00	EACH	MISC.	
725-03.12	1.00	LINEAR FOOT	12 IN. PIPE CULVERT GROUP B	
725-03.15	1.00	LINEAR FOOT	15 IN. PIPE CULVERT GROUP B	
725-03.18	1.00	LINEAR FOOT	18 IN. PIPE CULVERT GROUP B	
725-03.21	1.00	LINEAR FOOT	21 IN. PIPE CULVERT GROUP B	
725-03.24	1.00	LINEAR FOOT	24 IN. PIPE CULVERT GROUP B	
725-03.30	1.00	LINEAR FOOT	30 IN. PIPE CULVERT GROUP B	
725-03.36	1.00	LINEAR FOOT	36 IN. PIPE CULVERT GROUP B	
725-03.42	1.00	LINEAR FOOT	42 IN. PIPE CULVERT GROUP B	
725-03.48	1.00	LINEAR FOOT	48 IN. PIPE CULVERT GROUP B	
725-03.54	1.00	LINEAR FOOT	54 IN. PIPE CULVERT GROUP B	
725-03.60	1.00	LINEAR FOOT	60 IN. PIPE CULVERT GROUP B	
725-03.66	1.00	LINEAR FOOT	66 IN. PIPE CULVERT GROUP B	
725-03.72	1.00	LINEAR FOOT	72 IN. PIPE CULVERT GROUP B	
725-03.78	1.00	LINEAR FOOT	78 IN. PIPE CULVERT GROUP B	
725-03.84	1.00	LINEAR FOOT	84 IN. PIPE CULVERT GROUP B	
725-08.12	0.50	METER	300 MM PIPE CULVERT GROUP B	
725-08.15	0.50	METER	375 MM PIPE CULVERT GROUP B	
725-08.18	0.50	METER	450 MM PIPE CULVERT GROUP B	
725-08.21	0.50	METER	525 MM PIPE CULVERT GROUP B	
725-08.24	0.50	METER	600 MM PIPE CULVERT GROUP B	
725-08.30	0.50	METER	750 MM PIPE CULVERT GROUP B	
725-08.36	0.50	METER	900 MM PIPE CULVERT GROUP B	
725-08.42	0.50	METER	1050 MM PIPE CULVERT GROUP B	
725-08.48	0.50	METER	1200 MM PIPE CULVERT GROUP B	
725-08.54	0.50	METER	1350 MM PIPE CULVERT GROUP B	
725-08.60	0.50	METER	1500 MM PIPE CULVERT GROUP B	
725-08.66	0.50	METER	1650 MM PIPE CULVERT GROUP B	
725-08.72	0.50	METER	1800 MM PIPE CULVERT GROUP B	
725-08.78	0.50	METER	1950 MM PIPE CULVERT GROUP B	
725-08.84	0.50	METER	2100 MM PIPE CULVERT GROUP B	
725-10.00	1.00	EACH	CORRUGATED METAL PIPE PILE SPACERS	
725-10.12	1.00	LINEAR FOOT	12 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.15	1.00	LINEAR FOOT	15 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.18	1.00	LINEAR FOOT	18 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.21	1.00	LINEAR FOOT	21 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.24	1.00	LINEAR FOOT	24 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.30	1.00	LINEAR FOOT	30 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.36	1.00	LINEAR FOOT	36 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.42	1.00	LINEAR FOOT	42 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.48	1.00	LINEAR FOOT	48 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.54	1.00	LINEAR FOOT	54 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.60	1.00	LINEAR FOOT	60 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.66	1.00	LINEAR FOOT	66 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.72	1.00	LINEAR FOOT	72 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.78	1.00	LINEAR FOOT	78 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-10.84	1.00	LINEAR FOOT	84 IN. CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.12	0.50	METER	300 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.15	0.50	METER	375 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.18	0.50	METER	450 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.21	0.50	METER	525 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.24	0.50	METER	600 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.30	0.50	METER	750 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.36	0.50	METER	900 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.42	0.50	METER	1050 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.48	0.50	METER	1200 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.54	0.50	METER	1350 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.60	0.50	METER	1500 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.66	0.50	METER	1650 MM CORRUGATED METALLIC-COATED STEEL PIPE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
725-15.72	0.50	METER	1800 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.78	0.50	METER	1950 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-15.84	0.50	METER	2100 MM CORRUGATED METALLIC-COATED STEEL PIPE	
725-20.02	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-2	
725-20.03	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-3	
725-20.04	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-4	
725-20.05	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5	
725-20.06	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A	
725-20.07	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A	
725-20.08	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-8/B-8A	
725-20.09	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-9/B-9A	
725-20.10	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-10/B-10A	
725-20.11	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-11/B-11A	
725-20.12	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-12/B-12A	
725-20.13	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-13/B-13A	
725-20.14	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-14/B-14A	
725-20.15	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-15/B-15A	
725-20.16	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-16/B-16A	
725-20.17	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-17/B-17A	
725-20.18	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-18/B-18A	
725-20.19	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-19/B-19A	
725-20.20	1.00	LINEAR FOOT	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-20/B-20A	
725-25.02	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE ARCH TYPE B-2	
725-25.03	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-3	
725-25.04	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-4	
725-25.05	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5	
725-25.06	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A	
725-25.07	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A	
725-25.08	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-8/B-8A	
725-25.09	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-9/B-9A	
725-25.10	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-10/B-10A	
725-25.11	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-11/B-11A	
725-25.12	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-12/B-12A	
725-25.13	0.50	METER	CORR. METALLIC-COATED STEEL PIPE-ARCH TYPE B-13A	
725-25.14	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			TYPE B-14A	
725-25.15	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-15A	
725-25.16	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-16A	
725-25.17	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-17A	
725-25.18	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-18A	
725-25.19	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-19A	
725-25.20	0.50	METER	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH	
			TYPE B-20A	
725-40.15	1.00	EACH	15 IN. OR 375 MM CORRUGATED METALLIC-COATED STEEL DROP INLET	
725-40.18	1.00	EACH	18 IN. OR 450 MM CORRUGATED METALLIC-COATED STEEL DROP INLET	
725-40.24	1.00	EACH	24 IN. OR 600 MM CORRUGATED METALLIC-COATED STEEL DROP INLET	
725-50.18	1.00	EACH	18 IN./450 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.24	1.00	EACH	24 IN./ 600 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.30	1.00	EACH	30 IN./ 750 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.36	1.00	EACH	36 IN./ 900 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.42	1.00	EACH	42 IN./1050 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.48	1.00	EACH	48 IN./1200 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.54	1.00	EACH	54 IN./1350 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.60	1.00	EACH	60 IN./1500 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.66	1.00	EACH	66 IN./1650 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.72	1.00	EACH	72 IN./1800 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.78	1.00	EACH	78 IN./1950 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-50.84	1.00	EACH	84 IN./2100 MM CORRUGATED METALLIC-COATED STEEL CURTAIN WALL	
725-51.02	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-2	
725-51.03	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-3	
725-51.04	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-4	
725-51.05	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-5	
725-51.06	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-6	
725-51.07	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-7	
725-51.08	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-8	
725-51.09	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-9	
725-51.10	1.00	EACH	CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-10	
725-52.00	1.00	LINEAR FOOT	PIPE LINER FOR EXISTING CULVERT	
725-52.05	0.50	METER	PIPE LINER FOR EXISTING CULVERT	
725-99.02	1.00	EACH	MISC.	
725-99.03	1.00	LINEAR FOOT	MISC.	
725-99.03M	0.50	METER	MISC.	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-11.02	1.00	LINEAR FOOT	102 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.08	1.00	LINEAR FOOT	108 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.60	1.00	LINEAR FOOT	60 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.66	1.00	LINEAR FOOT	66 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.72	1.00	LINEAR FOOT	72 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.78	1.00	LINEAR FOOT	78 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.84	1.00	LINEAR FOOT	84 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.90	1.00	LINEAR FOOT	90 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-11.96	1.00	LINEAR FOOT	96 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-12.02	1.00	LINEAR FOOT	102 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.08	1.00	LINEAR FOOT	108 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.12	1.00	LINEAR FOOT	12 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.15	1.00	LINEAR FOOT	15 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.18	1.00	LINEAR FOOT	18 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.21	1.00	LINEAR FOOT	21 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.24	1.00	LINEAR FOOT	24 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.27	1.00	LINEAR FOOT	27 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.30	1.00	LINEAR FOOT	30 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.33	1.00	LINEAR FOOT	33 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.36	1.00	LINEAR FOOT	36 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.42	1.00	LINEAR FOOT	42 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.48	1.00	LINEAR FOOT	48 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.54	1.00	LINEAR FOOT	54 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.60	1.00	LINEAR FOOT	60 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.66	1.00	LINEAR FOOT	66 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.72	1.00	LINEAR FOOT	72 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.78	1.00	LINEAR FOOT	78 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.84	1.00	LINEAR FOOT	84 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.90	1.00	LINEAR FOOT	90 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-12.96	1.00	LINEAR FOOT	96 IN. CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-13.02	1.00	LINEAR FOOT	102 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.08	1.00	LINEAR FOOT	108 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.12	1.00	LINEAR FOOT	12 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-13.15	1.00	LINEAR FOOT	15 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.18	1.00	LINEAR FOOT	18 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.21	1.00	LINEAR FOOT	21 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.24	1.00	LINEAR FOOT	24 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.27	1.00	LINEAR FOOT	27 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.30	1.00	LINEAR FOOT	30 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.33	1.00	LINEAR FOOT	33 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.36	1.00	LINEAR FOOT	36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.42	1.00	LINEAR FOOT	42 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.48	1.00	LINEAR FOOT	48 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.54	1.00	LINEAR FOOT	54 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.60	1.00	LINEAR FOOT	60 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.66	1.00	LINEAR FOOT	66 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.72	1.00	LINEAR FOOT	72 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.78	1.00	LINEAR FOOT	78 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.84	1.00	LINEAR FOOT	84 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.90	1.00	LINEAR FOOT	90 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-13.96	1.00	LINEAR FOOT	96 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-14.02	1.00	LINEAR FOOT	102 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.08	1.00	LINEAR FOOT	108 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.12	1.00	LINEAR FOOT	12 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.15	1.00	LINEAR FOOT	15 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.18	1.00	LINEAR FOOT	18 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.21	1.00	LINEAR FOOT	21 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.24	1.00	LINEAR FOOT	24 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.27	1.00	LINEAR FOOT	27 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.30	1.00	LINEAR FOOT	30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.33	1.00	LINEAR FOOT	33 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.36	1.00	LINEAR FOOT	36 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.42	1.00	LINEAR FOOT	42 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.48	1.00	LINEAR FOOT	48 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.54	1.00	LINEAR FOOT	54 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.60	1.00	LINEAR FOOT	60 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-14.66	1.00	LINEAR FOOT	66 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.72	1.00	LINEAR FOOT	72 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.78	1.00	LINEAR FOOT	78 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.84	1.00	LINEAR FOOT	84 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.90	1.00	LINEAR FOOT	90 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-14.96	1.00	LINEAR FOOT	96 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-15.02	1.00	LINEAR FOOT	102 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.08	1.00	LINEAR FOOT	108 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.12	1.00	LINEAR FOOT	12 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.15	1.00	LINEAR FOOT	15 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.18	1.00	LINEAR FOOT	18 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.21	1.00	LINEAR FOOT	21 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.24	1.00	LINEAR FOOT	24 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.27	1.00	LINEAR FOOT	27 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.30	1.00	LINEAR FOOT	30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.33	1.00	LINEAR FOOT	33 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.36	1.00	LINEAR FOOT	36 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.42	1.00	LINEAR FOOT	42 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.48	1.00	LINEAR FOOT	48 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.54	1.00	LINEAR FOOT	54 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.60	1.00	LINEAR FOOT	60 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.66	1.00	LINEAR FOOT	66 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.72	1.00	LINEAR FOOT	72 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.78	1.00	LINEAR FOOT	78 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.84	1.00	LINEAR FOOT	84 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.90	1.00	LINEAR FOOT	90 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-15.96	1.00	LINEAR FOOT	96 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-16.02	0.50	METER	2550 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.08	0.50	METER	2700 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.60	0.50	METER	1500 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.66	0.50	METER	1650 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.72	0.50	METER	1800 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.78	0.50	METER	1950 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-16.84	0.50	METER	2100 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.90	0.50	METER	2250 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-16.96	0.50	METER	2400 MM CLASS I REINFORCED CONCRETE PIPE CULVERT	
726-17.02A	0.50	METER	2550 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.08A	0.50	METER	2700 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.12	0.50	METER	300 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.15	0.50	METER	375 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.18	0.50	METER	450 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.21	0.50	METER	525 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.24	0.50	METER	600 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.27	0.50	METER	675 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.30	0.50	METER	750 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.33	0.50	METER	825 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.36	0.50	METER	900 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.42	0.50	METER	1050 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.48	0.50	METER	1200 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.54	0.50	METER	1350 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.60	0.50	METER	1500 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.66	0.50	METER	1650 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.72	0.50	METER	1800 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.78	0.50	METER	1950 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.84	0.50	METER	2100 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.90	0.50	METER	2250 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-17.96	0.50	METER	2400 MM CLASS II REINFORCED CONCRETE PIPE CULVERT	
726-18.02	0.50	METER	2550 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.08	0.50	METER	2700 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.12	0.50	METER	300 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.15	0.50	METER	375 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.18	0.50	METER	450 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.21	0.50	METER	525 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.24	0.50	METER	600 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.27	0.50	METER	675 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.30	0.50	METER	750 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-18.33	0.50	METER	825 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.36	0.50	METER	900 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.42	0.50	METER	1050 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.48	0.50	METER	1200 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.54	0.50	METER	1350 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.60	0.50	METER	1500 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.66	0.50	METER	1650 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.72	0.50	METER	1800 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.78	0.50	METER	1950 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.84	0.50	METER	2100 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.90	0.50	METER	2250 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-18.96	0.50	METER	2400 MM CLASS III REINFORCED CONCRETE PIPE CULVERT	
726-19.02	0.50	METER	2550 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.08	0.50	METER	2700 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.12	0.50	METER	300 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.15	0.50	METER	375 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.18	0.50	METER	450 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.21	0.50	METER	525 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.24	0.50	METER	600 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.27	0.50	METER	675 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.30	0.50	METER	750 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.33	0.50	METER	825 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.36	0.50	METER	900 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.42	0.50	METER	1050 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.48	0.50	METER	1200 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.54	0.50	METER	1350 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.60	0.50	METER	1500 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.66	0.50	METER	1650 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.72	0.50	METER	1800 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.78	0.50	METER	1950 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.84	0.50	METER	2100 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.90	0.50	METER	2250 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	
726-19.96	0.50	METER	2400 MM CLASS IV REINFORCED CONCRETE PIPE CULVERT	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-20.02	0.50	METER	2550 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.08	0.50	METER	2700 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.12	0.50	METER	300 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.15	0.50	METER	375 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.18	0.50	METER	450 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.21	0.50	METER	525 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.24	0.50	METER	600 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.27	0.50	METER	675 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.30	0.50	METER	750 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.33	0.50	METER	825 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.36	0.50	METER	900 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.42	0.50	METER	1050 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.48	0.50	METER	1200 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.54	0.50	METER	1350 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.60	0.50	METER	1500 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.66	0.50	METER	1650 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.72	0.50	METER	1800 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.78	0.50	METER	1950 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.84	0.50	METER	2100 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.90	0.50	METER	2250 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-20.96	0.50	METER	2400 MM CLASS V REINFORCED CONCRETE PIPE CULVERT	
726-21.02	1.00	LINEAR FOOT	102 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.08	1.00	LINEAR FOOT	108 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.60	1.00	LINEAR FOOT	60 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.66	1.00	LINEAR FOOT	66 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.72	1.00	LINEAR FOOT	72 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.78	1.00	LINEAR FOOT	78 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.84	1.00	LINEAR FOOT	84 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.90	1.00	LINEAR FOOT	90 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-21.96	1.00	LINEAR FOOT	96 IN. CLASS I REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-22.02	1.00	LINEAR FOOT	102 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.08	1.00	LINEAR FOOT	108 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.12	1.00	LINEAR FOOT	12 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-22.15	1.00	LINEAR FOOT	15 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.18	1.00	LINEAR FOOT	18 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.21	1.00	LINEAR FOOT	21 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.24	1.00	LINEAR FOOT	24 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.27	1.00	LINEAR FOOT	27 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.30	1.00	LINEAR FOOT	30 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.33	1.00	LINEAR FOOT	33 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.36	1.00	LINEAR FOOT	36 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.42	1.00	LINEAR FOOT	42 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET PIPE)	
726-22.48	1.00	LINEAR FOOT	48 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.54	1.00	LINEAR FOOT	54 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.60	1.00	LINEAR FOOT	60 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.66	1.00	LINEAR FOOT	66 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.72	1.00	LINEAR FOOT	72 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.78	1.00	LINEAR FOOT	78 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.84	1.00	LINEAR FOOT	84 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.90	1.00	LINEAR FOOT	90 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-22.96	1.00	LINEAR FOOT	96 IN. CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.02	1.00	LINEAR FOOT	102 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.08	1.00	LINEAR FOOT	108 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.12	1.00	LINEAR FOOT	12 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.15	1.00	LINEAR FOOT	15 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.18	1.00	LINEAR FOOT	18 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.21	1.00	LINEAR FOOT	21 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.24	1.00	LINEAR FOOT	24 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.27	1.00	LINEAR FOOT	27 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.30	1.00	LINEAR FOOT	30 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.33	1.00	LINEAR FOOT	33 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.36	1.00	LINEAR FOOT	36 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.42	1.00	LINEAR FOOT	42 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.48	1.00	LINEAR FOOT	48 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.54	1.00	LINEAR FOOT	54 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.60	1.00	LINEAR FOOT	60 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-23.66	1.00	LINEAR FOOT	66 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.72	1.00	LINEAR FOOT	72 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.78	1.00	LINEAR FOOT	78 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.84	1.00	LINEAR FOOT	84 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.90	1.00	LINEAR FOOT	90 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-23.96	1.00	LINEAR FOOT	96 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.02	1.00	LINEAR FOOT	102 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.08	1.00	LINEAR FOOT	108 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.12	1.00	LINEAR FOOT	12 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.15	1.00	LINEAR FOOT	15 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.18	1.00	LINEAR FOOT	18 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.21	1.00	LINEAR FOOT	21 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.24	1.00	LINEAR FOOT	24 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.30	1.00	LINEAR FOOT	30 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.33	1.00	LINEAR FOOT	33 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.36	1.00	LINEAR FOOT	36 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.42	1.00	LINEAR FOOT	42 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.48	1.00	LINEAR FOOT	48 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.54	1.00	LINEAR FOOT	54 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.60	1.00	LINEAR FOOT	60 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.66	1.00	LINEAR FOOT	66 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.72	1.00	LINEAR FOOT	72 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.78	1.00	LINEAR FOOT	78 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.84	1.00	LINEAR FOOT	84 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.90	1.00	LINEAR FOOT	90 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-24.96	1.00	LINEAR FOOT	96 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.02	1.00	LINEAR FOOT	102 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.08	1.00	LINEAR FOOT	108 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.12	1.00	LINEAR FOOT	12 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.15	1.00	LINEAR FOOT	15 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.18	1.00	LINEAR FOOT	18 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.21	1.00	LINEAR FOOT	21 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.24	1.00	LINEAR FOOT	24 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-25.30	1.00	LINEAR FOOT	30 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.33	1.00	LINEAR FOOT	33 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.36	1.00	LINEAR FOOT	36 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.42	1.00	LINEAR FOOT	42 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.48	1.00	LINEAR FOOT	48 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.54	1.00	LINEAR FOOT	54 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.60	1.00	LINEAR FOOT	60 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.66	1.00	LINEAR FOOT	66 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.72	1.00	LINEAR FOOT	72 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.78	1.00	LINEAR FOOT	78 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.84	1.00	LINEAR FOOT	84 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.90	1.00	LINEAR FOOT	90 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-25.96	1.00	LINEAR FOOT	96 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.02	0.50	METER	2550MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.08	0.50	METER	2700MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.60	0.50	METER	1500MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.66	0.50	METER	1650MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.72	0.50	METER	1800MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.78	0.50	METER	1950MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.84	0.50	METER	2100MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.90	0.50	METER	2250MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-26.96	0.50	METER	2400MM CLASS I REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.02	0.50	METER	2550MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.08	0.50	METER	2700MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.12	0.50	METER	300MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.15	0.50	METER	375MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.18	0.50	METER	450MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.21	0.50	METER	525MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.24	0.50	METER	600MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.27	0.50	METER	675MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.30	0.50	METER	750MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.33	0.50	METER	825MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.36	0.50	METER	900MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-27.42	0.50	METER	1050MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.48	0.50	METER	1200MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.54	0.50	METER	1350MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.60	0.50	METER	1500MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.66	0.50	METER	1650MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.72	0.50	METER	1800MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.78	0.50	METER	1950MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.84	0.50	METER	2100MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.90	0.50	METER	2250MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-27.96	0.50	METER	2400MM CLASS II REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.02	0.50	METER	2550MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.08	0.50	METER	2700MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.12	0.50	METER	300MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.15	0.50	METER	375MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.18	0.50	METER	450MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.21	0.50	METER	525MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.24	0.50	METER	600MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.27	0.50	METER	675MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.30	0.50	METER	750MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.33	0.50	METER	825MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.36	0.50	METER	900MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.42	0.50	METER	1050MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.48	0.50	METER	1200MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.54	0.50	METER	1350MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.60	0.50	METER	1500MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.66	0.50	METER	1650MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.72	0.50	METER	1800MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.78	0.50	METER	1950MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.84	0.50	METER	2100MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.90	0.50	METER	2250MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-28.96	0.50	METER	2400MM CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.02	0.50	METER	2550MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.08	0.50	METER	2700MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-29.12	0.50	METER	300MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.15	0.50	METER	375MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.18	0.50	METER	450MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.21	0.50	METER	525MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.24	0.50	METER	600MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.30	0.50	METER	750MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.33	0.50	METER	825MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.36	0.50	METER	900MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.42	0.50	METER	1050MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.48	0.50	METER	1200MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.54	0.50	METER	1350MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.60	0.50	METER	1500MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.66	0.50	METER	1650MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.72	0.50	METER	1800MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.78	0.50	METER	1950MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.84	0.50	METER	2100MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.90	0.50	METER	2250MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-29.96	0.50	METER	2400MM CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-30.04	1.00	LINEAR FOOT	4 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.06	1.00	LINEAR FOOT	6 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.08	1.00	LINEAR FOOT	8 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.10	1.00	LINEAR FOOT	10 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.12	1.00	LINEAR FOOT	12 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.15	1.00	LINEAR FOOT	15 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.18	1.00	LINEAR FOOT	18 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.21	1.00	LINEAR FOOT	21 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-30.24	1.00	LINEAR FOOT	24 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-31.04	1.00	LINEAR FOOT	4 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.06	1.00	LINEAR FOOT	6 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.08	1.00	LINEAR FOOT	8 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.10	1.00	LINEAR FOOT	10 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.12	1.00	LINEAR FOOT	12 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.15	1.00	LINEAR FOOT	15 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-31.18	1.00	LINEAR FOOT	18 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.21	1.00	LINEAR FOOT	21 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-31.24	1.00	LINEAR FOOT	24 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-32.02A	0.50	METER	2550MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.08A	0.50	METER	2700MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.12	0.50	METER	300MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.15	0.50	METER	375MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.18	0.50	METER	450MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.21	0.50	METER	525MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.24	0.50	METER	600MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.30	0.50	METER	750MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.33	0.50	METER	825MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.36	0.50	METER	900MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.42	0.50	METER	1050MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.48	0.50	METER	1200MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.54	0.50	METER	1350MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.60	0.50	METER	1500MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.66	0.50	METER	1650MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.72A	0.50	METER	1800MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.78	0.50	METER	1950MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.84	0.50	METER	2100MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.90	0.50	METER	2250MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-32.96	0.50	METER	2400MM CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)	
726-35.04	0.50	METER	100 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.06	0.50	METER	150 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.08	0.50	METER	200 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.10	0.50	METER	250 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.12	0.50	METER	300 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.15	0.50	METER	375 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.18	0.50	METER	450 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.21	0.50	METER	525 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-35.24	0.50	METER	900 MM NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH)	
726-36.04	0.50	METER	100 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-36.06	0.50	METER	150 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.08	0.50	METER	200 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.10	0.50	METER	250 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.12	0.50	METER	300 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.15	0.50	METER	375 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.18	0.50	METER	450 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.21	0.50	METER	525 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-36.24	0.50	METER	600 MM NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH)	
726-40.04	1.00	LINEAR FOOT	4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.06	1.00	LINEAR FOOT	6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.08	1.00	LINEAR FOOT	8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.10	1.00	LINEAR FOOT	10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.12	1.00	LINEAR FOOT	12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.15	1.00	LINEAR FOOT	15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.18	1.00	LINEAR FOOT	18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.21	1.00	LINEAR FOOT	21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.24	1.00	LINEAR FOOT	24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.27	1.00	LINEAR FOOT	27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.30	1.00	LINEAR FOOT	30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.33	1.00	LINEAR FOOT	33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-40.36	1.00	LINEAR FOOT	36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-41.04	1.00	LINEAR FOOT	4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.06	1.00	LINEAR FOOT	6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.08	1.00	LINEAR FOOT	8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.10	1.00	LINEAR FOOT	10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.12	1.00	LINEAR FOOT	12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.15	1.00	LINEAR FOOT	15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.18	1.00	LINEAR FOOT	18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.21	1.00	LINEAR FOOT	21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.24	1.00	LINEAR FOOT	24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.27	1.00	LINEAR FOOT	27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.30	1.00	LINEAR FOOT	30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-41.33	1.00	LINEAR FOOT	33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-41.36	1.00	LINEAR FOOT	36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-45.04	0.50	METER	100MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.06	0.50	METER	150MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.08	0.50	METER	200MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.10	0.50	METER	250MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.12	0.50	METER	300MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.15	0.50	METER	375MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.18	0.50	METER	450MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.21	0.50	METER	525MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.24	0.50	METER	600MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.27	0.50	METER	675MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.30	0.50	METER	750MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.33	0.50	METER	825MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-45.36	0.50	METER	900MM VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)	
726-46.04	0.50	METER	100MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.06	0.50	METER	150MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.08	0.50	METER	200MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.10	0.50	METER	250MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.12	0.50	METER	300MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.15	0.50	METER	375MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.18	0.50	METER	450MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.21	0.50	METER	525MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.24	0.50	METER	600MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.27	0.50	METER	675MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.30	0.50	METER	750MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.33	0.50	METER	825MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-46.36	0.50	METER	900MM VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)	
726-50.15	1.00	LINEAR FOOT	JACKED 15 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-50.18	1.00	LINEAR FOOT	JACKED 18 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE)	
726-50.24	1.00	LINEAR FOOT	JACKED 24 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE)	
726-50.30	1.00	LINEAR FOOT	JACKED 30 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE)	
726-50.36	1.00	LINEAR FOOT	JACKED 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-50.42	1.00	LINEAR FOOT	JACKED 42 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-51.15	0.50	METER	JACKED 375MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-51.18A	0.50	METER	JACKED 450MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-51.24A	0.50	METER	JACKED 600MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-51.30A	0.50	METER	JACKED 750MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-51.36	0.50	METER	JACKED 900MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-51.42	0.50	METER	JACKED 1050MM CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.15	1.00	LINEAR FOOT	JACKED 15 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.18	1.00	LINEAR FOOT	JACKED 18 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.24	1.00	LINEAR FOOT	JACKED 24 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.30	1.00	LINEAR FOOT	JACKED 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.36	1.00	LINEAR FOOT	JACKED 36 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-52.42	1.00	LINEAR FOOT	JACKED 42 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.15	0.50	METER	JACKED 375MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.18	0.50	METER	JACKED 450MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.24	0.50	METER	JACKED 600MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.30	0.50	METER	JACKED 750MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.36	0.50	METER	JACKED 900MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-53.42	0.50	METER	JACKED 1050MM CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.15	1.00	LINEAR FOOT	JACKED 15 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.18	1.00	LINEAR FOOT	JACKED 18 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.24	1.00	LINEAR FOOT	JACKED 24 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.30	1.00	LINEAR FOOT	JACKED 30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.36	1.00	LINEAR FOOT	JACKED 36 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-54.42	1.00	LINEAR FOOT	JACKED 42 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.15	0.50	METER	JACKED 375MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.18	0.50	METER	JACKED 450MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.24	0.50	METER	JACKED 600MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.30	0.50	METER	JACKED 750MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.36	0.50	METER	JACKED 900MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-55.42	0.50	METER	JACKED 1050MM CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)	
726-99.02	1.00	EACH	MISC.	
726-99.03	1.00	LINEAR FOOT	MISC.	
726-99.03M	0.50	METER	MISC.	
726-99.13	1.00	FOOT	MISC.	
726-99.21	1.00	LUMP SUM	SEWER	
726-99.22	1.00	EACH	SEWER	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
726-99.23	1.00	LINEAR FOOT	SEWER	
726-99.23M	0.50	METER	SEWER	
726-99.24	1.00	CUBIC YARD	SEWER	
726-99.24M	0.10	CUBIC METER	SEWER	
727-10.02	1.00	LINEAR FOOT	102 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.08	1.00	LINEAR FOOT	108 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.14	1.00	LINEAR FOOT	114 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.20	1.00	LINEAR FOOT	120 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.26	1.00	LINEAR FOOT	126 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.32	1.00	LINEAR FOOT	132 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.38	1.00	LINEAR FOOT	138 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.44	1.00	LINEAR FOOT	144 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.50	1.00	LINEAR FOOT	150 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.56	1.00	LINEAR FOOT	156 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.60	1.00	LINEAR FOOT	60 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.62	1.00	LINEAR FOOT	162 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.66	1.00	LINEAR FOOT	66 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.68	1.00	LINEAR FOOT	168 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.72	1.00	LINEAR FOOT	72 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.74	1.00	LINEAR FOOT	174 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.78	1.00	LINEAR FOOT	78 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.80	1.00	LINEAR FOOT	180 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.84	1.00	LINEAR FOOT	84 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.90	1.00	LINEAR FOOT	90 IN. STRUCTURAL PLATE PIPE CULVERT	
727-10.96	1.00	LINEAR FOOT	96 IN. STRUCTURAL PLATE PIPE CULVERT	
727-15.02	0.50	METER	2550 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.08	0.50	METER	2700 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.14	0.50	METER	2850 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.20	0.50	METER	3000 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.26	0.50	METER	3150 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.32	0.50	METER	3300 MM STRUCTURAL PLATE PIPE CULVERT - METRIC	
727-15.38	0.50	METER	3450 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.44	0.50	METER	3600 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.50	0.50	METER	3750 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.56	0.50	METER	3900 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.60	0.50	METER	1500 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.62	0.50	METER	4050 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.66	0.50	METER	1650 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.68	0.50	METER	4200 MM STRUCTURAL PLATE PIPE CULVERT - METRIC	
727-15.72	0.50	METER	1800 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.74	0.50	METER	4350 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.78	0.50	METER	1950 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.80	0.50	METER	4500 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.84	0.50	METER	2100 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.90	0.50	METER	2250 MM STRUCTURAL PLATE PIPE CULVERT	
727-15.96	0.50	METER	2400 MM STRUCTURAL PLATE PIPE CULVERT	
727-20.01	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-1	
727-20.02	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-2	
727-20.03	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-3	
727-20.04	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-4	
727-20.05	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-5	
727-20.06	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-6	
727-20.07	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-7	
727-20.08	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-8	
727-20.09	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-9	
727-20.10	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-10	
727-20.11	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-11	
727-20.12	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-12	
727-20.13	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-13	
727-20.14	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-14	
727-20.15	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-15	
727-20.16	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-16	
727-20.17	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-17	
727-20.18	1.00	LINEAR FOOT	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-18	





ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
727-25.32	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-32	
727-25.33	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-33	
727-25.34	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-34	
727-25.35	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-35	
727-25.36	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-36	
727-25.37	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-37	
727-25.38	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-38	
727-25.39	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-39	
727-25.40	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-40	
727-25.41	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-41	
727-25.42	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-42	
727-25.43	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-43	
727-25.44	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-44	
727-25.45	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-45	
727-25.46	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-46	
727-25.47	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-47	
727-25.48	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-48	
727-25.49	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-49	
727-25.50	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-50	
727-25.51	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-51	
727-25.52	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-52	
727-25.53	0.50	METER	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-53	
728-10.00	1.00	LINEAR FOOT	RELAID PIPE	
728-10.05	0.50	METER	RELAID PIPE	
729-00.12	1.00	LINEAR FOOT	PLACING 12 IN. STATE-OWNED PIPE	
729-00.15	1.00	LINEAR FOOT	PLACING 15 IN. STATE-OWNED PIPE	
729-00.18	1.00	LINEAR FOOT	PLACING 18 IN. STATE-OWNED PIPE	
729-00.21	1.00	LINEAR FOOT	PLACING 21 IN. STATE-OWNED PIPE	
729-00.24	1.00	LINEAR FOOT	PLACING 24 IN. STATE-OWNED PIPE	
729-00.27	1.00	LINEAR FOOT	PLACING 27 IN. STATE-OWNED PIPE	
729-00.30	1.00	LINEAR FOOT	PLACING 30 IN. STATE-OWNED PIPE	
729-00.33	1.00	LINEAR FOOT	PLACING 33 IN. STATE-OWNED PIPE	
729-00.36	1.00	LINEAR FOOT	PLACING 36 IN. STATE-OWNED PIPE	
729-00.42	1.00	LINEAR FOOT	PLACING 42 IN. STATE-OWNED PIPE	
729-00.48	1.00	LINEAR FOOT	PLACING 48 IN. STATE-OWNED PIPE	
729-00.54	1.00	LINEAR FOOT	PLACING 54 IN. STATE-OWNED PIPE	
729-00.60	1.00	LINEAR FOOT	PLACING 60 IN. STATE-OWNED PIPE	
729-00.66	1.00	LINEAR FOOT	PLACING 66 IN. STATE-OWNED PIPE	
729-00.72	1.00	LINEAR FOOT	PLACING 72 IN. STATE-OWNED PIPE	
729-00.78	1.00	LINEAR FOOT	PLACING 78 IN. STATE-OWNED PIPE	
729-00.84	1.00	LINEAR FOOT	PLACING 84 IN. STATE-OWNED PIPE	
729-00.90	1.00	LINEAR FOOT	PLACING 90 IN. STATE-OWNED PIPE	
729-00.96	1.00	LINEAR FOOT	PLACING 96 IN. STATE-OWNED PIPE	
729-01.02	1.00	LINEAR FOOT	PLACING 102 IN. STATE-OWNED PIPE	
729-01.08	1.00	LINEAR FOOT	PLACING 108 IN. STATE-OWNED PIPE	
729-01.12	1.00	METER	PLACING 300 MM STATE-OWNED PIPE	
729-01.15	1.00	METER	PLACING 375 MM STATE-OWNED PIPE	
729-01.18	1.00	METER	PLACING 450 MM STATE-OWNED PIPE	
729-01.21	1.00	METER	PLACING 525 MM STATE-OWNED PIPE	
729-01.24	1.00	METER	PLACING 600 MM STATE-OWNED PIPE	
729-01.27	1.00	METER	PLACING 675 MM STATE-OWNED PIPE	
729-01.30	1.00	METER	PLACING 750 MM STATE-OWNED PIPE	
729-01.33	1.00	METER	PLACING 825 MM STATE-OWNED PIPE	
729-01.36	1.00	METER	PLACING 900 MM STATE-OWNED PIPE	
729-01.42	1.00	METER	PLACING 1050 MM STATE-OWNED PIPE	
729-01.48	1.00	METER	PLACING 1200 MM STATE-OWNED PIPE	
729-01.54	1.00	METER	PLACING 1350 MM STATE-OWNED PIPE	
729-01.60	1.00	METER	PLACING 1500 MM STATE-OWNED PIPE	
729-01.66	1.00	METER	PLACING 1650 MM STATE-OWNED PIPE	
729-01.72	1.00	METER	PLACING 1800 MM STATE-OWNED PIPE	
729-01.78	1.00	METER	PLACING 1950 MM STATE-OWNED PIPE	
729-01.84	1.00	METER	PLACING 2100 MM STATE-OWNED PIPE	
729-01.90	1.00	METER	PLACING 2250 MM STATE-OWNED PIPE	
729-01.96	1.00	METER	PLACING 2400 MM STATE-OWNED PIPE	
729-02.02	1.00	METER	PLACING 2550 MM STATE-OWNED PIPE	
729-02.08	1.00	METER	PLACING 2700 MM STATE-OWNED PIPE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
730-01.12	1.00	LINEAR FOOT	12 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.15	1.00	LINEAR FOOT	15 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.18	1.00	LINEAR FOOT	18 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.21	1.00	LINEAR FOOT	21 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.24	1.00	LINEAR FOOT	24 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.30	1.00	LINEAR FOOT	30 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.36	1.00	LINEAR FOOT	36 IN. CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-01.42	1.00	LINEAR FOOT	42 IN. CORR. POLYETHYLENE PIPE (TYPE S)	
730-01.48	1.00	LINEAR FOOT	48 IN. CORR. POLYETHYLENE PIPE (TYPE S)	
730-02.12	0.50	METER	300 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.15	0.50	METER	375 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.18	0.50	METER	450 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.21	0.50	METER	525 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.24	0.50	METER	600 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.30	0.50	METER	750 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.36	0.50	METER	900 MM CORRUGATED POLYETHYLENE PIPE (TYPE S)	
730-02.42	0.50	METER	1050MM CORR. POLYETHYLENE PIPE (TYPE S)	
730-02.48	0.50	METER	1200MM CORR. POLYETHYLENE PIPE (TYPE S)	
730-99.01	1.00	LUMP SUM	MISC.	
730-99.02	1.00	EACH	MISC.	
730-99.03	1.00	LINEAR FOOT	MISC.	
730-99.03M	0.50	METER	MISC.	
731-00.48	1.00	FOOT	PRECAST CONCRETE MANHOLE - 48 IN.	
731-00.60	1.00	FOOT	PRECAST CONCRETE MANHOLE - 60 IN.	
731-00.72	1.00	FOOT	PRECAST CONCRETE MANHOLE - 72 IN.	
731-05.48	0.50	METER	PRECAST CONCRETE MANHOLE - 1219 MM	
731-05.60	0.50	METER	PRECAST CONCRETE MANHOLE - 1524 MM	
731-05.72	0.50	METER	PRECAST CONCRETE MANHOLE - 1829 MM	
731-10.22	1.00	FOOT	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	
731-10.30	1.00	FOOT	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	
731-10.32	1.00	FOOT	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	
731-10.33	1.00	FOOT	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	
731-10.42	1.00	FOOT	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	
731-10.52	1.00	FOOT	PRECAST CONCRETE DROP INLET 5 FT X 2 FT	
731-10.53	1.00	FOOT	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	
731-15.22	0.50	METER	PRECAST CONCRETE DROP INLET 610 X 610 MM	
731-15.30	0.50	METER	PRECAST CONCRETE DROP INLET 914 X 762 MM	
731-15.32	0.50	METER	PRECAST CONCRETE DROP INLET 914 X 610 MM	
731-15.33	0.50	METER	PRECAST CONCRETE DROP INLET 914 X 914 MM	
731-15.42	0.50	METER	PRECAST CONCRETE DROP INLET 1219 X 610 MM	
731-15.52	0.50	METER	PRECAST CONCRETE DROP INLET 1524 X 610 MM	
731-15.53	0.50	METER	PRECAST CONCRETE DROP INLET 1524 X 914 MM	
731-99.02	1.00	EACH	MISC.	
731-99.03	1.00	LINEAR FOOT	MISC.	
731-99.03M	0.50	METER	MISC.	
731-99.13	1.00	FOOT	MISC.	
732-00.12	1.00	EACH	12 IN. GROUP B FLARED END SECTION	
732-00.15	1.00	EACH	15 IN. GROUP B FLARED END SECTION	
732-00.18	1.00	EACH	18 IN. GROUP B FLARED END SECTION	
732-00.21	1.00	EACH	21 IN. GROUP B FLARED END SECTION	
732-00.24	1.00	EACH	24 IN. GROUP B FLARED END SECTION	
732-00.27	1.00	EACH	27 IN. GROUP B FLARED END SECTION	
732-00.30	1.00	EACH	30 IN. GROUP B FLARED END SECTION	
732-00.33	1.00	EACH	33 IN. GROUP B FLARED END SECTION	
732-00.36	1.00	EACH	36 IN. GROUP B FLARED END SECTION	
732-00.42	1.00	EACH	42 IN. GROUP B FLARED END SECTION	
732-00.48	1.00	EACH	48 IN. GROUP B FLARED END SECTION	
732-00.54	1.00	EACH	54 IN. GROUP B FLARED END SECTION	
732-00.60	1.00	EACH	60 IN. GROUP B FLARED END SECTION	
732-00.66	1.00	EACH	66 IN. GROUP B FLARED END SECTION	
732-00.72	1.00	EACH	72 IN. GROUP B FLARED END SECTION	
732-00.78	1.00	EACH	78 IN. GROUP B FLARED END SECTION	
732-00.84	1.00	EACH	84 IN. GROUP B FLARED END SECTION	
732-05.12	1.00	EACH	300 MM GROUP B FLARED END SECTION	
732-05.15	1.00	EACH	375 MM GROUP B FLARED END SECTION	
732-05.18	1.00	EACH	450 MM GROUP B FLARED END SECTION	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
732-05.21	1.00	EACH	525 MM GROUP B FLARED END SECTION	
732-05.24	1.00	EACH	600 MM GROUP B FLARED END SECTION	
732-05.27	1.00	EACH	675 MM GROUP B FLARED END SECTION	
732-05.30	1.00	EACH	750 MM GROUP B FLARED END SECTION	
732-05.33	1.00	EACH	825 MM GROUP B FLARED END SECTION	
732-05.36	1.00	EACH	900 MM GROUP B FLARED END SECTION	
732-05.42	1.00	EACH	1050 MM GROUP B FLARED END SECTION	
732-05.48	1.00	EACH	1200 MM GROUP B FLARED END SECTION	
732-05.54	1.00	EACH	1350 MM GROUP B FLARED END SECTION	
732-05.60	1.00	EACH	1500 MM GROUP B FLARED END SECTION	
732-05.66	1.00	EACH	1650 MM GROUP B FLARED END SECTION	
732-05.72	1.00	EACH	1800 MM GROUP B FLARED END SECTION	
732-05.78	1.00	EACH	1950 MM GROUP B FLARED END SECTION	
732-05.84	1.00	EACH	2100 MM GROUP B FLARED END SECTION	
732-06.12	1.00	EACH	12 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.15	1.00	EACH	15 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.18	1.00	EACH	18 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.21	1.00	EACH	21 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.24	1.00	EACH	24 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.27	1.00	EACH	27 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.30	1.00	EACH	30 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.33	1.00	EACH	33 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.36	1.00	EACH	36 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.42	1.00	EACH	42 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.48	1.00	EACH	48 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.54	1.00	EACH	54 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.60	1.00	EACH	60 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.66	1.00	EACH	66 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.72	1.00	EACH	72 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.78	1.00	EACH	78 IN. PRECAST CONCRETE FLARED END SECTION	
732-06.84	1.00	EACH	84 IN. PRECAST CONCRETE FLARED END SECTION	
732-07.12	1.00	EACH	300 MM PRECAST CONCRETE FLARED END SECTION	
732-07.15	1.00	EACH	375 MM PRECAST CONCRETE FLARED END SECTION	
732-07.18	1.00	EACH	450 MM PRECAST CONCRETE FLARED END SECTION	
732-07.21	1.00	EACH	525 MM PRECAST CONCRETE FLARED END SECTION	
732-07.24	1.00	EACH	600 MM PRECAST CONCRETE FLARED END SECTION	
732-07.27	1.00	EACH	675 MM PRECAST CONCRETE FLARED END SECTION	
732-07.30	1.00	EACH	750 MM PRECAST CONCRETE FLARED END SECTION	
732-07.33	1.00	EACH	825 MM PRECAST CONCRETE FLARED END SECTION	
732-07.36	1.00	EACH	900 MM PRECAST CONCRETE FLARED END SECTION	
732-07.42	1.00	EACH	1050 MM PRECAST CONCRETE FLARED END SECTION	
732-07.48	1.00	EACH	1200 MM PRECAST CONCRETE FLARED END SECTION	
732-07.54	1.00	EACH	1350 MM PRECAST CONCRETE FLARED END SECTION	
732-07.60	1.00	EACH	1500 MM PRECAST CONCRETE FLARED END SECTION	
732-07.66	1.00	EACH	1650 MM PRECAST CONCRETE FLARED END SECTION	
732-07.72	1.00	EACH	1800 MM PRECAST CONCRETE FLARED END SECTION	
732-07.78	1.00	EACH	1950 MM PRECAST CONCRETE FLARED END SECTION	
732-07.84	1.00	EACH	2100 MM PRECAST CONCRETE FLARED END SECTION	
732-08.12	1.00	EACH	12 IN. METAL FLARED END SECTION	
732-08.15	1.00	EACH	15 IN. METAL FLARED END SECTION	
732-08.18	1.00	EACH	18 IN. METAL FLARED END SECTION	
732-08.21	1.00	EACH	21 IN. METAL FLARED END SECTION	
732-08.24	1.00	EACH	24 IN. METAL FLARED END SECTION	
732-08.30	1.00	EACH	30 IN. METAL FLARED END SECTION	
732-08.36	1.00	EACH	36 IN. METAL FLARED END SECTION	
732-08.42	1.00	EACH	42 IN. METAL FLARED END SECTION	
732-08.48	1.00	EACH	48 IN. METAL FLARED END SECTION	
732-08.54	1.00	EACH	54 IN. METAL FLARED END SECTION	
732-08.60	1.00	EACH	60 IN. METAL FLARED END SECTION	
732-08.66	1.00	EACH	66 IN. METAL FLARED END SECTION	
732-08.72	1.00	EACH	72 IN. METAL FLARED END SECTION	
732-08.78	1.00	EACH	78 IN. METAL FLARED END SECTION	
732-08.84	1.00	EACH	84 IN. METAL FLARED END SECTION	
732-09.12	1.00	EACH	300 MM METAL FLARED END SECTION	
732-09.15	1.00	EACH	375 MM METAL FLARED END SECTION	
732-09.18	1.00	EACH	450 MM METAL FLARED END SECTION	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
732-09.21	1.00	EACH	525 MM METAL FLARED END SECTION	
732-09.24	1.00	EACH	600 MM METAL FLARED END SECTION	
732-09.30	1.00	EACH	750 MM METAL FLARED END SECTION	
732-09.36	1.00	EACH	900 MM METAL FLARED END SECTION	
732-09.42	1.00	EACH	1050 MM METAL FLARED END SECTION	
732-09.48	1.00	EACH	1200 MM METAL FLARED END SECTION	
732-09.54	1.00	EACH	1350 MM METAL FLARED END SECTION	
732-09.60	1.00	EACH	1500 MM METAL FLARED END SECTION	
732-09.66	1.00	EACH	1650 MM METAL FLARED END SECTION	
732-09.72	1.00	EACH	1800 MM METAL FLARED END SECTION	
732-09.78	1.00	EACH	1950 MM METAL FLARED END SECTION	
732-09.84	1.00	EACH	2100 MM METAL FLARED END SECTION	
732-10.02	1.00	EACH	B2 FLARED END SECTION	
732-10.03	1.00	EACH	B3 FLARED END SECTION	
732-10.04	1.00	EACH	B4 FLARED END SECTION	
732-10.05	1.00	EACH	B5 FLARED END SECTION	
732-10.06	1.00	EACH	B6 FLARED END SECTION	
732-10.07	1.00	EACH	B7 FLARED END SECTION	
732-10.08	1.00	EACH	B8 FLARED END SECTION	
732-10.09	1.00	EACH	B9 FLARED END SECTION	
732-10.10	1.00	EACH	B10 FLARED END SECTION	
732-10.11	1.00	EACH	B11 FLARED END SECTION	
732-10.12	1.00	EACH	B12 FLARED END SECTION	
732-10.13	1.00	EACH	15 IN. SAFETY SLOPE END SECTION	
732-10.14	1.00	EACH	18 IN. SAFETY SLOPE END SECTION	
732-10.15	1.00	EACH	21 IN. SAFETY SLOPE END SECTION	
732-10.16	1.00	EACH	24 IN. SAFETY SLOPE END SECTION	
732-10.17	1.00	EACH	30 IN. SAFETY SLOPE END SECTION	
732-10.18	1.00	EACH	36 IN. SAFETY SLOPE END SECTION	
732-10.19	1.00	EACH	42 IN. SAFETY SLOPE END SECTION	
732-10.20	1.00	EACH	48 IN. SAFETY SLOPE END SECTION	
732-10.21	1.00	EACH	54 IN. SAFETY SLOPE END SECTION	
732-10.22	1.00	EACH	60 IN. SAFETY SLOPE END SECTION	
732-15.13	1.00	EACH	375 MM SAFETY SLOPE END SECTION	
732-15.14	1.00	EACH	450 MM SAFETY SLOPE END SECTION	
732-15.15	1.00	EACH	525 MM SAFETY SLOPE END SECTION	
732-15.16	1.00	EACH	600 MM SAFETY SLOPE END SECTION	
732-15.17	1.00	EACH	750 MM SAFETY SLOPE END SECTION	
732-15.18	1.00	EACH	900 MM SAFETY SLOPE END SECTION	
732-15.19	1.00	EACH	1050 MM SAFETY SLOPE END SECTION	
732-15.20	1.00	EACH	1200 MM SAFETY SLOPE END SECTION	
732-15.21	1.00	EACH	1350 MM SAFETY SLOPE END SECTION	
732-15.22	1.00	EACH	1500 MM SAFETY SLOPE END SECTION	
732-20.12	1.00	EACH	BEVELED PIPE END TREATMENT FOR 12 IN. DIAMETER PIPE	
732-20.15	1.00	EACH	BEVELED PIPE END TREATMENT FOR 15 IN. DIAMETER PIPE	
732-20.18	1.00	EACH	BEVELED PIPE END TREATMENT FOR 18 IN. DIAMETER PIPE	
732-20.21	1.00	EACH	BEVELED PIPE END TREATMENT FOR 21 IN. DIAMETER PIPE	
732-20.24	1.00	EACH	BEVELED PIPE END TREATMENT FOR 24 IN. DIAMETER PIPE	
732-20.27	1.00	EACH	BEVELED PIPE END TREATMENT FOR 27 IN. DIAMETER PIPE	
732-20.30	1.00	EACH	BEVELED PIPE END TREATMENT FOR 30 IN. DIAMETER PIPE	
732-20.33	1.00	EACH	BEVELED PIPE END TREATMENT FOR 33 IN. DIAMETER PIPE	
732-20.36	1.00	EACH	BEVELED PIPE END TREATMENT FOR 36 IN. DIAMETER PIPE	
732-20.42	1.00	EACH	BEVELED PIPE END TREATMENT FOR 42 IN. DIAMETER PIPE	
732-20.48	1.00	EACH	BEVELED PIPE END TREATMENT FOR 48 IN. DIAMETER PIPE	
732-20.54	1.00	EACH	BEVELED PIPE END TREATMENT FOR 54 IN.	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
732-20.60	1.00	EACH	DIAMETER PIPE BEVELED PIPE END TREATMENT FOR 60 IN. DIAMETER PIPE	
732-30.10	1.00	EACH	BEVELED PIPE END TREATMENT FOR 300 MM DIAMETER PIPE	
732-30.11	1.00	EACH	BEVELED PIPE END TREATMENT FOR 375 MM DIAMETER PIPE	
732-30.12	1.00	EACH	BEVELED PIPE END TREATMENT FOR 450 MM DIAMETER PIPE	
732-30.13	1.00	EACH	BEVELED PIPE END TREATMENT FOR 525 MM DIAMETER PIPE	
732-30.14	1.00	EACH	BEVELED PIPE END TREATMENT FOR 600 MM DIAMETER PIPE	
732-30.15	1.00	EACH	BEVELED PIPE END TREATMENT FOR 675 MM DIAMETER PIPE	
732-30.16	1.00	EACH	BEVELED PIPE END TREATMENT FOR 750 MM DIAMETER PIPE	
732-30.17	1.00	EACH	BEVELED PIPE END TREATMENT FOR 825 MM DIAMETER PIPE	
732-30.18	1.00	EACH	BEVELED PIPE END TREATMENT FOR 900 MM DIAMETER PIPE	
732-30.19	1.00	EACH	BEVELED PIPE END TREATMENT FOR 1050 MM DIAMETER PIPE	
732-30.20	1.00	EACH	BEVELED PIPE END TREATMENT FOR 1200 MM DIAMETER PIPE	
732-30.21	1.00	EACH	BEVELED PIPE END TREATMENT FOR 1350 MM DIAMETER PIPE	
732-30.22	1.00	EACH	BEVELED PIPE END TREATMENT FOR 1500 MM DIAMETER PIPE	
732-99.02	1.00	EACH	MISC.	
733-99.03	1.00	LINEAR FOOT	MISC.	
733-99.03M	0.50	METER	MISC.	
734-99.01	1.00	LUMP SUM	MISC.	
734-99.02	1.00	EACH	MISC.	
734-99.03	1.00	LINEAR FOOT	MISC.	
734-99.03M	0.50	METER	MISC.	
735-99.03	1.00	LINEAR FOOT	MISC.	
735-99.03M	0.50	METER	MISC.	
801-10.00	0.10	ACRES	FERTILIZING	
801-10.05	0.05	HECTARE	FERTILIZING	
802-10.00	0.10	ACRES	TYPE 1 MULCH	
802-10.05	0.05	HECTARE	TYPE 1 MULCH	
802-20.00	0.10	ACRES	TYPE 2 MULCH	
802-20.05	0.05	HECTARE	TYPE 2 MULCH	
802-30.00	0.10	ACRES	TYPE 3 MULCH	
802-30.05	0.05	HECTARE	TYPE 3 MULCH	
802-40.00	0.10	ACRES	TYPE 4 MULCH	
802-40.05	0.05	HECTARE	TYPE 4 MULCH	
802-50.00	0.10	ACRES	TYPE 2 OR TYPE 3 MULCH	
802-50.05	0.05	HECTARE	TYPE 2 OR TYPE 3 MULCH	
802-99.05	0.10	SQUARE YARD	MISC.	
802-99.05M	0.10	SQ METER	MISC.	
802-99.19	0.10	ACRES	MISC.	
802-99.19M	0.10	HECTARE	MISC.	
803-10.00	1.00	SQUARE YARD	SODDING	
803-10.05	1.00	SQ METER	SODDING	
803-99.05	0.10	SQUARE YARD	MISC.	
803-99.05M	0.10	SQ METER	MISC.	
804-10.00	1.00	CUBIC YARD	TOPSOIL	
804-10.05	1.00	CUBIC METER	TOPSOIL	
804-99.05	0.10	SQUARE YARD	MISC.	
804-99.05M	0.10	SQ METER	MISC.	
804-99.07	1.00	CUBIC YARD	MISC.	
804-99.07M	0.10	CUBIC METER	MISC.	
805-10.00	0.10	ACRES	SEEDING	
805-10.05	0.05	HECTARE	SEEDING	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
805-20.00	0.10	ACRES	NATIVE PLANT SEEDING	
805-20.05	0.05	HECTARE	NATIVE PLANT SEEDING	
805-99.01	1.00	LUMP SUM	MISC.	
805-99.02	1.00	EACH	MISC.	
805-99.19	0.10	ACRES	MISC.	
805-99.19M	0.05	HECTARE	MISC.	
806-10.10A	1.00	LINEAR FOOT	TYPE B BERM	
806-10.11	1.00	LINEAR FOOT	SLOPE DRAINS	
806-10.15	1.00	CUBIC YARD	SEDIMENT BASIN	
806-10.16	1.00	CUBIC YARD	SEDIMENT REMOVAL	
806-10.17	0.10	ACRES	TEMPORARY SEEDING AND MULCHING	
806-10.18	1.00	LINEAR FOOT	STRAW BALES (FENCE)	
806-10.19	1.00	LINEAR FOOT	SILT FENCE	
806-10.20	1.00	LINEAR FOOT	TEMPORARY PIPE	
806-10.21	1.00	EACH	TYPE I DITCH CHECK	
806-10.22	1.00	EACH	TYPE II DITCH CHECK	
806-10.30A	0.50	METER	TYPE B BERM	
806-10.31	0.50	METER	SLOPE DRAINS	
806-10.35	1.00	CUBIC METER	SEDIMENT BASIN	
806-10.36	1.00	CUBIC METER	SEDIMENT REMOVAL	
806-10.37	0.05	HECTARE	TEMPORARY SEEDING AND MULCHING	
806-10.38	0.50	METER	STRAW BALES (FENCE)	
806-10.39	0.50	METER	SILT FENCE	
806-10.40	0.50	METER	TEMPORARY PIPE	
806-10.50	1.00	LINEAR FOOT	TYPE C BERM	
806-10.51	0.50	METER	TYPE C BERM	
806-41.01	1.00	SQUARE YARD	TYPE A EROSION CONTROL BLANKET	
806-41.02	1.00	SQUARE YARD	TYPE B EROSION CONTROL BLANKET	
806-41.03	1.00	SQUARE YARD	TYPE C EROSION CONTROL BLANKET	
806-41.04	1.00	SQUARE YARD	TYPE D EROSION CONTROL BLANKET	
806-41.05	1.00	SQUARE YARD	TYPE E EROSION CONTROL BLANKET	
806-41.06	1.00	SQUARE YARD	TYPE F EROSION CONTROL BLANKET	
806-41.07	1.00	SQUARE YARD	TYPE G EROSION CONTROL BLANKET	
806-41.08	1.00	SQUARE YARD	TYPE H EROSION CONTROL BLANKET	
806-41.11	1.00	SQ METER	TYPE A EROSION CONTROL BLANKET	
806-41.12	1.00	SQ METER	TYPE B EROSION CONTROL BLANKET	
806-41.13	1.00	SQ METER	TYPE C EROSION CONTROL BLANKET	
806-41.14	1.00	SQ METER	TYPE D EROSION CONTROL BLANKET	
806-41.15	1.00	SQ METER	TYPE E EROSION CONTROL BLANKET	
806-41.16	1.00	SQ METER	TYPE F EROSION CONTROL BLANKET	
806-41.17	1.00	SQ METER	TYPE G EROSION CONTROL BLANKET	
806-41.18	1.00	SQ METER	TYPE H EROSION CONTROL BLANKET	
806-50.00	1.00	SQUARE FOOT	GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM	
806-50.05	0.10	SQ METER	GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM	
806-99.01	1.00	LUMP SUM	MISC.	
806-99.02	1.00	EACH	MISC.	
806-99.03	1.00	LINEAR FOOT	MISC.	
806-99.03M	0.50	METER	MISC.	
806-99.05	0.10	SQUARE YARD	MISC.	
806-99.05M	0.10	SQ METER	MISC.	
806-99.07	1.00	CUBIC YARD	MISC.	
806-99.07M	1.00	CUBIC METER	MISC.	
808-01.00	1.00	EACH	SILVER MAPLE	
808-01.01	1.00	EACH	NORWAY MAPLE	
808-01.02	1.00	EACH	RED MAPLE	
808-01.03	1.00	EACH	SUGAR MAPLE	
808-01.04	1.00	EACH	WHITE ASH	
808-01.05	1.00	EACH	GREEN ASH	
808-01.06	1.00	EACH	GINKGO	
808-01.07	1.00	EACH	THORNLESS HONEYLOCUST	
808-01.08	1.00	EACH	SWEET GUM	
808-01.09	1.00	EACH	RED OAK	
808-01.10	1.00	EACH	SCARLET OAK	
808-01.11	1.00	EACH	SHINGLE OAK	
808-01.12	1.00	EACH	PIN OAK	
808-01.13	1.00	EACH	CRIMEAN LINDEN	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
808-01.14	1.00	EACH	AMERICAN LINDEN	
808-01.15	1.00	EACH	LITTLE-LEAF LINDEN	
808-01.16	1.00	EACH	LONDON PLANE TREE	
808-01.17	1.00	EACH	AMERICAN PLANE TREE	
808-01.18	1.00	EACH	COMMON BALD CYPRESS	
808-01.19	1.00	EACH	BLACK GUM	
808-01.20	1.00	EACH	BLACK LOCUST	
808-01.21	1.00	EACH	TULIP TREE	
808-02.00	1.00	EACH	GOLDEN RAIN TREE	
808-02.01	1.00	EACH	GOLDEN CHAIN	
808-02.02	1.00	EACH	AMUR CORK TREE	
808-02.03	1.00	EACH	RIVER BIRCH	
808-02.04	1.00	EACH	BABYLON WEEPING WILLOW	
808-02.05	1.00	EACH	WILLOW SPECIES	
808-02.06	1.00	EACH	AMERICAN HOLLY	
808-03.00	1.00	EACH	HEDGE MAPLE	
808-03.01	1.00	EACH	AMUR MAPLE	
808-03.02	1.00	EACH	TATARIAN MAPLE	
808-03.03	1.00	EACH	REDBUD TREE	
808-03.04	1.00	EACH	FLOWERING DOGWOOD	
808-03.05	1.00	EACH	CORNELIAN CHERRY DOGWOOD	
808-03.06	1.00	EACH	HAWTHORN SPP.	
808-03.07	1.00	EACH	SAUCER MAGNOLIA	
808-03.08	1.00	EACH	STAR MAGNOLIA	
808-03.09	1.00	EACH	JAPANESE CRAB APPLE	
808-03.10	1.00	EACH	WITCHHAZEL	
808-03.11	1.00	EACH	NANNY BERRY	
808-03.12	1.00	EACH	SERVICE BERRY	
808-04.00	1.00	EACH	WHITE PINE	
808-04.01	1.00	EACH	AUSTRIAN PINE	
808-04.02	1.00	EACH	SCOTCH PINE	
808-04.03	1.00	EACH	BLACK HILLS SPRUCE	
808-04.04	1.00	EACH	RED CEDAR	
808-04.05	1.00	EACH	KETELEER JUNIPER	
808-04.06	1.00	EACH	RED PINE	
808-05.00	1.00	EACH	GLOSSY ABELIA	
808-05.01	1.00	EACH	MENTOR BARBERRY	
808-05.02	1.00	EACH	JAPANESE QUINCE	
808-05.03	1.00	EACH	GRAY DOGWOOD	
808-05.04	1.00	EACH	RED OSIER DOGWOOD	
808-05.05	1.00	EACH	BURNING BUSH	
808-05.06	1.00	EACH	DWARF BURNING BUSH	
808-05.07	1.00	EACH	SHOWY BORDER FORSYTHIA	
808-05.08	1.00	EACH	WEEPING FORSYTHIA	
808-05.09	1.00	EACH	AMUR HONEYSUCKLE	
808-05.11	1.00	EACH	TALLHEDGE BUCKTHORN	
808-05.12	1.00	EACH	ANTHONY WATER SPIREA	
808-05.13	1.00	EACH	CORALBERRY SPECIES	
808-05.14	1.00	EACH	ARROW-WOOD	
808-05.15	1.00	EACH	NEW JUDD VIBURNUM	
808-05.16	1.00	EACH	LINDEN VIBURNUM	
808-05.17	1.00	EACH	WAYFARING TREE	
808-05.18	1.00	EACH	BLACK HAW	
808-05.19	1.00	EACH	SIEBOLD VIBURNUM	
808-05.20	1.00	EACH	FRAGRANT SUMAC	
808-05.21	1.00	EACH	RUSSIAN OLIVE	
808-05.22	1.00	EACH	BUSH CINQUEFOIL	
808-05.23	1.00	EACH	SMOOTH SUMAC	
808-05.24	1.00	EACH	ROSE ACACIA	
808-05.25	1.00	EACH	AUTUMN OLIVE	
808-06.00	1.00	EACH	PFITZER JUNIPER	
808-06.01	1.00	EACH	HETZ JUNIPER	
808-06.02	1.00	EACH	PROCUMBENS JUNIPER	
808-06.03	1.00	EACH	ANDORRA JUNIPER	
808-06.04	1.00	EACH	PYRACANTHA	
808-06.05	1.00	EACH	MUGO PINE	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
808-06.06	1.00	EACH	JAPANESE YEW	
808-06.07	1.00	EACH	SPREADING EUONYMUS	
808-06.08	1.00	EACH	JEWEL EUONYMUS	
808-07.00	1.00	EACH	HALLS HONEYSUCKLE	
808-07.01	1.00	EACH	WINTER CREEPER	
808-07.02	1.00	EACH	VIRGINIA CREEPER	
808-07.03	1.00	EACH	BOSTON IVY	
808-07.04	1.00	EACH	ROSES SPECIES	
808-07.05	1.00	EACH	CROWN VETCH	
808-99.01	1.00	LUMP SUM	MISC.	
808-99.02	1.00	EACH	MISC.	
808-99.03	1.00	LINEAR FOOT	MISC.	
808-99.03M	0.50	METER	MISC.	
808-99.04	1.00	SQUARE FOOT	MISC.	
808-99.06	1.00	CUBIC FOOT	MISC.	
808-99.07	1.00	CUBIC YARD	MISC.	
808-99.07M	0.10	CUBIC METER	MISC.	
808-99.11	1.00	POUND	MISC.	
808-99.11M	0.50	KILOGRAM	MISC.	
808-99.12	0.10	GALLONS	MISC.	
808-99.12M	0.50	LITER	MISC.	
808-99.19	0.10	ACRES	MISC.	
808-99.19M	0.05	HECTARE	MISC.	
901-10.10	1.00	EACH	RELOCATED POLE	
901-10.30	1.00	EACH	TYPE AT LIGHTING POLE, 30 FT. OR 9.0 M	
901-10.40	1.00	EACH	TYPE B LIGHTING POLE, 30 FT. OR 9.0 M	
901-10.60	1.00	EACH	TYPE AT LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 1	
901-10.62	1.00	EACH	TYPE AT LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 2	
901-10.64	1.00	EACH	TYPE AT LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 3	
901-10.66	1.00	EACH	TYPE AT LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 4	
901-10.68	1.00	EACH	TYPE AT LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 5	
901-10.70	1.00	EACH	TYPE B LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 3	
901-10.72	1.00	EACH	TYPE MB LIGHTING POLE, 45 FT. OR 13.5 M DESIGN 3	
901-11.04	1.00	EACH	4 FT. OR 1.2 M BRACKET ARM	
901-11.06	1.00	EACH	6 FT. OR 1.8 M BRACKET ARM	
901-11.08	1.00	EACH	8 FT. OR 2.4 M BRACKET ARM	
901-11.10	1.00	EACH	10 FT. OR 3.0 M BRACKET ARM	
901-11.12	1.00	EACH	12 FT. OR 3.6 M BRACKET ARM	
901-11.15	1.00	EACH	15 FT. OR 4.6 M BRACKET ARM	
901-12.50	1.00	EACH	150 WATT HIGH PRESSURE SODIUM LUMINAIRE (UNDERPASS)	
901-13.00	1.00	EACH	150 WATT HIGH PRESSURE SODIUM LUMINAIRE	
901-13.10	1.00	EACH	250 WATT HIGH PRESSURE SODIUM LUMINAIRE	
901-13.20	1.00	EACH	400 WATT HIGH PRESSURE SODIUM LUMINAIRE	
901-13.30	1.00	EACH	1000 WATT HIGH PRESSURE SODIUM LUMINAIRE HIGH MAST	
901-22.30	1.00	EACH	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT	
901-22.31	1.00	EACH	BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT	
901-23.30	1.00	EACH	30 FT. OR 9.0 M SERVICE POLE CLASS 4	
901-30.02	1.00	LINEAR FOOT	CONDUIT, 2 IN. RIGID, IN TRENCH	
901-30.03	1.00	LINEAR FOOT	CONDUIT, 3 IN. RIGID, IN TRENCH	
901-30.04	1.00	LINEAR FOOT	CONDUIT, 4 IN. RIGID, IN TRENCH	
901-30.05	1.00	LINEAR FOOT	CONDUIT, 5 IN. RIGID, IN TRENCH	
901-30.12	0.50	METER	CONDUIT, 50 MM RIGID, IN TRENCH	
901-30.13	0.50	METER	CONDUIT, 75 MM RIGID, IN TRENCH	
901-30.14	0.50	METER	CONDUIT, 100 MM RIGID, IN TRENCH	
901-30.15	0.50	METER	CONDUIT, 125 MM RIGID, IN TRENCH	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
901-35.02	1.00	LINEAR FOOT	CONDUIT, 2 IN. RIGID, MEDIAN	
901-35.03	1.00	LINEAR FOOT	CONDUIT, 3 IN. RIGID, MEDIAN	
901-35.12	0.50	METER	CONDUIT, 50 MM RIGID, MEDIAN	
901-35.13	0.50	METER	CONDUIT, 75 MM RIGID, MEDIAN	
901-40.03	1.00	LINEAR FOOT	CONDUIT, 3 IN. RIGID, PUSHED	
901-40.04	1.00	LINEAR FOOT	CONDUIT, 4 IN. RIGID, PUSHED	
901-40.05	1.00	LINEAR FOOT	CONDUIT, 5 IN. RIGID, PUSHED	
901-40.13	0.50	METER	CONDUIT, 75 MM RIGID, PUSHED	
901-40.14	0.50	METER	CONDUIT, 100 MM RIGID, PUSHED	
901-40.15	0.50	METER	CONDUIT, 125 MM RIGID, PUSHED	
901-45.02	1.00	LINEAR FOOT	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE	
901-45.03	1.00	LINEAR FOOT	CONDUIT, 3 IN. RIGID, EXTERNAL ON STRUCTURE	
901-45.04	1.00	LINEAR FOOT	CONDUIT, 4 IN. RIGID, EXTERNAL ON STRUCTURE	
901-45.12	0.50	METER	CONDUIT, 50 MM RIGID, EXTERNAL ON STRUCTURE	
901-45.13	0.50	METER	CONDUIT, 75 MM RIGID, EXTERNAL ON STRUCTURE	
901-45.14	0.50	METER	CONDUIT, 100 MM RIGID, EXTERNAL ON STRUCTURE	
901-50.10	1.00	LINEAR FOOT	TRENCHING TYPE I	
901-50.15	0.50	METER	TRENCHING TYPE I	
901-50.20	1.00	LINEAR FOOT	TRENCHING TYPE II	
901-50.25	0.50	METER	TRENCHING TYPE II	
901-50.30	1.00	LINEAR FOOT	TRENCHING TYPE III	
901-50.35	0.50	METER	TRENCHING TYPE III	
901-61.10	1.00	EACH	PULL BOX, PREFORMED CLASS 1	
901-61.11	1.00	EACH	PULL BOX, PREFORMED CLASS 2	
901-61.12	1.00	EACH	PULL BOX, PREFORMED CLASS 3	
901-61.20	1.00	EACH	PULL BOX, CONCRETE, STANDARD	
901-61.21	1.00	EACH	PULL BOX, CONCRETE, DOUBLE, TYPE A	
901-61.24	1.00	EACH	PULL BOX, CONCRETE, DOUBLE, TYPE B	
901-70.00	10.00	LINEAR FOOT	CABLE, 0 AWG 1 CONDUCTOR	
901-70.01	10.00	LINEAR FOOT	CABLE, 1 AWG 1 CONDUCTOR	
901-70.02	10.00	LINEAR FOOT	CABLE, 2 AWG 1 CONDUCTOR	
901-70.03	10.00	LINEAR FOOT	CABLE, 3 AWG 1 CONDUCTOR	
901-70.04	10.00	LINEAR FOOT	CABLE, 4 AWG 1 CONDUCTOR	
901-70.06	10.00	LINEAR FOOT	CABLE, 6 AWG 1 CONDUCTOR	
901-70.08	10.00	LINEAR FOOT	CABLE, 8 AWG 1 CONDUCTOR	
901-70.10	5.00	METER	CABLE, 70 MM2 1 CONDUCTOR	
901-70.11	5.00	METER	CABLE, 50 MM2 1 CONDUCTOR	
901-70.12	5.00	METER	CABLE, 35 MM2 1 CONDUCTOR	
901-70.14	5.00	METER	CABLE, 25 MM2 1 CONDUCTOR	
901-70.16	5.00	METER	CABLE, 16 MM2 1 CONDUCTOR	
901-70.18	5.00	METER	CABLE, 10 MM2 1 CONDUCTOR	
901-71.10	10.00	LINEAR FOOT	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
901-71.15	5.00	METER	CABLE, 6 MM2 1 CONDUCTOR, POLE AND BRACKET	
901-72.00	10.00	LINEAR FOOT	WIRE, 0 AWG, BARE NEUTRAL	
901-72.01	10.00	LINEAR FOOT	WIRE, 1 AWG, BARE NEUTRAL	
901-72.02	10.00	LINEAR FOOT	WIRE, 2 AWG, BARE NEUTRAL	
901-72.03	10.00	LINEAR FOOT	WIRE, 3 AWG, BARE NEUTRAL	
901-72.04	10.00	LINEAR FOOT	WIRE, 4 AWG, BARE NEUTRAL	
901-72.06	10.00	LINEAR FOOT	WIRE, 6 AWG, BARE NEUTRAL	
901-72.08	10.00	LINEAR FOOT	WIRE, 8 AWG, BARE NEUTRAL	
901-72.10	5.00	METER	WIRE, 70 MM2, BARE NEUTRAL	
901-72.11	5.00	METER	WIRE, 50 MM2, BARE NEUTRAL	
901-72.12	5.00	METER	WIRE, 35 MM2, BARE NEUTRAL	
901-72.14	5.00	METER	WIRE, 25 MM2, BARE NEUTRAL	
901-72.16	5.00	METER	WIRE, 16 MM2, BARE NEUTRAL	
901-72.18	5.00	METER	WIRE, 10 MM2, BARE NEUTRAL	
901-74.01	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG	
901-74.02	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG	
901-74.03	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG	
901-74.04	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	
901-74.05	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
901-74.07	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
901-74.08	10.00	LINEAR FOOT	1 IN. CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
901-74.11	10.00	LINEAR FOOT	1 1/4 IN. CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG	
901-74.51	5.00	METER	27 MM CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 35 MM2	
901-74.52	5.00	METER	27 MM CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 25 MM2	
901-74.53	5.00	METER	27 MM CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 25 MM2	
901-74.54	5.00	METER	27 MM CABLE-CONDUIT 2 CONDUCTORS 1 BARE NEUTRAL, 16 MM2	
901-74.55	5.00	METER	27 MM CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 16 MM2	
901-74.57	5.00	METER	27 MM CABLE-CONDUIT 2 CONDUCTORS AND 1 BARE NEUTRAL, 10 MM2	
901-74.58	5.00	METER	27 MM CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 10 MM2	
901-74.61	5.00	METER	35 MM CABLE-CONDUIT 3 CONDUCTORS AND 1 BARE NEUTRAL, 35 MM2	
901-82.30	1.00	EACH	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	
901-82.45	1.00	EACH	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
901-86.10	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY	
901-86.11	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	
901-86.12	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	
901-86.13	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	
901-86.20	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, LIGHTING ONLY	
901-86.21	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	
901-86.22	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY	
901-86.23	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	
901-94.00	1.00	LUMP SUM	TEMPORARY LIGHTING	
901-99.01	1.00	LUMP SUM	MISC.	
901-99.02	1.00	EACH	MISC.	
901-99.03	1.00	LINEAR FOOT	MISC.	
901-99.03M	0.50	METER	MISC.	
902-01.11	1.00	EACH	SIGNAL HEAD, TYPE 1T	
902-01.13	1.00	EACH	SIGNAL HEAD, TYPE 3T	
902-01.14	1.00	EACH	SIGNAL HEAD, TYPE 4T	
902-01.15	1.00	EACH	SIGNAL HEAD, TYPE 5T	
902-01.21	1.00	EACH	SIGNAL HEAD, TYPE 11T	
902-01.23	1.00	EACH	SIGNAL HEAD, TYPE 33T	
902-02.11	1.00	EACH	SIGNAL HEAD, TYPE 1S	
902-02.13	1.00	EACH	SIGNAL HEAD, TYPE 3S	
902-02.14	1.00	EACH	SIGNAL HEAD, TYPE 4S	
902-02.15	1.00	EACH	SIGNAL HEAD, TYPE 5S	
902-02.21	1.00	EACH	SIGNAL HEAD, TYPE 11S	
902-02.23	1.00	EACH	SIGNAL HEAD, TYPE 33S	
902-02.25	1.00	EACH	SIGNAL HEAD, TYPE 34S	
902-02.27	1.00	EACH	SIGNAL HEAD, TYPE 35S	
902-02.29	1.00	EACH	SIGNAL HEAD, TYPE 44S	
902-02.31	1.00	EACH	SIGNAL HEAD, TYPE 45S	
902-04.11	1.00	EACH	SIGNAL HEAD, TYPE 1C	
902-04.13	1.00	EACH	SIGNAL HEAD, TYPE 3C	
902-04.14	1.00	EACH	SIGNAL HEAD, TYPE 4C	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-04.15	1.00	EACH	SIGNAL HEAD, TYPE 5C	
902-04.23	1.00	EACH	SIGNAL HEAD, TYPE 33C	
902-05.11	1.00	EACH	SIGNAL HEAD, TYPE 1B	
902-05.13	1.00	EACH	SIGNAL HEAD, TYPE 3B	
902-05.14	1.00	EACH	SIGNAL HEAD, TYPE 4B	
902-05.15	1.00	EACH	SIGNAL HEAD, TYPE 5B	
902-05.21	1.00	EACH	SIGNAL HEAD, TYPE 11B	
902-05.25	1.00	EACH	SIGNAL HEAD, TYPE 34B	
902-05.27	1.00	EACH	SIGNAL HEAD, TYPE 35B	
902-05.29	1.00	EACH	SIGNAL HEAD, TYPE 44B	
902-05.31	1.00	EACH	SIGNAL HEAD, TYPE 45B	
902-08.11	1.00	EACH	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	
902-08.21	1.00	EACH	SIGNAL HEAD, TYPE 11S, PEDESTRIAN	
902-11.11	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1T	
902-11.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3T	
902-11.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4T	
902-11.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5T	
902-11.23	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33T	
902-12.11	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1S	
902-12.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3S	
902-12.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4S	
902-12.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5S	
902-12.23	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33S	
902-14.11	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1B	
902-14.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B	
902-14.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4B	
902-14.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5B	
902-21.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3T	
902-21.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4T	
902-21.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5T	
902-21.23	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 33T	
902-22.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3S	
902-22.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4S	
902-22.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5S	
902-22.23	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 33S	
902-24.13	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3B	
902-24.14	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4B	
902-24.15	1.00	EACH	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5B	
902-26.50	1.00	EACH	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	
902-27.08	1.00	EACH	POST, SIGNAL 8 FT. OR 2.4 M	
902-27.15	1.00	EACH	POST, SIGNAL 15 FT. OR 4.6 M	
902-31.08	1.00	EACH	POST, TYPE CL, 8 FT. ARM OR 2.4 M ARM	
902-31.09	1.00	EACH	POST, TYPE CL, 9 FT. ARM OR 2.7 M ARM	
902-31.10	1.00	EACH	POST, TYPE CL, 10 FT. ARM OR 3.0 M ARM	
902-31.11	1.00	EACH	POST, TYPE CL, 11 FT. ARM OR 3.4 M ARM	
902-31.12	1.00	EACH	POST, TYPE CL, 12 FT. ARM OR 3.7 M ARM	
902-31.13	1.00	EACH	POST, TYPE CL, 13 FT. ARM OR 4.0 M ARM	
902-31.14	1.00	EACH	POST, TYPE CL, 14 FT. ARM OR 4.3 M ARM	
902-31.15	1.00	EACH	POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM	
902-31.16	1.00	EACH	POST, TYPE CL, 16 FT. ARM OR 4.9 M ARM	
902-31.17	1.00	EACH	POST, TYPE CL, 17 FT. ARM OR 5.2 M ARM	
902-31.18	1.00	EACH	POST, TYPE CL, 18 FT. ARM OR 5.5 M ARM	
902-31.19	1.00	EACH	POST, TYPE CL, 19 FT. ARM OR 5.8 M ARM	
902-31.20	1.00	EACH	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-31.21	1.00	EACH	POST, TYPE CL, 21 FT. ARM OR	6.4 M ARM
902-31.22	1.00	EACH	POST, TYPE CL, 22 FT. ARM OR	6.7 M ARM
902-31.23	1.00	EACH	POST, TYPE CL, 23 FT. ARM OR	7.0 M ARM
902-31.24	1.00	EACH	POST, TYPE CL, 24 FT. ARM OR	7.3 M ARM
902-31.25	1.00	EACH	POST, TYPE CL, 25 FT. ARM OR	7.6 M ARM
902-31.26	1.00	EACH	POST, TYPE CL, 26 FT. ARM OR	7.9 M ARM
902-31.27	1.00	EACH	POST, TYPE CL, 27 FT. ARM OR	8.2 M ARM
902-31.28	1.00	EACH	POST, TYPE CL, 28 FT. ARM OR	8.5 M ARM
902-31.29	1.00	EACH	POST, TYPE CL, 29 FT. ARM OR	8.8 M ARM
902-31.30	1.00	EACH	POST, TYPE CL, 30 FT. ARM OR	9.1 M ARM
902-31.31	1.00	EACH	POST, TYPE CL, 31 FT. ARM OR	9.4 M ARM
902-31.32	1.00	EACH	POST, TYPE CL, 32 FT. ARM OR	9.8 M ARM
902-31.33	1.00	EACH	POST, TYPE CL, 33 FT. ARM OR	10.1 M ARM
902-31.34	1.00	EACH	POST, TYPE CL, 34 FT. ARM OR	10.4 M ARM
902-31.35	1.00	EACH	POST, TYPE CL, 35 FT. ARM OR	10.7 M ARM
902-31.36	1.00	EACH	POST, TYPE CL, 36 FT. ARM OR	11.0 M ARM
902-31.37	1.00	EACH	POST, TYPE CL, 37 FT. ARM OR	11.3 M ARM
902-31.38	1.00	EACH	POST, TYPE CL, 38 FT. ARM OR	11.6 M ARM
902-31.39	1.00	EACH	POST, TYPE CL, 39 FT. ARM OR	11.9 M ARM
902-31.40	1.00	EACH	POST, TYPE CL, 40 FT. ARM OR	12.2 M ARM
902-31.41	1.00	EACH	POST, TYPE CL, 41 FT. ARM OR	12.5 M ARM
902-31.42	1.00	EACH	POST, TYPE CL, 42 FT. ARM OR	12.8 M ARM
902-31.43	1.00	EACH	POST, TYPE CL, 43 FT. ARM OR	13.1 M ARM
902-31.44	1.00	EACH	POST, TYPE CL, 44 FT. ARM OR	13.4 M ARM
902-31.45	1.00	EACH	POST, TYPE CL, 45 FT. ARM OR	13.7 M ARM
902-31.46	1.00	EACH	POST, TYPE CL, 46 FT. ARM OR	14.0 M ARM
902-31.47	1.00	EACH	POST, TYPE CL, 47 FT. ARM OR	14.3 M ARM
902-31.48	1.00	EACH	POST, TYPE CL, 48 FT. ARM OR	14.6 M ARM
902-31.49	1.00	EACH	POST, TYPE CL, 49 FT. ARM OR	14.9 M ARM
902-31.50	1.00	EACH	POST, TYPE CL, 50 FT. ARM OR	15.2 M ARM
902-31.51	1.00	EACH	POST, TYPE CL, 51 FT. ARM OR	15.5 M ARM
902-31.52	1.00	EACH	POST, TYPE CL, 52 FT. ARM OR	15.8 M ARM
902-31.53	1.00	EACH	POST, TYPE CL, 53 FT. ARM OR	16.2 M ARM
902-31.54	1.00	EACH	POST, TYPE CL, 54 FT. ARM OR	16.5 M ARM
902-32.08	1.00	EACH	POST, TYPE C, 8 FT. ARM OR	2.4 M ARM
902-32.09	1.00	EACH	POST, TYPE C, 9 FT. ARM OR	2.7 M ARM
902-32.10	1.00	EACH	POST, TYPE C, 10 FT. ARM OR	3.0 M ARM
902-32.11	1.00	EACH	POST, TYPE C, 11 FT. ARM OR	3.4 M ARM
902-32.12	1.00	EACH	POST, TYPE C, 12 FT. ARM OR	3.7 M ARM
902-32.13	1.00	EACH	POST, TYPE C, 13 FT. ARM OR	4.0 M ARM
902-32.14	1.00	EACH	POST, TYPE C, 14 FT. ARM OR	4.3 M ARM
902-32.15	1.00	EACH	POST, TYPE C, 15 FT. ARM OR	4.6 M ARM
902-32.16	1.00	EACH	POST, TYPE C, 16 FT. ARM OR	4.9 M ARM
902-32.17	1.00	EACH	POST, TYPE C, 17 FT. ARM OR	5.2 M ARM
902-32.18	1.00	EACH	POST, TYPE C, 18 FT. ARM OR	5.5 M ARM
902-32.19	1.00	EACH	POST, TYPE C, 19 FT. ARM OR	5.8 M ARM
902-32.20	1.00	EACH	POST, TYPE C, 20 FT. ARM OR	6.1 M ARM
902-32.21	1.00	EACH	POST, TYPE C, 21 FT. ARM OR	6.4 M ARM
902-32.22	1.00	EACH	POST, TYPE C, 22 FT. ARM OR	6.7 M ARM
902-32.23	1.00	EACH	POST, TYPE C, 23 FT. ARM OR	7.0 M ARM
902-32.24	1.00	EACH	POST, TYPE C, 24 FT. ARM OR	7.3 M ARM
902-32.25	1.00	EACH	POST, TYPE C, 25 FT. ARM OR	7.6 M ARM
902-32.26	1.00	EACH	POST, TYPE C, 26 FT. ARM OR	7.9 M ARM
902-32.27	1.00	EACH	POST, TYPE C, 27 FT. ARM OR	8.2 M ARM
902-32.28	1.00	EACH	POST, TYPE C, 28 FT. ARM OR	8.5 M ARM
902-32.29	1.00	EACH	POST, TYPE C, 29 FT. ARM OR	8.8 M ARM
902-32.30	1.00	EACH	POST, TYPE C, 30 FT. ARM OR	9.1 M ARM
902-32.31	1.00	EACH	POST, TYPE C, 31 FT. ARM OR	9.4 M ARM
902-32.32	1.00	EACH	POST, TYPE C, 32 FT. ARM OR	9.8 M ARM
902-32.33	1.00	EACH	POST, TYPE C, 33 FT. ARM OR	10.1 M ARM
902-32.34	1.00	EACH	POST, TYPE C, 34 FT. ARM OR	10.4 M ARM
902-32.35	1.00	EACH	POST, TYPE C, 35 FT. ARM OR	10.7 M ARM
902-32.36	1.00	EACH	POST, TYPE C, 36 FT. ARM OR	11.0 M ARM
902-32.37	1.00	EACH	POST, TYPE C, 37 FT. ARM OR	11.3 M ARM
902-32.38	1.00	EACH	POST, TYPE C, 38 FT. ARM OR	11.6 M ARM
902-32.39	1.00	EACH	POST, TYPE C, 39 FT. ARM OR	11.9 M ARM

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-32.40	1.00	EACH	POST, TYPE C, 40 FT. ARM OR	12.2 M ARM
902-32.41	1.00	EACH	POST, TYPE C, 41 FT. ARM OR	12.5 M ARM
902-32.42	1.00	EACH	POST, TYPE C, 42 FT. ARM OR	12.8 M ARM
902-32.43	1.00	EACH	POST, TYPE C, 43 FT. ARM OR	13.1 M ARM
902-32.44	1.00	EACH	POST, TYPE C, 44 FT. ARM OR	13.4 M ARM
902-32.45	1.00	EACH	POST, TYPE C, 45 FT. ARM OR	13.7 M ARM
902-32.46	1.00	EACH	POST, TYPE C, 46 FT. ARM OR	14.0 M ARM
902-32.47	1.00	EACH	POST, TYPE C, 47 FT. ARM OR	14.3 M ARM
902-32.48	1.00	EACH	POST, TYPE C, 48 FT. ARM OR	14.6 M ARM
902-32.49	1.00	EACH	POST, TYPE C, 49 FT. ARM OR	14.9 M ARM
902-32.50	1.00	EACH	POST, TYPE C, 50 FT. ARM OR	15.2 M ARM
902-32.51	1.00	EACH	POST, TYPE C, 51 FT. ARM OR	15.5 M ARM
902-32.52	1.00	EACH	POST, TYPE C, 52 FT. ARM OR	15.8 M ARM
902-32.53	1.00	EACH	POST, TYPE C, 53 FT. ARM OR	16.2 M ARM
902-32.54	1.00	EACH	POST, TYPE C, 54 FT. ARM OR	16.5 M ARM
902-33.08	1.00	EACH	POST, TYPE B, LONGEST ARM	8 FT. OR 2.4 M
902-33.09	1.00	EACH	POST, TYPE B, LONGEST ARM	9 FT. OR 2.7 M
902-33.10	1.00	EACH	POST, TYPE B, LONGEST ARM	10 FT. OR 3.0 M
902-33.11	1.00	EACH	POST, TYPE B, LONGEST ARM	11 FT. OR 3.4 M
902-33.12	1.00	EACH	POST, TYPE B, LONGEST ARM	12 FT. OR 3.7 M
902-33.13	1.00	EACH	POST, TYPE B, LONGEST ARM	13 FT. OR 4.0 M
902-33.14	1.00	EACH	POST, TYPE B, LONGEST ARM	14 FT. OR 4.3 M
902-33.15	1.00	EACH	POST, TYPE B, LONGEST ARM	15 FT. OR 4.6 M
902-33.16	1.00	EACH	POST, TYPE B, LONGEST ARM	16 FT. OR 4.9 M
902-33.17	1.00	EACH	POST, TYPE B, LONGEST ARM	17 FT. OR 5.2 M
902-33.18	1.00	EACH	POST, TYPE B, LONGEST ARM	18 FT. OR 5.5 M
902-33.19	1.00	EACH	POST, TYPE B, LONGEST ARM	19 FT. OR 5.8 M
902-33.20	1.00	EACH	POST, TYPE B, LONGEST ARM	20 FT. OR 6.1 M
902-33.21	1.00	EACH	POST, TYPE B, LONGEST ARM	21 FT. OR 6.4 M
902-33.22	1.00	EACH	POST, TYPE B, LONGEST ARM	22 FT. OR 6.7 M
902-33.23	1.00	EACH	POST, TYPE B, LONGEST ARM	23 FT. OR 7.0 M
902-33.24	1.00	EACH	POST, TYPE B, LONGEST ARM	24 FT. OR 7.3 M
902-33.25	1.00	EACH	POST, TYPE B, LONGEST ARM	25 FT. OR 7.6 M
902-33.26	1.00	EACH	POST, TYPE B, LONGEST ARM	26 FT. OR 7.9 M
902-33.27	1.00	EACH	POST, TYPE B, LONGEST ARM	27 FT. OR 8.2 M
902-33.28	1.00	EACH	POST, TYPE B, LONGEST ARM	28 FT. OR 8.5 M
902-33.29	1.00	EACH	POST, TYPE B, LONGEST ARM	29 FT. OR 8.8 M
902-33.30	1.00	EACH	POST, TYPE B, LONGEST ARM	30 FT. OR 9.1 M
902-33.31	1.00	EACH	POST, TYPE B, LONGEST ARM	31 FT. OR 9.4 M
902-33.32	1.00	EACH	POST, TYPE B, LONGEST ARM	32 FT. OR 9.8 M
902-33.33	1.00	EACH	POST, TYPE B, LONGEST ARM	33 FT. OR 10.1 M
902-33.34	1.00	EACH	POST, TYPE B, LONGEST ARM	34 FT. OR 10.4 M
902-33.35	1.00	EACH	POST, TYPE B, LONGEST ARM	35 FT. OR 10.7 M
902-33.36	1.00	EACH	POST, TYPE B, LONGEST ARM	36 FT. OR 11.0 M
902-33.37	1.00	EACH	POST, TYPE B, LONGEST ARM	37 FT. OR 11.3 M
902-33.38	1.00	EACH	POST, TYPE B, LONGEST ARM	38 FT. OR 11.6 M
902-33.39	1.00	EACH	POST, TYPE B, LONGEST ARM	39 FT. OR 11.9 M
902-33.40	1.00	EACH	POST, TYPE B, LONGEST ARM	40 FT. OR 12.2 M
902-33.41	1.00	EACH	POST, TYPE B, LONGEST ARM	41 FT. OR 12.5 M
902-33.42	1.00	EACH	POST, TYPE B, LONGEST ARM	42 FT. OR 12.8 M
902-33.43	1.00	EACH	POST, TYPE B, LONGEST ARM	43 FT. OR 13.1 M
902-33.44	1.00	EACH	POST, TYPE B, LONGEST ARM	44 FT. OR 13.4 M
902-33.45	1.00	EACH	POST, TYPE B, LONGEST ARM	45 FT. OR 13.7 M
902-33.46	1.00	EACH	POST, TYPE B, LONGEST ARM	46 FT. OR 14.0 M
902-33.47	1.00	EACH	POST, TYPE B, LONGEST ARM	47 FT. OR 14.3 M
902-33.48	1.00	EACH	POST, TYPE B, LONGEST ARM	48 FT. OR 14.6 M
902-33.49	1.00	EACH	POST, TYPE B, LONGEST ARM	49 FT. OR 14.9 M
902-33.50	1.00	EACH	POST, TYPE B, LONGEST ARM	50 FT. OR 15.2 M
902-33.51	1.00	EACH	POST, TYPE B, LONGEST ARM	51 FT. OR 15.5 M
902-33.52	1.00	EACH	POST, TYPE B, LONGEST ARM	52 FT. OR 15.8 M
902-33.53	1.00	EACH	POST, TYPE B, LONGEST ARM	53 FT. OR 16.2 M
902-33.54	1.00	EACH	POST, TYPE B, LONGEST ARM	54 FT. OR 16.5 M
902-34.08	1.00	EACH	POST, TYPE BL, LONGEST ARM	8 FT. OR 2.4 M
902-34.09	1.00	EACH	POST, TYPE BL, LONGEST ARM	9 FT. OR 2.7 M
902-34.10	1.00	EACH	POST, TYPE BL, LONGEST ARM	10 FT. OR 3.0 M
902-34.11	1.00	EACH	POST, TYPE BL, LONGEST ARM	11 FT. OR 3.4 M

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-34.12	1.00	EACH	POST, TYPE BL, LONGEST ARM 12 FT.	OR 3.7 M
902-34.13	1.00	EACH	POST, TYPE BL, LONGEST ARM 13 FT.	OR 4.0 M
902-34.14	1.00	EACH	POST, TYPE BL, LONGEST ARM 14 FT.	OR 4.3 M
902-34.15	1.00	EACH	POST, TYPE BL, LONGEST ARM 15 FT.	OR 4.6 M
902-34.16	1.00	EACH	POST, TYPE BL, LONGEST ARM 16 FT.	OR 4.9 M
902-34.17	1.00	EACH	POST, TYPE BL, LONGEST ARM 17 FT.	OR 5.2 M
902-34.18	1.00	EACH	POST, TYPE BL, LONGEST ARM 18 FT.	OR 5.5 M
902-34.19	1.00	EACH	POST, TYPE BL, LONGEST ARM 19 FT.	OR 5.8 M
902-34.20	1.00	EACH	POST, TYPE BL, LONGEST ARM 20 FT.	OR 6.1 M
902-34.21	1.00	EACH	POST, TYPE BL, LONGEST ARM 21 FT.	OR 6.4 M
902-34.22	1.00	EACH	POST, TYPE BL, LONGEST ARM 22 FT.	OR 6.7 M
902-34.23	1.00	EACH	POST, TYPE BL, LONGEST ARM 23 FT.	OR 7.0 M
902-34.24	1.00	EACH	POST, TYPE BL, LONGEST ARM 24 FT.	OR 7.3 M
902-34.25	1.00	EACH	POST, TYPE BL, LONGEST ARM 25 FT.	OR 7.6 M
902-34.26	1.00	EACH	POST, TYPE BL, LONGEST ARM 26 FT.	OR 7.9 M
902-34.27	1.00	EACH	POST, TYPE BL, LONGEST ARM 27 FT.	OR 8.2 M
902-34.28	1.00	EACH	POST, TYPE BL, LONGEST ARM 28 FT.	OR 8.5 M
902-34.29	1.00	EACH	POST, TYPE BL, LONGEST ARM 29 FT.	OR 8.8 M
902-34.30	1.00	EACH	POST, TYPE BL, LONGEST ARM 30 FT.	OR 9.1 M
902-34.31	1.00	EACH	POST, TYPE BL, LONGEST ARM 31 FT.	OR 9.4 M
902-34.32	1.00	EACH	POST, TYPE BL, LONGEST ARM 32 FT.	OR 9.8 M
902-34.33	1.00	EACH	POST, TYPE BL, LONGEST ARM 33 FT.	OR 10.1 M
902-34.34	1.00	EACH	POST, TYPE BL, LONGEST ARM 34 FT.	OR 10.4 M
902-34.35	1.00	EACH	POST, TYPE BL, LONGEST ARM 35 FT.	OR 10.7 M
902-34.36	1.00	EACH	POST, TYPE BL, LONGEST ARM 36 FT.	OR 11.0 M
902-34.37	1.00	EACH	POST, TYPE BL, LONGEST ARM 37 FT.	OR 11.3 M
902-34.38	1.00	EACH	POST, TYPE BL, LONGEST ARM 38 FT.	OR 11.6 M
902-34.39	1.00	EACH	POST, TYPE BL, LONGEST ARM 39 FT.	OR 11.9 M
902-34.40	1.00	EACH	POST, TYPE BL, LONGEST ARM 40 FT.	OR 12.2 M
902-34.41	1.00	EACH	POST, TYPE BL, LONGEST ARM 41 FT.	OR 12.5 M
902-34.42	1.00	EACH	POST, TYPE BL, LONGEST ARM 42 FT.	OR 12.8 M
902-34.43	1.00	EACH	POST, TYPE BL, LONGEST ARM 43 FT.	OR 13.1 M
902-34.44	1.00	EACH	POST, TYPE BL, LONGEST ARM 44 FT.	OR 13.4 M
902-34.45	1.00	EACH	POST, TYPE BL, LONGEST ARM 45 FT.	OR 13.7 M
902-34.46	1.00	EACH	POST, TYPE BL, LONGEST ARM 46 FT.	OR 14.0 M
902-34.47	1.00	EACH	POST, TYPE BL, LONGEST ARM 47 FT.	OR 14.3 M
902-34.48	1.00	EACH	POST, TYPE BL, LONGEST ARM 48 FT.	OR 14.6 M
902-34.49	1.00	EACH	POST, TYPE BL, LONGEST ARM 49 FT.	OR 14.9 M
902-34.50	1.00	EACH	POST, TYPE BL, LONGEST ARM 50 FT.	OR 15.2 M
902-34.51	1.00	EACH	POST, TYPE BL, LONGEST ARM 51 FT.	OR 15.5 M
902-34.52	1.00	EACH	POST, TYPE BL, LONGEST ARM 52 FT.	OR 15.8 M
902-34.53	1.00	EACH	POST, TYPE BL, LONGEST ARM 53 FT.	OR 16.2 M
902-34.54	1.00	EACH	POST, TYPE BL, LONGEST ARM 54 FT.	OR 16.5 M
902-35.01	1.00	EACH	POST, STEEL SPAN WIRE	
902-35.02	1.00	EACH	POST, STEEL SPAN WIRE, FOR 30 FT.	OR 9.0 M
			LUMINAIRE MOUNTING	
902-35.50	1.00	EACH	POLE, WOOD SPAN WIRE, CLASS II	
902-35.51	1.00	EACH	POST, WOOD SPAN WIRE, CLASS II, FOR 30 FT.	OR 9.0 M LUMINAIRE MOUNTING
			POLE, WOOD SPAN WIRE, CLASS IV	
902-35.52	1.00	EACH	POST, WOOD SPAN WIRE, CLASS IV, FOR 30 FT.	OR 9.0 M LUMINAIRE MOUNTING
902-36.01	1.00	LINEAR FOOT	SPAN WIRE ASSEMBLY, SINGLE MESSENGER	
902-36.02	1.00	LINEAR FOOT	SPAN WIRE ASSEMBLY, MESSENGER WITH TETHER	
902-36.11	0.50	METER	SPAN WIRE ASSEMBLY, SINGLE MESSENGER	
902-36.12	0.50	METER	SPAN WIRE ASSEMBLY, MESSENGER WITH TETHER	
902-40.10	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, TYPE S-S	
			CONTROLLER	
902-40.20	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, TYPE S-M	
			CONTROLLER	
902-40.30	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, TYPE S-N	
			CONTROLLER	
902-41.70	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, TYPE 170	
902-42.81	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY,	
			8 PHASE NEMA CONTROLLER	
902-42.82	1.00	EACH	CONTROLLER ASSEMBLY HOUSING, DOUBLE, 8 PHASE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-42.83	1.00	EACH	NEMA CONTROLLER CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER	
902-42.95	1.00	EACH	SPLICE CABINET	
902-43.00	1.00	EACH	SYSTEM MASTER	
902-43.10	1.00	EACH	CLOSED LOOP SYSTEM TRAINING	
902-43.11	1.00	EACH	NEMA TS2 TRAINING	
902-43.20	1.00	EACH	CLOSED LOOP SYSTEM SOFTWARE	
902-43.30	1.00	EACH	DIAL-UP MODEM	
902-43.40	1.00	EACH	SPREAD SPECTRUM TELEMETRY RADIO	
902-43.43	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 3DB GAIN	
902-43.46	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 6DB GAIN	
902-43.49	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 9DB GAIN	
902-43.50	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 10DB GAIN	
902-49.20	1.00	EACH	DETECTOR, PUSHBUTTON	
902-49.44	1.00	EACH	DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL - RACK MOUNTED)	
902-49.60	1.00	EACH	DETECTOR, INDUCTION PROBE	
902-49.65	1.00	EACH	DETECTOR, MICROWAVE	
902-49.75	1.00	EACH	VIDEO DETECTION SYSTEM	
902-50.20	1.00	LINEAR FOOT	CONDUIT, 1 IN., LOOP DETECTOR	
902-50.25	0.50	METER	CONDUIT, 25 MM, LOOP DETECTOR	
902-52.00	1.00	LINEAR FOOT	CONDUIT, 2 IN., TRENCH	
902-52.05	0.50	METER	CONDUIT, 50 MM, TRENCH	
902-53.00	1.00	LINEAR FOOT	CONDUIT, 3 IN., TRENCH	
902-53.05	0.50	METER	CONDUIT, 75 MM, TRENCH	
902-54.00	1.00	LINEAR FOOT	CONDUIT, 4 IN., TRENCH	
902-54.05	0.50	METER	CONDUIT, 100 MM, TRENCH	
902-62.00	1.00	LINEAR FOOT	CONDUIT, 2 IN., MEDIAN	
902-62.05	0.50	METER	CONDUIT, 50 MM, MEDIAN	
902-63.00	1.00	LINEAR FOOT	CONDUIT, 3 IN., MEDIAN	
902-63.05	0.50	METER	CONDUIT, 75 MM, MEDIAN	
902-73.00	1.00	LINEAR FOOT	CONDUIT, 3 IN., PUSHED	
902-73.05	0.50	METER	CONDUIT, 75 MM, PUSHED	
902-74.00	1.00	LINEAR FOOT	CONDUIT, 4 IN., PUSHED	
902-74.05	0.50	METER	CONDUIT, 100 MM, PUSHED	
902-75.01	1.00	LINEAR FOOT	CONDUIT, 1 1/4 IN., ON STRUCTURE	
902-75.02	1.00	LINEAR FOOT	CONDUIT, 2 IN., EXTERNAL ON STRUCTURE	
902-75.03	1.00	LINEAR FOOT	CONDUIT, 2 1/2 IN., ON STRUCTURE	
902-75.04	1.00	LINEAR FOOT	CONDUIT, 3 IN., EXTERNAL ON STRUCTURE	
902-75.05	1.00	LINEAR FOOT	CONDUIT, 3 1/2 IN., ON STRUCTURE	
902-75.06	1.00	LINEAR FOOT	CONDUIT, 4 IN., EXTERNAL ON STRUCTURE	
902-75.11	0.50	METER	CONDUIT, 32 MM, ON STRUCTURE	
902-75.12	0.50	METER	CONDUIT, 50 MM, EXTERNAL ON STRUCTURE	
902-75.13	0.50	METER	CONDUIT, 65 MM, ON STRUCTURE	
902-75.14	0.50	METER	CONDUIT, 75 MM, EXTERNAL ON STRUCTURE	
902-75.15	0.50	METER	CONDUIT, 90 MM, ON STRUCTURE	
902-75.16	0.50	METER	CONDUIT, 100 MM, EXTERNAL ON STRUCTURE	
902-81.00	10.00	LINEAR FOOT	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
902-81.05	5.00	METER	CABLE, 6 MM2 1 CONDUCTOR, POLE AND BRACKET	
902-82.00	10.00	LINEAR FOOT	CABLE, 0 AWG 1 CONDUCTOR, POWER	
902-82.01	10.00	LINEAR FOOT	CABLE, 1 AWG 1 CONDUCTOR, POWER	
902-82.02	10.00	LINEAR FOOT	CABLE, 2 AWG 1 CONDUCTOR, POWER	
902-82.03	10.00	LINEAR FOOT	CABLE, 3 AWG 1 CONDUCTOR, POWER	
902-82.04	10.00	LINEAR FOOT	CABLE, 4 AWG 1 CONDUCTOR, POWER	
902-82.06	10.00	LINEAR FOOT	CABLE, 6 AWG 1 CONDUCTOR, POWER	
902-82.08	10.00	LINEAR FOOT	CABLE, 8 AWG 1 CONDUCTOR, POWER	
902-82.10	5.00	METER	CABLE, 70 MM2 1 CONDUCTOR, POWER	
902-82.11	5.00	METER	CABLE, 50 MM2 1 CONDUCTOR, POWER	
902-82.12	5.00	METER	CABLE, 35 MM2 1 CONDUCTOR, POWER	
902-82.14	5.00	METER	CABLE, 25 MM2 1 CONDUCTOR, POWER	
902-82.16	5.00	METER	CABLE, 16 MM2 1 CONDUCTOR, POWER	
902-82.18	5.00	METER	CABLE, 10 MM2 1 CONDUCTOR, POWER	
902-83.02	10.00	LINEAR FOOT	CABLE, 12 AWG 2 CONDUCTOR	
902-83.03	10.00	LINEAR FOOT	CABLE, 12 AWG 3 CONDUCTOR	
902-83.05	10.00	LINEAR FOOT	CABLE, 12 AWG 5 CONDUCTOR	



ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
902-83.07	10.00	LINEAR FOOT	CABLE, 12 AWG 7 CONDUCTOR	
902-83.12	10.00	LINEAR FOOT	CABLE, 12 AWG 12 CONDUCTOR	
902-83.15	1.00	LINEAR FOOT	CABLE, 16 AWG 3-PAIR CONDUCTOR, INTERCONNECT	
902-83.16	0.50	METER	CABLE, 1.5 MM2 3-PAIR CONDUCTOR, INTERCONNECT	
902-83.22	5.00	METER	CABLE, 4 MM2 2 CONDUCTOR	
902-83.23	5.00	METER	CABLE, 4 MM2 3 CONDUCTOR	
902-83.25	5.00	METER	CABLE, 4 MM2 5 CONDUCTOR	
902-83.27	5.00	METER	CABLE, 4 MM2 7 CONDUCTOR	
902-83.32	5.00	METER	CABLE, 4 MM2 12 CONDUCTOR	
902-83.40	1.00	EACH	RG-8/U COAXIAL CABLE	
902-83.50	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE	
902-83.51	5.00	METER	FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE	
902-83.52	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 6 - FIBER, MULTIMODE	
902-83.53	5.00	METER	FIBER OPTIC CABLE, 6 - FIBER, MULTIMODE	
902-83.54	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE	
902-83.55	5.00	METER	FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE	
902-84.00	10.00	LINEAR FOOT	WIRE, 6 AWG, SOLID NEUTRAL	
902-84.05	5.00	METER	WIRE, 16 MM2, SOLID NEUTRAL	
902-85.00	10.00	LINEAR FOOT	CABLE, LOOP DETECTOR, IN DUCT	
902-85.05	5.00	METER	CABLE, LOOP DETECTOR, IN DUCT	
902-85.10	10.00	LINEAR FOOT	CABLE, LOOP DETECTOR, LEAD-IN	
902-85.15	5.00	METER	CABLE, LOOP DETECTOR, LEAD-IN	
902-86.10	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1	
902-86.11	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1 WITH 120V LIGHTING CONTROL CABINET	
902-86.20	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2	
902-86.21	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET	
902-87.20	1.00	EACH	20 FT. OR 6.0 M SERVICE POLE	
902-87.25	1.00	EACH	25 FT. OR 7.5 M SERVICE POLE	
902-87.30	1.00	EACH	30 FT. OR 9.0 M SERVICE POLE	
902-87.35	1.00	EACH	35 FT. OR 10.5 M SERVICE POLE	
902-88.10	1.00	EACH	PULL BOX, PREFORMED CLASS 1	
902-88.11	1.00	EACH	PULL BOX, PREFORMED CLASS 2	
902-88.12	1.00	EACH	PULL BOX, PREFORMED CLASS 3	
902-88.16	1.00	EACH	PULL BOX, PREFORMED CLASS 5	
902-88.20	1.00	EACH	PULL BOX, CONCRETE, STANDARD	
902-88.21	1.00	EACH	PULL BOX, CONCRETE, DOUBLE, TYPE A	
902-88.24	1.00	EACH	PULL BOX, CONCRETE, DOUBLE TYPE B	
902-91.00	0.10	CUBIC YARD	BASE, CONCRETE	
902-91.05	0.10	CUBIC METER	BASE, CONCRETE	
902-94.00	1.00	LUMP SUM	TEMPORARY TRAFFIC SIGNALS	
902-94.01	1.00	LUMP SUM	TEMPORARY TRAFFIC SIGNALS AND LIGHTING	
902-94.12	1.00	EACH	SOLAR POWERED PORTABLE TRAFFIC SIGNAL SYSTEM (COMMISSION RETAINED)	
902-94.15	1.00	EACH	RELOCATION OF PORTABLE TRAFFIC SIGNAL SYSTEM	
902-99.01	1.00	LUMP SUM	MISC.	
902-99.02	1.00	EACH	MISC.	
902-99.03	1.00	LINEAR FOOT	MISC.	
902-99.03M	0.50	METER	MISC.	
902-99.07	1.00	CUBIC YARD	MISC.	
902-99.07M	1.00	CUBIC METER	MISC.	
903-10.10	0.10	CUBIC YARD	CONCRETE FOOTINGS, EMBEDDED	
903-10.15	0.10	CUBIC METER	CONCRETE FOOTINGS, EMBEDDED	
903-10.20	0.10	CUBIC YARD	CONCRETE FOOTINGS, BOLT DOWN	
903-10.25	0.10	CUBIC METER	CONCRETE FOOTINGS, BOLT DOWN	
903-12.10	10.00	POUND	STRUCTURAL STEEL POSTS	
903-12.15	5.00	KILOGRAM	STRUCTURAL STEEL POSTS	
903-12.20	10.00	POUND	PIPE POSTS	
903-12.25	5.00	KILOGRAM	PIPE POSTS	
903-12.40	1.00	EACH	BREAKAWAY ASSEMBLY	
903-12.50A	1.00	LINEAR FOOT	U-CHANNEL POST, 3 LB	
903-12.55A	0.50	METER	U-CHANNEL POST, 4.5 KG	
903-12.60	1.00	LINEAR FOOT	4 IN. BY 4 IN. WOOD POST	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
903-12.61	1.00	LINEAR FOOT	4 IN. BY 6 IN. WOOD POST	
903-12.62	1.00	LINEAR FOOT	6 IN. BY 6 IN. WOOD POST	
903-12.65	0.50	METER	100 MM BY 100 MM WOOD POST	
903-12.66	0.50	METER	100 MM BY 150 MM WOOD POST	
903-12.67	0.50	METER	150 MM BY 150 MM WOOD POST	
903-12.70A	1.00	LINEAR FOOT	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	
903-12.71	1.00	LINEAR FOOT	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	
903-12.75A	0.50	METER	PERFORATED SQUARE STEEL TUBE POST, 50.8 MM, 12 GA.	
903-12.76	0.50	METER	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 63.5 MM, 12 GA.	
903-20.10	1.00	EACH	250 WATT SIGN LIGHTING FIXTURE	
903-20.20	1.00	EACH	400 WATT SIGN LIGHTING FIXTURE	
903-30.00	10.00	LINEAR FOOT	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
903-30.05	5.00	METER	CABLE, 6 MM2 1 CONDUCTOR, POLE AND BRACKET	
903-50.04	1.00	SQUARE FOOT	TYPE SHR2L-1 SIGN	
903-50.05	1.00	SQUARE FOOT	TYPE SHR1L-3 SIGN	
903-50.07	1.00	SQUARE FOOT	TYPE SHR1L-1 SIGN	
903-50.08	1.00	SQUARE FOOT	HIGH DENSITY PLYWOOD SIGN	
903-50.09	1.00	EACH	36 IN. OR 900 MM STOP SIGN	
903-50.10	1.00	SQUARE FOOT	TYPE STR1L-3 SIGN	
903-50.11	1.00	SQUARE FOOT	TYPE STR2L-3 SIGN	
903-50.12	1.00	EACH	30 IN. OR 750 MM STOP SIGN	
903-50.13	1.00	EACH	MILEPOST	
903-50.15	1.00	EACH	TYPE IV OBJECT MARKER	
903-50.20	1.00	EACH	FLEXIBLE DELINEATOR, ELONGATED WHITE	
903-50.21	1.00	EACH	FLEXIBLE DELINEATOR, WHITE	
903-50.22	1.00	EACH	FLEXIBLE DELINEATOR, YELLOW	
903-50.23	1.00	EACH	FLEXIBLE DELINEATOR, ELONGATED YELLOW	
903-50.54	0.10	SQ METER	TYPE SHR2L-1 SIGN	
903-50.55	0.10	SQ METER	TYPE SHR1L-3 SIGN	
903-50.57	0.10	SQ METER	TYPE SHR1L-1 SIGN	
903-50.58	0.10	SQ METER	HIGH DENSITY PLYWOOD SIGN	
903-50.60	0.10	SQ METER	TYPE STR1L-3 SIGN	
903-50.61	0.10	SQ METER	TYPE STR2L-3 SIGN	
903-60.30	1.00	EACH	TYPE C-1710-12 TUBULAR SUPPORT	
903-60.31	1.00	EACH	TYPE C-1710-18 TUBULAR SUPPORT	
903-60.32	1.00	EACH	TYPE C-1310-12 TUBULAR SUPPORT	
903-60.33	1.00	EACH	TYPE C-1310-18 TUBULAR SUPPORT	
903-60.34	1.00	EACH	TYPE C-2315-12 TUBULAR SUPPORT	
903-60.35	1.00	EACH	TYPE C-2315-16 TUBULAR SUPPORT	
903-60.36	1.00	EACH	TYPE C-2315-20 TUBULAR SUPPORT	
903-60.37	1.00	EACH	TYPE C-2315-24 TUBULAR SUPPORT	
903-60.38	1.00	EACH	TYPE C-2318-18 TUBULAR SUPPORT	
903-60.39	1.00	EACH	TYPE C-2318-22 TUBULAR SUPPORT	
903-60.40	1.00	EACH	TYPE C-2318-26 TUBULAR SUPPORT	
903-60.41	1.00	EACH	TYPE C-2018-24 TUBULAR SUPPORT	
903-60.42	1.00	EACH	TYPE C-2018-28 TUBULAR SUPPORT	
903-60.43	1.00	EACH	TYPE C-2018-34 TUBULAR SUPPORT	
903-60.50	1.00	EACH	TYPE B-2018 TUBULAR SUPPORT 12 FT. OR 3.7 M ARM LENGTH	
903-60.51	1.00	EACH	TYPE B-2018 TUBULAR SUPPORT 16 FT. OR 4.9 M ARM LENGTH	
903-60.52	1.00	EACH	TYPE B-2018 TUBULAR SUPPORT 20 FT. OR 6.1 M ARM LENGTH	
903-60.53	1.00	EACH	TYPE B-2018 TUBULAR SUPPORT 24 FT. OR 7.3 M ARM LENGTH	
903-60.60	1.00	EACH	TYPE B-23318 TUBULAR SUPPORT 18 FT. OR 5.5 M ARM LENGTH	
903-60.61	1.00	EACH	TYPE B-23318 TUBULAR SUPPORT 22 FT. OR 6.7 M ARM LENGTH	
903-60.62	1.00	EACH	TYPE B-23318 TUBULAR SUPPORT 26 FT. OR 7.9 M ARM LENGTH	
903-60.70	1.00	EACH	TYPE B-20018 TUBULAR SUPPORT 24 FT. OR 7.3 M	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			ARM LENGTH	
903-60.71	1.00	EACH	TYPE B-20018 TUBULAR SUPPORT 28 FT. OR 8.5 M	
			ARM LENGTH	
903-60.72	1.00	EACH	TYPE B-20018 TUBULAR SUPPORT 34 FT. OR 10.4	
			M ARM LENGTH	
903-80.00	1.00	EACH	TEMPORARY GROUND MOUNTED LOGO SIGNS	
903-99.01	1.00	LUMP SUM	MISC.	
903-99.02	1.00	EACH	MISC.	
903-99.03	1.00	LINEAR FOOT	MISC.	
903-99.03M	0.50	METER	MISC.	
903-99.04	1.00	SQUARE FOOT	MISC.	
903-99.05	0.10	SQUARE YARD	MISC.	
903-99.05M	0.10	SQ METER	MISC.	
903-99.07	1.00	CUBIC YARD	MISC.	
903-99.07M	1.00	CUBIC METER	MISC.	
903-99.11	0.10	POUND	MISC.	
903-99.11M	0.05	KILOGRAM	MISC.	
910-11.12	1.00	EACH	SIGNAL HEAD, 2T, OPTICALLY LIMITED, INSTALLED	
910-12.18	1.00	EACH	SIGNAL HEAD, 22S, OPTICALLY LIMITED, INSTALLED	
910-37.00	1.00	EACH	CCTV CAMERA ASSEMBLY, INSTALLED	
910-37.10	1.00	EACH	CCTV POLE FOUNDATION, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED	
910-37.11	1.00	EACH	CCTV POLE FOUNDATION, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED	
910-37.12	1.00	EACH	CCTV POLE FOUNDATION, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED	
910-37.13	1.00	EACH	CCTV POLE FOUNDATION, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED	
910-37.14	1.00	EACH	CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED	
910-37.15	1.00	EACH	CCTV POLE FOUNDATION, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED	
910-37.16	1.00	EACH	CCTV POLE FOUNDATION, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED	
910-37.17	1.00	EACH	CCTV POLE FOUNDATION, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED	
910-37.18	1.00	EACH	CCTV POLE FOUNDATION, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED	
910-37.40	1.00	EACH	CCTV POLE, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED	
910-37.41	1.00	EACH	CCTV POLE, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED	
910-37.42	1.00	EACH	CCTV POLE, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED	
910-37.43	1.00	EACH	CCTV POLE, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED	
910-37.44	1.00	EACH	CCTV POLE, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED	
910-37.45	1.00	EACH	CCTV POLE, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED	
910-37.46	1.00	EACH	CCTV POLE, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED	
910-37.47	1.00	EACH	CCTV POLE, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED	
910-37.48	1.00	EACH	CCTV POLE, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED	
910-37.60	1.00	EACH	CCTV POLE, BRIDGE MOUNT, 5 FT OR 1.5M MOUNTING HEIGHT, INSTALLED	
910-37.61	1.00	EACH	CCTV POLE, BRIDGE MOUNT, 10 FT OR 3.0M MOUNTING HEIGHT, INSTALLED	
910-37.62	1.00	EACH	CCTV POLE, BRIDGE MOUNT, 15 FT OR 4.6M MOUNTING HEIGHT, INSTALLED	
910-37.63	1.00	EACH	CCTV POLE, BRIDGE MOUNT, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED	
910-37.64	1.00	EACH	CCTV POLE, BRIDGE MOUNT, 30 FT OR 9.1M	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
910-37.65	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 35 FT OR 10.7M	
910-37.66	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 40 FT OR 12.2M	
910-37.67	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 45 FT OR 13.7M	
910-37.68	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 50 FT OR 15.2M	
910-37.69	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 55 FT OR 16.8M	
910-37.70	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, BRIDGE MOUNT, 60 FT OR 18.3M	
910-37.80	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 5 FT OR 1.5M	
910-37.81	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 10FT OR 3.0M	
910-37.82	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 15FT OR 4.6M	
910-37.83	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 20FT OR 6.1M	
910-37.84	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 30FT OR 9.1M	
910-37.85	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 35FT OR 10.7M	
910-37.86	1.00	EACH	MOUNTING HEIGHT, INSTALLED CCTV POLE, TRUSS MOUNT, 40FT OR 12.2M	
910-38.00	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE FOUNDATION, 20FT OR 6.1M	
910-38.01	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE FOUNDATION, 30FT OR 9.1M	
910-38.02	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE FOUNDATION, 35FT OR 10.7M	
910-38.03	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE FOUNDATION, 40FT OR 12.2M	
910-38.04	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE FOUNDATION, 45FT OR 13.7M	
910-38.21	1.00	EACH	MOUNTING HEIGHT, INSTALLED DETECTOR POLE, 20FT OR 6.1M MOUNTING HEIGHT,	
910-38.22	1.00	EACH	INSTALLED DETECTOR POLE, 30FT OR 9.1M MOUNTING HEIGHT,	
910-38.23	1.00	EACH	INSTALLED DETECTOR POLE, 35FT OR 10.7M MOUNTING HEIGHT,	
910-38.24	1.00	EACH	INSTALLED DETECTOR POLE, 40FT OR 12.2M MOUNTING HEIGHT,	
910-38.25	1.00	EACH	INSTALLED DETECTOR POLE, 45FT OR 13.7M MOUNTING HEIGHT,	
910-41.20	1.00	EACH	INSTALLED RAMP METER CONTROLLER ASSEMBLY, INSTALLED	
910-41.21	1.00	EACH	LANE CONTROL SIGNAL ASSEMBLY, INSTALLED	
910-43.30	1.00	EACH	DIAL-UP MODEM	
910-43.35	1.00	EACH	FIBER OPTIC MODEM, DATA, SINGLE MODE, INSTALLED	
910-43.36	1.00	EACH	FIBER OPTIC MODEM, VIDEO, SINGLE MODE, INSTALLED	
910-43.39	1.00	EACH	HIGHWAY ADVISORY RADIO	
910-43.40	1.00	EACH	SPREAD SPECTRUM TELEMETRY RADIO	
910-43.43	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 3 DB GAIN	
910-43.46	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 6 DB GAIN	
910-43.49	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 9 DB GAIN	
910-43.50	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN	
910-43.55	1.00	EACH	900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN	
910-43.95	1.00	EACH	SPLICE CABINET	
910-49.20	1.00	EACH	DETECTOR, PUSH BUTTON, INSTALLED	
910-49.43	1.00	EACH	DETECTOR, VEHICLE INDUCTION LOOP, 1 CHANNEL - SHELF MOUNTED, INSTALLED	
910-49.44	1.00	EACH	DETECTOR, VEHICLE INDUCTION LOOP, 2 CHANNEL	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
			- SHELF MOUNTED, INSTALLED	
910-49.60	1.00	EACH	DETECTOR, INDUCTION PROBE, INSTALLED	
910-49.65	1.00	EACH	DETECTOR, MICROWAVE, INSTALLED	
910-49.69	1.00	EACH	DETECTOR, PIEZOELECTRIC, INSTALLED	
910-49.72	1.00	EACH	DETECTOR, TRUCK HEIGHT, INSTALLED	
910-49.75	1.00	EACH	VIDEO DETECTION SYSTEM, INSTALLED	
910-49.80	1.00	EACH	DETECTOR ASSEMBLY, INSTALLED	
910-50.01	1.00	LINEAR FOOT	TRENCHING TYPE I	
910-50.02	1.00	LINEAR FOOT	TRENCHING TYPE II	
910-50.03	1.00	LINEAR FOOT	TRENCHING TYPE III	
910-50.11	0.50	METER	TRENCHING TYPE I	
910-50.12	0.50	METER	TRENCHING TYPE II	
910-50.13	0.50	METER	TRENCHING TYPE III	
910-50.20	1.00	LINEAR FOOT	CONDUIT, 1 IN., LOOP DETECTOR	
910-50.25	0.50	METER	CONDUIT, 25MM, LOOP DETECTOR	
910-52.00	1.00	LINEAR FOOT	CONDUIT, 2 IN., RIGID, IN TRENCH	
910-52.01	1.00	LINEAR FOOT	CONDUIT, 3 IN., RIGID, IN TRENCH	
910-52.02	1.00	LINEAR FOOT	CONDUIT, 4 IN., RIGID, IN TRENCH	
910-52.03	1.00	LINEAR FOOT	CONDUIT, 5 IN., RIGID, IN TRENCH	
910-53.00	0.50	METER	CONDUIT, 50 MM, RIGID, IN TRENCH	
910-53.01	0.50	METER	CONDUIT, 75 MM, RIGID, IN TRENCH	
910-53.02	0.50	METER	CONDUIT, 100 MM, RIGID, IN TRENCH	
910-53.03	0.50	METER	CONDUIT, 125 MM, RIGID, IN TRENCH	
910-54.01	1.00	LINEAR FOOT	CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, IN TRENCH	
910-54.02	1.00	LINEAR FOOT	CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, IN TRENCH	
910-54.05	0.50	METER	CONDUIT, 100 MM, 3 MULTI-DUCT, RIGID, IN TRENCH	
910-54.06	0.50	METER	CONDUIT, 100 MM, 4 MULTI-DUCT, RIGID, IN TRENCH	
910-62.01	1.00	LINEAR FOOT	CONDUIT, 2 IN., RIGID, MEDIAN	
910-62.02	1.00	LINEAR FOOT	CONDUIT, 3 IN., RIGID, MEDIAN	
910-62.03	1.00	LINEAR FOOT	CONDUIT, 4 IN., RIGID, MEDIAN	
910-62.04	1.00	LINEAR FOOT	CONDUIT, 5 IN., RIGID, MEDIAN	
910-63.01	0.50	METER	CONDUIT, 50 MM, RIGID, MEDIAN	
910-63.02	0.50	METER	CONDUIT, 75 MM, RIGID, MEDIAN	
910-63.03	0.50	METER	CONDUIT, 100 MM, RIGID, MEDIAN	
910-63.04	0.50	METER	CONDUIT, 125 MM, RIGID, MEDIAN	
910-64.01	1.00	LINEAR FOOT	CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, MEDIAN	
910-64.02	1.00	LINEAR FOOT	CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, MEDIAN	
910-64.03	0.50	METER	CONDUIT, 100 MM, 3 MULTI-DUCT, RIGID, MEDIAN	
910-64.04	0.50	METER	CONDUIT, 100 MM, 4 MULTI-DUCT, RIGID, MEDIAN	
910-72.01	1.00	LINEAR FOOT	CONDUIT, 3 IN., RIGID, PUSHED	
910-72.02	1.00	LINEAR FOOT	CONDUIT, 4 IN., RIGID, PUSHED	
910-72.03	1.00	LINEAR FOOT	CONDUIT, 5 IN., RIGID, PUSHED	
910-73.01	0.50	METER	CONDUIT, 75 MM, RIGID, PUSHED	
910-73.02	0.50	METER	CONDUIT, 100 MM, RIGID, PUSHED	
910-73.03	0.50	METER	CONDUIT, 125 MM, RIGID, PUSHED	
910-74.01	1.00	LINEAR FOOT	CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, PUSHED	
910-74.02	1.00	LINEAR FOOT	CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, PUSHED	
910-74.03	0.50	METER	CONDUIT, 100 MM, 3 MULTI-DUCT, RIGID, PUSHED	
910-74.04	0.50	METER	CONDUIT, 100 MM, 4 MULTI-DUCT, RIGID, PUSHED	
910-75.01	1.00	LINEAR FOOT	CONDUIT, 1 1/4 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.02	1.00	LINEAR FOOT	CONDUIT, 2 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.03	1.00	LINEAR FOOT	CONDUIT, 2 1/2 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.04	1.00	LINEAR FOOT	CONDUIT, 3 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.05	1.00	LINEAR FOOT	CONDUIT, 3 1/2 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.06	1.00	LINEAR FOOT	CONDUIT, 4 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.07	1.00	LINEAR FOOT	CONDUIT, 5 IN., RIGID, EXTERNAL ON STRUCTURE	
910-75.21	0.50	METER	CONDUIT, 32 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.22	0.50	METER	CONDUIT, 50 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.23	0.50	METER	CONDUIT, 65 MM, RIGID, EXTERNAL ON STRUCTURE	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
910-75.24	0.50	METER	CONDUIT, 75 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.25	0.50	METER	CONDUIT, 90 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.26	0.50	METER	CONDUIT, 100 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.27	0.50	METER	CONDUIT, 125 MM, RIGID, EXTERNAL ON STRUCTURE	
910-75.41	1.00	LINEAR FOOT	CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE	
910-75.42	1.00	LINEAR FOOT	CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE	
910-75.43	0.50	METER	CONDUIT, 100 MM, 3 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE	
910-75.44	0.50	METER	CONDUIT, 100 MM, 4 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE	
910-76.01	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 2 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.02	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 4 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.03	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 4 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.04	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 6 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.05	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 6 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.06	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 8 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.07	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 IN., 8 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.09	10.00	LINEAR FOOT	CABLE-CONDUIT, 1 1/4 IN., 2 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.41	5.00	METER	CABLE-CONDUIT, 27 MM, 35 MM2, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.42	5.00	METER	CABLE-CONDUIT, 27 MM, 25 MM2, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.43	5.00	METER	CABLE-CONDUIT, 27 MM, 25 MM2, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.44	5.00	METER	CABLE-CONDUIT, 27 MM, 16 MM2, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.45	5.00	METER	CABLE-CONDUIT, 27 MM, 16 MM2, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.46	5.00	METER	CABLE-CONDUIT, 27 MM, 10 MM2, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.47	5.00	METER	CABLE-CONDUIT, 27 MM, 10 MM2, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-76.48	5.00	METER	CABLE-CONDUIT, 35 MM, 35 MM2, 3 CONDUCTORS AND 1 BARE NEUTRAL	
910-81.00	10.00	LINEAR FOOT	CABLE, 10 AWG, 1 CONDUCTOR, POLE AND BRACKET	
910-81.05	5.00	METER	CABLE, 6 MM2, 1 CONDUCTOR, POLE AND BRACKET	
910-82.00	10.00	LINEAR FOOT	CABLE, 0 AWG, 1 CONDUCTOR, POWER	
910-82.01	10.00	LINEAR FOOT	CABLE, 1 AWG, 1 CONDUCTOR, POWER	
910-82.02	10.00	LINEAR FOOT	CABLE, 2 AWG, 1 CONDUCTOR, POWER	
910-82.03	10.00	LINEAR FOOT	CABLE, 3 AWG, 1 CONDUCTOR, POWER	
910-82.04	10.00	LINEAR FOOT	CABLE, 4 AWG, 1 CONDUCTOR, POWER	
910-82.06	10.00	LINEAR FOOT	CABLE, 6 AWG, 1 CONDUCTOR, POWER	
910-82.08	10.00	LINEAR FOOT	CABLE, 8 AWG, 1 CONDUCTOR, POWER	
910-82.10	5.00	METER	CABLE, 70 MM2, 1 CONDUCTOR, POWER	
910-82.11	5.00	METER	CABLE, 50 MM2, 1 CONDUCTOR, POWER	
910-82.12	5.00	METER	CABLE, 35 MM2, 1 CONDUCTOR, POWER	
910-82.14	5.00	METER	CABLE, 25 MM2, 1 CONDUCTOR, POWER	
910-82.16	5.00	METER	CABLE, 16 MM2, 1 CONDUCTOR, POWER	
910-82.18	5.00	METER	CABLE, 10 MM2, 1 CONDUCTOR, POWER	
910-82.50	10.00	LINEAR FOOT	CABLE, 22 AWG, 6 PAIR, PHONE	
910-82.58	5.00	METER	CABLE, 0.14 MM2, 6 PAIR, PHONE	
910-83.02	10.00	LINEAR FOOT	CABLE, 12 AWG, 2 CONDUCTOR	
910-83.03	10.00	LINEAR FOOT	CABLE, 12 AWG, 3 CONDUCTOR	
910-83.04	1.00	EACH	DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED	
910-83.05	10.00	LINEAR FOOT	CABLE, 12 AWG, 5 CONDUCTOR	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
910-83.07	10.00	LINEAR FOOT	CABLE, 12 AWG, 7 CONDUCTOR	
910-83.22	5.00	METER	CABLE, 4 MM2, 2 CONDUCTOR	
910-83.23	5.00	METER	CABLE, 4 MM2, 3 CONDUCTOR	
910-83.25	5.00	METER	CABLE, 4 MM2, 5 CONDUCTOR	
910-83.27	5.00	METER	CABLE, 4 MM2, 7 CONDUCTOR	
910-83.35	1.00	LINEAR FOOT	CABLE, 16 AWG, 3-PAIR CONDUCTOR, INTERCONNECT	
910-83.37	0.50	METER	CABLE, 1.5 MM2, 3-PAIR CONDUCTOR, INTERCONNECT	
910-83.40	10.00	LINEAR FOOT	CABLE, 12 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-83.41	5.00	METER	CABLE, 4 MM2, 2 CONDUCTORS AND 1 BARE NEUTRAL	
910-83.43	10.00	LINEAR FOOT	CABLE, 14 AWG, 2 CONDUCTOR SPEAKER WIRE, SHIELDED	
910-83.44	5.00	METER	CABLE, 2 MM2, 2 CONDUCTOR SPEAKER WIRE, SHIELDED	
910-83.46	1.00	LINEAR FOOT	COAXIAL CABLE, RG-6/U	
910-83.47	0.50	METER	COAXIAL CABLE, RG-6/U	
910-83.48	1.00	LINEAR FOOT	COAXIAL CABLE, RG-8/U	
910-83.49	0.50	METER	COAXIAL CABLE, RG-8/U	
910-83.50	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 6-STRAND, SINGLE MODE	
910-83.51	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 6-STRAND, MULTIMODE	
910-83.52	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE	
910-83.53	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 12-STRAND	
910-83.54	10.00	LINEAR FOOT	FIBER OPTIC CABLE, 48-STRAND	
910-83.60	5.00	METER	FIBER OPTIC CABLE, 6-STRAND, SINGLE MODE	
910-83.61	5.00	METER	FIBER OPTIC CABLE, 6-STRAND, MULTIMODE	
910-83.62	5.00	METER	FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE	
910-83.63	5.00	METER	FIBER OPTIC CABLE, 12-STRAND	
910-83.64	5.00	METER	FIBER OPTIC CABLE, 48-STRAND	
910-83.71	10.00	LINEAR FOOT	CABLE, 18 AWG, 6 PAIR, SHIELDED	
910-83.72	10.00	LINEAR FOOT	CABLE, 18 AWG, 8 PAIR, SHIELDED	
910-83.75	5.00	METER	CABLE, 0.75 MM2, 6 PAIR, SHIELDED	
910-83.76	5.00	METER	CABLE, 0.75 MM2, 8 PAIR, SHIELDED	
910-83.80	1.00	LINEAR FOOT	FIBER OPTIC TERMINATION CABLE, ST, SINGLE MODE	
910-83.81	1.00	LINEAR FOOT	FIBER OPTIC TERMINATION CABLE, ST, MULTIMODE	
910-83.82	1.00	LINEAR FOOT	FIBER OPTIC TERMINATION CABLE, SC, SINGLE MODE	
910-83.83	1.00	LINEAR FOOT	FIBER OPTIC TERMINATION CABLE, SC, MULTIMODE	
910-83.90	0.50	METER	FIBER OPTIC TERMINATION CABLE, ST, SINGLE MODE	
910-83.91	0.50	METER	FIBER OPTIC TERMINATION CABLE, ST, MULTIMODE	
910-83.92	0.50	METER	FIBER OPTIC TERMINATION CABLE, SC, SINGLE MODE	
910-83.93	0.50	METER	FIBER OPTIC TERMINATION CABLE, SC, MULTIMODE	
910-84.00	10.00	LINEAR FOOT	WIRE, 0 AWG, BARE NEUTRAL	
910-84.01	10.00	LINEAR FOOT	WIRE, 1 AWG, BARE NEUTRAL	
910-84.02	10.00	LINEAR FOOT	WIRE, 2 AWG, BARE NEUTRAL	
910-84.03	10.00	LINEAR FOOT	WIRE, 3 AWG, BARE NEUTRAL	
910-84.04	10.00	LINEAR FOOT	WIRE, 4 AWG, BARE NEUTRAL	
910-84.06	10.00	LINEAR FOOT	WIRE, 6 AWG, BARE NEUTRAL	
910-84.08	10.00	LINEAR FOOT	WIRE, 6 AWG, BARE NEUTRAL	
910-84.10	5.00	METER	WIRE, 70 MM2, BARE NEUTRAL	
910-84.11	5.00	METER	WIRE, 50 MM2, BARE NEUTRAL	
910-84.12	5.00	METER	WIRE, 35 MM2, BARE NEUTRAL	
910-84.13	5.00	METER	WIRE, 25 MM2, BARE NEUTRAL	
910-84.14	5.00	METER	WIRE, 16 MM2, BARE NEUTRAL	
910-84.15	5.00	METER	WIRE, 10 MM2, BARE NEUTRAL	
910-85.01	10.00	LINEAR FOOT	CABLE, LOOP DETECTOR, IN DUCT	
910-85.02	5.00	METER	CABLE, LOOP DETECTOR, IN DUCT	
910-85.10	10.00	LINEAR FOOT	CABLE, LOOP DETECTOR, LEAD IN	
910-85.11	5.00	METER	CABLE, LOOP DETECTOR, LEAD IN	
910-86.10	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, ITS	

ITEM NO.	UNIT	TYPE	ITEM DESCRIPTION	LAST UPDATED 12/31/02
910-86.11	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, ITS	
910-86.12	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, ITS	
910-86.21	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, ITS	
910-86.22	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, ITS	
910-86.23	1.00	EACH	POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, ITS	
910-86.60	1.00	EACH	POWER SUPPLY ASSEMBLY, WEIGH IN MOTION	
910-86.81	1.00	EACH	SERVICE POLE, 20 FT. OR 6.1 M, INSTALLED	
910-86.82	1.00	EACH	SERVICE POLE, 25 FT. OR 7.6 M, INSTALLED	
910-86.83	1.00	EACH	SERVICE POLE, 30 FT. OR 9.1 M, INSTALLED	
910-86.84	1.00	EACH	SERVICE POLE, 35 FT. OR 10.7 M, INSTALLED	
910-88.10	1.00	EACH	PULL BOX, PREFORMED CLASS 1	
910-88.11	1.00	EACH	PULL BOX, PREFORMED CLASS 2	
910-88.12	1.00	EACH	PULL BOX, PREFORMED CLASS 3	
910-88.16	1.00	EACH	PULL BOX, PREFORMED CLASS 5	
910-88.20	1.00	EACH	PULL BOX, CONCRETE, STANDARD	
910-88.21	1.00	EACH	PULL BOX, CONCRETE, DOUBLE, TYPE A	
910-88.24	1.00	EACH	PULL BOX, CONCRETE, DOUBLE, TYPE B	
910-91.00	1.00	CUBIC YARD	BASE, CONCRETE	
910-91.05	1.00	CUBIC METER	BASE, CONCRETE	
910-92.01	1.00	EACH	WEIGH-IN-MOTION SCALE, INSTALLED	
910-92.02	1.00	EACH	STATIC WEIGH SCALE, INSTALLED	
910-92.10	1.00	EACH	CURB-MOUNTED FLOOD LIGHT, INSTALLED	
910-92.30	1.00	EACH	DYNAMIC MESSAGE SIGN ASSEMBLY, INSTALLED	
910-92.31	1.00	EACH	DYNAMIC WEIGHT DISPLAY MESSAGE SIGN, INSTALLED	
910-92.40	1.00	EACH	FIELD CONNECTOR, TYPE FC	
910-92.41	1.00	EACH	FIELD CONNECTOR, TYPE SC	
910-92.42	1.00	EACH	FIELD CONNECTOR, TYPE ST	
910-99.01	1.00	LUMP SUM	MISC.	
910-99.02	1.00	EACH	MISC.	
910-99.03	1.00	LINEAR FOOT	MISC.	
910-99.03M	1.00	METER	MISC.	
910-99.07	1.00	CUBIC YARD	MISC.	
910-99.07M	1.00	CUBIC METER	MISC.	