



## SERVICE BUILDING SPECIFICATIONS

Date \_\_\_\_\_

SPECIFICATIONS FOR THE CONSTRUCTION OF \_\_\_\_\_  
(Type of building)

FOR \_\_\_\_\_  
(Name) Address, Including ZIP Code) \_\_\_\_\_

INSTRUCTIONS. Describe all materials and equipment to be included in the proposed work. "Where space is insufficient, enter "See Misc. " and describe under item 18, or attach additional sheets. All work not so described must be shown on the related drawings.

GENERAL. Each item of material and equipment shall equal or exceed that described or indicated. All work shall be performed in a workmanlike manner and in accordance with the best practice.

1. Excavation:  
Bearing soil (describe) \_\_\_\_\_ Minimum depth below finished grade \_\_\_\_\_
2. Foundations:  
Footings: Material \_\_\_\_\_ Mix \_\_\_\_\_ Strength \_\_\_\_\_ psi. Size \_\_\_\_\_ Reinforcing \_\_\_\_\_  
Foundation walls: Material \_\_\_\_\_ Mix \_\_\_\_\_ Strength \_\_\_\_\_ psi. Reinforcing \_\_\_\_\_  
Piers: Material and size \_\_\_\_\_ Mix \_\_\_\_\_ Reinforcing \_\_\_\_\_  
Mortar mix \_\_\_\_\_ Waterproofing (describe) \_\_\_\_\_
3. Chimneys:  
Material \_\_\_\_\_ Flue lining: Size \_\_\_\_\_ Thimble \_\_\_\_\_ Flashing material \_\_\_\_\_
4. Exterior Walls:  
☐ Frame: Sill, plate, or post anchors (describe) \_\_\_\_\_  
Sills or sole plates: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Preservative \_\_\_\_\_  
Posts: species and grade \_\_\_\_\_ Size \_\_\_\_\_ Preservative \_\_\_\_\_  
Studs: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c. Type of bracing \_\_\_\_\_  
☐ Pole type: Poles: Species \_\_\_\_\_ Size \_\_\_\_\_ Preservative \_\_\_\_\_  
☐ Masonry: Material \_\_\_\_\_ Thickness \_\_\_\_\_ Mortar mix \_\_\_\_\_  
Lintels: Material (describe) \_\_\_\_\_  
Sill material: Windows \_\_\_\_\_ Doors \_\_\_\_\_  
Sheathing: Material \_\_\_\_\_ Grade \_\_\_\_\_ Thickness \_\_\_\_\_ Width \_\_\_\_\_  
☐ Diagonal ☐ Horizontal ☐ Solid ☐ Spaced \_\_\_\_\_ " o.c.  
Siding: Material \_\_\_\_\_ Type \_\_\_\_\_ Grade or gage \_\_\_\_\_ Size \_\_\_\_\_  
Exterior painting: Material and number of coats \_\_\_\_\_
5. Floor Framing:  
Mud-sills: species and grade \_\_\_\_\_ Size \_\_\_\_\_ Preservative \_\_\_\_\_  
Girders: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Preservative \_\_\_\_\_  
Joists: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.  
Bridging: Size and type \_\_\_\_\_  
Flooring: (describe) \_\_\_\_\_  
Slabs on ground: Mix \_\_\_\_\_ Strength \_\_\_\_\_ Thickness \_\_\_\_\_ Reinforcing \_\_\_\_\_ Finish \_\_\_\_\_  
Fill under slab: Material \_\_\_\_\_ Thickness \_\_\_\_\_ Waterproofing \_\_\_\_\_
6. Interior Wall Framing:  
Posts: Species and grade \_\_\_\_\_ Size \_\_\_\_\_  
Studs: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.  
Masonry: Material \_\_\_\_\_ Thickness \_\_\_\_\_
7. Ceiling Framing:  
Joists: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.
8. Roof Framing:  
Rafters: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.  
Collar Beams: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.  
Purlins: Species and grade \_\_\_\_\_ Size \_\_\_\_\_ Spacing \_\_\_\_\_ " o.c.  
Sheathing: Species and grade \_\_\_\_\_  
Size and type \_\_\_\_\_ ☐ Solid ☐ Spaced \_\_\_\_\_ " o.c.

Public reporting burden for collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer OIRM, AG Box 7630, Washington, D.C. 20250; and to the Office of Management and Budget, paperwork Reduction Project. (OMB No. 0575-0042), Washington, D.C. 20503, Please DO NOT RETURN this form to either of these addresses. Forward to RD only.

