


# Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

<b>SDoC identification Number<sup>1</sup> - 16/08/2013/02</b>	
<b>Issuer details</b>	
<b>Name<sup>2</sup></b> (of New Zealand manufacturer or importer)	<b>Contact Address</b>
<b>Lighting Direct Limited</b>	<b>10 Parkwood Place</b>
<b>New Zealand Company Number</b> (if applicable)	<b>East Tamaki</b>
-	<b>Manukau 2013</b>
<b>Telephone</b>	<b>Fax</b>
<b>09 273 3444</b>	<b>09 273 3933</b>
<b>Email address</b>	
<b>customerservices@lightingdirect.co.nz</b>	
<b>Medium Risk Article – Details<sup>3</sup></b> (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable)	
<b>ZL02 12646 LEDLUX 11W DL DIMMABLE RD B/CH</b>	<b>KE-CELOO3RD-B/30K</b>
<b>ZL02 12645 LEDLUX 11W DL DIMMABLE RD WH</b>	<b>KE-CELOO3RD-A/30K</b>
<b>ZL02 12800 LEDLUX 11W DL DIMMABLE SQ B/CH</b>	<b>KE-CEL003SD-B/30K</b>
<b>ZL02 13011 LEDLUX 11W DL DIMMABLE SQ WHITE</b>	<b>KE-CEL003SD-A/30K</b>
<b>The medium risk article listed above, fully complies with the standard(s), as listed:-</b>	
<b>Standard number &amp; issue year:-</b> LED RECESSED DOWNLIGHT IEC 60598-2-2:1996 + MOD AS/NZS 60598.2.2 : 2001 Amendment A  <b>LED DRIVER:</b> IEC 61347-1:2000;IEC61347-2-13:2006 AS/NZS 61347.1:2002(AS/NZS Deviations only)	
<b>Standard Title:-</b> Particular requirements – Recessed luminaires IEC 61347-2-13:Particular requirements for d.c or a.c supplied electronic control gear for led modules	
<b>Edition / Amendment status:-</b> IEC 60598-2-2:1996,MOD AS/NZS 60598.2.2 : 2001 Amendment A IEC 61347-1: 2000; IEC 61347-2-13:2006 AS/NZS 61347.1:2002(AS/NZS Deviations only)	
<b>Or complies with the Conformity Cooperation Agreement - Yes / No</b> (Delete as applicable)	
Names and addresses of any testing organisation or body	
<b>Name(s)</b>	<b>Address(es)</b>
<b>Central Point Testing &amp; Technology (Dongguan) Co Ltd .</b>	<b>2F, Hua Jing Building, Wen Hua Road, East City District, Dongguan China</b>
Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:-	
<b>Report/Certification N<sup>o</sup>(s)</b>	<b>Issue date(s)</b>
<b>Test Report Number: 13054593</b>	<b>3/06/2013</b>
<b>Test Report Number: 9260-13-70-13-PP001</b>	<b>02/08/2013</b>
<b>Reference to any management systems involved:-</b>	
<b>Additional<sup>4</sup> information</b>	
<b>Declaration</b>	
I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010  <b>Issuer Identification:</b> (as affixed to the article)	<b>Lighting Direct Limited</b> <b>Name<sup>5</sup> &amp; position, as authorized by the issuer</b> <b>W. FULFORD</b> <b>Director</b> <b>Signature</b> <b>Date</b>  16/08/2013
<b>Continuing validity of the declaration of conformity</b>	
The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity. The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of	

<sup>1</sup> Every declaration of conformity should be uniquely identified.

<sup>2</sup> The responsible issuer must be unequivocally specified.

<sup>3</sup> The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.

<sup>4</sup> Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.

<sup>5</sup> Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organization.

the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

**Additional information regarding the declaration**

“Issuer Identification” as affixed to the article:- this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

Listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles, can be found at:

[http://www.energysafety.govt.nz/templates/MultipageDocumentTOC\\_24889.aspx](http://www.energysafety.govt.nz/templates/MultipageDocumentTOC_24889.aspx)

within the Energy Safety website: <http://www.energysafety.govt.nz>

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

**THIS COMPLETED FORM REMAINS WITH THE ISSUER AS PART OF THE DOCUMENTATION  
REQUIRED AS EVIDENCE OF COMPLIANCE  
DO NOT SUBMIT A COPY OF THIS FORM TO ENERGY SAFETY, UNLESS SPECIFICALLY  
REQUESTED TO DO SO**