NH Public Utilities Commission

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	NHPUC 19MAY 16AH10:50
Basic Information	
Who is submitting this request? Aggregator	
Aggregator Batch Number	
KE051716	
Are you registered in NH Yes No	
Aggregator name Knollwood Energy	
NH Reg #	
Aggregator Email	
karenton@knollwoodenergy.com	
Other Aggregator name	
Other aggregator email address	
Facility Name	
Facility Owner Name	
Harold Seldin	

Facility Owner email
hseldin@roadrunner.com
Owner Phone
413-262-5115
Facility Address
381 Lovell Lake Road
Facility Town/City
Sanbornville
Facility State
NH NH
Facility Zip
03872
O No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON77394
Date of Initial Operation
04/26/2016
Facility Operator Name, if applicable
Panel Make #1
LG
Panel Model
X NeON
Panel Quantity
24
Panel Rated Output
305

NoYes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
No No
O Yes
Panel Make #3
Panel Model
Panel Quantity
ranei Quantity
Panel Rated Output
System capacity based on panels
7320
Inverter Quantity
24
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None

Rated Output - Primary Inverter
250
Rated Output - Additional Inverter
System capacity based on single inverter make
6000
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
6.0
Revenue Grade Meter Make
Hialeah
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Troy Diamond 12218M
Other Electrician Name & Number
Installation Company
Granite State Solar
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
- 10 B.

Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6795043_xtHFTdJw_Seldin_IC.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.

https://fs30.formsite.com/jan1947/files/f-5-168-6795043_t6OrWFPc_Seldin_NHOS.pdf

Please attach additional document here

Please attach additional document here

Kandon

https://fs30.formsite.com/jan1947/files/f-5-173-6795043_ozNDglqJ_Seldin_SIA.pdf

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

05/16/2016

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections


DEGETVE APR 26 2016

Mailing Address: 381 Lovell Lake Rd			
City: Sanbornville	State: New Hampshire	Zip Code:	03872
Telephone (Daytime): (413) 262-5115	(Evening):		
Facsimile Number:	E-Mail Address; hseldin@r	oadrunner.com	1
Facility Information: —>	Eversource Met	s 7570 er #_D8857770	3938 as 40
Address of Facility (if different from above):			
City	State	Zip Code:	
Electrical Contractor Contact Information:			
Blectrical Contractor's Name (if appropriate); Gi	canite State Solar		
Mailing Address: 197 North Main St			
City: Boscawen	State. New Hampshire	Zip Code: _	03303
Telephone (Daytime): (603) 369-4318			
Facsimile Number:	E-Mail Address: justin@gra	nitestatesola	r.com
License number: 0366 C			
Date of approval to install Facility granted by the	Company: 11/06/16		
Eversource Application ID number: #N 4528			
Intracertions:			
The system has been installed and inspected in con	npliance with the local Building/Elec	ntrical Code of:	
sin: Sanbornville	County:Carroll		
Signed (Local Electrical Wiring Inspector of attack			
Name (printed): Tro V DIAMEY	<u> </u>	Date: 4	26/16
ustomer Certification:			
hereby certify that, to the best of my knowledge, completion is true and correct. This system has be tandards. Also, the initial start-up test required by	en installed and shall be operated in	compliance with	
Please remember to provide digital photos of the equired), the existing Eversource meter, the in	e installation, including the AC dis	connect switch	

As a condition of interconnection you are required to send/fax a copy of this form to:

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330
Fax No.: (603) 634-2924

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement

Contact Information:			
Legal Name and Address of Interconnecting Custom	er (or, Company name, if appropriate)		
Customer or Company Name (print): Harold Seldin			
Contact Person, if Company:			
Mailing Address: 301 Lovell Lake No	3-40-3-41-	.00070	
City: Sanbornville State:		Zip Code: 03872	
Telephone (Daytime): (413) 262-5115		t	
Facsimile Number:	E-Mail Address: hseldin@	oadrunner.com	
Alternative Contact Information (e.g., System inst Name: Granite State Solar	tallation contractor or coordinating con	npany, if appropriate):	
Mailing Address: 197 North Main St			
City: Boscawen State:	New Hampshire	Zip Code: 03303	
Telephone (Daytime): (603) 369-4318	(Evening):		
Facsimile Number:			
Name:			
그런 그런 사람들이 그렇게 되었다면 내가 되었다면 그렇게 그리고, 그렇게 되었다면 하다 없었다.			
City: State:		Zip Code:	
City: State: Telephone (Daytime):	(Evening):		
City: State: Telephone (Daytime):	(Evening):		
City: State: Telephone (Daytime):	(Evening):		
City: State: Telephone (Daytime): Facsimile Number: State: Facility Site Information:	(Evening):		
City:State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd	(Evening): E-Mail-Address:		
City:State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd	(Evening):		
City: State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd City: Sanbornville State:	(Evening): E-Mail-Address: NH	Zip Code: 03872	
City: State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd City: Sanbornville State: Service Company: Eversource Accounts	(Evening):	Zip Code: 03872 Meter Number: 088577705	,
City: State: Telephone (Daytime): Facsimile Number: State: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd City: Sanbornville State: Service Company: Eversource Account Account and Meter Number: Please consult an actual	(Evening): E-Mail Address: NH nt Number: 56996666078	Zip Code: 03872 Meter Number: 088577705 correct Account Number and Me	ter
City: State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd City: Sanbornville State: Electric Service Company: Eversource Account Account and Meter Number: Please consult an actual Number on this application. If the facility is to be instituted.	(Evening): E-Mail Address: NH	Zip Code: 03872 Meter Number: 088577705 correct Account Number and Me	ter
City: State: Telephone (Daytime):	(Evening): E-Mail Address: NH	Zip Code: 03872 Meter Number: 088577705 correct Account Number and Me	ter
City: State: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: 381 Lovell Lake Rd City: Sanbornville State: Electric Service Company: Account Account and Meter Number: Please consult an actual Number on this application. If the facility is to be ins Eversource Work Request #	(Evening): E-Mail Address: NH	Zip Code: 03872 Meter Number: 088577705 correct Account Number and Me	ter
Mailing Address:	(Evening): E-Mail Address: NH	Zip Code: 03872 Meter Number: 088577705 correct Account Number and Mee the Eversource Work Request r	der

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:		
Generator/	Model Name &	24 /
Inverter Manufacturer: Enphase	Number: m250	Quantity: 24
Nameplate Rating: .250 (kW)	(kVA) <u>240</u> (AC Volts)	Phase: Single Three
Nameplate Rating: The AC Nameplate rating of the	individual inverter.	
System Design Capacity: 6 (kW)	(kVA) Battery Backup:	Yes No No
System Design Capacity: The system total of the inv sum of the AC nameplate ratings of all inverters.	erter AC ratings. If there are multiple	inverters installed in the system, this is the
Net Metering: If Renewably Fueled, will the accoun	t be Net Metered? Yes No	
Prime Mover: Photovoltaic Reciprocating E		
Energy Source: Solar Wind Hydro		
Inverter-based Generating Facilities:		
UL 1741 / IEEE 1547.1 Compliant (Refer To Part Po	ie 906 Compliance Path For Inverter Ui	nits, Part Puc 906.01 Inverter Requirements)
The standard UL 1741.1 dated May, 2007 or later, "Systems," addresses the electrical interconnection desubmit their equipment to a Nationally Recognized term "Listed" is then marked on the equipment provided by the inverter manufacturer describing	esign of various forms of generating ex resting Laboratory (NRTL) that verific nt and supporting documentation	uipment. Many manufacturers choose to es compliance with UL 1741.1. This e. Please include, any documentation
External Manual Disconnect Switch:		
	The State of the S	
An External Manual Disconnect Switch shall be inst Interconnections For Facilities, Puc 905.01 Requireme		
Yes No	no I of Discounted on Relies and 700.02	Disconnect Switch
Location of External Manual Disconnect Switch:	ext to the meter	
Document of Line had related Discouncet Switch.		
Project Estimated Install Date: November	Project Estimated In-Se	rvice Date: November
Interconnecting Customer Signature:		
I hereby certify that, to the best of my knowledge, al	Lof the information executed in this a	unlication is two and I agree to the Tarme
and Conditions for Simplified Process Interconne		phicadon is true and ragice to the Terms
1/ 10 01	CHOIN AUGUSTON TOTOLO.	
Customer Signature: Heareld Sell	Title: Homeowner	Date upo /15
Please include a one-line and/or three-line diagram point in relation to the customer service panel and returned.		
1	For Eversource Use Only	
Approval to Install Facility:		
Installation of the Pacility is approved contingent up	on the Terms and Conditions For Sim	plified Process Interconnections of this
Agreement, and agreement to any system modification		THE THE PERSON OF THE PERSON O
이 가장 가는 사람이 되었다. 이 사람들은 경기 사람들이 되었다면 하는 것이 되었다면 되었다. 그 사람들이 되었다.	To be Determined	
1.111.1		
Company Signature: Lull Wolf	R Title: SR. G	14.1 NEEL Date: 11.9.15
Eversource SPIA rev. 03/14		Page 2 of 4

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No	Date of inspection/Witness Test:
--	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource SPIA rev. 03/14 Page 3 of 4

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

HAROLD SELDIN

Printed Name of signature owner

Signature of system owner