

We, BERNER INTERNATIONAL GMBH, herewith declare,
that the following **Personal Protective Equipment (PPE)**

Description: Neoprene protective gloves for cytostatic
drugs and biological agents
Berner Manu Prene **XP** Extra Protection



Specification: Sterile and non sterile

Colour: Latte Macchiato (beige)

Item no.: 2010, 2011, 2012, 2013, 2014, 2015, 2016,
2017, 2018, 2019, 2020, 2021, 2022, 2023

complies with the requirements of the **EC Directive 89/686/EEC for personal protective equipment and the harmonised standards:**

European Standard:

- DIN EN 374 part 1, 2 and 3 (2003)
- DIN EN 388 (2003)
- DIN EN 420-3 (2003)



The PPE is identical with the **EC type tested one**, which was
the object of the issued **EC-Type Test Certificate no.**
PS 12050025 from the **notified body 0299**

DGUV Test, Testing and certification body,
Technical committee for personal protective equipment,
Zwengenberger Strasse 68, D-42781 Haan, Germany

Furthermore the PPE is subject to the control measures by the notified body
DGUV Test (0299) in accordance with **art. 11B (EC quality management system) of the EC directive 89/686/EEC.**

Elmshorn, 6 February 2013

Place / Date

Dipl.-oec. Guido Maik
Head of Marketing &
Product Management

We, BERNER INTERNATIONAL GMBH, herewith declare,
that the following **Personal Protective Equipment (PPE)**

Description: Neoprene Protective Gloves for cytostatic
drugs and biological agents



BERNER Manu Prene ^{Extra} **XP** Protection

Specification: Sterile and non-sterile

Colour: Latte Macchiato (beige)

Item nos.: 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017,
2018, 2019, 2020, 2021, 2022, 2023

in addition to the PPE-requirements in accordance with EN 420, complies with
the requirements of the EC Council directive 93/42/EEC (EN 455 Parts 1-3).
The quality management system in accordance to BS EN ISO 13485 is provid-
ed by the notified body.

**European
Standard:**

- EN 455-1: 2000
- EN 455-2: 2000
- EN 455-3: 2006



Notified body 0086

British Standards Institution
BSI Healthcare and Testing Services
Kitemark House, Maylands Avenue
Hemel Hempstead, HP2 4SQ, United Kingdom

Elmshorn, 24 May 2012

Place / Date

Dipl.-Oec. Guido Maik
Head of Marketing &
Product Management