



Linda S. Adams
Agency Secretary

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful



Arnold Schwarzenegger
Governor

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Mr. Bryan Langpap
County Sanitation District No. 2
1955 Workman Mill Road
Whittier, CA 90601

WATER QUALITY CERTIFICATION FOR PROPOSED JOINT OUTFALL "B" UNIT 1D TRUNK SEWER, SECTION 2 PROTECTION-2007 PROJECT (Corps' Project No. SPL-2006-31-PHT), WHITTIER NARROWS, CITY OF WHITTIER, LOS ANGELES COUNTY (File No. 07-067)

Dear Mr. Langpap:

Regional Board staff has reviewed your request on behalf of County Sanitation District No.2 for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on May 10, 2007.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.

[Original Signed By David Bacharowski, AEO]
Deborah J. Smith
Interim Executive Officer

June 19, 2007
Date

California Environmental Protection Agency



Recycled Paper

Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

DISTRIBUTION LIST

Oscar Balaguer
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Naaem Siddiqui
California Department of Fish and Game
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Steven John
U.S. Environmental Protection Agency
600 Wilshire Boulevard, Suite 1460
Los Angeles, CA 90017

Dave Smith
Supervisor, Wetlands Regulatory Office (WTR-8)
US EPA, Region 9
75 Hawthorne
San Francisco, CA 94105

Ken Berg
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92009

ATTACHMENT A

Project Information File No. 07-067

1. Applicant: County Sanitation District Number 2
1955 Workman Mill Road
Whittier, CA 90601

Phone: (562) 908-4288 x 2770 Fax: (562) 695-1874
2. Applicant's Agent: Bryan Langpap
3. Project Name: Joint Outfall "B" Unit 1 D Trunk Sewer, Section 2 Protection-2007
4. Project Location: Whittier Narrows area, Los Angeles County
- | <u>Longitude</u> | <u>Latitude</u> |
|------------------|-----------------|
| 118.0696° W | 34.0248° N |
| 118.0698° W | 34.0244° N |
5. Type of Project: Sewer line protection
6. Project Description: The purpose of the proposed project is to place riprap on and around the unearthed sewer line within a Army Corps of Engineers channel to protect the sewer from a flood-induced rupture.

The exposed portion of a Los Angeles Sanitation Districts' sewer line runs north to south, perpendicular through the flood flow channel between the San Gabriel River and the Rio Hondo River. The exposed section of sewer line is to the east of Rosemead Blvd. where the flow channel crosses under the road approximately 0.5 miles south of the San Gabriel Blvd. and Rosemead Blvd. intersection in the Whittier Narrows Flood Control Basin. The entire flood control area is designated a wildlife sanctuary. During times of high water volume, excess water from the San Gabriel River is directed by dam controls into the flood flow channel to be carried through the flood basin to the Rio Hondo.

The immediate project area is characterized by a deep channel running centrally through the flood basin under Rosemead Blvd.

ATTACHMENT A

Project Information File No. 07-067

between Whittier Narrows Dam and Durfee Ave. The channel is comprised of a fine gravel and sand bottom with large boulders and broken concrete slabs that have fallen away from the constructed sides due to flood damage. The deepest section of the channel runs along the steep-cut southwestern side of the stream just before water is forced into the narrower passage under Rosemead Blvd. and contains the exposed 140 foot section of the sewer line which extends across the gradually rising channel to the north where the sewer line becomes covered again. The higher ground to the southwest of the channel is vegetated by a mix of annual grasses, exotic species, and shrubs such as *Lepidium* spp., *Rumex crispus*, and *Xanthium* spp. with a few willow trees (*Salix* sp) along the channel edge. Towards the center of the channel, continuing to the northern side, the invasive *Arundo donax* dominates, with a sparse willow tree (*Salix* sp) over story, creating vegetated corridors for wildlife movement.

The project consists of the movement of up to 500 cubic yards of sandy fill at the site to allow for the placement of approximately 2,000 cubic yards of riprap on and around an unearthened sewer line. The sewer line began to be unearthened following vegetation clearing activities in the area over the past year. The riprap will be placed to prevent future erosion around the sewer line and to prevent a rupture of the line. As part of the construction activity, up to 5 willow trees may be trimmed prior to placing the riprap. However, all willow trees will be left within the channel to regrow and will not be removed.

A temporary access ramp in the upland area adjacent to the channel will be required for the repair work. The access ramp and staging area will be approximately 300 ft in length with a total area of 0.14 acres. Construction of the ramp and staging area will require approximately 1,700 cubic yards of fill material. The access ramp will be temporary and will be removed upon completion of the project. Following the completion of the project, the site will be returned to the pre-existing conditions.

7. Federal
Agency/Permit:

U.S. Army Corps of Engineers
NWP No. 3 (Permit No. SPL-2006-31-PHT)

ATTACHMENT A

Project Information File No. 07-067

8. Other Required Regulatory Approvals: California Department of Fish and Game Streambed Alteration Agreement
9. California Environmental Quality Act Compliance: The Los Angeles County Sanitation District No. 2 has determined that the proposed project is Categorically Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 (Replacement or Reconstruction).
10. Receiving Water: San Gabriel River (Hydrologic Unit No. 405.15)
11. Designated Beneficial Uses: MUN*, IND, PROC, GWR, REC-1, REC-2, COMM, AQUA, WARM, WILD, RARE

*Conditional beneficial use
12. Impacted Waters of the United States: Non-wetland waters (unvegetated streambed): 0.14 temporary and 0.28 permanent acres
13. Dredge Volume: None
14. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has identified the following related projects carried out in the last 5 years:

JOB Unit 1D Trunk Sewer Emergency Repair- This project relates to the proposed activity because work was done on the same exposed pipeline. The work involved an emergency repair in which slurry and a strongback (I-beam) were used to prevent the exposed pipeline from buckling. This work was completed in May 2005.

JOB Unit 1D Trunk Sewer Repair- This project relates to the proposed activity because work was done on the same exposed pipeline. The project repaired the existing exposed sewer and was completed in November- December 2005.

ATTACHMENT A

Project Information File No. 07-067

15. Avoidance/
Minimization
Activities:

The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:

- The contractor will be required to implement all appropriate site specific BMP's as described in the California Storm Water Best Management Practice Handbook.

16. Proposed
Compensatory
Mitigation:

The Applicant has proposed to return all areas impacted to pre-existing conditions. In addition, an *Arundo donax* eradication and riparian restoration plan will be developed for the flood flow channel. *Arundo donax* and all other invasive species will be removed. The applicant also identified the possibility of restoration of other areas of the channel by removing some of the damaged "rip-rap" under and surrounding the Rosemead Blvd. bridge in addition to removing the concrete poured to stabilize the sewer line.

17. Required
Compensatory
Mitigation:

In order to provide compensatory mitigation for permanent impacts (0.28 acres) associated with the proposed project, the Applicant shall provide mitigation at a ratio of 3:1 for a total of 0.84 acres. In order to provide compensatory mitigation for temporary impacts (0.14 acres) associated with the proposed project, the Applicant shall provide additional mitigation at a ratio of 1:1 for a total of 0.14 acres and, therefore, a project total of 0.98 acres. The mitigation shall be onsite and shall consist of arundo removal in the project vicinity and enhancement by removing any unnecessary rip-rap or concrete within the channel, in order to provide more capacity within the channel.

See Attachment B Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 07-067

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and polices set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 15, are incorporated as additional conditions herein.

ATTACHMENT B

Conditions of Certification File No. 07-067

5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved maintenance plan, and all other regulatory approvals for this project on site at all times so they are familiar with all conditions set forth.
6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact Rodney Nelson, Land Disposal Unit, at (213) 620-6119 for further information.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.

ATTACHMENT B

Conditions of Certification File No. 07-067

12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2004-0008-DWQ and 2004-0009-DWQ.
14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. The grading, stabilization and re-vegetation will be phased to limit the exposed or working face such that the graded area can be stabilized within 24 hours after the first prediction of rain during the 5-day forecast or within 24 hours after final grading of the phased area.
16. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during all construction activities involving vegetation clearing. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
17. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste. Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.
18. All construction activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.

ATTACHMENT B

Conditions of Certification File No. 07-067

19. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:
- pH
 - temperature
 - dissolved oxygen
 - turbidity
 - total suspended solids(TSS)
 - Downstream TSS shall be maintained at ambient levels
 - Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%.

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

20. The Applicant shall restore the proposed **0.14 acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.

ATTACHMENT B

Conditions of Certification File No. 07-067

21. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed permanent loss of **0.28 acres** waters of the United States by restoring riparian habitat at a minimum **3:1** area replacement ratio (**0.84 acres**) and temporary loss of **0.14** acres of waters of the United States by restoring riparian habitat at a minimum **1:1** area replacement ratio (**0.14 acres**). The restoration shall include the removal of *arundo donax* and any other invasive species, as well as replanting with natives within the project mitigation area and enhancement by removing any unnecessary rip-rap or concrete within the channel.
22. All open space and mitigation areas shall be placed within a conservation easement to ensure preservation in perpetuity. Documentation of proper easement placement shall be submitted to the Regional Board within one year.
23. The Applicant shall submit to this Regional Board **Annual Mitigation Monitoring Reports** by **January 1st** of each year for a minimum period of **five (5) years** after planting or until mitigation success has been achieved. The report shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. This report shall include as a minimum, the following documentation:
 - (a) Color photo documentation of the pre- and post-project and mitigation site conditions;
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
 - (c) The overall status of project including a detailed schedule of work;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of “no net loss” of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
24. Prior to any subsequent maintenance activities within the project area, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (c) a description of any existing

Conditions of Certification
File No. 07-067

_____(Signature)
_____(Title)''

- 6 of 8

ATTACHMENT B

Conditions of Certification File No. 07-067

NPDES No. CAS004001 and Waste Discharge Requirements Order No. 01-182. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 99-08-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.

30. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
31. A copy of this Certification shall be kept at the project site during any period while project activities are being conducted, and shall be available upon request to any staff from this Regional Board.
32. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
33. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
 - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board

ATTACHMENT B

Conditions of Certification File No. 07-067

(RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.

- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
34. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.