

Crescent City Natural Gas

<http://www.crescentcity-fl.com/naturalgas.htm>

Manhole & Catch Basin Leak Survey 3

Total # Surveyed This Page:

Total # Positive "Gas" This Page:

Total # Positive This Page:

Total # Positive "Other Gas" This Page:

Total # Negative This Page:

NOTE: Method of determination of "Gas" vs "Other Gas" is performed with "Combustible Gas Indicator".



Crescent City Natural Gas
3 N. Summit St.
Crescent City, Florida
32112

Phone: 386-698-1486
Fax: 386-698-3467

Area Surveyed

(I.E.; City or Town Name, District, or Area)

| Location | # of Manholes This Location | # of Catch Basins This Location | # Positive "Gas" | # Positive "Other Gas" | # Negative | Exact Location & Description of All Positive Readings |
|----------------------------|-----------------------------|---------------------------------|------------------|------------------------|------------|---|
| Palmetto St. & 10th Av. | 1 | 0 | | | | |
| Palmetto St. & 11th Av. | 1 | 0 | | | | |
| Walnut St. & 5th Av. | 2 | 4 | | | | |
| Pine St. & C.R. 309 | 1 | 0 | | | | |
| Pine St. & 5th Av. | 3 | 3 | | | | |
| Pine St. at the ball park | 1 | 1 | | | | |
| 540 Pine St. | 2 | 1 | | | | |
| Pine St. & 6th Av. | 3 | 1 | | | | |
| Orange St. & Greenwood Av. | 1 | 0 | | | | |
| 608 Orange St. | 1 | 0 | | | | |
| Orange St. & 4th Av. | 1 | 0 | | | | |
| Orange St. & 1st. Av. | 1 | 0 | | | | |
| 10 Boston St. | 1 | 0 | | | | |
| 101 Boston St. | 1 | 0 | | | | |
| Boston St. & 2nd Av. | 1 | 0 | | | | |

Survey Technician: _____

Date:

Survey Method: