FRONT OF HALF SHEET POSTCARD

BLEED

SAFE ZONE

THIS TEMPLATE CAN BE USED FOR ANY SIZE POSTCARD. ADJUST THE DOCUMENT PAGE SIZE KEEPING: BLEEDS = .125" (1/8 IN) SAFE ZONE = .1875 (3/16 IN)

BACK OF HALF SHEET POSTCARD - AUTOMATED PRESORT



used in Photoshop or Illustrator.

Avoid the use of ligatures. Turn off ligatures in default settings.

barcode area, DDI will input

<<City>>, <<State>> <<ZIP>>

The text box itself must be less than or equal to 3.25" wide. This is not the clear space.


> **CLEAR SPACE** required for Automated Processing indicated by Purple Area 3.75" x2.75"

١.

~

DO NOT place any color, or artwork 3.75" as measured from the right edge and 4.0" as measured from the bottom.

BACK OF HALF SHEET POSTCARD - STAMPED



THIS TEMPLATE CAN BE USED FOR ANY SIZE POSTCARD. ADJUST THE DOCUMENT PAGE SIZE KEEPING: BLEEDS = .125" (1/8 IN) SAFE ZONE = .1875 (3/16 IN)

Please, include your data column headers in a separate layer with << >> around each field as shown to the right.

You may include up to four lines in the addressing area, using 10 to 12 pt font.

Please, remember to include all fonts in packaged file, including any used in Photoshop or Illustrator.

Avoid the use of ligatures. Turn off ligatures in default settings.

ADDRESSING AREA

MINIMUM CLEAR SPACE suggested by DDI indicated by Purple Area for Addressing

USPS Requires 4.75" x .625" DO NOT place any color, or artwork 4.75" as measured from the right edge and .625" as measured from the bottom.