Permit Office

Honesdale Borough

Resale/Rental Unit Inspection Request

I hereby request an inspection of	the structure(s) listed	below:				
Zoning District : Site	e Address:					
No. of Units: Municipa	ality:	Tax Parcel #				
Owner (s): Name:		Phone #				
Mailing Address						
		Intended Structure Use:				
Number of Bedrooms per un	it: N	Service: (Check) □ Public □ Private (Septic Permit_ Number of Bathrooms Per Unit				
☐ <u>Buyer</u> ☐ <u>Tenant</u> Name:	t Unit #	— Phone #				
	Name: Phone # Address Attach Listing of All Tenants					
\$140.00 PER UNIT FEE		esale, whichever occurs first. There is a required application.				
INSPECTION FEE CERTIFICATE FEE TOTAL DUE PER UNIT	\$90.00 \$50.00 \$140.00	Make check payable to: Honesdale Borough 958 Main Street, Honesdale, PA 18431				
I am requesting an inspection on ((Date):					
Signature of Owner or Authorized Ag	gent	Print Name of Owner or Authorized Agent				
Address		 Date				
Is the abov	ve signature that of the	ne owner? 🗌 Yes 🔲 No				

Resale Inspection Items

This is a comprehensive list of the types of health and life safety code items and local regulations normally checked during a typical resale inspection. Each item is checked to the codes that were in effect at the time the house was originally constructed (or any subsequent work was done). Codes can be revised every three years, so the specific details of the requirements will vary from house to house depending on the date of construction or subsequent permits.

Air Co	onditioner
	■ Wall Unit: Disconnect, branch or dedicated circuit, wiring methods and materials.
	☐ Central Unit: Disconnect, wiring methods and materials, condensate/overflow.
	oom(s)
	☐ Water Closet: Ballcock, critical level, water connector.
	Shower Enclosure: Height, glazing, piping, caulking.
	☐ Sink: See plumbing section
	☐ Electrical: Operable fan if a window isn't present, grounding of electric wall heaters, GFCI, etc
Bedro	
	☐ Emergency Egress: Must have an approved door/window to the exterior (no opening/door allowed
	between a garage and a room used for sleeping purposes).
	☐ Smoke Detectors: See smoke detector section
	ical (general)
	Devices: Secured, approved materials/methods, correct wiring, coverplates, knock-out seals, no
	extension or zip cords, accessibility, no ungrounded light fixtures within immediate vicinity of
	sink/laundry/water source, proper installation and support of paddle fans.
	☐ Wiring: Approved materials/methods, protection, connectors, no extension/zip cords.
	☐ GFCI: Where required, properly functioning.
	☐ Main Panel or Subpanel: Cover/deadfront panels, circuits properly sized and labeled, separate
	circuits where required, tie bars/clips @ twin 240V breakers, blanks at missing knock outs,
	accessibility, "S" type for 15/20 amp fuses.
Firenl	ace/Insert/Wood Stove
_	☐ General: Grouting within firebox and at hearth, adequate hearth depth/width, clearance to
	combustibles, exterior masonry chimney not pulled away from the house.
	☐ Gas Log Lighter: Gas line and shut off installation.
	☐ Artificial Gas Logs: Positive/permanent ventilation @ damper.
	ce/Heating Unit
	☐ Combustion Air: Adequate vents or volume, positive separation.
	Gas Line: Shut off handle, connector.
	☐ Miscellaneous: Condensate line, overflow line.
	☐ Venting: Material, clearance to combustibles, continuous, pitch.
	•
Garag	
	☐ House/Garage Door: Adequate firewall integrity, no animal access, self closing (if built since 1976)
	□ Electrical: wiring/disconnect for any garage door opener, GFCI where/if required, no zip/extension
	cords, free floating wiring. Firewall: Integrity penetrations, proper protection of any attic access door
	 □ Firewall: Integrity, penetrations, proper protection of any attic access door. □ Miscellaneous: Overhead storage integrity, garage conversions (habitable vs. non-habitable) and
	effect on off-street parking and firewall requirements, no exposed vapor barriers @ any insulation.

Kitch	en							
		Electrical: Wiring methods/materials and electrical ground for all built-in appliances.						
		Dishwasher: Air gap for discharge line, separate (with disposer only OK) 20-amp circuit.						
		Hood Fan: Venting, seal around wall/ceiling penetration to negate potential fire path.						
		Disposer: Drain, cord clamp/secure @ base, disconnect.						
		Sink: See general plumbing section.						
Local		odes/Ordinances						
		Visual Blight: Inoperable vehicles, discarded a visible from the street.	applianc	ees, accumulation of personal property	where			
		Zoning: Setbacks of building and accessory str	ructures	off street parking, fencing and landsc	ape			
		height limitations within setbacks, limit on		<u> </u>	-			
		Exterior: Address house numbering, vent term	nination	s and storm cap covers, broken window	vs, no			
		bars on bedroom windows, weather-tight electrical devices and wiring, rodent proofing of attic						
		and/or raised sub-floor areas.						
		☐ Permits: Obtain permits as required/applicable (see resale report and/or handout), any outstandin						
	_	permits on file must be finalized.						
	Ц	Stairways: Handrail provided/secured, guardrail with appropriate intermediate railings as						
.		applicable, rise/run, tread, returns, etc.						
Plum		ng (General)	((7))					
		Drain Lines: Approved materials/size/methods	ls, "P" tı	caps required, "S" or double traps not				
	_	ermitted, trap seal, drain slope, no leaks.						
		Supply Lines: Approved materials/methods.	ation					
Da a1/6		Venting: Approved materials/methods, terminals/sets	auon.					
Pool/S	_							
		Electrical: GFCI protection as applicable. Enclosure: Fencing and gates as required by m	nunicina	ality				
Smalz		Detectors	numerpa	mity.				
SIIIUK		Audible: Operable units with any light indicate	or or ac	cassible button test properly functionin	Œ			
		Location: At hallway, top and bottom of s						
			-					
	changes in ceiling heights, doors that close off hallways, any whole house fan or return air grille in the ceiling, and any unusual hallway/floor plans. See Diagram.							
		Type: 120V/permanantly wired units required						
Water		leater						
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Combustion Air: Adequate vents or volume, p	positive	separation.				
		☐ Gas Line: Shut off handle, connector.						
		Miscellaneous: Seismic bracing, pipe insulation	on.					
		Pressure Relief: Discharge line of approved m		with proper termination.				
	☐ Venting: Material, Clearances to combustibles, continuous, pitch, screws @ single wall joints.							
		APPROV	VALS					
COL)F	ENFORCEMENT OFFICER						
	_			Payment Received				
Signa	atur	re:		<u>r uj ment receiveu</u>				
				Fee Paid: \$				
Date Issued				Date:				
PERMIT #				Method:				
(7.11	· ··-		Received By:				