International Label APIs

USPS Web Tools™ Application Programming Interface User's Guide

Document Version 5.2 (1/25/2015)



Contents

Introduction to Web Tools	3
Before you get started:	3
Priority Mail Express International Label API	3
Overview	3
API Signature	4
Request Descriptions	4
Sample Requests	
Response Descriptions	
Sample Response	
Label Diagram (Full Size)	19
Label Diagram (4X6)	
Tagged Label Diagram	25
Error Responses	25
Priority Mail International Label API	
Overview	26
API Signature	26
Request Descriptions	26
Sample Requests	39
Response Descriptions	41
Sample Response	43
Label Diagram (Full Size)	44
Label Diagram (4X6	47
Tagged Label Diagram	50
Error Responses	50
First Class Mail International Label API	51
Overview	51
API Signature	51
Request Descriptions	51
Sample Request	60
Response Descriptions	61
Sample Response	62
Label Diagram	64
Tagged Label Diagram	65
Error Responses	66

Introduction to Web Tools

This document contains a Reference Guide to the international label APIs, Priority Mail Express International, Priority Mail International and First Class Mail International. See the Developer's Guide to learn the administrative process for gaining access to the Web Tools APIs as well as the basic mechanism for calling the APIs and processing the results. The Developer's Guide also contains information on testing and trouble-shooting.

Note: The Request Parameter sections present the XML input tags for generating live requests along with the restrictions on the values allowed. An error message will be returned if an incorrect value is entered. Also, be aware of the maximum character amounts allowed for some tags. If the user enters more than those amounts, an error will not be generated. **The Web Tool will simply pass in the characters up to the maximum amount allowed and disregard the rest.** This is important since the resulting value could prevent a correct response.

When building the XML request, pay particular attention to the **order and case** for tags. An error message will be returned if an incorrect value is entered. Remember that all data and attribute values in this document are for illustration purposes and are to be replaced by your actual values. For instance, a line of sample code may be:

<Pounds>2</Pounds>

In this instance, you will replace "2" with the weight in pounds for the package.

Before you get started:

For information on registering and getting started with Web Tools, please refer to the <u>Step-By-Step guide</u> found on the <u>Technical Documentation</u> section of the Web Tools page on <u>usps.com/webtools</u>.

Label APIs require extra permissions; contact the Internet Customer Care Center (uspstechnicalsupport@mailps.custhelp.com) to request access. Indicate "Label API Access" in the subject line and explain in the body of the email:

- 1. How the shipper intends to purchase and apply postage to the labels
- 2. If the label image provided by the API will be modified in any way by the shipper or the software

Priority Mail Express International Label API

Overview

The Priority Mail Express International Label API lets customers generate Priority Mail Express International labels given the weight and dimensions of the item.

API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=ExpressMailIntl	&XML=(see Tag Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=ExpressMailIntlCertify	&XML=(see Tag Descriptions below)

Note: The "ExpressMailIntlCertify" API signature is for testing purposes and will not generate usable labels and barcodes.

Request Descriptions

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest	required once		(group)	
ExpressMailIntlRequest / @USERID	required	This attribute specifies your Web Tools ID. See the Developer's Guide for information on obtaining your USERID.	string	
ExpressMailIntlRequest / Option	optional	For future use.	empty	
ExpressMailIntlRequest / Revision	optional	Use of value 2 required as of January 2011. For example: <revision>2</revision>	string	minLength=0 pattern=\d{1} pattern=
ExpressMailIntlRequest / ImageParameters	optional	Groups alternate image options.	(group)	
ExpressMailIntlRequest / ImageParameters / ImageParameter	Optional, repeating up to 3 times	Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. For example: <imageparameter>4BY6LABEL</imageparameter>	string	Enumeration=4BY6LABEL
ExpressMailIntlRequest / FromFirstName	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromfirstname>John</fromfirstname>	string	maxLength=30 minLength=0 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
ExpressMailIntlRequest / FromMiddleInitial	optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <frommiddleinitial>L</frommiddleinitial>	string	maxLength=1 Restriction enforced via truncation
Express Mail Int I Request / From Last Name	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromlastname>Doe</fromlastname>	string	maxLength=30 minLength=0 Restriction enforced via truncation
ExpressMailIntlRequest / FromFirm	optional	FromFirm is required if FromFirstName and FromLastName are left blank. For example: <fromfirm></fromfirm>	string	maxLength=32 Restriction enforced via truncation
ExpressMailIntlRequest / FromAddress1	optional	Use this tag for a suite or apartment number only. Either Address1 or Address2 is required. For example: <fromaddress1></fromaddress1>	string	maxLength=32 Restriction enforced via truncation
ExpressMailIntlRequest / FromAddress2	required once	Use this tag for the primary address line. For example: <fromaddress2>10 Elm Street </fromaddress2>	string	maxLength=32 Restriction enforced via truncation
ExpressMailIntlRequest / FromUrbanization	optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <fromurbanization>URB Caparra Ter</fromurbanization>	string	maxLength=32
ExpressMailIntlRequest / FromCity	required once	For example: <fromcity>Anytown</fromcity>	string	maxLength=16 minLength=1
ExpressMailIntIRequest / FromState	required once	Use 2-letter USPS state abbreviation. For example: <fromstate>ST</fromstate>	string	length=2
ExpressMailIntlRequest / FromZip5	required once	Input tag exactly as presented, not all caps. 5 digits required. For example: <fromzip5>01234</fromzip5>	string	whiteSpace=collapse length=5 pattern=\d{5}
ExpressMailIntlRequest / FromZip4	optional	Input tag exactly as presented, not all caps. If value is entered, 4 digits required. This is the ZIP+4 extension. For example: <fromzip4>5678</fromzip4>	string	whiteSpace=collapse length=4 pattern=\d{4}

Tag Name	Occurs	Description	Type	Validation
ExpressMailIntlRequest / FromPhone	required once	10 digits required (including area code), with no punctuation. Use format: 2125551234 For example: <fromphone>5555555555/FromPhone></fromphone>	string	whiteSpace=collapse length=10 pattern=\d{10}
ExpressMailIntlRequest / FromCustomsReference	optional	Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <fromcustomsreference></fromcustomsreference>	string	maxLength=30
ExpressMailIntlRequest / ToName	optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	string	maxLength=36
ExpressMailIntlRequest / ToFirstName	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tofirstname>John</tofirstname>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / ToLastName	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tolastname>Doe</tolastname>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / ToFirm	optional	ToFirm is required if ToFirstName and ToLastName are left blank. For example: <tofirm></tofirm>	string	maxLength=36 Restriction enforced via truncation
ExpressMailIntlRequest / ToAddress1	required once	Three address lines are provided, but only 1 is required. Use as many as needed for complete address. For example: <toaddress1> Apartado 3068</toaddress1>	string	maxLength=36 minLength=1 Restriction enforced via truncation
ExpressMailIntlRequest / ToAddress2	optional	Three address lines are provided, but only 1 is required. Use as many as needed for complete address. For example: <toaddress2></toaddress2>	string	maxLength=36 Restriction enforced via truncation
ExpressMailIntlRequest / ToAddress3	optional	Three address lines are provided, but only 1 is required. Use as many as needed for complete address. For example: <toaddress3></toaddress3>	string	maxLength=36 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
ExpressMailIntlRequest / ToCity	required once	Recipient's city. For example: <tocity>PUERTO VALLARTA</tocity>	string	maxLength=18 minLength=1 Restriction enforced via truncation
ExpressMailIntlRequest / ToProvince	optional	Enter the province for the recipient. For example: <toprovince>JALISCO</toprovince>	string	maxLength=9 Restriction enforced via truncation
ExpressMailIntlRequest / ToCountry	required once	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. See the Index of Countries and Localities. Using a country name not on the list will result in a request failure. For example: <tocountry>MEXICO</tocountry>	string	minLength=1
ExpressMailIntlRequest / ToPostalCode	required once	Enter the postal code for the recipient. For example: <topostalcode>46807</topostalcode>	string	maxLength=9 Restriction enforced via truncation
ExpressMailIntlRequest / ToPOBoxFlag	required once	Indicates whether or not the To Address is a Post Office Box. For example: <topoboxflag>N</topoboxflag>	string	enumeration=Y enumeration=N
ExpressMailIntlRequest / ToPhone	optional	No format checking is done on international phone numbers. Required when <topoboxflag>Y</topoboxflag> For example: <tophone>011 52 (322) 222-0069</tophone>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / ToFax	optional	No format checking is done on international fax numbers. For example: <tofax>011 52 (322) 222-0074</tofax>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / ToEmail	optional	Complete valid e-mail address is required if tag is used. For example: <toemail>cpapple@email.com</toemail>	string	maxLength=30 whiteSpace=collapse pattern=([\w\- \.]+)@(([\w-]+\.)+)[a-zA- Z]{2,4} Restriction enforced via truncation

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest / ToCustomsReference	optional	Enter a value for the "Importer's Customs Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use. For example: <tocustomsreference>Order #23432</tocustomsreference>	string	maxLength=28 Restriction enforced via truncation
ExpressMailIntlRequest / NonDeliveryOption	optional	In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <fromaddress> above. "REDIRECT" to return package to address specified below in <altreturn…> tags. "ABANDON" to dispose of undeliverable package. For example: <nondeliveryoption>RETURN</nondeliveryoption></altreturn…></fromaddress>	string	enumeration=RETURN enumeration=REDIRECT enumeration=ABANDON
ExpressMailIntlRequest / AltReturnAddress1	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress1></altreturnaddress1></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / AltReturnAddress2	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress2></altreturnaddress2></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / AltReturnAddress3	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress3></altreturnaddress3></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / AltReturnAddress4	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress4></altreturnaddress4></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
ExpressMailIntlRequest / AltReturnAddress5	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example:</nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
Express Mail Int I Request / Alt Return Address 6	optional	<altreturnaddress5></altreturnaddress5> Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress6></altreturnaddress6></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / AltReturnCountry	optional	Required when <nondeliveryoption>REDIRECT and required to be equal to <tocountry> For Example: <altreturncountry>MEXICO</altreturncountry></tocountry></nondeliveryoption>	string	
ExpressMailIntlRequest / Container	optional	Use <container>FLATRATEENV</container> , <container>LEGALFLATRATEENV, or <container>PADDEDFLATRATEENV for flat rate envelope variations, and <container>LEGALFLATRATEBOX for flat rate boxes. Otherwise, use to specify special containers or container attributes that may affect postage. Note: RECTANGULAR or NONRECTANGULAR must be indicated when <size>LARGE</size>.</container></container></container>	string	default=VARIABLE enumeration=VARIABLE enumeration=FLATRATEE NV enumeration=LEGALFLAT RATEENV enumeration=PADDEDFL ATRATEENV enumeration=FLATRATEB OX enumeration=RECTANGU LAR enumeration=NONRECTA NGULAR
ExpressMailIntlRequest / ShippingContents	required once		(group)	
ExpressMailIntlRequest / ShippingContents / ItemDetail	required once repeating up to 30 times		(group)	

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest / ShippingContents / ItemDetail / Description	required once	Description of the item. For example: <description>Policy guidelines document</description>	string	maxLength=56 minLength=1 whiteSpace=collapse Restriction enforced via truncation
ExpressMailIntlRequest / ShippingContents / ItemDetail / Quantity	required once	Quantity of the item. Integer value required. For example: <quantity>1</quantity>	integer	whiteSpace=collapse minExclusive=0
ExpressMailIntlRequest / ShippingContents / ItemDetail / Value	required once	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <value>55.00</value>	decimal	whiteSpace=collapse minExclusive=0
ExpressMailIntlRequest / ShippingContents / ItemDetail / NetPounds	required once	Provide the pounds component of the weight of the individual item listed with <description>. For example: <netpounds>1</netpounds></description>	integer	whiteSpace=collapse
ExpressMailIntlRequest / ShippingContents / ItemDetail / NetOunces	required once	Provide the ounces component of the weight of the individual item listed with <description>. For example: <netounces>5</netounces></description>	decimal	
ExpressMailIntlRequest / ShippingContents / ItemDetail / HSTariffNumber	required once	For commercial items only. If known, the HS tariff number (6-digit) must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. For example: <hstariffnumber>490110</hstariffnumber>	string	whiteSpace=collapse maxLength=6 pattern=\d{0,6}

Tag Name	Occurs	Description	Type	Validation
ExpressMailIntlRequest / ShippingContents / ItemDetail / CountryOfOrigin	required once	For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". http://pe.usps.gov/text/Imm/immctry.htm - click on the link for "International Country Listings". Using a country name not on the list will result in a request failure. For example: <countryoforigin>United States</countryoforigin>	string	
ExpressMailIntlRequest / InsuredNumber	optional	For backward-compatibility; not validated.	string	
ExpressMailIntlRequest / InsuredAmount	optional	Use this tag for entering an insurance amount, if known. For example: <insuredamount>100.00</insuredamount>	string	length=0
ExpressMailIntlRequest / Postage	optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <postage></postage> or <postage>10.50</postage>	string	length=0
ExpressMailIntlRequest / GrossPounds	required once	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <grossounces> tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <grosspounds>4</grosspounds></grossounces>	integer	whiteSpace=collapse
ExpressMailIntlRequest / GrossOunces	required once	Enter the ounces component of the total package weight with this tag. For example: <grossounces>0</grossounces>	decimal	

Tag Name	Occurs	Description	Type	Validation
	required once	Specifies the content of the package or envelope. For example: <contenttype>DOCUMENTS</contenttype>	string	enumeration=MERCHAN DISE enumeration=SAMPLE enumeration=GIFT enumeration=DOCUMEN TS enumeration=RETURN enumeration=HUMANITA RIAN enumeration=DANGERO USGOODS enumeration=CREMATED REMAINS enumeration=OTHER
ExpressMailIntlRequest / ContentTypeOther	optional	Required when <contenttype>OTHER<contenttype>.</contenttype></contenttype>	string	maxLength=15 whiteSpace=collapse
ExpressMailIntlRequest / Agreement	required once	Requires a value of Y to print <pre><fromfirstname></fromfirstname> and <fromlastname></fromlastname> in Signature Box along with Current Date (Central Time USA). Any other value returns an error.</pre>	string	enumeration=Y enumeration=N
ExpressMailIntlRequest / Comments	optional	Enter any comments. For example: <comments></comments>	string	maxLength=76 Restriction enforced via truncation
ExpressMailIntlRequest / LicenseNumber	optional	Enter license number, if known or if included in package. For example: <licensenumber>LIC-24356879</licensenumber>	string	maxLength=24 Restriction enforced via truncation
ExpressMailIntlRequest / CertificateNumber	optional	Enter certificate number, if known or if included in package. For example: <certificatenumber>CERT-97865342</certificatenumber>	string	maxLength=24 Restriction enforced via truncation
ExpressMailIntlRequest / InvoiceNumber	optional	Enter invoice number, if known or if included in package. For example: <invoicenumber>INV-040903</invoicenumber>	string	maxLength=24 Restriction enforced via truncation
ExpressMailIntlRequest / ImageType	required once	For example: <imagetype>PDF</imagetype>	string	enumeration=PDF enumeration=TIF enumeration=NONE

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest / ImageLayout	optional	See section 2.2 Form Output Layout Control. For example: <imagelayout>TRIMONEPERFILE</imagelayout>	string	default=ONEPERFILE enumeration=ONEPERFIL E enumeration=ALLINONEF ILE enumeration=TRIMONEP ERFILE enumeration=TRIMALLIN ONEFILE
ExpressMailIntlRequest / CustomerRefNo	optional	Written to Postal Manifest Detail record. For example: <customerrefno>Ref #369246</customerrefno>	string	maxLength=30 Restriction enforced via truncation
ExpressMailIntlRequest / POZipCode	optional	ZIP of Post Office where mailed if different from <fromzip5></fromzip5> . Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <pozipcode>00962</pozipcode>	string	whiteSpace=collapse length=5 pattern=\d{5}
ExpressMailIntlRequest / LabelDate	optional	Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <labeldate>09/28/2010</labeldate>	string	whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\ d\d(\d\d)?
ExpressMailIntlRequest / HoldForManifest	optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	string	enumeration=Y enumeration=N
ExpressMailIntlRequest / EELPFC	optional repeating up to 1 times	Exemption and Exclusion Legend or PFC Code. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5 007.htm. For example: <eelpfc>30.37a</eelpfc>	string	whiteSpace=collapse minLength=0 maxLength=35
ExpressMailIntlRequest / CommercialPrice	optional	Indicates if commercial-base price should be returned. For commercial-base price eligibility, please reference the Domestic Mail Manual at http://pe.usps.com/ . For example: <commercialprice>False</commercialprice>	boolean	default=false

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest / Size	optional	Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality. Defined as follows: REGULAR: Package dimensions are 12" or less;	string	whiteSpace=collapse enumeration=LARGE enumeration=REGULAR
		LARGE: Any package dimension is larger than 12". For example: <size>REGULAR</size>		
		Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality.		
ExpressMailIntlRequest / Length	optional	Value must be numeric. Units are inches. Required when ExpressMailIntlRequest/Size is LARGE.	decimal	minExclusive=0.0 totalDigits=10
		For example: <width>5.5</width>		
		Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality.		
ExpressMailIntlRequest / Width	optional	Value must be numeric. Units are inches. Required when ExpressMailIntlRequest/Size is LARGE.	decimal	minExclusive=0.0 totalDigits=10
		For example: <length>11</length>		
		Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality.		
ExpressMailIntlRequest / Height	optional	Value must be numeric. Units are inches. Required when ExpressMailIntlRequest/Size is LARGE.	decimal	minExclusive=0.0 totalDigits=10
		For example: <height>11</height>		
		Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality.		
ExpressMailIntlRequest / Girth	optional	Value must be numeric. Units are inches. Required when ExpressMailIntlRequest/Size is LARGE, and ExpressMailIntlRequest/Container is NONRECTANGULAR.	decimal	minExclusive=0.0 totalDigits=10
		For example: <girth>11</girth>		

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlRequest / LabelTime	optional	Available if Revision tag >= 2. LabelTime is used in conjunction with LabelDate to determine the Guarantee	string	Format hh:mm
ExpressMailIntRequest / MeterPaymentFlag	optional	Available if Revision tag >= 2. If this flag is set to N and a scheduled delivery date is available for a Kahala country, the estimated delivery days will be displayed instead. For example, if 01/24/2014 is available for scheduled delivery date and the flag is set to N, 3 – 5 business days to most areas will be displayed.	string	Y or N, default is Y
ExpressMailIntlCertifyRe quest	required once	API=ExpressMailIntlCertify "Certify" signature is for testing and demonstration - does not produce a label that can be mailed.	(alias)	

Sample Requests

All requests should hit the https://secure.shippingapis.com/ShippingAPI.dll end point with the API=ExpressMailIntl or ExpressMailIntlCertify and XML=<the sample XML request below> key value pairs using either a HTTP POST or a HTTP GET.

```
Request:
<ExpressMailIntlCertifyRequest USERID="XXXXXX">
   <Option />
   <Revision>2</Revision>
   <ImageParameters />
   <FromFirstName>John/FromFirstName>
   <FromMiddleInitial>L/FromMiddleInitial>
   <FromLastName>Doe/FromLastName>
   <FromFirm />
   <FromAddress1>Apt 204/FromAddress1>
   <FromAddress2>2711 Ordway St NW</FromAddress2>
   <FromCity>Washington/FromCity>
   <FromState>DC/FromState>
   <FromZip5>20008
   <FromZip4>5036</FromZip4>
   <FromPhone>3015551212</FromPhone>
   <ToFirstName>Joyce</ToFirstName>
   <ToLastName>Browning</ToLastName>
   <ToFirm></ToFirm>
   <ToAddress1>5th floor</ToAddress1>
   <ToAddress2>2045 Royal Road</ToAddress2>
   <ToAddress3></ToAddress3>
   <ToCity>St Paul</ToCity>
   <ToProvince></ToProvince>
   <ToCountry>France</ToCountry>
   <ToPostalCode>06570</ToPostalCode>
   <ToPOBoxFlag>N</ToPOBoxFlag>
   <ToPhone>4345551212</ToPhone>
   <ToFax>4345559999</ToFax>
   <ToEmail>b@aol.com</ToEmail>
   <NonDeliveryOption>Return</NonDeliveryOption>
```

```
<Container>NONRECTANGULAR</Container>
 <ShippingContents>
  <ItemDetail>
      <Description>Description 1/Description>
      <Quantity>1</Quantity>
     <Value>1.11</Value>
      <NetPounds>1</NetPounds>
      <NetOunces>1</NetOunces>
     <HSTariffNumber>123456/HSTariffNumber>
      <CountryOfOrigin>Brazil</CountryOfOrigin>
  </ltemDetail>
  <ltemDetail>
      <Description>Description 1/Description>
      <Quantity>1</Quantity>
      <Value>1.11</Value>
     <NetPounds>1</NetPounds>
     <NetOunces>1</NetOunces>
     <HSTariffNumber>123456/HSTariffNumber>
      <CountryOfOrigin>Brazil</CountryOfOrigin>
  </ltemDetail>
  < Item Detail>
      <Description>Description 1/Description>
      <Quantity>1</Quantity>
      <Value>1.11</Value>
      <NetPounds>1</NetPounds>
     <NetOunces>1</NetOunces>
     <HSTariffNumber>123456</HSTariffNumber>
      <CountryOfOrigin>Brazil</CountryOfOrigin>
  </ltemDetail>
  <ltemDetail>
      <Description>Description 1/Description>
      <Quantity>1</Quantity>
     <Value>1.11</Value>
      <NetPounds>1</NetPounds>
      <NetOunces>1</NetOunces>
     <HSTariffNumber>123456/HSTariffNumber>
      <CountryOfOrigin>Brazil</CountryOfOrigin>
  </ltemDetail>
  <ItemDetail>
      <Description>Description 1/Description>
      <Quantity>1</Quantity>
      <Value>1.11</Value>
     <NetPounds>1</NetPounds>
     <NetOunces>1</NetOunces>
     <HSTariffNumber>123456/HSTariffNumber>
      <CountryOfOrigin>Brazil</CountryOfOrigin>
  </ShippingContents>
  <GrossPounds>17</GrossPounds>
  <GrossOunces>2</GrossOunces>
  <ContentType>Documents</ContentType>
  <Agreement>Y</Agreement>
  <Comments>ExpressMailIntlCertify Comments
  <lmageType>TIF</lmageType>
  <lmageLayout>ALLINONEFILE//mageLayout>
  <POZipCode>20770</POZipCode>
  <LabelDate />
  <HoldForManifest>N</HoldForManifest>
  <Size>LARGE</Size>
  <Length>20.5</Length>
  <Width>7</Width>
  <Height>15</Height>
  <Girth>40</Girth>
</ExpressMailIntlCertifyRequest>
```

Response Descriptions


Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntlResponse	required once		(group)	
ExpressMailIntlResponse / Postage	required once	Postage amount	xs:decimal	
ExpressMailIntlResponse / TotalValue	required once	Value of all items being shipped	xs:decimal	
ExpressMailIntlResponse / SDRValue	required once	Special Drawing Right calculated on Insured Amount	xs:decimal	
ExpressMailIntlResponse / BarcodeNumber	required once	Mail service related barcode, may be empty	xs:string	
ExpressMailIntlResponse / LabelImage	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Page2Image	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Page3Image	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Page4Image	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Page5Image	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Page6Image	required once	Encoded images of label (may be empty depending upon layout option selected)	xs:string	
ExpressMailIntlResponse / Prohibitions	required once	List of items prohibited from mailing based on country of destination	xs:string	
ExpressMailIntlResponse / Restrictions	required once	Restrictions on items being shipped based on country of destination	xs:string	
ExpressMailIntlResponse / Observations	required once	Additional mailing information based on country of destination	xs:string	
ExpressMailIntlResponse / Regulations	required once	Additional regulations for shipping to destination country	xs:string	
ExpressMailIntlResponse / AdditionalRestrictions	required once	Additional restrictions on items being shipped to destination country	xs:string	
ExpressMailIntlResponse / Notes	required once	Express Mail International Notes	xs:string	
ExpressMailIntlResponse / InsuranceFee	optional	Insurance Fee	decimal	minExclusive=0.0 maxInclusive=5000

Tag Name	Occurs	Description	Туре	Validation
ExpressMailIntIResponse / GuaranteeAvailability	optional	If the Revision tag >= 2 in the request, the MeterPaymentFlag is Y or empty, and the country is a Kahala country, the GuaranteeAvailability tag will display the estimated scheduled delivery date. If not, the tag will contain the estimated scheduled delivery days.	string	If an estimated scheduled delivery date is available, the format will be MM/DD/YYYY , e.g, 01/29/2014. If an estimated scheduled delivery date is not available, the formate will be a string, e.g., 2 - 5 business days to many major markets
ExpressMailIntlCertifyResponse	required once		(alias)	

Sample Response

```
Response:
<?xml version="1.0" encoding="utf-8"?>
<ExpressMailIntlCertifyResponse>
 <Postage>102.90</Postage>
 <TotalValue>5.55</TotalValue>
 <SDRValue />
 <BarcodeNumber>EC549998824US
 <LabelImage>
   SUkqAAqAAAAAAAAA <!-- Data Truncated -->
 </LabelImage>
 <Page2Image />
 <Page3Image />
 <Page4Image />
 <Page5Image />
  <Page6Image />
 <Prohibitions>
   Arms, ammunition. Cigarett <!-- Data Truncated -->
 </Prohibitions>
 <Restrictions>
   Bees, honey, and beeswax m <!-- Data Truncated -->
 </Restrictions>
 <Observations>
   1. A parcel may be address <!-- Data Truncated -->
 </Observations>
 <Regulations>
   Country Code: FR Reciprocal <!-- Data Truncated -->
 </Regulations>
 <AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
 <GuaranteeAvailability>01/29/2014/GuaranteeAvailability>
</ExpressMailIntlCertifyResponse>
```

Label Diagram (Full Size)



UNITED STATES POSTAL SERVICE® ★ M A I L ★ EXPRESS™	Customs Declaration Dispat	ch Note CF	72		
	EC 549 998 838 U	S			
JOHN L DOE USPS SUITE 500 5 7N WILKES-BARRE BLVD LWILKES-BARRE PA 18702-1234 US	License Number: LIC-24356879 Certificate Number: CERT-97865342 Invoice Number:	. 1	MAN	Return to	ctions: o Sender
Phone: 555-555-5555 MS. C. P. APPLE TEST FIRM APARTADO 12345 67891 AVENUE SUITE ABC. 46807 PUERTO VALLARTA JALISCO	INV-040903 Importer's Telephone/F // En Phone: 111 22 (313 444-5 Fax: 999 22 (133 444-5 Email: 6 pmail: 50 444-5	ail: 1555 5			Scheduled Delivery Date:
MEXICO	70	ountary, projection	, mapagaan ar aalar ta	Allouding	3-5 bus, days
Office of Exchange		Customs Stamp	Affix labels here	when required	Insured Amount (US \$): 100.00 SDR Value:
1 APLL		Customs Duty			65.80
~ W/,		•			Mailing Office Date Stamp
(Check All That App 4 Hu hanitarian Donation Donation Other:		otal Qty. Total Gr 5 5 lb		Total Postage/Fees 55.69	
Sender's Customs Reference: Importer's Cu (if known) (Fiscal or VAT in Order #99	ustoms Reference: umber of the addressee, if known) 98811	AES/ITN/Ex	emption:		
I certify the particulars given in this customs declaration are correct. This item doe prohibited by legislation or by postal or customs regulations. I have met all applic regulations.		es Date In:	POSTAL USE 0	Employee	
Sender's Signature: John L Doe	Date: 01/24/2014				
PS Form 2976-A-PMEI , July 2013 Do not duplica	te this form without USPS approval. — — Fold or cut along		item/parcel may be	e opened officially.	3 - Dispatch Note

UNITED STATES POSTAL SERVICE PRIORITY * MAIL * EXPRESS™ EXPRESS™	ion Dispatch	Note Cl	P 72			
EC 549	998 838 US					
JOHN L DOE	oper: 342 : phone/F A/En all 2 (3 3) 444-55	55	IAN	Nondeliv	e ry Instru Return t	ctions: io Sender
	ubject to quarantine, sa					Scheduled Delivery Date: 3-5 bus, days
Detailed Description of Contents	Quantity	Weight lb oz	Value (US \$)	HS Tariff Number	Country of Origin	Insured Amount (US \$):
Description1 Description2 Description3 Description4 Description5	1 1 1 1	1 1 1 1 1 1 1 1 1 1	1.00 1.00	123457 123458 123459 123450 123451	US US US US	100.00 SDR Value: 65.80 Mailing Office Date Stamp
Contents:miCc_ents_SampleMerchandiseReturned Goods XX DocumentsDang (Check All That App Turnanitarian Donation Other:	erous Goods Total Qt	5 5 5		Total Pos	tage/Fees 5.69]
Sender's Customs Reference: Importer's Customs Reference: (Fiscal or VAT number of the addressee, if known) Order #998811		AES/ITN/E	cemption:			
I certify the particulars given in this customs declaration are correct. This item does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations. Sender's Signature: John L Doe Date: 01/24/2014			POSTAL US	n: Er	nployee Initials:	
PS Form 2976-A-PMEI, July 2013 Do not duplicate this form without USPS ap	oproval.		item/parcel m	y be opene	ed officially	4 - Sender's Copy

Priority Mail Express International™ Service Instructions

Scheduled Delivery Date: 3-5 business days to many major markets²³

- 1. Shipping supplies are available online at www.usps.com or your Local Post Office.
- 2. Verify that all information populated on each of the copies is valid.
- 3. Select the appropriate category of the item. If the international shipment contains dangerous goods that are approved for mailing, check the box for "Dangerous Goods." Mailability information for international shipments is available in Publication 52, *Hazardous, Restricted, and Perishable Mail* (chapter 6), and in IMM Part 135.
- 4. Except for shipments to APO/FPO/DPO addresses, enter an Automated Export System (AES) Internal Transaction Number (ITN), AES Exemption, or if applicable, an AES Downtime Citation. This standard may also apply when mailing items to, from, and between U.S. territories, possessions, and Freely Associated States see DMM 608.2.5. One of these codes must appear in the "AES/ITN/Exemption" block before the Postal Service will accept a package for mailing. In general, mailpieces containing any type of goods (per Schedule B Export Codes at www.census.gov/foreign-trade/schedules/b) valued at more than \$2,500, or requiring an export license under U.S. law, must have an ITN issued by the U.S. Census Bureau or an AES Downtime Citation, subject to certain exceptions. Mailpieces that are exempt from filling must have an AES Exemption. Regardless of exemptions, all mailpieces must have an ITN or AES Downtime Citation if they are destined to certain countries on which the U.S. has a comprehensive embargo. To obtain an ITN and file electronically through the Census Bureau's AES, or for additional information, please visit www.census.gov/foreign-trade/aes or call 800-549-0595. For additional information, refer to U.S. Postal Service® Publication 699, Special Requirements for Shipping Internationally, and to IMM Part 520.

AES Exemption. In order to comply with U.S. Census Bureau's Foreign Trade Regulations, indicate "NOEEI § 30.37(a)," if applicable. "NOEEI § 30.37(a)" may be used when the value of each class of goods is \$2,500 or less, if an export license is not required. Do NOT use this AES Exemption for items sent to Cuba, Iran, North Korea, Sudan, or Syria. Further information can be found in IMM Parts 526 and 527.

- 5. Commercial senders: supply the following information to assist Customs in processing the items.
 - a. Enter, If known, the 6-digit Harmonized Tariff Schedule number, which is based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. "Country of Origin" means the country where the goods originated i.e., where they were produced/manufactured or assembled.
 - b. Enter License, Certificate, and/or Invoice number, if applicable.
- 6. Fold or cut all copies in half and arrange in numerical order with "1-Customs Declaration" copy on top. Copies must be placed into the PS Form 2976-E, Customs Declaration Envelope CP 91 (plastic envelope).
 - a. Affix the plastic envelope to the package on the address side.
 - b. Package must be large enough that the plastic envelope does not wrap around the package edges.
 - c. Ensure that the entire barcode and all information is visible.
 - d. If using a pickup service, retain Sender's Copy then arrange remaining copies in numerical order with "1-Customs Declaration" copy on top.
- 7. Express Mail International items bearing a computer-generated customs form with customs data that has been electronically transmitted (e.g., using Click-N-Ship service) may be deposited through any of the following methods, provided postage is paid by a means other than the use of postage stamps: (a) through Package Pickup Service; (b) At a Postal Service retail counter; (c) Into a Postal Service lobby drop; (d) In a collection box; (e) At a Contract Postal Unit (CPU). For additional places of mailing, see IMM Part 225. Items must be mailed on the mailing date selected.
- 8. Each shipping label number is unique and can be used only once DO NOT PHOTOCOPY or FAX ONLY THE ORIGINAL LABEL CAN BE ACCEPTED.

PARCEL INDEMNITY COVERAGE: Indemnity for Priority Mail Express International™ parcels, including insured and ordinary (uninsured) parcels, is provided only in accordance with Postal Service™ regulations in the Domestic Mail Manual (IDMM®) and the International Mail Manual (IMM®). The DMM and IMM are available online at http://pe.usps.com. The addressee must report damage or missing contents to the delivering Post Office™ immediately.

Insurance purchased online cannot be combined with additional insurance purchased at the Post Office. Insured mail service is available for a fee and replaces indemnity on ordinary parcels. Insurance coverage varies by country and is not available to some countries. Indemnity coverage is subject to both U.S. Postal Service® regulations and the domestic regulations of the destination country. Insurance for loss, damage, or missing contents covers the actual (depreciated) value of the contents.

FILING CLAIMS: To initiate an inquiry for loss, damage, or missing contents, call the International Inquiry Center at 800-222-1811. International indemnity inquiries and claims for loss must be filed within the time limits for the service purchased. All claims for damage or missing contents must be filed immediately, and the article, containers, packaging, and all contents received must be presented to the destination Post Office

Evidence of mailing (e.g., original mailing receipts or wrapper), evidence of insurance, and evidence of value (e.g., sales receipt or repair estimate) must be submitted in support of all claims. For complete regulations, see the IMM at http://pe.usps.com.


EXCEPTIONS: No coverage is provided for consequential losses, delay, concealed damage, spoilage of perishable items, articles improperly packaged, articles too fragile to withstand normal handling in the mails, or prohibited articles. See the DMM and the IMM for the specific types of losses that are covered, the limitations on coverage, the terms of insurance or indemnity, and the conditions of payment.


IMPORTANT: Indemnity coverage is not paid for Priority Mail Express International[™] or ordinary (uninsured) Priority Mail International parcels containing the following: coins; banknotes; currency notes, including paper money; securities of any kind payable to the bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable or prohibited articles. See the IMM for complete regulations.

Privacy Act Statement: Your information will be used to satisfy reporting requirements for customs purposes. Collection is authorized by 39 U.S.C. 401, 403, 404, and 407; 13 U.S.C. 301–307; and 50 U.S.C. 1702. Providing the information is voluntary, but if not provided, we may not process your transaction. We do not disclose your information to third parties without your consent, except to facilitate the transaction, to act on your behalf or request, or as legally required. This includes the following limited circumstances: to a congressional office on your behalf; to financial entities regarding financial transaction issues; to a U.S. Postal Service auditor; to entities, including law enforcement, as required by law or in legal proceedings; to contractors and other entities aiding us to fulfill the service (service providers); to domestic and international customs pursuant to federal law and agreements; and to other governmental entities with authority over exportation. For more information regarding our privacy policies, visit usps.com/privacypolicy.

² Average performance to major markets. Actual transit time may vary for origin and destination

Label Diagram (4X6)





				USPS Web Too
UNITED STATES POSTAL SERVICE® PRIORITY * MAIL * EXPRESS	Customs Declaration Dispatch Note	CP72		
TEMS				
	EC 549 998 841 U	JS		
E JOHN L DOE 9 USPS 4 SUITE 500 7 N WILKES-BARRE BLVD WILKES-BARRE PA 18702-1234 US Phone: 555-555-5555 o MS. C. P. APPLE F TEST FIRM	License Number LIC-24356879 Certificate Number CERT-97865342 Invoice Number INV-040903 Importer's Telephone/Eax/E-nail Phone: 111 22 (333) 444-5555 Fax: 999-22 (333) 444-5555	IAIL	ndelivery Instr Return to	
APARTADO 12345 6789 1 AVENUE SUITE ABC 46807 PUERTO VALLARTA JALISCO MEXICO	Email: @entain.com Comments E.g. goods subject to quarantine or the restrictions)	e, sanitary/phytosanitary	inspection	Scheduled Delivery Date 3-5 bus. days
Office of Exchange	Customs Stamp	Affix labels here w	hen required	Insured Amount (US \$) 100.00
MPLL	Customs Duty			SDR Value 65.80
Contents: ☐ Gif ☐ Comportial Sample ☐ Merchandise (Check All That All phò☐He manitarian Donation ☐ Other:	e □ Returned Goods 🗷 Documents □ Dangerous Go			alue Total Postage/Fees 4.00 54.40
Sender's Customs (eference (if known)	Importer's Reference (Fiscal or VAT number of th Order #998811			nption
I certify the particulars given in this customs declar dangerous articles, or articles prohibited by legislat export filing requirements under federal law and rea Sender's Signature: John L Doe	ration are correct. This item does not contain tion or by postal or customs regulations. I hav gulations. Date: 01/24/2014	any undeclared ve met all applicable	PO Date In:	STAL USE ONLY Time In: AM DAM DAM DAM PM
PS Form 2976-A-PMEI, July 2013 Do not duplicate	this form without USPS approval. The item/par	cel may be opened offic	ially. 3 - Di	spatch Note
UNITED STATES POSTAL SERVICE® EXPRESS	Customs Declaration Dispatch Note			
	EC 549 998 841 U			
E JOHN L DOE E USPS SUITE 500 7 N WILKES-BARRE BLVD WILKES-BARRE PA 18702-1234 US	License Number LIC-24356879 Certificate Number CERT-97865342 Invoice Number	M	ondelivery Instr Return to	

INSTRUCTIONS FOR COMPLETING PS FORM 2976-A, CUSTOMS DECLARATION AND DISPATCH NOTE - CP72

Scheduled Delivery Date: 3-5 business days to many major markets²³

- 1. Complete the declaration fully; otherwise, delay and inconvenience may result for the addressee. A false or misleading declaration may lead to a fine or seizure of the item and additional penalties.
- 2. Enter the Certification Number, or License Number and/or Invoice Number in the corresponding block on the form. Your goods may be subject to restrictions. It is your responsibility to comply with import and export regulations and restrictions (e.g. quarantine, pharmaceuticals, etc.) and to determine what documents (e.g. commercial invoice, certificate of origin, health certificate, license, authorization for goods subject to quarantine such as plant, animal, or food product, etc.), if any are required in the destination country. Check the country listings at http://pe.usps.com, as well as the UPU List of Prohibited Items available at http://www.upu.int/en/activities/customs/list-of-prohibited-articles html
- 3. Enter the sender's and addressee's full name and full address in the blocks provided on the 2976-A. Incomplete names (e.g., initials) or incomplete address entries on the 2976-A may result in delayed handling by Customs and/or the delivery office. Please provide the addressee's (Importer's) contact information (telephone/fax/email), which may be used to facilitate customs clearance or delivery.
- 4. Select the option specifying "Nondelivery" instructions in case of nondelivery. Items returned to sender are subject to return charges at the sender's expense.
- 5. Enter a detailed description for each article e.g., "men's cotton shirts" General descriptions e.g., "samples," "food products," or "toiletries" are not permitted. If there is insufficient space on the form to list all articles, use the continuation sheet as needed. Each article must include the quantity, net weight (in pounds and ounces), and value (in U.S. dollars). Each article must also include the 6-digit HS tariff number (if known) which must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization and a "Country of Origin" (if known). The "Country of Origin" is the country where the goods originated e.g., where they were produced/manufactured or assembled.
- 6. Select the option specifying the description of contents. Enter explanation if "other" is selected.
- 7. Enter the total weight of the package including packaging, in pounds and ounces. This corresponds to the weight used to calculate postage.
- 8. Enter an International Transaction Number (ITN), Exemption Legend, or AES Downtime Citation. This standard may also apply when mailing items to, from, and between U.S. territories, possessions, and Freely Associated States see DMM 608.2.5 for when this applies. One of these codes must appear in the "AES/ITN/Exemption" block before the Postal Service will accept a package for mailing. In general, mailpieces containing any type of goods (per Schedule B Export Codes at www.census.gov/foreign-trade/schedules/b) valued at more than \$2,500, or requiring an export license under U.S. law, must have an ITN issued by the U.S. Census Bureau or an AES Downtime Citation, subject to certain exceptions. Mailpieces that are exempt from filing must have an Exemption Legend. Regardless of exemptions, all mailpieces must have an ITN or AES Downtime Citation if they are destined for certain countries on which the U.S. has a comprehensive embargo. To obtain an ITN and file electronically through the Census Bureau's Automated Export System (AES), or for additional information, please go to www.census.gov/foreign-trade/aes or call 800-549-0595. Please also refer to U.S. Postal Service® Publication 699, pecial Requirements for Shipping internationally, and to IMM Part 520 for additional information.
- 9. Sign and date the form. Your signature certifies that all entries are correct and the items(s) being mailed contains no undeclared dangerous, prohibited, or restricted contents per postal, customs, or destination country regulations. Your signature also certifies compliance with all applicable Federal Export laws, including filing requirements under Foreign Trade Regulations.
- 10. Insert the completed form(s) into PS Form 2976-E, Customs Declaration Envelope CP 91. Enclose any commercial documents and the continuation sheets (if applicable) into the envelope. Do not fold form(s) or wrap around the package. The entire barcode and all information must be visible. Remove the backing sheet from PS Form 2976-E and affix the envelope to the package on the address side.

Privacy Act Statement: Your information will be used to satisfy reporting requirements for customs purposes. Collection is authorized by 39 U.S.C. 401, 403, 404, and 407, 13 U.S.C. 301–307; and 50 U.S.C. 1702. Providing the information is voluntary, but if not provided, we may not process your transaction. We do not disclose your information to third parties without your consent, except to facilitate the transaction, to act on your behalf or request, or as legally required. This includes the following limited circumstances: to a congressional office on your behalf; to financial entities regarding financial transaction issues; to a U.S. Postal Service auditor; to entities, including law enforcement, as required by law or in legal proceedings; to contractors and other entities aiding us to fulfill the service (service providers); to domestic and international customs pursuant to federal law and agreements; and to other governmental entities with authority over exportation. For more information regarding our privacy policies, visit usps.com/privacypolicy.

PARCEL INDEMNITY COVERAGE: Indemnity for Priority Mail Express International™ parcels, including insured and ordinary (uninsured) parcels, is provided only in accordance with Postal Service™ regulations in Mailing Standards of the United States Postal Service, Domestic Mail Manual (DMM®) and Mailing Standards of the United States Postal Service, International Mail Manual (IMM®). The DMM and IMM are available for inspection at any post Office™ or online at http://pe.usps.com. The addressee must report damage or missing contents to the delivering Post Office immediately.

Ordinary (i.e. uninsured) Priority Mail International parcels include indemnity coverage against loss, damage, or missing contents. Indemnity is limited to the lesser of the actual value of the contents or the maximum indemnity based on the weight of the article. Priority Mail International Flat Rate Envelopes and Priority Mail International Small Flat Rate Boxes are letter-post items and do not include indemnity coverage.

Insured mail service is available for a fee and replaces indemnity on ordinary parcels. Insurance coverage varies by country and is not available to some countries. Indemnity coverage is subject to both U.S. Postal Service® regulations and the domestic regulations of the destination country. Insurance for loss, damage, or missing contents covers the actual (depreciated) value of the contents. Claims for lost ordinary and insured parcels may be payable only to the sender, and claims for damage and missing contents may be payable only to the addressee. The sender or addressee may waive the right of payment in favor of the other.

FILING CLAIMS: To initiate an inquiry for loss, damage, or missing contents, call the International Inquiry Center at 800-222-1811. International indemnity inquiries and claims for loss must be filed within the time limits for the service purchased. All claims for damage or missing contents must be filed immediately, and the article, containers, packaging, and all contents received must be presented to the destination Post Office. Evidence of mailing (e.g., original mailing receipts or wrapper), evidence of insurance, and evidence of value (e.g., sales receipt or repair estimate) must be submitted in support of all claims. For complete regulations, see the IMM at http://pe.usps.com.

EXCEPTIONS: No coverage is provided for consequential losses, delay, concealed damage, spoilage of perishable items, articles improperly packaged, articles too fragile to withstand normal handling in the mails, or prohibited articles. See the DMM and the IMM for the specific types of losses that are covered, the limitations on coverage, the terms of insurance or indemnity, and the conditions of payment.

IMPORTANT: Indemnity coverage is not paid for Priority Mail Express International™ or ordinary (uninsured) Priority Mail International parcels containing the following: coins; banknotes; currency notes, including paper money; securities of any kind payable to the bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable or prohibited articles. See the IMM for complete regulations.

Average performance to major markets.
Actual transit time may vary for origin and destination

Tagged Label Diagram

PRIORITY Customs Declaration Dispatch Note CP 72							
* MAIL * EXPRESS	≺DarsodeNumber	 					OSTAGE UIRED
<pre></pre> <pre><fremfirstname< pre=""> <pre><fremfirstname< pre=""> <pre><fremaddress1> <pre><pre><pre><pre>fremCity</pre> <pre><fremaddress2> <pre><pre><pre>fremCity</pre> <pre><fremcity< pre=""> <pre><fremcity< pre=""> <pre><fremcity< pre=""> <pre><frempinne< pre=""> <pre><free< pre=""> <pre></pre> <pre></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></free<></pre></frempinne<></pre></frempinne<></pre></frempinne<></pre></frempinne<></pre></frempinne<></pre></frempinne<></pre></frempinne<></pre></fremcity<></pre></fremcity<></pre></fremcity<></pre></pre></pre></fremaddress2></pre></pre></pre></pre></fremaddress1></pre></fremfirstname<></pre></fremfirstname<></pre>	License Number: <licensenumber> Certificate Number: <certificatenumber> Invoice Number: <invoicenumber> Importer's Telephone/Fa:</invoicenumber></certificatenumber></licensenumber>	x/Email:			- 4	ery Instruction of the control of th	Option> ress1> ress2> ress2> ress3- ress4> ress6>
<pre>< ioriststame < ioLastname < ToFinip</pre>	Phone: <tophene> Fax: <tofax <toemail="" email:=""> Comments (e.g. goods subject to quants)</tofax></tophene>	rantino, cani	tary phytosanita	ry inepection or eth	or restrictions):		Scheduled Delivery Date:
Detailed Description of Contents		Quantity	Weight to oz	Value (US \$)	HS Tariff Number	Country of Origin	Insured Amount (US \$):
<description></description>		<quantity></quantity>	«NetPeunds»	<value></value>	cHSTariffNumber-	< Country of Drigin>	SDR Value: Mailing Office Date Stamp
Check All That Apply)			Total Wt sssPeunds> <gressour AES/ITN/Exc</gressour 		Total Postage/Fees <postage></postage>		
If isovery From Customs Reference> From Customs Reference> Thick or VAT number of the addressee, if known							
PS Form 2976-A-EMI, September 2012 Do not duplicate this for	m without USPS approval. — Fold or cut alc	ng lin		tem/parcel may	y be opene	d officially.	1 - Customs Declaration

Error Responses

Error conditions are handled at the main XML document level and Package node level. When parsing, it is best to check for an error document first before checking for good data. Error documents have the following format:

<Error>

```
<Number></Number>
     <Source></Source>
     <Description></Description>
     <HelpFile></HelpFile>
     <HelpContext></HelpContext>
</Error>
```

Where:

- Number = the error number generated by the Web Tools server.
- Source = the component and interface that generated the error on the Web Tools server.
- Description = the error description.
- HelpFile = [reserved for future use].
- HelpContext = [reserved for future use].

An <Error> element may be returned at the top (response) level if there is a problem with the syntax of the request, or if a system error occurs.

If you need assistance with an error response, contact the Internet Customer Care Center uspstechnicalsupport@mailps.custhelp.com.

Priority Mail International Label API

Overview

The Priority Mail Express International Label API lets customers generate Priority Mail Express International labels given the weight and dimensions of the item.

API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=PriorityMailIntl	&XML=(see Tag
				Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=PriorityMailIntlCertify	&XML=(see Tag
				Descriptions below)

Note: The "PriorityMailIntlCertify" API signature is for testing purposes and will not generate usable labels and barcodes.

Request Descriptions

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest	required once	Produces a Priority Mail International label with customs declaraction	(group)	
PriorityMailIntlRequest / @USERID	required	This attribute specifies your Web Tools ID. See the Developer's Guide for information on obtaining your USERID.	NMTOK EN	
PriorityMailIntlRequest / Option	optional	For future use.	empty	
PriorityMailIntlRequest / Revision	required	Use of value 2 required as of January 2011. For example: <revision>2</revision>	string	
PriorityMailIntlRequest / ImageParameters	optional	Groups alternate image options.	(group)	
PriorityMailIntlRequest / ImageParameters / ImageParameter	Optional, repeating up to 3 times	Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. For example: <imageparameter>4BY6LABEL</imageparameter>	string	Enumeration=4BY6LABEL
PriorityMailIntlRequest / FromFirstName	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromfirstname>John</fromfirstname>	string	maxLength=30 minLength=1 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
PriorityMailIntlRequest / FromMiddleInitial	optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <frommiddleinitial>L</frommiddleinitial>	string	maxLength=1 Restriction enforced via truncation
PriorityMailIntlRequest / FromLastName	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromlastname>Doe</fromlastname>	string	maxLength=30 minLength=1 Restriction enforced via truncation
PriorityMailIntlRequest / FromFirm	optional	FromFirm is required if FromFirstName and FromLastName are left blank. For example: <fromfirm></fromfirm>	string	maxLength=32 Restriction enforced via truncation
PriorityMailIntlRequest / FromAddress1	optional	Use this tag for a suite or apartment number only. Either Address1 or Address2 is required. For example: <fromaddress1></fromaddress1>	string	maxLength=32 Restriction enforced via truncation
PriorityMailIntlRequest / FromAddress2	required once	Use this tag for the primary address line. For example: <fromaddress2>10 Elm Street </fromaddress2>	string	maxLength=32 minLength=1 whiteSpace=collapse Restriction enforced via truncation
PriorityMailIntlRequest / FromUrbanization	optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <fromurbanization>URB Caparra Ter</fromurbanization>	string	maxLength=32 Restriction enforced via truncation
PriorityMailIntlRequest / FromCity	required once	For example: <fromcity>Anytown</fromcity>	string	maxLength=16 minLength=1 Restriction enforced via truncation
PriorityMailIntlRequest / FromState	required once	Use 2-letter USPS abbreviation. For example: <fromstate>ST</fromstate>	string	length=2
PriorityMailIntlRequest / FromZip5	required once	Input tag exactly as presented, not all caps. 5 digits required. For example: <fromzip5>01234</fromzip5>	string	whiteSpace=collapse length=5 pattern=\d{5}

Tag Name	Occurs	Description	Туре	Validation	
PriorityMailIntlRequest / FromZip4	optional	Input tag exactly as presented, not all caps. If value is entered, 4 digits required. This is the ZIP+4 extension.	string	whiteSpace=collapse length=4 pattern=\d{4}	
		For example: <fromzip4>5678</fromzip4>			
PriorityMailIntlRequest / FromPhone	required once	10 digits required (including area code), with no punctuation. Use format: 2125551234 For example: <fromphone>5555555555/FromPhone></fromphone>	string	whiteSpace=collapse length=10 pattern=\d{10}	
		Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use.			
PriorityMailIntlRequest / FromCustomsReferenc e	optional	For example: <fromcustomsreference></fromcustomsreference>	string	maxLength=30 Restriction enforced via truncation	
		Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>			
PriorityMailIntlRequest / ToName	optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	string	maxLength=36 Restriction enforced via truncation	
PriorityMailIntlRequest / ToFirstName	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tofirstname>John</tofirstname>	string	maxLength=30 Restriction enforced via truncation	
PriorityMailIntlRequest / ToLastName	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tolastname>Doe</tolastname>	string	maxLength=30 Restriction enforced via truncation	
PriorityMailIntlRequest / ToFirm	optional	ToFirm is required if ToFirstName and ToLastName are left blank. For example: <tofirm></tofirm>	string	maxLength=36 Restriction enforced via truncation	
PriorityMailIntlRequest / ToAddress1	required once	Three address lines are provided, but only 1 is required. Use as many as needed for complete address. For example: <toaddress1> Apartado 3068</toaddress1>	string	maxLength=36 minLength=1 Restriction enforced via truncation	

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / ToAddress2	optional	Three address lines are provided, but only 1 is required. Use as many as needed for complete address.	string	maxLength=36 Restriction enforced via truncation
		For example: <toaddress2></toaddress2>		
PriorityMailIntlRequest / ToAddress3	optional	Three address lines are provided, but only 1 is required. Use as many as needed for complete address.	string	maxLength=36 Restriction enforced via truncation
		For example: <toaddress3></toaddress3>		
PriorityMailIntlRequest / ToCity	required once	Recipient's city. For example: <tocity>PUERTO VALLARTA</tocity>	string	maxLength=18 minLength=1 Restriction enforced via truncation
PriorityMailIntlRequest / ToProvince	optional	Enter the province for the recipient. For example: <toprovince>JALISCO</toprovince>	string	maxLength=9 Restriction enforced via truncation
PriorityMailIntlRequest / ToCountry	required once	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <tocountry>MEXICO</tocountry>	string	minLength=1
PriorityMailIntlRequest / ToPostalCode	required once	Enter the postal code for the recipient. For example: <topostalcode>46807</topostalcode>	string	maxLength=9 Restriction enforced via truncation
PriorityMailIntlRequest / ToPOBoxFlag	required once	Indicates whether or not the To Address is a Post Office Box. For example: <topoboxflag>N</topoboxflag>	string	enumeration=Y enumeration=N
PriorityMailIntlRequest / ToPhone	optional	No format checking is done on international phone numbers. Required when <topoboxflag>Y</topoboxflag> For example: <tophone>011 52 (322) 222-0069</tophone>	string	maxLength=30 Restriction enforced via truncation
PriorityMailIntlRequest / ToFax	optional	No format checking is done on international fax numbers. For example: <tofax>011 52 (322) 222-0074</tofax>	string	maxLength=30 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
PriorityMailIntlRequest / ToEmail	optional	Complete valid e-mail address is required if tag is used. For example: <toemail>cpapple@email.com</toemail>	string	maxLength=30 whiteSpace=collapse pattern=([\w\-\.]+)@(([\w-]+\.))+[a-zA-Z]{2,4} Restriction enforced via truncation
PriorityMailIntlRequest / ToCustomsReference	optional	Enter a value for the "Recipient's Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use. For example: <toreference>Order #23432</toreference>	string	maxLength=28 Restriction enforced via truncation
PriorityMailIntlRequest / NonDeliveryOption	optional	In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <fromaddress> above. "REDIRECT" to return package to address specified below in <altreturn> tags. "ABANDON" to dispose of undeliverable package. For example: <nondeliveryoption>RETURN Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></nondeliveryoption></altreturn></fromaddress>	string	default=ABANDON enumeration=RETURN enumeration=REDIRECT enumeration=ABANDON
PriorityMailIntlRequest / AltReturnAddress1	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress1></altreturnaddress1> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
PriorityMailIntlRequest / AltReturnAddress2	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress2></altreturnaddress2> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX)</container></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
PriorityMailIntlRequest / AltReturnAddress3	optional	variation. Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress3></altreturnaddress3></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
		Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>		
PriorityMailIntlRequest / AltReturnAddress4	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress4></altreturnaddress4> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
PriorityMailIntlRequest / AltReturnAddress5	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress5></altreturnaddress5> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / AltReturnAddress6	optional	Valid only with the "REDIRECT" value with the <nondeliveryoption> tag. Six address lines are provided but only one is required. Use as many as needed for complete address. For example: <altreturnaddress6></altreturnaddress6> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></nondeliveryoption>	string	maxLength=30 Restriction enforced via truncation
PriorityMailIntlRequest / AltReturnCountry	optional	Required when <nondeliveryoption>REDIRECT and required to be equal to <tocountry> For Example: <altreturncountry>MEXICO</altreturncountry> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container></tocountry></nondeliveryoption>	string	

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / Container	optional	Use <container>MDFLATRATEBOX</container> or <container>LGFLATRATEBOX</container> or <container>SMFLATRATEBOX</container> or <container>LGVIDEOBOX</container> or <container>DVDBOX</container> for flat rate boxes, <container>FLATRATEENV</container> or <container>LEGALFLATRATEENV</container> or <container>PADDEDFLATRATEENV</container> or <container>WINDOWFLATRATEENV</container> or <container>SMFLATRATEENV</container> or <container>GIFTCARDFLATRATEENV</container> or <container>GIFTCARDFLATRATEENV</container> for flat rate envelopes. Otherwise, use to specify special containers or container attributes that may affect postage. Note: RECTANGULAR or NONRECTANGULAR must be indicated when <size>LARGE</size> . For the flat rate envelope and small flat rate box variations, gross weight must be 4 pounds or less and total value must be at most \$400.	string	default=VARIABLE enumeration=VARIABLE enumeration=RECTANGUL AR enumeration=NONRECTAN GULAR enumeration=LGFLATRATE BOX enumeration=MDFLATRAT EBOX enumeration=SMFLATRATE BOX enumeration=FLATRATEBO X enumeration=FLATRATEBO X enumeration=FLATRATEBO X enumeration=DVDBOX enumeration=FLATRATEEN V enumeration=LEGALFLATR ATEENV enumeration=WINDOWFLA TRATEENV enumeration=SMFLATRATE ENV enumeration=SMFLATRATE ENV enumeration=GIFTCARDFL ATRATEENV
PriorityMailIntlRequest / ShippingContents	required once		(group)	
PriorityMailIntlRequest / ShippingContents / ItemDetail	required once repeating up to 30 times	When <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DVDBOX, LGVIDEOBOX) variation, maxOccurs="5"; that is, a maximum of five <itemdetail></itemdetail> tags is permitted.</container>	(group)	
PriorityMailIntlRequest / ShippingContents / ItemDetail / Description	required once	Description of the item. For example: <description>Policy guidelines document</description>	string	maxLength=56 minLength=1 whiteSpace=collapse
PriorityMailIntlRequest / ShippingContents / ItemDetail / Quantity	required once	Quantity of the item. Integer value required. For example: <quantity>1</quantity>	integer	whiteSpace=collapse minExclusive=0

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / ShippingContents / ItemDetail / Value	required once	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <value>55.00</value>	decimal	whiteSpace=collapse minExclusive=0
PriorityMailIntlRequest / ShippingContents / ItemDetail / NetPounds	required once	Provide the pounds component of the weight of the individual item listed with <description>. For example: <netpounds>1</netpounds></description>	integer	default=0 whiteSpace=collapse
PriorityMailIntlRequest / ShippingContents / ItemDetail / NetOunces	required once	Provide the ounces component of the weight of the individual item listed with <description>. For example: <netounces>5</netounces></description>	decimal	default=0.0 whiteSpace=collapse
PriorityMailIntlRequest / ShippingContents / ItemDetail / HSTariffNumber	required once	For commercial items only. If known, the HS tariff number (6-digit) must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. For example: <hstariffnumber>490110</hstariffnumber>	String	whiteSpace=collapse maxLength=6 pattern=\d{0,6}
PriorityMailIntlRequest / ShippingContents / ItemDetail / CountryOfOrigin	required once	For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <countryoforigin>United States</countryoforigin>	String	
PriorityMailIntlRequest / Insured	optional	Restricted use: authorized users may indicate with a value of Y that the item is insured for purposes of obtaining a barcode number from the insured range. All other users must specify N or omit.	string	default=N enumeration=Y enumeration=N

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / InsuredNumber	optional	For backward-compatibility; not validated.	string	
PriorityMailIntlRequest / InsuredAmount	optional	Use this tag for entering an insurance amount, if known. For example: <insuredamount>100.00</insuredamount> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>	string decimal	length=0
PriorityMailIntlRequest / Postage	optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <postage></postage>	string decimal	length=0
PriorityMailIntlRequest / GrossPounds	required once	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <grossounces> tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <grosspounds>4</grosspounds></grossounces>	integer	whiteSpace=collapse
PriorityMailIntlRequest / GrossOunces	required once	Enter the ounces component of the total package weight with this tag. For example: <grossounces>0</grossounces>	decimal	whiteSpace=collapse
PriorityMailIntlRequest / ContentType	required once	Specifies the content of the package or envelope. For example: <contenttype>DOCUMENTS</contenttype> Note: when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation, RETURN is not a valid option.</container>	string	enumeration=MERCHANDI SE enumeration=SAMPLE enumeration=GIFT enumeration=DOCUMENTS enumeration=RETURN enumeration=HUMANITARI AN enumeration=DANGEROUS GOODS enumeration=CREMATEDR EMAINS enumeration=OTHER

Tag Name	Occurs	Description	Type	Validation
PriorityMailIntlRequest / ContentTypeOther	optional	Required when <contenttype>OTHER<contenttype>. Maximum length enforced via truncation</contenttype></contenttype>	string	maxLength=15 whiteSpace=collapse
PriorityMailIntlRequest / Agreement	required once	Requires a value of Y to print <fromfirstname></fromfirstname> and <fromlastname></fromlastname> in Signature Box along with Current Date (Central Time USA). Any other value returns an error.	string	enumeration=Y enumeration=N
PriorityMailIntlRequest / Comments	optional	Enter any comments. For example: <comments></comments> Note: ignored when <container> specified is a flat rate envelope.</container>	string	maxLength=76 Restriction enforced via truncation
PriorityMailIntlRequest / LicenseNumber	optional	Enter license number, if known or if included in package. For example: <licensenumber>LIC-24356879</licensenumber> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>	string	maxLength=24 Restriction enforced via truncation
PriorityMailIntlRequest / CertificateNumber	optional	Enter certificate number, if known or if included in package. For example: <certificatenumber>CERT-97865342</certificatenumber> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>	string	maxLength=24 Restriction enforced via truncation
PriorityMailIntlRequest / InvoiceNumber	optional	Enter invoice number, if known or if included in package. For example: <invoicenumber>INV-040903</invoicenumber> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>	string	maxLength=24 Restriction enforced via truncation
PriorityMailIntlRequest / ImageType	required once	For example: <imagetype>PDF</imagetype>	string	enumeration=PDF enumeration=TIF enumeration=NONE

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / ImageLayout	optional	See section 2.2 Form Output Layout Control. For example: <imagelayout>TRIMONEPERFILE</imagelayout> out>	string	default=ONEPERFILE enumeration=ONEPERFILE enumeration=ALLINONEFIL E enumeration=TRIMONEPE RFILE enumeration=TRIMALLINO NEFILE
PriorityMailIntlRequest / CustomerRefNo	optional	Written to Postal Manifest Detail record. For example: <customerrefno>Ref #369246</customerrefno> Note: ignored when <container> specified is a flat rate envelope or small flat rate box (SMFLATRATEBOX, DXDBOX, LGVIDEOBOX) variation.</container>	string	maxLength=30 Restriction enforced via truncation
PriorityMailIntlRequest / POZipCode	optional	ZIP of Post Office where mailed if different from <fromzip5></fromzip5> . Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <pozipcode>00962</pozipcode>	string	whiteSpace=collapse length=5 pattern=\d{5}
PriorityMailIntlRequest / LabelDate	optional	Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <labeldate>09/28/2010</labeldate>	string	whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\ d(\d\d)?
PriorityMailIntlRequest / HoldForManifest	optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	string	enumeration=Y enumeration=N
PriorityMailIntlRequest / EELPFC	optional	Exemption and Exclusion Legend or PFC Code. Use in conjunction with Revision tag with value of 1 to indicate and trigger new functionality. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5 007.ht m. To activate check boxes use "30.37a" or "30.37h".	string	whiteSpace=collapse minLength=0 maxLength=35 Restriction enforced via truncation
		For example: <eelpfc>30.37a</eelpfc>		

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRequest / CommercialPrice	optional	Indicates if commercial-base price should be returned. For commercial-base price eligibility, please reference the Domestic Mail Manual at http://pe.usps.com/ . For example:	boolean	default=false
PriorityMailIntlRequest / Size	optional	For example: <pre> <commercialprice>False</commercialprice></pre> Use in conjunction with Revision tag with value of 2 to indicate and trigger new functionality. Defined as follows: REGULAR: Package dimensions are 12" or less; LARGE: Any package dimension is larger than 12".	string	whiteSpace=collapse enumeration=LARGE enumeration=REGULAR
PriorityMailIntlRequest / Length	optional	For example: <size>REGULAR</size> Value must be numeric. Units are inches. Required when PriorityMailIntlRequest/Size is LARGE. For example: <width>5.5</width>	decimal	minExclusive=0.0 totalDigits=10
PriorityMailIntlRequest / Width	optional	Value must be numeric. Units are inches. Required when PriorityMailIntlRequest/Size is LARGE. For example: <length>11</length>	decimal	minExclusive=0.0 totalDigits=10
PriorityMailIntlRequest / Height	optional	Value must be numeric. Units are inches. Required when PriorityMailIntlRequest/Size is LARGE. For example: <height>11</height>	decimal	minExclusive=0.0 totalDigits=10
PriorityMailIntlRequest / Girth	optional	Value must be numeric. Units are inches. Required when PriorityMailIntlRequest/Size is LARGE, and PriorityMailIntlRequest/Container is NONRECTANGULAR. For example: <girth>11</girth>	decimal	minExclusive=0.0 totalDigits=10
PriorityMailIntlRequest / ExtraServices	optional	Groups extra services elements	(group)	

Tag Name	Occurs	Description		Type	Validation
		Use to specify extra services. Cu available extra service is electror Delivery Confirmation Internatio	nic USPS		
		Extra Service Name	ServiceID	string	
		e-USPS Delivery Confirmation International	9		
PriorityMailIntlRequest / ExtraServices / ExtraService	optional, repeating up to 1 times	Electronic USPS Delivery Confirm International is only available whe Container Specified is a flat rate (FLATRATEENV, LEGALFLATRATE PADDEDFLATRATEENV, WINDOWFLATRATEENV, SMFLAT or small flat rate box (SMFLATRADVDBOX, LGVIDEOBOX) variation For example: <extraservice>9<td>nen te envelope ENV, FRATEENV) TEBOX,</td><td>whiteSpace=collapse enumeration=9</td></extraservice>	nen te envelope ENV, FRATEENV) TEBOX,		whiteSpace=collapse enumeration=9
PriorityMailIntlCertifyR equest	required once	API=PriorityMailIntlCertify "Certify" signature is for testing a demonstration - does not product label		(alias)	

Sample Requests

All requests should hit the https://secure.shippingapis.com/ShippingAPI.dll end point with the API=PriorityMailIntl or PriorityMailIntlCertify and XML=<the sample XML request below> key value pairs using either a HTTP POST or a HTTP GET.

```
Request:
<PriorityMailIntlCertifyRequest USERID="xxx">
        <Option/>
       <Revision>2</Revision>
        </mageParameters/>
        <FromFirstName>John/FromFirstName>
        <FromMiddleInitial>L/FromMiddleInitial>
        <FromLastName>Doe/FromLastName>
        <FromFirm>USPS/FromFirm>
        <FromAddress1>Suite 10000/FromAddress1>
        <FromAddress2>475 Lenfant/FromAddress2>
        <FromCity>Washington/FromCity>
        <FromState>DC/FromState>
        <FromZip5>20260</FromZip5>
        <FromPhone>2025551212</FromPhone>
        <ToFirstName>Joyce</ToFirstName>
        <ToLastName>Browning</ToLastName>
        <ToFirm>XYZ Corp.</ToFirm>
        <ToAddress1>5th Floor</ToAddress1>
        <ToAddress2>Frankfurter Allee 1</ToAddress2>
        <ToAddress3></ToAddress3>
        <ToCity>Munich</ToCity>
        <ToProvince></ToProvince>
        <ToCountry>Germany</ToCountry>
        <ToPostalCode>83497</ToPostalCode>
        <ToPOBoxFlag>N</ToPOBoxFlag>
```

```
<ToPhone>5155551212</ToPhone>
       <ToFax>8884865188</ToFax>
       <ToEmail>b@aol.com</ToEmail>
       <NonDeliveryOption>Return</NonDeliveryOption>
       <Container>VARIABLE</Container>
       <ShippingContents>
               <Description>Description 1
                       <Quantity>1</Quantity>
                       <Value>1.11</Value>
                       <NetPounds>1</NetPounds>
                       <NetOunces>1</NetOunces>
                       <HSTariffNumber>123456
                       <CountryOfOrigin>Brazil</CountryOfOrigin>
               </ltemDetail>
               <ItemDetail>
                       <Description>Description 2</Description>
                       <Quantity>2</Quantity>
                       <Value>2.22</Value>
                       <NetPounds>2</NetPounds>
                       <NetOunces>2</NetOunces>
                       <HSTariffNumber>234567
                       <CountryOfOrigin>Canada</CountryOfOrigin>
               </ltemDetail>
       </ShippingContents>
       <Insured>N</Insured>
       <GrossPounds>3</GrossPounds>
       <GrossOunces>3</GrossOunces>
       <ContentType>Merchandise</ContentType>
       <Agreement>Y</Agreement>
       <Comments>PriorityMailIntl Comments</Comments>
       <ImageType>TIF</imageType>
       <ImageLayout>ALLINONEFILE/ImageLayout>
       <POZipCode>20770</POZipCode>
       <HoldForManifest>N</HoldForManifest>
       <EELPFC>30.37a</EELPFC>
      <Size>LARGE</Size>
      <Length>10.5</Length>
      <Width>5.5</Width>
      <Height>5.5</Height>
      <Girth>35.5</Girth>
</PriorityMailIntlCertifyRequest>
```

Response Descriptions

Tag Name	Occurs	Description	Туре	Validation
PriorityMailIntlRespon se	require d once		(group)	
PriorityMailIntlRespon se / Postage	require d once	Postage amount	decimal	
PriorityMailIntlRespon se / TotalValue	require d once	Value of all items being shipped	decimal	
PriorityMailIntlRespon se / SDRValue	require d once	Special Drawing Right calculated on Insured Amount	decimal	
PriorityMailIntlRespon se / BarcodeNumber	require d once	Mail service related barcode, may be empty	string	
PriorityMailIntlRespon se / LabelImage	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Page2Image	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Page3Image	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Page4Image	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Page5Image	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Page6Image	require d once	Encoded images of label (may be empty depending upon layout option selected)	base64B inary	
PriorityMailIntlRespon se / Prohibitions	require d once	List of items prohibited from mailing based on country of destination	string	
PriorityMailIntlRespon se / Restrictions	require d once	Restrictions on items being shipped based on country of destination	string	
PriorityMailIntlRespon se / Observations	require d once	Additional mailing information based on country of destination	string	
PriorityMailIntlRespon se / Regulations		Additional regulations for shipping to destination country	string	
PriorityMailIntlRespon se / AdditionalRestrictions	require d once	Additional restrictions on items being shipped to destination country	string	
PriorityMailIntlRespon se / ParcelIndemnityCover age	require d once	Indemnity value	decimal	
PriorityMailIntlRespon se / InsuranceFee	optiona I		decimal	minExclusive=0.0
PriorityMailIntlRespon se / ExtraServices	optiona I		(group)	

Tag Name	Occurs	Description	Type	Validation
PriorityMailIntlRespon se / ExtraServices / ExtraService	optiona I, repeati ng up to unbou nded times	Groups extra service information	(group)	
PriorityMailIntlRespon se / ExtraServices / ExtraService / ServiceID	require d once	Extra Service ID echoed from request	string	
PriorityMailIntlRespon se / ExtraServices / ExtraService / ServiceName	require d once	Extra Service name	string	
PriorityMailIntlRespon se / ExtraServices / ExtraService / Price	require d once	Extra Service fee	decimal	
PriorityMailIntlRespon se / LogMessage	optiona I	A text message for integrators of this API. It may contain additional information about this particular request/response, or general information about the API or Web Tools. In typical implementations, whenever this tag is encountered, the message is written to the console log file for later analysis.	string	
PriorityMailIntlCertify Response	require d once		(alias)	

Sample Response

```
Response:
<?xml version="1.0"?>
<PriorityMailIntlCertifyResponse>
        <Postage>43.85</Postage>
        <TotalValue>3.33</TotalValue>
        <SDRValue>2.17</SDRValue>
        <BarcodeNumber>CJXXXXXXXXXUS</BarcodeNumber>
        <!--Data Truncated -->
       </LabelImage>
        <Page2Image/>
        <Page3Image/>
        <Page4Image/>
        <Page5Image/>
        <Page6Image/>
        <Prohibitions>Absinthe. Articles bearing political or religious notations on the address si<!--513 suppressed---</p>
></Prohibitions>
        <Restrictions>Importation of medicines requires special authorization by German authorities.
        <Observations>1. An air parcel post item may be addressed to a street address or to a pos<!--1457 suppressed---</p>
></Observations>
        < Regulations > Country Code: DE Reciprocal Service Name: There is no reciprocal service. < !-- 715 suppressed---
></Regulations>
       <AdditionalRestrictions/>
      <ParcelIndemnityCoverage>74.08
/ParcelIndemnityCoverage>
</PriorityMailIntlCertifyResponse>
```

Label Diagram (Full Size)

PRIORITY * MAIL *		on Dispatch Not	te CP 72				OSTAGE UIRED
JOHN L DOE	License Nun				Nondeliv	ery Instru	ctions:
XYZ CORP SUITE 500 7 N WILKES-BARRE BLVD WILKES-BARRE PA 18702-1234 US	Certificate N	umber:	. /	NPI			o Sender
Phone: 555-111-2222 JANE DOE ABC CORP SECTION 1 5 5TH FLOOR 1224 STREET	Importer's T Phone: 556 Fax: 5551 Email Mar	51113383	,				
A0A 0A0 TORONTO ONTARIO CANADA	Stun Committee	ds subject to quarantine, sani ents	tary/phytosanitary	y inspection or othe	er restrictions):		Insured:
	escription of Contents	Quantity	Weight lb oz	Value (US \$)	HS Tariff Number	Country of Origin	Insured Amount (US \$):
Description 1 Description 2	LE	1	1 1 2 2	1.11 2.22	123456 234567	BR CA	SDR Value:
I NI							Mailing Office Date Stamp
(Check All That Appels Humanitarian Donation		2	Total Wt 3 3	Total Value 3.33		tage/Fees 3.18	
Sender's Customs Reforence: (if known)	Importer's Customs Reference: (Fiscal or VAT number of the addressee, if know	m)	AES/ITN/Exer				
I certify the particulars given in this customs declaration are prohibited by legislation or by postal or customs regulations regulations.	ક. I have met all applicable export filing requirements પ	under federal law and	Date In:	POSTAL US Time In	n: En □AM I	nployee nitials:	
PS Form 2976-A-PMI, July 2013	Date: Do not duplicate this form without USP	07/25/2013	The i	tem/parcel ma	PM PM	-1 - 46 - : - 11 -	1 - Customs Declaration
PRIORITY * MAIL * PRIORITY * MAIL *	Customs Declarati	on Dispatch Not	te CP 72				
JOHN L DOE XYZ CORP	License Nun	nber:		•	Nondeliv	ery Instru Return t	ctions: to Sender
SUITE 500 § 7 N WILKES-BARRE BLVD LWILKES-BARRE PA 18702-1234 US	Certificate N			' b'			
Phone: 555-111-2222	invoice Num	- A		1,.			
JANE DOE ABC CORP SECTION 1 5 TH FLOOR 1234 STREET	Importer's T Phone: 556 Fax: 5551 Email	51113383 112 4 aol.com	\				
A0A 0A0 TORONTO ONTARIO CANADA	Stuli Committee	ds subject to quarantine, sani ents	tary/phytosanitary	y inspection or othe	er restrictions):		Insured:
	escription of Contents	Quantity	Weight lb oz	Value (US \$)	HS Tariff Number	Country of Origin	Insured Amount (US \$):
Description 1 Description 2	LE	1	1 1 2 2	1.11 2.22	123456 234567	BR CA	SDR Value:
				T-1-11	T.4		Mailing Office Date Stamp
Contents: Classifies Sample Check All That App &	derchandise Returned Goeds Documents	2	Total Wt 3 3	Total Value 3.33 mption:		tage/Fees 3.18	_
I certify the particulars given in this customs declaration are prohibited by legislation or by postal or customs regulations regulations.	correct. This item does not contain any undeclared da i. I have met all applicable export filing requirements of	angerous articles, or articles under federal law and	Date in:	POSTAL US	1: En	nployee nitials:	
Sender's Signature: John L Doe	Date:	07/25/2013			□ AM I	indais:	2 00400 2 1 5
PS Form 2976-A-PMI, July 2013	Do not duplicate this form without USP	S approval.	The it	tem/parcel ma	y be opene	d officially.	2 - Customs Declaration

Contents: Contents Contents	US	SPS Web To
JOHN L DOE XYZ CORP SUITE 600 TO MURKES-BARRE BLVD WILKES-BARRE BA 18702-1234 UKS Certificate Number: Invoice Number: Certificate Number: Invoice Number: Volume for the safety-burden wilder for the part of th		
1284 STREET ADA OAD TORONTO ONTARIO CANADA Office of Exchange Customs Stamp Office of Exchange Total Cty, Total Gross Wt Total Value 2 3 1b 3 oz 3 33 3 3 1b 3 oz 3 3.33 1 3 1b 3 oz 3 3.35 1 3	Return to Sei	
Contents:		ured: ured Amount (US \$):
## Sender's Signature: John L Doe Date: 07/25/2013	Mai Total Postage/Fees \$33.18	t Value: iling Office Date Stamp
Customs Declaration Dispatch Note CP 72 ** MAIL * ** ** ** ** ** ** ** ** **	Employee AM Initials: PM	- Dispatch Note
SAPE DOE	ondelivery Instructions	s:
	Return to Sei	
PATH FLOOR 1234 STREET AQA QAQ TORONTO ONTARIO CANADA Email: La Salo Com Email: La Salo		ured: ured Amount (US \$):

Sender's Signature: John L Doe PS Form 2976-A-PMI, July 2013

Do not duplicate this form without USPS approval.

Date: 07/25/2013

Importer's Customs Reference: (Fiscal or VAT number of the addressee, if known)

I certify the particulars given in this contents declaration are correct. This item does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filling requirements under federal law and regulations.

The item/parcel may be opened officially.

POSTAL USE ONLY
Time in: | E

Total Postage/Fee: \$33.18

Total Wt Total 3 3 3

Total Value 3.33

4 - Sender's Copy

Mailing Office Date Stamp

Priority Mail International Service Instructions

Expected Delivery Date: 6-10 business days to many major markets²³

Priority Mail International - Terms and Conditions (Indemnity)

Indemnity for Priority Mail International® parcels, including insured and ordinary (uninsured) parcels, is provided only in accordance with Postal regulations in the Domestic Mail Manual (DMM®) and the International Mail Manual (IMM®). The DMM and IMM are available online at pe.usps.com. The addressee must report damage or missing contents to the delivering Post Office™ immediately.

Ordinary (uninsured) Priority Mail International parcels include indemnity coverage against loss, damage, or missing contents. Indemnity is limited to the lesser of the actual value of the contents or the maximum indemnity based on the weight of the article. Priority Mail International Flat Rate Envelopes and Priority Mail International Small Flat Rate Boxes are letter-post items and do not include indemnity coverage.

Indemnity coverage is subject to both U.S. Postal Service® regulations and the domestic regulations of the destination country. Based on weight, indemnity coverage may be included at no additional charge, and may not be available to some countries. Indemnity for loss, damage, or missing contents is limited to the lesser of the actual value of the contents or the maximum indemnity based on the weight of the article. Claims for damage and loss may be payable only to addressee; indemnity is not paid for valuable or prohibited articles. No coverage is provided for consequential losses, delay, concealed damage, spoilage or perishable items, articles improperly packaged, articles too fragile to withstand normal handling in the mails or prohibited articles. See the DMM and the IMM for the specific types of losses that are covered, the limitations on coverage and conditions of payment. International insurance coverage greater than the indemnity limits for uninsured parcels is available for an additional fee. Refer to IMM Part 232 for additional

Priority Mail International - Terms and Conditions (Insurance)

International insurance coverage is available for Priority Mail International® flat rate and variable weight parcels and is subject to both U.S. Postal Service® regulations and the domestic regulations of the destination country. Insurance coverage varies by country and is not available to some countries. Any article received in damaged condition or with some or all contents missing must be taken to any Post Office for inspection. All claims for damage or missing contents must be filed immediately, and the article, containers, packaging, and all contents received must be presented to the destination Post Office. Further information is available in IMM Part 232.

Note: Indemnity and Insurance are not available for the Priority Mail International Flat Rate Envelope and small flat-rate box.

Privacy Act Statement: Your information will be used to satisfy reporting requirements for customs purposes. Collection is authorized by 39 U.S.C. 401 403, 404, and 407; 13 U.S.C. 301–307; and 50 U.S.C. 1702. Providing the information is voluntary, but if not provided, we may not process your transaction. We do not disclose your information to third parties without your consent, except to facilitate the transaction, to act on your behalf or request, or as legally required. This includes the following limited circumstances: to a congressional office on your behalf; to financial entities regarding financial transaction issues; to a U.S. Postal Service auditor; to entities, including law enforcement, as required by law or in legal proceedings; to contractors and other entities aiding us to fulfill the service (service providers); to domestic and international customs pursuant to federal law and agreements; and to other governmental entities with authority over exportation. For more information regarding our privacy policies, visit usps.com/privacypolicy.

- 1. Shipping supplies are available online at www.usps.com or your Local Post Office.
- 2. Verify that all information populated on each of the copies is valid
- 3. Select the appropriate category of the item. If the international shipment contains dangerous goods that are approved for mailing, check the box for "Dangerous Goods." Mailability information for international shipments is available in Publication 52, Hazardous, Restricted, and Perishable Mail (chapter 6), and in IMM Part 135.
- 4. Except for shipments to APO/FPO/DPO addresses, enter an Automated Export System (AES) Internal Transaction Number (ITN), AES Exemption, or if applicable, an AES Downtime Citation. This standard may also apply when mailing items to from, and between U.S. territories, possessions, and Freely Associated States — see DMM 608.2.5. One of these codes must appear in the "AES/ITN/Exemption" block before the Postal Service will accept a package for mailing. In general, mailpieces containing any type of goods (per Schedule B Export Codes at www.census.gov/foreign-trade/schedules/b) valued at more than \$2,500, or requiring an export license under U.S. law, must have an ITN issued by the U.S. Census Bureau or an AES Downtime Citation, subject to certain exceptions. Mailpieces that are exempt from filing must have an AES Exemption. Regardless of exemptions, all mailpieces must have an ITN or AES Downtime Citation if they are destined to certain countries on which the U.S. has a comprehensive embargo. To obtain an ITN and file electronically through the Census Bureau's AES, or for additional information, please visit www.census.gov/foreign-trade/aes or call 800-549-0595. For additional information, refer to U.S. Postal Service® Publication 699, Special Requirements for Shipping Internationally, and to IMM Part 520

AES Exemption. In order to comply with U.S. Census Bureau's Foreign Trade Regulations, indicate "NOEEI § 30.37(a)," if applicable. "NOEEI § 30.37(a)" may be used when the value of each class of goods is \$2,500 or less, if an export license is not required. Do NOT use this AES Exemption for items sent to Cuba, Iran, North Korea, Sudan, or Syria. Further information can be found in IMM Parts 526 and 527

- 5. Commercial senders; supply the following information to assist Customs in processing the items.
 - a. Enter, If known, the 6-digit Harmonized Tariff Schedule number, which is based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. "Country of Origin" means the country where the goods originated - i.e., where they were produced/manufactured or assembled.
 - b. Enter License, Certificate, and/or Invoice number, if applicable

6. Fold or cut all copies in half and arrange in numerical order with "1-Customs Declaration" copy on top. Copies must be placed into the PS Form 2976-E. Customs Declaration Envelope - CP 91 (plastic envelope)

- a. Affix the plastic envelope to the package on the address side.
- b. Package must be large enough that the plastic envelope does not wrap around the package edges.
- c. Ensure that the entire barcode and all information is visible.
- d. If using a pickup service, retain Sender's Copy then arrange remaining copies in numerical order with "1-Customs Declaration" copy on top
- 7. Priority Mail International items bearing a computer-generated customs form with customs data that has been electronically transmitted (e.g., using Click-N-Ship service) may be deposited through any of the following methods, provided postage is paid by a means other than the use of postage stamps: (a) through Package Pickup Service; (b) At a Postal Service retail counter: (c) Into a Postal Service lobby drop; (d) In a collection box; (e) At a Contract Postal Unit (CPU). For additional places of mailing, see IMM Part 235. Items must be mailed on the mailing date selected.
- 8. Each shipping label number is unique and can be used only once DO NOT PHOTOCOPY or FAX ONLY THE ORIGINAL LABEL CAN BE ACCEPTED.

Average performance to major markets.

Actual transit time may vary for origin and destination.

Label Diagram (4X6)





PRIORITY * MAIL * STATES STATES.	Customs Declaration Dispatch Note CP72	
E JOHN L DOE 8 XYZ CORP 6 SUITE 500 7 N WILKES-BARRE BLVD WILKES-BARRE PA 18702-1234 US Phone: 555-111-2222 JANE DOE ABC CORP SECTION 1 51H FLOOR	License Number Certificate Number Invoice Number Importer's Telephone Excensil Phone: 555 to 16333 Fax: 555 to 16333 Fax: 555 to 3633	Nondelivery Instructions Return to Sender
1234 STREET ADO 40A TORONTO ONTARIO CANADA Office of Exchange	Stamp Customs Duty	ols here when required Insured Amount (US \$) SDR Value
Contents: Gib Commental Sample Merchand (Check All That Algorithm and train Donation Other: Sender's Customs Reference (if known)	Ilise Returned Goods 20 Documents Dangerous Goods Total Importer's Reference (Fiscal or VAT number of the addressess Ination are correct. This item does not contain any undeclation or by costal or customs regulations. I have met all a	2 3 3 3.33 \$33.18 s, (I kinown) AES/ITN/Exemption
	te this form without USPS approval. The item/parcel may be o	pened officially. 3 - Dispatch Note



INSTRUCTIONS FOR COMPLETING PS FORM 2976-A, CUSTOMS DECLARATION AND DISPATCH NOTE - CP72

Expected Delivery Date: 6-10 business days to many major markets 20

- 1. Complete the declaration fully; otherwise, delay and inconvenience may result for the addressee. A false or misleading declaration may lead to a fine or seizure of the item and additional penalties.
- 2. Enter the Certification Number, or License Number and/or Invoice Number in the corresponding block on the form. Your goods may be subject to restrictions. It is your responsibility to comply with import and export regulations and restrictions (e.g. quarantine, pharmaceuticals, etc.) and to determine what documents (e.g. commercial invoice, certificate of origin, health certificate, license, authorization for goods subject to quarantine such as plant, animal, or food product, etc.), if any are required in the destination country. Check the country listings at http://pe.usps.com, as well as the UPU List of Prohibited Items available at http://www.upu.int/en/activities/customs/list-of-prohibited-
- 3. Enter the sender's and addressee's full name and full address in the blocks provided on the 2976-A. Incomplete names (e.g., initials) or incomplete address entries on the 2976-A may result in delayed handling by Customs and/or the delivery office. Please provide the addressee's (Importer's) contact information (telephone/fax/email), which may be used to facilitate customs clearance or delivery
- 4. Select the option specifying "Nondelivery" instructions in case of nondelivery. Items returned to sender are subject to return charges at the sender's expense
- 5. Enter a detailed description for each article e.g., "men's cotton shirts" General descriptions e.g., "samples," "food products," or "toiletries" are not permitted. If there is insufficient space on the form to list all articles, use the continuation sheet as needed. Each article must include the quantity, net weight (in pounds and ounces), and value (in U.S. dollars). Each article must also include the 6-digit HS tariff number (if known) - which must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization - and a "Country of Origin" (if known). The "Country of Origin" is the country where the goods originated - e.g., where they were produced/manufactured or assembled.
- 6. Select the option specifying the description of contents. Enter explanation if "other" is selected.
- 7. Enter the total weight of the package including packaging, in pounds and ounces. This corresponds to the weight used to calculate
- 8. Enter an International Transaction Number (ITN), Exemption Legend, or AES Downtime Citation. This standard may also apply when mailing items to, from, and between U.S. territories, possessions, and Freely Associated States — see DMM 608.2.5 for when this applies One of these codes must appear in the "AES/ITN/Exemption" block before the Postal Service will accept a package for mailing. In general, mailpieces containing any type of goods (per Schedule B Export Codes at www.census.gov/foreign-trade/schedules/b) valued at more than \$2,500, or requiring an export license under U.S. law, must have an ITN issued by the U.S. Census Bureau or an AES Downtime Citation, subject to certain exceptions. Mailpieces that are exempt from filing must have an Exemption Legend. Regardless of exemptions, all mailpieces must have an ITN or AES Downtime Citation if they are destined for certain countries on which the U.S. has a comprehensive embargo. To obtain an ITN and file electronically through the Census Bureau's Automated Export System (AES), or for additional information, please go to www.census.gov/foreign-trade/aes or call 800-549-0595. Please also refer to U.S. Postal Service® Publication 699, Special Requirements for Shipping internationally, and to IMM Part 520 for additional information.
- 9. Sign and date the form. Your signature certifies that all entries are correct and the items(s) being mailed contains no undeclared dangerous, prohibited, or restricted contents per postal, customs, or destination country regulations. Your signature also certifies compliance with all applicable Federal Export laws, including filing requirements under Foreign Trade Regulations
- 10. Insert the completed form(s) into PS Form 2976-E, Customs Declaration Envelope CP 91. Enclose any commercial documents and the continuation sheets (if applicable) into the envelope. Do not fold form(s) or wrap around the package. The entire barcode and all information must be visible. Remove the backing sheet from PS Form 2976-E and affix the envelope to the package on the address side.

Privacy Act Statement: Your information will be used to satisfy reporting requirements for customs purposes. Collection is authorized by 39 U.S.C. 401, 403, 404, and 407; 13 U.S.C. 301–307; and 50 U.S.C. 1702. Providing the information is voluntary, but if not provided, we may not process your transaction. We do not disclose your information to third parties without your consent, except to facilitate the transaction, to act on your behalf or request, or as legally required. This includes the following limited circumstances: to a congressional office on your behalf; to financial entities regarding financial transaction issues; to a U.S. Postal Service auditor; to entitles, including law enforcement, as required by law or in legal proceedings; to contractors and other entities aiding us to fulfill the service (service providers); to domestic and international customs pursuant to federal law and agreements; and to other governmental entities with authority over exportation. For more information regarding our privacy policies, visit usps.com/privacypolicy.

PARCEL INDEMINITY COVERAGE: Indemnity for Priority Mail International® parcels, including insured and ordinary (uninsured) parcels, is provided only in accordance with Postal Service™ regulations in *Mailing Standards of the United States Postal Service, Domestic Mail Manual* (DMM®) and *Mailing Standards of the United States Postal Service, International Mail Manual* (IMM®). The DMM and IMM are available for inspection at any post Office™ or online at http://pe.usps.com. The addressee must report damage or missing contents to the delivering Post Office immediately.

Ordinary (i.e. uninsured) Priority Mail International parcels include indemnity coverage against loss, damage, or missing contents. Indemnity is limited to the lesser of the actual value of the contents or the maximum indemnity based on the weight of the article. Priority Mail International Flat Rate Envelopes and Priority Mail International Small Flat Rate Boxes are letter-post items and do not include indemnity coverage.

Insured mail service is available for a fee and replaces indemnity on ordinary parcels, Insurance coverage varies by country and is not available to some countries. Indemnity coverage is subject to both U.S. Postal Service® regulations and the domestic regulations of the destination country. Insurance for loss, damage, or missing contents covers the actual (depreciated) value of the contents. Claims for lost ordinary and insured parcels may be payable only to the sender, and claims for damage and missing contents may be payable only to the addressee. The sender or addressee may waive the right of payment in favor of the other.

FILING CLAIMS: To initiate an inquiry for loss, damage, or missing contents, call the International Inquiry Center at 800-222-1811. International indemnity inquiries and claims for loss must be filed within the time limits for the service purchased. All claims for damage or missing contents must be filed immediately, and wrapper), evidence of insurance, and evidence of value (e.g., sales receipt or repair estimate) must be submitted in support of all claims. For complete regulations, see the IMM at http://pe.usps.com.

EXCEPTIONS: No coverage is provided for consequential losses, delay, concealed damage, spoilage of perishable items, articles improperly packaged, articles too fragile to withstand normal handling in the mails, or prohibited articles. See the DMM and the IMM for the specific types of losses that are covered, the limitations on coverage, the terms of insurance or indemnity, and the conditions of payment.

IMPORTANT: Indemnity coverage is not paid for Priority Mail Express International™ or ordinary (uninsured) Priority Mail International parcels containing the following: coins; banknotes: currency notes, including paper money; securities of any kind payable to the bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable or prohibited articles. See the IMM for complete regulations.

Average performance to major markets
 Actual transit time may very for origin and destination

Tagged Label Diagram

PRIORITY * MAIL * PRIORITY * MAIL *	S Declaration Dispat	tch Not	e CP 72		-		OSTAGE UIRED
<pre><fromfirstname><frommiddleinitial><fromlastname> <fromaddress1> E</fromaddress1></fromlastname></frommiddleinitial></fromfirstname></pre>	License Number:			Nondelivery Instructions: <nondeliveryoption> AdtReturnAddress1">AdtReturnAddress1 AdtReturnAddress2 AdtReturnAddress4 AdtReturnAddress4 AdtReturnAddress6 AdtReturnAddress6 AdtReturnCeturnp AddreturnCeturnp AddreturnAddress4 </nondeliveryoption>			

Error Responses

Error conditions are handled at the main XML document level and Package node level. When parsing, it is best to check for an error document first before checking for good data. Error documents have the following format:

<Error>

```
<Number></Number>
     <Source></Source>
     <Description></Description>
     <HelpFile></HelpFile>
     <HelpContext></HelpContext>
</Error>
```

Where:

- Number = the error number generated by the Web Tools server.
- Source = the component and interface that generated the error on the Web Tools server.
- Description = the error description.
- HelpFile = [reserved for future use].
- HelpContext = [reserved for future use].

An <Error> element may be returned at the top (response) level if there is a problem with the syntax of the request, or if a system error occurs.

If you need assistance with an error response, contact the Internet Customer Care Center uspstechnicalsupport@mailps.custhelp.com.

First Class Mail International Label API

Overview

The First Class Mail International Label API lets customers generate First Class International labels given the weight and dimensions of the item.

API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=FirstClassMailIntl	&XML=(see Tag
				Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=FirstClassMailIntlCertify	&XML=(see Tag
				Descriptions below)

Note: The "FirstClassMailIntlCertify" API signature is for testing purposes and will not generate usable labels and barcodes.

Request Descriptions

Tag Name	Occurs	Description	Туре	Validation
FirstClassMailIntlReq uest	required once		(group)	
FirstClassMailIntlReq uest / @USERID	required	This attribute specifies your Web Tools ID. See the Developer's Guide for information on obtaining your USERID.	NMTOK EN	
FirstClassMailIntlReq uest / Option	optional	For future use.	empty	
FirstClassMailIntlReq uest / Revision	required	Use of value 2 required as of January 2011. For example: <revision>2</revision>	string	
FirstClassMailIntlReq uest / ImageParameters	optional	For future use.	empty	
FirstClassMailIntlReq uest / FromFirstName	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromfirstname>John</fromfirstname>	string	maxLength=30 minLength=1 whiteSpace=collapse Restriction enforced via truncation

Tag Name	Occurs	Description	Type	Validation
FirstClassMailIntlReq uest / FromMiddleInitial	optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <frommiddleinitial>L</frommiddleinitial>	string	maxLength=1 whiteSpace=collapse
FirstClassMailIntlReq uest / FromLastName	optional	Both FromFirstName and FromLastName are required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <fromlastname>Doe</fromlastname>	string	maxLength=30 minLength=1 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntlReq uest / FromFirm	optional	FromFirm is required if FromFirstName and FromLastName are left blank. For example: <fromfirm></fromfirm>	string	maxLength=32 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntlReq uest / FromAddress1	optional	Use this tag for a suite or apartment number only. For example: <fromaddress1></fromaddress1>	string	maxLength=32 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntlReq uest / FromAddress2	required once	Use this tag for the primary address line. For example: <fromaddress2>10 Elm Street</fromaddress2>	string	maxLength=32 minLength=1 whiteSpace=collapse Restriction enforced via truncation
First Class Mail Int I Request / From Urbanization	optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <fromurbanization>URB Caparra Ter</fromurbanization>	string	maxLength=32 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntIReq uest / FromCity	required once	Use this tag to specify originating city. For example: <fromcity>Anytown</fromcity>	string	maxLength=16 minLength=1 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntlReq uest / FromState	required once	Use 2-letter USPS abbreviation. For example: <fromstate>AK</fromstate>	string	length=2 whiteSpace=collapse
FirstClassMailIntlReq uest / FromZip5	required once	Five-digit valid ZIP code required. For example: <fromzip5>01234</fromzip5>	string	whiteSpace=collapse length=5 pattern=\d{5}

Tag Name	Occurs	Description	Type	Validation		
FirstClassMailIntlReq uest / FromZip4	optional	If value is entered, four digits are required. Must be a valid ZIP+4 extension. For example: <fromzip4>5678</fromzip4>	string	whiteSpace=collapse length=4 pattern=\d{4}		
FirstClassMailIntlReq uest / FromPhone	required once	10 digits required (including area code), with no punctuation. Use format: 2125551234 For example: <fromphone>5555555555/FromPhone></fromphone>	string	whiteSpace=collapse length=10 pattern=\d{10}		
FirstClassMailIntlReq uest / ToName	optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	string	maxLength=36 Restriction enforced via truncation		
FirstClassMailIntlReq uest / ToFirstName	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tofirstname>John</tofirstname>	string	maxLength=30 Restriction enforced via truncation		
First Class Mail Int I Request / To Last Name	optional	Both ToFirstName and ToLastName are required if ToFirm is left blank. For example: <tolastname>Doe</tolastname>	string	maxLength=30 Restriction enforced via truncation		
FirstClassMailIntlReq uest / ToFirm	optional	ToFirm is required if ToFirstName and ToLastName are left blank. For example: <tofirm></tofirm>	string	maxLength=36 Restriction enforced via truncation		
FirstClassMailIntlReq uest / ToAddress1	required once	Three address lines are provided, but only one is required. Use as many as needed for complete address. For example: <toaddress1>Apartado 3068</toaddress1>		maxLength=36 minLength=1 whiteSpace=collapse Restriction enforced via truncation		
FirstClassMailIntlReq uest / ToAddress2	optional	Three address lines are provided, but only one is required. Use as many as needed for complete address. For example: <toaddress2></toaddress2>	string	maxLength=36 whiteSpace=collapse Restriction enforced via truncation		
FirstClassMailIntlReq uest / ToAddress3	optional	Three address lines are provided, but only one is required. Use as many as needed for complete address. For example: <toaddress3></toaddress3>	string	maxLength=36 whiteSpace=collapse Restriction enforced via truncation		

Tag Name Occur		Description	Туре	Validation	
FirstClassMailIntlReq uest / ToCity	required once	Recipient's city. For example: <tocity>PUERTO VALLARTA</tocity>	string	maxLength=18 minLength=1 whiteSpace=collapse Restriction enforced via truncation	
FirstClassMailIntlReq uest / ToProvince	optional	Enter the province for the recipient. For example: <toprovince>JALISCO</toprovince>	string	maxLength=9 whiteSpace=collapse Restriction enforced via truncation	
FirstClassMailIntlReq uest / ToCountry	required once	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <tocountry>MEXICO</tocountry>	string	minLength=1 whiteSpace=collapse	
FirstClassMailIntlReq uest / ToPostalCode	required once	Enter the postal code for the recipient. For example: <topostalcode>46807</topostalcode>	string	maxLength=9 whiteSpace=collapse Restriction enforced via truncation	
FirstClassMailIntlReq uest / ToPOBoxFlag	required once	Indicates whether or not the To Address is a Post Office Box. For example: <topoboxflag>N</topoboxflag>		whiteSpace=collapse enumeration=Y enumeration=N	
FirstClassMailIntlReq uest / ToPhone	optional	No format checking is done on international phone numbers. Required when FirstClassMailIntlRequest[ToPOBoxFlag='Y']. For example: <tophone>011 52 (322) 222-0069</tophone>		maxLength=30 whiteSpace=collapse Restriction enforced via truncation	
FirstClassMailIntlReq uest / ToFax	optional	No format checking is done on international fax numbers. For example: <tofax>011 52 (322) 222-0074</tofax>		maxLength=30 whiteSpace=collapse Restriction enforced via truncation	
FirstClassMailIntlReq uest / ToEmail	optional	One single, complete, and valid e-mail address is required if tag is used. For example: <toemail>cpapple@email.com</toemail>	string	maxLength=30 whiteSpace=collapse pattern=([\w\-\.]+)@(([\w-]+\.))+[a-zA-Z]{2,4} Restriction enforced via truncation	

Tag Name	Occurs	Description	Type	Validation		
First Class Mail Int I Request / First Class Mail Type	optional	Used to determine the postage rate. See also FirstClassMailIntlRequest/Machinable. For example: <firstclassmailtype>LETTER</firstclassmailtype>	string	default=PARCEL whiteSpace=collapse enumeration=LETTER enumeration=FLAT enumeration=PARCEL		
FirstClassMailIntlReq uest / ShippingContents	required once		(group)			
FirstClassMailIntlReq uest / ShippingContents / ItemDetail	required once repeating up to 5 times		(group)			
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / Description	required once	Description of the item. Non-descriptive wording such as 'Gift' will result in an error. For example: <description>Policy guidelines document</description>	string	maxLength=56 minLength=1 whiteSpace=collapse		
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / Quantity	required once	Quantity of the item. Integer value required. For example: <quantity>1</quantity>	integer	whiteSpace=collapse minExclusive=0 maxExclusive=1000		
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / Value	required once	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <value>55.00</value>		whiteSpace=collapse minExclusive=0 maxExclusive=100000		
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / NetPounds	required once	Provide the pounds component of the weight of the individual item listed within this ItemDetail. For example: <netpounds>1</netpounds>	integer	default=0 whiteSpace=collapse minInclusive=0		
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / NetOunces	required once	Provide the ounces component of the weight of the individual item listed within this ItemDetail. For example: <netounces>5</netounces>	decimal	default=0.0 whiteSpace=collapse minInclusive=0		

Tag Name	Occurs	Description	Type	Validation	
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / HSTariffNumber	required once	For commercial items only. If known, the HS tariff number (6-digit) must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. For example: <hstariffnumber>490110</hstariffnumber>	string	whiteSpace=collapse maxLength=6 minLength=0 pattern=\d{6} pattern=\d{0}	
FirstClassMailIntlReq uest / ShippingContents / ItemDetail / CountryOfOrigin	required once	For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <countryoforigin>United States</countryoforigin>	string	whiteSpace=collapse minLength=0	
FirstClassMailIntlReq uest / Postage	optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <postage></postage>	string decimal	length=0 whiteSpace=collapse	
FirstClassMailIntlReq uest / GrossPounds	required once	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the "GrossOunces" tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <grosspounds>4</grosspounds>	integer	whiteSpace=collapse minInclusive=0	
FirstClassMailIntlReq uest / GrossOunces	required once	Enter the ounces component of the total package weight with this tag. For example: <grossounces>0</grossounces>	decimal	whiteSpace=collapse minInclusive=0	

Tag Name	Occurs	Description	Туре	Validation		
FirstClassMailIntlReq uest / Machinable	optional	Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non- machinable characteristics. See International Mail Manual (IMM) Section 241 for more information. For example: <machinable>false</machinable>	boolean	default=true whiteSpace=collapse		
FirstClassMailIntlReq uest / ContentType	required once	Specifies the content of the package or envelope. For example: <contenttype>DOCUMENTS</contenttype>	string	whiteSpace=collapse enumeration=MERCHANDIS E enumeration=SAMPLE enumeration=GIFT enumeration=DOCUMENTS enumeration=HUMANITARI AN enumeration=DANGEROUSG OODS enumeration=CREMATEDRE MAINS enumeration=OTHER		
FirstClassMailIntlReq uest / ContentTypeOther	optional	Required when FirstClassMailIntlRequest[ContentType='OTHER'].	string	maxLength=15 whiteSpace=collapse		
FirstClassMailIntlReq uest / Agreement	required once	Indicates the requestor's agreement to terms and conditions of mailing. Requires a value of Y to print and in Signature Box along with Current Date (Central Time USA). Any other value returns an error.	string	whiteSpace=collapse enumeration=Y		
FirstClassMailIntlReq uest / Comments	optional	For future use.	string	maxLength=76 whiteSpace=collapse Restriction enforced via truncation		
FirstClassMailIntlReq uest / LicenseNumber	optional	For future use.	string	maxLength=24 whiteSpace=collapse Restriction enforced via truncation		
FirstClassMailIntlReq uest / CertificateNumber	optional	For future use.	string	maxLength=24 whiteSpace=collapse Restriction enforced via truncation		

Tag Name	Occurs	Description	Type	Validation
FirstClassMailIntlReq uest / InvoiceNumber	optional	For future use.	string	maxLength=24 whiteSpace=collapse Restriction enforced via truncation
FirstClassMailIntlReq uest / ImageType	required once	For example: <imagetype>PDF</imagetype>	string	whiteSpace=collapse enumeration=PDF enumeration=TIF enumeration=NONE
FirstClassMailIntlReq uest / ImageLayout	optional	Specified whether the pages are to be returned one per file or all in one file. The current FCMI label is one page so this tag has no effect. For example: <imagelayout>ONEPERFILE</imagelayout>	string	default=ONEPERFILE whiteSpace=collapse enumeration=ONEPERFILE enumeration=ALLINONEFILE
FirstClassMailIntlReq uest / CustomerRefNo	optional	Written to Postal Manifest Detail record. For example: <customerrefno>Ref #369246</customerrefno>	string	maxLength=30 Restriction enforced via truncation
FirstClassMailIntlReq uest / LabelDate	optional	Date the mail will enter the mail stream. No more than three days in the future. Default is day of request. For example: <labeldate>09/28/2010</labeldate>		whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\d (\d\d)?
FirstClassMailIntlReq uest / HoldForManifest	optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	string	enumeration=Y enumeration=N
FirstClassMailIntlReq uest / EELPFC	optional	Exemption and Exclusion Legend or PFC Code. Currently optional, in the future it may be required for use. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5 007.htm. To activate check boxes use "30.37a" or "30.37h".	string	whiteSpace=collapse minLength=0 maxLength=35 Restriction enforced via truncation
		For example: <eelpfc>30.37a</eelpfc>		

Tag Name	Occurs	Description	Туре	Validation	
FirstClassMailIntlReq uest / Container	optional	When FirstClassMailIntlRequest[FirstClassMailType='PA RCEL'] and [Size='LARGE'], use to specify special containers or container attributes that may affect postage. For example: <container>RECTANGULAR</container>	string	whiteSpace=collapse enumeration=RECTANGULA R enumeration=NONRECTANG ULAR	
FirstClassMailIntlReq uest / Size	optional	May be left blank in situations that do not require a Size: (FirstClassMailIntlRequest[FirstClassMailType='LE TTER' or 'FLAT']). Defined as follows: REGULAR: Package dimensions are 12" or less; LARGE: Any package dimension is larger than 12". For example: <size>REGULAR</size>	string	whiteSpace=collapse enumeration=LARGE enumeration=REGULAR	
FirstClassMailIntlReq uest / Length	optional	Value must be numeric. Units are inches. Required when FirstClassMailIntlRequest/Size is LARGE. For example: <width>5.5</width>	decimal	minExclusive=0.0 totalDigits=10	
FirstClassMailIntlReq uest / Width	optional	Value must be numeric. Units are inches. Required when FirstClassMailIntlRequest/Size is LARGE. For example: <length>11</length>	decimal	minExclusive=0.0 totalDigits=10	
FirstClassMailIntlReq uest / Height	optional	Value must be numeric. Units are inches. Required when FirstClassMailIntlRequest/Size is LARGE. For example: <height>11</height>	decimal	minExclusive=0.0 totalDigits=10	
FirstClassMailIntlReq uest / Girth	optional	Value must be numeric. Units are inches. Required when FirstClassMailIntlRequest/Size is LARGE, and FirstClassMailIntlRequest/Container is NONRECTANGULAR. For example: <girth>11</girth>	decimal	minExclusive=0.0 totalDigits=10	
FirstClassMailIntlReq uest / ExtraServices	optional	Groups extra services elements	(group)		

Tag Name	Occurs	Description		Type	Validation
FirstClassMailIntlReq	optional,	Use to specify extra services. Currextra service is electronic USPS De Confirmation International.			
uest /	repeating	Extra Service Name	ServiceID	string	enumeration=9
ExtraServices / ExtraService	up to 1 times	e-USPS Delivery Confirmation International	9		
		For example: <extraservice>9<td></td><td colspan="2"></td></extraservice>			
FirstClassMailIntlReq uest / PriceOptions	optional	Indicates if retail, commercial base plus pricing should be returned. For example: <priceoptions>COM BASE</priceoptions>	string	default=RETAIL enumeration=COMMERCIAL BASE enumeration=COMMERCIAL PLUS	
FirstClassMailIntlCert ifyRequest	required once	API=FirstClassMailIntlCertify "Certify" signature is for testing and demonstration - does not produce label	(alias)		

Sample Request

All requests should hit the https://secure.shippingapis.com/ShippingAPI.dll end point with the API=FirstClassMailIntl or FirstClassMailIntlCertify and XML=<the sample XML request below> key value pairs using either a HTTP POST or a HTTP GET.

Request: <FirstClassMailIntlCertifyRequest USERID="xxx"> <Option/> <Revision>2</Revision> </mageParameters/> <FromFirstName>John</FromFirstName> <FromMiddleInitial>C/FromMiddleInitial> <FromLastName>Doe/FromLastName> <FromFirm>USPS/FromFirm> <FromAddress1>Suite 10000/FromAddress1> <FromAddress2>475 Lenfant/FromAddress2> <FromCity>Washington</FromCity> <FromState>DC/FromState> <FromZip5>20260</FromZip5> <FromPhone>2025551212</FromPhone> <ToFirstName>Jane</ToFirstName> <ToLastName>Smith</ToLastName> <ToFirm></ToFirm> <ToAddress1></ToAddress1> <ToAddress2>5th floor</ToAddress2> <ToAddress3>789 Universal Dr</ToAddress3> <ToCity>Ottawa</ToCity> <ToCountry>Canada</ToCountry> <ToPostalCode>K1A0A1</ToPostalCode> <ToPOBoxFlag>N</ToPOBoxFlag> <ToPhone>555555555</ToPhone> <ToFax>8888888888888</ToFax> <ToEmail>b@aol.com</ToEmail> <FirstClassMailType>PARCEL/FirstClassMailType>

```
<ShippingContents>
   <ItemDetail>
     <Description>Description 1
     <Quantity>1</Quantity>
     <Value>1.11</Value>
     <NetPounds>1</NetPounds>
     <NetOunces>1</NetOunces>
     <HSTariffNumber>123456
/HSTariffNumber>
     <CountryOfOrigin>Brazil</CountryOfOrigin>
   </ltemDetail>
   <ItemDetail>
     <Description>Description 2
     <Quantity>2</Quantity>
     <Value>2.22</Value>
     <NetPounds>0</NetPounds>
     <NetOunces>2</NetOunces>
     <HSTariffNumber>234567</HSTariffNumber>
     <CountryOfOrigin>Canada</CountryOfOrigin>
   </ltemDetail>
 </ShippingContents>
 <GrossPounds>3</GrossPounds>
 <GrossOunces>2</GrossOunces>
 <Machinable>false</Machinable>
 <ContentType>GIFT</ContentType>
 <Agreement>Y</Agreement>
 <Comments>FirstClassMailIntl Comments</Comments>
 <lmageType>TIF
 <ImageLayout>ONEPERFILE/ImageLayout>
 <HoldForManifest>N</HoldForManifest>
 <EELPFC>30.37a</EELPFC>
 <Container>RECTANGULAR</Container>
 <Size>REGULAR</Size>
 <Length>10.5</Length>
 <Width>5.5</Width>
 <Height>5.5</Height>
 <Girth>5.5</Girth>
</FirstClassMailIntlCertifyRequest>
```

Response Descriptions

Tag Name	Occurs	Description	Туре	Validation
First Class Mail Intl Response	required once		(group)	
FirstClassMailIntlResponse / Postage	required once	Postage amount	decimal	
FirstClassMailIntlResponse / TotalValue	required once	Value of all items being shipped	decimal	
First Class Mail Int I Response / Barcode Number	required once	Mail service related barcode, may be empty	string	
FirstClassMailIntlResponse / LabelImage	required once	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	
FirstClassMailIntlResponse / Page2Image	required once	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	

Tag Name	Occurs	Description	Туре	Validation
FirstClassMailIntlResponse / Page3Image	required once	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	
FirstClassMailIntlResponse / Prohibitions	required once	List of items prohibited from mailing based on country of destination	string	
FirstClassMailIntlResponse / Restrictions	required once	Restrictions on items being shipped based on country of destination	string	
FirstClassMailIntlResponse / Observations	required once	Additional mailing information based on country of destination	string	
FirstClassMailIntlResponse / Regulations	required once	Additional regulations for shipping to destination country	string	
FirstClassIntlResponse / AdditionalRestrictions	required once	Additional restrictions on items being shipped to destination country	string	
FirstClassIntlResponse / ExtraServices	optional		(group)	
FirstClassIntlResponse / ExtraServices / ExtraService	optional, repeating up to unbounded times	Groups extra service information	(group)	
FirstClassIntlResponse / ExtraServices / ExtraService / ServiceID	required once	Extra Service ID echoed from request	string	
FirstClassIntlResponse / ExtraServices / ExtraService / ServiceName	required once	Extra Service name	string	
FirstClassIntlResponse / ExtraServices / ExtraService / Price	required once	Extra Service fee	decimal	
First Class Mail Intl Certify Response	required once		(alias)	

Sample Response

All requests should hit the https://secure.shippingapis.com/ShippingAPI.dll end point with the API=FirstClassMailIntl or FirstClassMailIntlCertify and XML=<the sample XML request below> key value pairs using either a HTTP POST or a HTTP GET.

Response:

- <?xml version="1.0"?>
- <FirstClassMailIntlCertifyResponse>
 - <Postage>23.15</Postage>
 - <TotalValue>3.33</TotalValue>
 - <BarcodeNumber>LJXXXXXXXXXXUS/BarcodeNumber>
 - <Labellmage>SUkqAAgAAAAAAAAAAAAAAAAAAAAAAAAAAAABBAABAAAAAGYAAAEBB<!--37678 suppressed---</p>

- >=</LabelImage>
 <Page2Image/>
 <Page3Image/>
 <Page3Image/>
 <Prohibitions>Arms, ammunition, weapons. Articles in hermetical<!--813 suppressed--->.</Prohibitions>
 <Restrictions>The importation of personal articles is limited t<!--839 suppressed--->s</Restrictions>

 - <Observations>Articles that do not meet the requirements mentio<!--90 suppressed--->.
 <Regulations>Country Code: CN Reciprocal Service Name: Interna<!--525 suppressed--->I
 /Regulations>
 <AdditionalRestrictions/>
- </FirstClassMailIntlCertifyResponse>

Label Diagram



~	
~	

Cut on dotted line.

Instructions

Refer to the International Mail Manual (IMM®) at pe.usps.com for international shipping and mailing information

- Do not use this form for mailpieces that: (1) Contain items valued over \$400; (2) Require an
 export license; (3) Contain goods (non-documents) destined to Iran, Sudan, or Syria; or (4) Contain
 goods destined to Cuba or North Korea, other than gift parcels or humanitarian donations as defined
 by 15 CFR \$740.12.
- 2. Verify that all information populated in the form is correct
- Select the appropriate category of the item. If the international shipment contains dangerous goods that are approved for mailing, check the box for "Dangerous Goods." Mailability information for international shipments is available in Publication 52, Hazardous, Restricted, and Perishable Mail (chapter 6), and in IMM Part 135.
- Commercial Items: Enter, if known, the 6-digit Harmonized Tariff Schedule number, which is based
 on the Harmonized Commodity Description and Coding System developed by the World Customs
 Organization. "Country of Origin" means the country where the goods originated i.e., where they
 were produced/manufactured or assembled.
- 5. AES Exemption. In order to comply with the U.S. Census Bureau's Foreign Trade Regulations, check the box "NOEEI § 30.37(a)" or "NOEEI § 30.37(h)." Further information is available in IMM Parts 526 and 527. Use the following explainations to help determine your choice:
 - NOEEI§ 30.37(a): Use this AES Exemption when the value of each class of goods is \$2,500
 or less, if an export license is not required. Do NOT use this AES Exemption for items sent
 to Cuba or North Korea.
 - NOEEI § 30.37(h). Use this AES Exemption for gift parcels or humanitarian donations destined to certain sanctioned countries (as of September 2012, this includes Cuba and North Korea), if the package complies with the conditions set forth in 15 CFR § 740.12.
- Adhere your label to the package and ensure it does not wrap around the edge. Be sure the edges are secure. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER

 BARCODE
- 7. International items bearing a computer-generated customs form with customs data that has been electronically transmitted may be deposited through any of the following methods, provided postage is paid by a means other than the use of postage stamps: (a) Through Package Pickup Service, (b) At a Postal Service retail counter, (c) Into a Postal Service lobby drop; (d) In a collection box, (e) At a Contract Postal Unit (CPU). For additional places of mailing, see IMM Parts 225, 235, and 245. Items must be mailed on the mailing date selected.
- 8. The shipping label is unique and can be used only once
- $9. \ \ Privacy \ Notice: \ For information regarding our \ Privacy \ Policy, \ visit \ \textit{usps.com/privacypolicy}.$

Online Label Record

LZ 343 000 037 US Not Paid Online Print Date: 01/24/2014 First-Class Package Intl. Service™ \$22.10 Ship Date: 01/24/2014 Postage: Delivery Confirmation Fee: \$0.00 Weight: 2 lb 3 oz \$22.10 Expected Delive ry Varies by Country JOHN L DOE From: TEST FROM FIRM 7 N WILKES-BARRE BLVD. WILKES-BARRE PA 18702-1234 TEST TESTER SOME FIRM TEST ADDRESS1 TEST ADDRESSE2 TEST ADDRESS3 10700 LE CHENE 10 FRANCE

Customs Barcode Number:



Thank you for shipping with the United States Postal Service!

Tagged Label Diagram

<baroodenumbe<i>P</baroodenumbe<i>									
USPS® First-Clas	ss I	Pack	age	Inter	natio	nal Service™			
Customs Declaration CN 22 Contents: (Check All That Apply) < ○ontent type> IX Gift	ın Do	netion				E <pre></pre>			
Detailed Description of Contents	Qty.	Weight Ib az	Value US 9	HS Tariff Number	Country of Origin				
 CD ascript one 	< Quantity-	< NetPounds	<value></value>	< HSTarifNumber>	< Go untry of Drigin>	<toaddress1></toaddress1>			
	AES Exemption								
GrossOuncese Certify the particulars given in this customs declaration are correct. This item does not contain any undeclared langerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations. Sender's signature: GrossOuncese Certify the properties of the propert									

-	7	<	_	

Cut on dotted line.

Instructions

Refer to the *Informational Mantiflamum* (NIME) at p_{θ} inspection, for interval empting and mailing information

- 1. Do not use this form for malipieces that: (1) Contain terms valued over \$4(0); (2) Feequire an export borzer. (3) Contain boods (not documents) documed to rain, Sudan, or Sena of (4) Contain good a destined to Cube or Nort, Konea, all terther git percets on trainer iterian containing as defined by (1) CPR \$7 (1) CP
- 2 | Verify that all information populated in the form is correct.
- Select the explanter category of the Terr. The International Journal Contains dangerous doeds that see appropriation maining cherk the brys for "Pargareus Grooks". Malability Information for maining cherk the brys for "Pargareus Grooks". Malability Information for microalbord shipmon by 3 or which is in Public accent \$2. Haz victors, Restricted, and Personatio Most (chacter of, and in NMP Part 152.)

 (chacter of, and in NMP Part 152.)
- years to violatin with rail 1937.

 A Commercial from Effect (Indown the 6 dight Harmonized Tariff Schedule number, which is based with the Harmus (24) Courni, allo Describtion and Coding System developed by the World Coustoms Grigor both in "Cournity of Crigor" means the comby where the goods or ginded—all, where they wick produced brombiactured or associated.
- Note: Production and activated of associated with the U.S. Census Bureau's Foreign Trace Regulations, encounting the Street Stre
- NOEBI § 30 37 (a). Use this AES Exemption when the value of each class of goods is \$2,500 or ess, if an apoint locate is not required. Do NOT use this AES Exemption for terms sent to Clubs or North Korea.
- NOEBIS 30 27th) Use this AES Exemption for git parcels or numeritarian directions destined to organisancinred courties (s.s. 17-September 2012). It's includes Cubia and North Korea), if the package complex with the conductions borton in 17-CHE 47-40.12.

 5. Adhere your table to the cackage and ensure it does not wrap around the edge. Be sure the edges secure A set achieve Machalle is recommended. If tape or give is used, LO 100 TAPE OVER SEASONED.

 SeASONED.
- Send-Out I have beening a computer-gar entitled customs form with customs data that has been elementationally transmitten may be deposabled through any of the I hower prochog provides constigutes paintly a mean other frame to be of postspoistings for Timoury Postspop Policy Beenice, by Alla Feoral Senator does country, (clinica Protata Senator looky crop) (drift in a collocata box, (or Alla Collect Foolal Unit (CPU). For editional process, finaling, see that Parts 225, 285, and 245 term must be mailted on the mailing back selected.
- 8. The stripping label is unique and can be used only once
- 9. Privacy Notice. For information regarding our Privacy Pulicy, visit was a comenivacy policy.

Online Label Record





Thank you for shipping with the United States Postal Service!

Error Responses

Error conditions are handled at the main XML document level and Package node level. When parsing, it is best to check for an error document first before checking for good data. Error documents have the following format:

<Error>

```
<Number></Number>
     <Source></Source>
     <Description></Description>
     <HelpFile></HelpFile>
     <HelpContext></HelpContext>
</Error>
```

Where:

- Number = the error number generated by the Web Tools server.
- Source = the component and interface that generated the error on the Web Tools server.
- Description = the error description.
- HelpFile = [reserved for future use].
- HelpContext = [reserved for future use].

An <Error> element may be returned at the top (response) level if there is a problem with the syntax of the request, or if a system error occurs.

If you need assistance with an error response, contact the Internet Customer Care Center uspstechnicalsupport@mailps.custhelp.com.