

THE INVENTORS OF HARDENED PLASTIC TEETH "THE PROFESSIONAL'S CHOICE"

MOLD CHART ANTERIOR & POSTERIOR HARDENED PLASTIC



WEAR RESISTANT • LAMINATED • VACUUM PROCESSED • CROSS-LINKED • FLUORESCENT

CREATING BEAUTIFUL SMILES... ALL AROUND THE WORLD

For Premium Prosthetic Cases Only







Health Canada Company ID: 113382





The cross-linking system employed is an interpenetrated multilayered, intersectional polymer network. No diatoric retention necessary. 100% bondability with methyl methacrylate denture base material. Justi Dymon-Hue HPT Teeth comply with ISO #22112:2005 and ANSI/ADASpecification #15 Published in 1999, identical to ISO Standard #3336:1993





20 UPPER ANTERIORS











14 LOWER ANTERIORS





Photographs of teeth are within plus or minus 3% of actual size.

20° SEMI ANATOMICAL POSTERIORS 6 UPPERS & 6 LOWERS






Ð

DYMON-HUE® HPT






36.5






Bonds to perfection.
Weight specific to natural teeth.
Photogenic fluorescence.

DETAILS & CHARACTERISTICS



DYMON-HUE TOOTH SELECTION GUIDES





Artificial Tooth Mold Selector Guide ITEM #077-65-0011

A Total Tooth Selecting System

A unique and comprehensive slide chart which was designed to aid the dental and laboratory professional in the selection of specific Dymon-Hue HPT tooth molds. The Artificial Mold Selector Guide allows you to set up a denture or partial case with 100% assurance of accuracy in your mold selection.

This one-of-a-kind tool was designed and patented by Justi. No dental professional should be without one!

U.S. Patent #5,821,509


Dymon-Hue HPT Working Mold Guide ITEM #084-19980

Contains: one set of each mold, all one shade, 34 anteriors and 40 posteriors.



Dymon-Hue HPT

Maxillary Centrals Shade Guide in 12 shades ITEM #084-19975 *



Dymon-Hue HPT Eterna Double-Sided Shade Guide in 13 shades ITEM #084-19986





IMPORTANT FACTS ABOUT DYMON-HUE® HPT TEETH

DYMON-HUE HPT teeth are manufactured with life-like aesthetics which are blended to be similar to those of natural teeth.

Dymon-Hue HPT (hardened plastic teeth) are made of high quality synthetic resin. They are wear resistant, cross-linked, vacuum processed, and have superior hardness. The cross-linking system used is an interpenetrated, multi-layered, intersectional polymer network which is solvent and heat resistant. The pigmented copolymer incorporates inorganic type pigments that are color stable and unaffected by light or heat. The denture base side of the tooth extending to the neck portion is constructed of a solvent resistant, softer polymer that

assures a 100% chemical bond to all methyl methacrylate denture base acrylics. No diatoric retention is necessary.

Dymon-Hue HPT teeth are available in 34 anterior molds, and 40 posterior molds including 0° Planatomical[™], 10° Symmetry[™], 20° Semi Anatomical, and 33° Anatomical and Short-Bite. They are also available in anatomical short bite molds that provide the technician additional space, eliminating tooth adjustments in many cases.

The Dymon-Hue HPT is another quality Justi product manufactured to surpass ANSI/ADA Specification #15 for synthetic resin teeth; it also complies with ISO # 221 12:2005.

CON		RTICULATIONS										
ANTERIOR POSTERIOR												
ANT Upper	ERIOR Lower	POSTERIOR Upper-Lower										
2C	2C	29M										
20 2D	20 2D	29L										
2D 2N	2D 2N	29L-30F										
2E	21 1	31M										
2P	2P	31L-32F										
3M	3M	29M										
3C	3C	29M										
3D	3C	31M										
3N	3N	31M										
3P	3P	31M-33F										
IN	3N	31M										
5P	3N	3IL										
A25	46	30M										
A26	47	32M										
4H	4H	31M										
136	47	32M-34M										
137	4H	33M										
264	2P	3IL										
266	26	33L-34F										
267	3R	34L										

DYMON-HUE® HPT

This shade comparison chart is to be used in selecting approximate color matches. Slight variations occur due to the difference in the texture and character of the respective materials. This chart should be used as an aid to the skill and preferences of the dentist or technician who must make the final shade choice.

DYMON-HUE [®] HPT SHADE COMPARISON CHART												
Color	Dymon-Hue®	Vita®	Bioform®	Biotone® New Hue®	Bioblend®							
White	59	-	52	59	-							
Yel/Brn	60	A3	64	66	109							
White	61	CI	-	-	-							
White/Gray	62	AI	52	61	100							
Gray/Pink	65	A3-5	55	65	-							
Yel/Pink	66	B2	66	66	-							
Yel/Brn	67	B3	83	67	114							
Yel/Brn	68	B4	77	77	114							
Gray	69	D4	69	69	-							
Brown	77	B4	83	-	-							
Gray/Brn	78	A4	84	-	116							
Gray/Brn	81	A4	81	-	-							
Brown	87	A4	85	-	118							

AMERICAN TOOTH INDUSTRIES PRODUCTION - THE STEPS IT TAKES TO CRAFT JUSTI HOLLYWOOD TEETH®

















- American Tooth Industries building in beautiful Oxnard, California, inside is where the teeth manufacturing begins:
- 2&3- Preparation steps of Stains, Dentine, Enamel, Gingival and Fluorescent powder.
 - Preparation of Liquid
 - 5- Steps of the molding operation
 - 6- Vacuum oven crystallizer 7- Final control
 - 8-ATI's tooth warehouse of the Justi Hollywood teeth is one of the largest in the business, Dymon-Hue teeth are ready to go into the world as a proud testimonial of our universal acceptance of these unique beautiful teeth. The Tooth Express Services is a registered trademark of our company.







With Justi® Hollywood Teeth® YOU CAN Accomplish the Following Functions with Ease

CHEWING



An act of crushing or grinding with teeth

CRUSHING



Break into fine pieces by grinding, pounding or pressing down hard.



An act of separating, opening or remove with something sharp

CRUNCHING



An act of crushing noisly with teeth



An act of pulling apart by force



An act of dividing into two or more pieces



An act of biting into something in order to eat it. A piece cut off by biting.



An act of cutting by hitting with something sharp

SQUEEZING



An act of pressing down with force



An act of biting into something in order to rip strands off.

AND SMILE LIKE A CELEBRITY





Become a proud member of our Justi Hollywood Teeth[®] users family Today!



HARDNESS AND WEAR RESISTANCE OF JUSTI[®] HOLLYWOOD TEETH[®]

The True Fact™

In a discussion of the following factors, an immediate distinction between Hardness and Wear resistance of artificial teeth must be made.

In the world of plastics, hardness or resistance to penetration has little relationship to the wear resistance of the material concerned. An example of this would be a solid rubber tire. Because of its inability to properly handle the forces of stress a solid hard rubber tire will wear faster than a modern inflatable rubber tire. With the advances in modern plastic tooth formulations, Justi Hollywood teeth have been given superior wear resistance without unduly increasing tooth hardness that would sacrifice the resilience of the tooth.

Years of use in the mouth have conclusively proven that Justi Hollywood teeth posses the degree of hardness to withstand the stress of mastication. These plastics have proven themselves "tougher" than previous artificial tooth formulations. This fact is best illustrated by a very low incidence of breakage of Justi Hollywood teeth.

Some early plastic teeth were seen to wear rapidly, and would lose vertical dimension. In many cases where these teeth were exposed to organic solvents or flames they lost their fine properties and wore excessively. Since the introduction of the Justi Imperial® tooth line in 1950, this hazard has been removed. All our teeth are now made with a very tough plastic formulation. With our molecular cross-linked and solvent resistant formula you may confidently expect the following:

- I. Justi Hollywood teeth will wear at approximately the same rate as porcelain.
- 2. When Justi Hollywood teeth are placed opposite to natural teeth they help preserve the natural dentition because of their non-abrasive and resilient formulation characteristics.
- 3. Using Justi Hollywood teeth opposite gold will cause the Justi teeth to wear slightly faster, thus preserving the restoration

Clinical observation and laboratory testing has shown that when the occlusion is well balanced, little or no wear will be seen.

It is important to remember in selecting teeth that we are substituting for the human tooth. The periodontal membrane and resilience of living tissue are important to the health of the teeth rooted in the bone. Resilient teeth should be placed on restorations that are to be totally supported by the delicate mucous membranes. Any increase in hardness beyond the point of adequate resilience is at a disadvantage in denture teeth. By the same token, it may be reasoned that if natural teeth are so constructed by nature as to wear somewhat during the abrasive forces of mastication, there should also be some slight wear in the denture teeth.

It is logical to assume that the wear resistance of artificial denture teeth should be slightly less than that of natural teeth which is firmly supported by the bone of the alveoli. The True FactTM

No practicing prosthodontist will deny that even with perfect occlusal relationships, some tissue resorption will eventually occur under tissue born dentures. As soon as vertical relationship is reduced, traumatic forces are encountered in the most destructive area, the anterior teeth. If no wear is possible, the trauma produces irritation and greater destruction. The ability of Justi Hollywood teeth to wear slightly under normal use is of great benefit to patients and their oral health.

Another liability is encountered when an artificial tooth is placed in opposition to natural teeth or any structure supported by natural teeth. Every effort should be made to prevent traumatic interference between them. If any attrition occurs in such a relationship, it should result in the wear of the artificial tooth. The artificial tooth can be replaced. Under these conditions, unyielding porcelain teeth have caused premature loss of many natural teeth and fixed bridges.

When dentures are fitted, patients should be told of this possibility and the effort you are making to preserve their remaining teeth and tissue.

Justi Hollywood Tooth Senior Grand Master

DYMON-HUE[®] HPT ACCESSORIES

Justi[®] Papilla Gauge

Denture Measuring Device

077-65-0013

The permanent position of the papilla can provide great diagnostic value in reproducing tooth position in the construction of a denture. A measuring device that uses this landmark will record, with accuracy, the horizontal and vertical plane to define the position of the incisal edges and the central incisors. These measurements can be recorded, along with the mold and shade, on the patient's records for present or future application.

Artificial Mold Selector Guide®

A Total Tooth Selecting System

077-65-0011

A unique and comprehensive slide chart, designed to aid the dentist and laboratory with the selection of specific Justi tooth molds. It also allows you to set up complete and partial denture cases with 100% assurance of accuracy in your mold selection. This one-of-a-kind tool was designed

and patented by Justi. No dental professional should be without one!

Justi[®] Pocket Lens

077-65-0035

Details, details, details!

You'll love how clearly details can be seen with our new Pocket Lens. The applications around your lab or dental office are limitless.

Techician's Utility Ruler



The Justi Technician's Utility Ruler will aid the technician in the most common situations: Fabrication of occlusal rims, verification of the maxillary central incisor position, determination of normal or cross-bite situations, determination of posterior molds, measuring for the six anterior teeth and related information. Comes complete with instructions for use.

Justi[®] Utility Template

077-65-0041

The Justi Template is a quality stainless occlusal plane guide tool specifically designed for the needs of today's productive technicians for tooth set-up and occlusal bite rim fabrica-



tion. A guide relation of 80 degree angled sides are calibrated with a millimeter rule guide measuring 0 to 70 mm with markings at 18 and 22 mm.

Justi[®] Caliper

077-65-0034

This compass style measuring device can be used for measuring parameter landmarks on a working model or facial dimensions to aid in determining tooth mold selection.

Justi[®] Crown Gauge

077-65-0036

A traditional stainless crown caliper which can also be used for measuring the palatal or buccal flange thickness on an acrylic denture base. It measures in 1/10 mm increments up to 10 mm.







DYMON-HUE® HPT - ACCESSORIES



Justi[®] Dymon-Hue[®] HPT Repair Kit

These kits are comprised of Dymon-Hue HPT upper and lower anteriors, and upper and lower posteriors. They are available in 13 American shades. We can help you make your selection.



Justi

Teeth'

CE

GROUP/ITEM # 084-19981 Anterior Repair Kit 108 teeth (18-1x6 cards) Uppers and Lowers

084-19982 Posterior Repair Kit 128 teeth (16-1x8 cards) Uppers and Lowers (Each set is boxed individually)

DESCRIPTION



Remind your customers about you each time they write a prescription. Customized prescription pads are a simple and effective way to increase your business.

GROUP/ITEM # DESCRIPTION 077-65-0005 Prescription Pads (Our design/Your Logo 100 pads (20 shts/pad)

AAAA States Local

Certificate of Authticity / Warranty Card

Prosthetic Appliance; Quality Assurance Inserts for Justi tooth lines. These handy Certificates, which now includes the Justi Warranty Card, are available for you to prove to your patients that the finest quality of teeth have been used in the fabrication of their prosthetic appliance.

GROUP/ITEM # 077-65-0021 DESCRIPTION Certificate of Authenticity/ Warranty Card 20 sheets per pack

Denture Bags

Place Prosthodontic and/or Orthodontic appliances in these strong, transparent bags with your choice of disinfecting solution prior to a hermetic seal. Bags available with or without personalized imprint.

GROUP/ITEM #	DESCRIPTION
077-65-0050	1000 Denture Bags (no imprint)
077-65-0051	5000 Denture Bags (imprinted)

Kroma Tabs

Justi Products invented this accessory to be used in the patient's mouth as a neutral background for choosing the correct shade from the Justi teeth shade guides. The neutral blue background enables the eye to focus on the shades, and not be distracted by surrounding colors. U.S. Patent #5,257,931.

DESCRIPTION GROUP/ITEM # 086-51-0415 Kroma Tabs 50/Pk.







Education Manuals and Brochures

The denture specialist can use the following selection of marketing brochures, manuals, and specification pamphlets as educational and marketing tools for the dental office and laboratory.*


- (1) Customize Presentation, exclusively for U.S. Laboratories with a Dental, Partial, and Overdenture business. Presentation includes quality discount pricing. As a marketing tool we offer customized shade guides that can carry your marketing message to your customers.
- (2) The House Brand Concept marketing brochure, Partners for your Profitable Denture Laboratory. When you use Justi teeth for your denture cases, you increase your profits. The program is more than just teeth, we provide you with customized marketing support.
- (3) Patient Information brochure that answers the commonly asked patient questions about their new removable prosthetics. Includes valuable care and maintenance instructions to educate and inform patients.
- (4) The Justi Laboratory Complete Denture Tooth Manual. This very valuable manual gives you insight on how to fabricate dentures using Justi brand teeth. Learn the steps to getting excellent results by using the techniques described in this manual. The proper selection of impression material is very important, patient conform and acceptance of the fabrication process is key to a successful denture.
- (5) The quality of Justi Hollywood Teeth is verifiable. Our "Specification No. 15 Test Results" booklet details the testing of our tooth lines against current ANSI/ADA/ISO specification guidelines. Each test is illustrated and described in detail. We also document addition testing to ensure our teeth are of the highest quality. Our teeth are guaranteed for life of the denture appliance.


* Certain pamphlets and brochures may be purchased in quantity at a nominal cost.

Justi Color Neutralizer

Justi Products invented this accessory to be used as a neutral background for choosing the correct shade from Justi teeth shade guides. The neutral blue color enables the eye to focus on the shades without distraction from surrounding colors.

GROUP/ITEM # 077-65-0037 DESCRIPTION Justi Color Neutralizer









27 DRAWER TOOTH CABINET & LAB TOOTH CABINET27 DRAWER TOOTH CABINETEMPTY LAB TOOTH CABINET

With a capacity of 1512 anterior and/or posterior cards. Can be used for any Justi $^{\otimes}$ tooth brands.

Made of heavy plastic.Ten drawers with 3 universal insert tooth trays each.Will hold 210 anterior and/or posterior tooth cards. Can be used for any Justi® tooth brands.

BENEFITS

STRICT QC

PROCEDURES

SAVINGS

CONSISTENT

QUALITY



MAIN FEATURES AND BENEFITS

FEATURES

EXCEED ANSI/ADA

SPECIFICATION

#15 TESTING FOR

ARTIFICIAL RESIN TEETH*

INFORMATION

AVAILABLE IN


13 NFW HUF

COMPATIBLE SHADES

59, 60, 61, 62, 65, 66, 67 68,

DYMON-HUE® HPT


No equivalent to Dymon-Hue HPT has been found for aesthetic, bondability, overall quality and PRICE. Dymon-Hue HPT Anterior Molding design is similar to the *BioTone/New Hue shapes. However, this anterior tooth line has very distinctive unique aesthetics and great durability.



Hollywood		DYMON-HUE [®] HPT					DYMON-HUE PRODUCTS																				
The Professional's Cho	a	ORDER FORM							082-19973 Dymon-Hue Anterior Card (1 X 6)								-										
	der No.: Date:							084-19973/4 Dymon-Hue Combination Card (1 X 28) 082-19974 Dymon-Hue Posterior Card (1 X 8)																			
Bill 7	ll To:									84-199 84-199								uide in 1 ed Shade			chadae						
Addr	Address:								84-199 84-199		D	ymon-I	Hue HI	PT Wor	king M	lold Gui	ide. Cor	ntains:	one set	each n	nold,						
City:	City: State: Zip								0	86-55-	0101	all	one sh	ade, 34	á anterio	ors and	40 post	teriors pacity: 2									
Phon	Phone No.:															availabl		210 360	,								
Ship	Ship To:													_													
Address:								1 X 8							MOL				Boxes								
														MOLD	H59	H60	H61				-	-	H69	H77	H78	H81	H87
] 1 X							MOLI		-r		Boxe	<u> </u>	29M		<u> </u>			SEMI A	NATON	IICAL 2	20°	i	<u> </u>			
MOLD) H60	-			1				H77		H81		29L													
3P														31M													
2C														31L									<u> </u>	<u> </u>	'	<u> </u>	
5P		_	 											33M 33L													
2P 1N															1				ANA	ТОМІС	AL 33°	<u> </u>	<u> </u>	1			
2N														30M													
3N														32M								<u> </u>	<u> </u>	<u> </u>		<u> </u>	
2E														34M 34L								──	<u> </u>		'		
3M A25																ļ	I		SHO	ORT BI	ГЕ 33 ⁰	<u> </u>			L	Ĺ	
A25	_													30S													
3C														328													
266														345													
267		_	<u> </u>											29MF	1				PLAN	ATOMI	CAL ¹¹¹¹ (,° †	<u> </u>	+	<u> </u>	<u> </u>	
3D 264	_	_					<u> </u>							31MF										-			
204 2D	_	-												33MF													
4H																			SYN	IMETRY	и [™] 10 ^о						
136														30F 32F								<u> </u>	<u> </u>	<u> </u>	<u> </u>		
137 TOTAL			<u> </u>		<u> </u>									32F 33F								<u> </u>	<u> </u>		\vdash	<u> </u>	
TOTAL		(1/								Пт	<u> </u>		34F										-			
MOLD	1 X				ER A H65		H67	MOLI H68	JS H69	H77		Boxes H81	1107	TOTAL													
3P	П	9 1160	Пот	под	П0)	поо	П0/	поа	П09	П//	П/ð	Поі	П8/	1 X 8			20 L	.OWF	R PC	STEI	RIOR	MOL	DS			Boxes	s
2C													-	MOLD		H60	H61	H62	H65	H66	H67	H68	H69	H77	H78	H81	H87
2P																				NATON							
3N														29M								<u> </u>		ļ!	'	<u> </u>	
2E 3C	_	_												29L 31M								<u> </u>				<u> </u>	
26	_	_											-	31L													
2D														33M													
4H														33L													
3R			<u> </u>											2014					ANA	томіс	AL 33º		<u> </u>				
46 47													-	30M 32M								<u> </u>		┼──┦		<u> </u>	
3M														34M										+			
2N														34L													
TOTAL	,]			.		SHO	ORT BIT	TE 33°	·			·	·	
A	nterior C	ards (1	X 6) -	18 card	ls per b	ox.	Po	sterior (Cards (1 X 8) -	· 16 ca	urds per	r box.	30S 32S								<u> </u>			'	├──	
-	Fotal Uppe	r Anterio	rs 1 X 6				Г	Total Up	per Post	eriors 1 X	68			34S										+			
	Total Lower Anteriors 1 X 6 Total Lower Posteriors 1 X 8						0.10	ļ		I		PLAN	ATOMI	L CAL™ 0	0												
Total Anteriors 1 X 6 Total Posteriors 1 X 8						29MF																					
Iotal Anteriors 1 X 0					31MF								<u> </u>			\vdash	<u> </u>										
]	tem #082	2-19973						Item #0	82-199	074				33MF					SVM	METRY	/ TM 10 ⁰	L			<u> </u>	<u> </u>	
Rema	rks:													30F					311	IN LOT KI	10						
itema														32F													
														33F								\vdash				\vdash	
_														34F								<u> </u>	<u> </u>	\parallel		──	
Signed	l:													TOTAL								L				<u> </u>	

This is a sample of our tooth order form. You may use a photo copy of this form for your first order.

Ľ



1200 Stellar Drive, Oxnard, CA 93033-2404 (805) 487-9868 • FAX (805) 483-8482

E-mail: info@americantooth.com • Website: www.americantooth.com • http://store.americantooth.com

©2011 by American Tooth Industries. All rights reserved. No part of this mold chart may be reproduced without written permission from American Tooth Industries. Dymon-Hue[®] HPT, Justi[®], Hollywood Teeth[®], Planatomical[™], Symmetry,[™] are trademarks of American Tooth Industries. Vita[®], Biotone[®], New Hue[®], Bioblend[®] and Bioform[®] are not trademarks of American Tooth Industries.

Justi® Hardened Plastic Teeth comply with ISO #22112:2005 and ANSI/ADA Specification #15 Published in 1999, identical to ISO Standard #3336:1993