

```

-> drupal_json_output($var = array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class
SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... },
'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class
SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })))
sites/all/modules/contrib/postcodeanywhere/postcodeanywhere.module:148
-> drupal_add_http_header($name = 'Content-Type', $value = 'application/json', $append = ???) includes/common.inc:4928
-> drupal_static($name = 'drupal_http_headers', $default_value = array (), $reset = ???) includes/bootstrap.inc:1154
=> array ()
-> strtolower('Content-Type') includes/bootstrap.inc:1156
=> 'content-type'
=> $name_lower = 'content-type' includes/bootstrap.inc:1156
-> _drupal_set_preferred_header_name($name = 'Content-Type') includes/bootstrap.inc:1157
-> strtolower('Content-Type') includes/bootstrap.inc:1207
=> 'content-type'
=> $header_names['content-type'] = 'Content-Type' includes/bootstrap.inc:1207
=> NULL
=> $headers['content-type'] = 'application/json' includes/bootstrap.inc:1168
-> drupal_send_headers($default_headers = array ('Content-Type' => 'application/json'), $only_default = TRUE)
includes/bootstrap.inc:1170
-> drupal_static($name = 'drupal_send_headers', $default_value = FALSE, $reset = ???) includes/bootstrap.inc:1222
=> TRUE
-> drupal_get_http_header($name = ???) includes/bootstrap.inc:1223
-> drupal_static($name = 'drupal_http_headers', $default_value = array (), $reset = ???) includes/bootstrap.inc:
1185
=> array ('content-type' => 'application/json')
=> array ('content-type' => 'application/json')
=> $headers = array ('content-type' => 'application/json') includes/bootstrap.inc:1223
=> $headers = array () includes/bootstrap.inc:1225
=> $headers_sent = TRUE includes/bootstrap.inc:1227
-> _drupal_set_preferred_header_name($name = ???) includes/bootstrap.inc:1229
=> array ('content-type' => 'Content-Type')
=> $header_names = array ('content-type' => 'Content-Type') includes/bootstrap.inc:1229
=> $value = 'application/json' includes/bootstrap.inc:1230
=> $name = 'Content-Type' includes/bootstrap.inc:1230
-> strtolower('Content-Type') includes/bootstrap.inc:1231
=> 'content-type'
=> $name_lower = 'content-type' includes/bootstrap.inc:1231
=> $headers['content-type'] = 'application/json' includes/bootstrap.inc:1233
=> $header_names['content-type'] = 'Content-Type' includes/bootstrap.inc:1234
=> $value = 'application/json' includes/bootstrap.inc:1237
=> $name_lower = 'content-type' includes/bootstrap.inc:1237
-> header('Content-Type: application/json') includes/bootstrap.inc:1243
=> NULL

```

```
>=> NULL
>=> NULL
-> drupal_json_encode($var = array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... }))) includes/common.inc:4931
  -> version_compare('5.2.17', '5.3.0', '>=') includes/common.inc:4893
    >=> FALSE
=> $php530 = FALSE includes/common.inc:4893
  -> include_once(includes/json-encode.inc) includes/common.inc:4903
    >=> 1
  -> drupal_json_encode_helper($var = array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... }))) includes/common.inc:4904
    -> gettype(array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... }))) includes/json-encode.inc:14
      >=> 'array'
    -> array_keys(array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... }))) includes/json-encode.inc:83
      >=> array (0 => 0, 1 => 1, 2 => 2)
    -> sizeof(array (0 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 1 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... })), 2 => array ('Id' => class SimpleXMLElement { ... }, 'StreetAddress' => class SimpleXMLElement { ... }, 'Place' => class SimpleXMLElement { ... }))) includes/json-encode.inc:83
      >=> 3
    -> range(0, 2) includes/json-encode.inc:83
      >=> array (0 => 0, 1 => 1, 2 => 2)
=> $output = array () includes/json-encode.inc:84
=> $v = array ('Id' => class SimpleXMLElement { '26742626.00' }, 'StreetAddress' => class SimpleXMLElement { 'Arthur Amos Associates' }, 'Place' => class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow Worcester' }) includes/json-encode.inc:85
```

```

-> drupal_json_encode_helper($var = array ('Id' => class SimpleXMLElement { '26742626.00' }, 'StreetAddress' =>
class SimpleXMLElement { 'Arthur Amos Associates' }, 'Place' => class SimpleXMLElement { 'Pool House Elgar Business
Centre Moseley Road Hallow Worcester' })) includes/json-encode.inc:86
-> gettype(array ('Id' => class SimpleXMLElement { '26742626.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Arthur Amos Associates' }, 'Place' => class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:14
>=> 'array'
-> array_keys(array ('Id' => class SimpleXMLElement { '26742626.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Arthur Amos Associates' }, 'Place' => class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
>=> array (0 => 'Id', 1 => 'StreetAddress', 2 => 'Place')
-> sizeof(array ('Id' => class SimpleXMLElement { '26742626.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Arthur Amos Associates' }, 'Place' => class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
>=> 3
-> range(0, 2) includes/json-encode.inc:83
>=> array (0 => 0, 1 => 1, 2 => 2)
=> $output = array () includes/json-encode.inc:93
=> $v = class SimpleXMLElement { '26742626.00' } includes/json-encode.inc:94
=> $k = 'Id' includes/json-encode.inc:94
-> strval('Id') includes/json-encode.inc:95
>=> 'Id'
-> drupal_json_encode_helper($var = 'Id') includes/json-encode.inc:95
-> gettype('Id') includes/json-encode.inc:14
>=> 'string'
=> $replace_pairs = array ('\ ' => '\\u005C', '\"' => '\\u0022', '\0' => '\\u0000', '\ ' => '\\u0001', '\ ' => '\\
\u0002', '\ ' => '\\u0003', '\ '
' => '\\u0004', '\ '
' => '\\u0005', '\ '
' => '\\u0006', '\ '
' => '\\u0007', '\ ' => '\\u0008', '\ ' => '\\u0009', '\ '
', '\ '
' => '\\u000C', '\ '
' => '\\u000D', '\ '
' => '\\u000E', '\ '
' => '\\u000F', '\ '
' => '\\u0010', '\ '
' => '\\u0011', '\ ' => '\\u0012', '\ ' => '\\u0013', '\ ' => '\\u0014', '\ ' => '\\u0015', '\ ' => '\\u0016', '\ ' => '\\u0017', '\ '
=> '\\u0018', '\ ' => '\\u0019', '\ ' => '\\u001A', '\ ' => '\\u001B', '\ ' => '\\u001C', '\ ' => '\\u001D', '\ ' => '\\u001E', '\ ' =>
'\\u001F', '\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '\ '
' => '\\u2028', '\ '
' => '\\u2029') includes/json-encode.inc:75

```

```
-> strtr('Id', array ('\' => '\\u005C', '\"' => '\\u0022', '\\0' => '\\u0000', ' ' => '\\u0001', ' ' => '\\u0002',
' ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
, '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
  >=> 'Id'
  >=> '"Id"'
-> drupal_json_encode_helper($var = class SimpleXMLElement { '26742626.00' }) includes/json-encode.inc:95
  -> gettype(class SimpleXMLElement { '26742626.00' }) includes/json-encode.inc:14
  >=> 'object'
=> $output = array () includes/json-encode.inc:93
  -> implode(', ', array ()) includes/json-encode.inc:97
  >=> ''
  >=> '{}'
=> $output[] = '"Id":{}' includes/json-encode.inc:95
=> $v = class SimpleXMLElement { 'Arthur Amos Associates' } includes/json-encode.inc:94
=> $k = 'StreetAddress' includes/json-encode.inc:94
  -> strval('StreetAddress') includes/json-encode.inc:95
  >=> 'StreetAddress'
  -> drupal_json_encode_helper($var = 'StreetAddress') includes/json-encode.inc:95
  -> gettype('StreetAddress') includes/json-encode.inc:14
  >=> 'string'
  => $replace_pairs = array ('\' => '\\u005C', '\"' => '\\u0022', '\\0' => '\\u0000', ' ' => '\\u0001', ' ' => '\\
\u0002', ' ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
, '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029'))
```

```

' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:75
    -> strstr('StreetAddress', array ('\\' => '\\u005C', '"' => '\\u0022', '\\0' => '\\u0000', '' => '\\u0001', '' =>
'\\u0002', '' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', '' => '\\u0008', ' ' => '\\u0009', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
    >=> 'StreetAddress'
    >=> '"StreetAddress"'
    -> drupal_json_encode_helper($var = class SimpleXMLElement { 'Arthur Amos Associates' }) includes/json-
encode.inc:95
    -> gettype(class SimpleXMLElement { 'Arthur Amos Associates' }) includes/json-encode.inc:14
    >=> 'object'
    => $output = array () includes/json-encode.inc:93
    -> implode(', ', array ()) includes/json-encode.inc:97
    >=> ''
    >=> '{}
' => $output[] = '"StreetAddress":{}' includes/json-encode.inc:95
' => $v = class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow Worcester' } includes/json-
encode.inc:94
' => $k = 'Place' includes/json-encode.inc:94
    -> strval('Place') includes/json-encode.inc:95
    >=> 'Place'
    -> drupal_json_encode_helper($var = 'Place') includes/json-encode.inc:95
    -> gettype('Place') includes/json-encode.inc:14

```

```

=> 'string'
=> $replace_pairs = array ('\" => '\\u005C', '\"' => '\\u0022', '\0' => '\\u0000', ' ' => '\\u0001', ' ' => '\\
\u0002', ' ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\\" => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:75
-> strstr('Place', array ('\" => '\\u005C', '\"' => '\\u0022', '\0' => '\\u0000', ' ' => '\\u0001', ' ' => '\\
\u0002', ' ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\\" => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
=> 'Place'
=> '"Place"'
-> drupal_json_encode_helper($var = class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road
Hallow Worcester' }) includes/json-encode.inc:95
-> gettype(class SimpleXMLElement { 'Pool House Elgar Business Centre Moseley Road Hallow Worcester' })
includes/json-encode.inc:14
=> 'object'
=> $output = array () includes/json-encode.inc:93

```

```

-> implode(' ', array ()) includes/json-encode.inc:97
>=> ''
>=> '{}
=> $output[] = '"Place":{}' includes/json-encode.inc:95
-> implode(' ', array (0 => '"Id":{}', 1 => '"StreetAddress":{}', 2 => '"Place":{}')) includes/json-encode.inc:
97
    >=> '"Id":{}', "StreetAddress":{}', "Place":{}'
    >=> '{"Id":{}', "StreetAddress":{}', "Place":{}'
=> $output[] = '{"Id":{}', "StreetAddress":{}', "Place":{}' includes/json-encode.inc:86
=> $v = array ('Id' => class SimpleXMLElement { '51501819.00' }, 'StreetAddress' => class SimpleXMLElement { 'Indigo
Pink Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow Worcester' })
includes/json-encode.inc:85
-> drupal_json_encode_helper($var = array ('Id' => class SimpleXMLElement { '51501819.00' }, 'StreetAddress' =>
class SimpleXMLElement { 'Indigo Pink Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley
Road Hallow Worcester' })) includes/json-encode.inc:86
-> gettype(array ('Id' => class SimpleXMLElement { '51501819.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Indigo Pink Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:14
>=> 'array'
-> array_keys(array ('Id' => class SimpleXMLElement { '51501819.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Indigo Pink Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
>=> array (0 => 'Id', 1 => 'StreetAddress', 2 => 'Place')
-> sizeof(array ('Id' => class SimpleXMLElement { '51501819.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Indigo Pink Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
>=> 3
-> range(0, 2) includes/json-encode.inc:83
>=> array (0 => 0, 1 => 1, 2 => 2)
=> $output = array () includes/json-encode.inc:93
=> $v = class SimpleXMLElement { '51501819.00' } includes/json-encode.inc:94
=> $k = 'Id' includes/json-encode.inc:94
-> strval('Id') includes/json-encode.inc:95
>=> 'Id'
-> drupal_json_encode_helper($var = 'Id') includes/json-encode.inc:95
-> gettype('Id') includes/json-encode.inc:14
>=> 'string'
=> $replace_pairs = array ('\ ' => '\\u005C', '\"' => '\\u0022', '\\0' => '\\u0000', '\\' => '\\u0001', '\\ ' => '\\
\u0002', '\\ ' => '\\u0003', '\\ '
' => '\\u0004', '\\ '
' => '\\u0005', '\\ '
' => '\\u0006', '\\ '
' => '\\u0007', '\\ ' => '\\u0008', '\\ ' => '\\u0009', '\\ '

```

```
, '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:75
    -> strstr('Id', array ('\\' => '\\u005C', '"' => '\\u0022', '\0' => '\\u0000', '' => '\\u0001', '' => '\\u0002',
'' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', '' => '\\u0008', ' ' => '\\u0009', '
, '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
    >=> 'Id'
    >=> '"Id"'
    -> drupal_json_encode_helper($var = class SimpleXMLElement { '51501819.00' }) includes/json-encode.inc:95
    -> gettype(class SimpleXMLElement { '51501819.00' }) includes/json-encode.inc:14
    >=> 'object'
    => $output = array () includes/json-encode.inc:93
    -> implode(', ', array ()) includes/json-encode.inc:97
    >=> ''
    >=> '{}''
    => $output[] = '"Id":{}' includes/json-encode.inc:95
    => $v = class SimpleXMLElement { 'Indigo Pink Ltd' } includes/json-encode.inc:94
    => $k = 'StreetAddress' includes/json-encode.inc:94
    -> strval('StreetAddress') includes/json-encode.inc:95
    >=> 'StreetAddress'
    -> drupal_json_encode_helper($var = 'StreetAddress') includes/json-encode.inc:95
```



```

-> gettype('StreetAddress') includes/json-encode.inc:14
>=> 'string'
=> $replace_pairs = array ('\ ' => '\\u005C', '"' => '\\u0022', '\0' => '\\u0000', '' => '\\u0001', ' ' => '\\u0002', '\ ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:75
-> strstr('StreetAddress', array ('\ ' => '\\u005C', '"' => '\\u0022', '\0' => '\\u0000', '' => '\\u0001', ' ' =>
'\\u0002', '\ ' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
>=> 'StreetAddress'
>=> '"StreetAddress"'
-> drupal_json_encode_helper($var = class SimpleXMLElement { 'Indigo Pink Ltd' }) includes/json-encode.inc:95
-> gettype(class SimpleXMLElement { 'Indigo Pink Ltd' }) includes/json-encode.inc:14
>=> 'object'
=> $output = array () includes/json-encode.inc:93
-> implode(',', ', ', array ()) includes/json-encode.inc:97

```



```

'\u001F', '\' => '\u0027', '<' => '\u003C', '>' => '\u003E', '&' => '\u0026', '/' => '\u002F', '
' => '\u2028', '
' => '\u2029')) includes/json-encode.inc:77
    >=> 'Place'
    >=> '"Place"'
    -> drupal_json_encode_helper($var = class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow
Worcester' }) includes/json-encode.inc:95
    -> gettype(class SimpleXMLElement { 'Unit 9 Elgar Business Centre Moseley Road Hallow Worcester' }) includes/
json-encode.inc:14
    >=> 'object'
    => $output = array () includes/json-encode.inc:93
    -> implode(', ', array ()) includes/json-encode.inc:97
    >=> ''
    >=> '{}
' => $output[] = '"Place":{}' includes/json-encode.inc:95
    -> implode(', ', array (0 => '"Id":{}', 1 => '"StreetAddress":{}', 2 => '"Place":{}')) includes/json-encode.inc:
97
    >=> '"Id":{}, "StreetAddress":{}, "Place":{}'
    >=> '{"Id":{}, "StreetAddress":{}, "Place":{}}'
    => $output[] = '{"Id":{}, "StreetAddress":{}, "Place":{}}' includes/json-encode.inc:86
    => $v = array ('Id' => class SimpleXMLElement { '26742646.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Microtrol Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow Worcester' })
includes/json-encode.inc:85
    -> drupal_json_encode_helper($var = array ('Id' => class SimpleXMLElement { '26742646.00' }, 'StreetAddress' =>
class SimpleXMLElement { 'Microtrol Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley
Road Hallow Worcester' })) includes/json-encode.inc:86
    -> gettype(array ('Id' => class SimpleXMLElement { '26742646.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Microtrol Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:14
    >=> 'array'
    -> array_keys(array ('Id' => class SimpleXMLElement { '26742646.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Microtrol Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
    >=> array (0 => 'Id', 1 => 'StreetAddress', 2 => 'Place')
    -> sizeof(array ('Id' => class SimpleXMLElement { '26742646.00' }, 'StreetAddress' => class SimpleXMLElement
{ 'Microtrol Ltd' }, 'Place' => class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow
Worcester' })) includes/json-encode.inc:83
    >=> 3
    -> range(0, 2) includes/json-encode.inc:83
    >=> array (0 => 0, 1 => 1, 2 => 2)
    => $output = array () includes/json-encode.inc:93
    => $v = class SimpleXMLElement { '26742646.00' } includes/json-encode.inc:94
    => $k = 'Id' includes/json-encode.inc:94

```



```
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:77
    => 'StreetAddress'
    => '"StreetAddress"'
-> drupal_json_encode_helper($var = class SimpleXMLElement { 'Microtrol Ltd' }) includes/json-encode.inc:95
-> gettype(class SimpleXMLElement { 'Microtrol Ltd' }) includes/json-encode.inc:14
    => 'object'
=> $output = array () includes/json-encode.inc:93
-> implode(', ', array ()) includes/json-encode.inc:97
    => ''
    => '{}'
=> $output[] = '"StreetAddress":{}' includes/json-encode.inc:95
=> $v = class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow Worcester' } includes/json-
encode.inc:94
=> $k = 'Place' includes/json-encode.inc:94
-> strval('Place') includes/json-encode.inc:95
    => 'Place'
-> drupal_json_encode_helper($var = 'Place') includes/json-encode.inc:95
-> gettype('Place') includes/json-encode.inc:14
    => 'string'
=> $replace_pairs = array ('\\' => '\\u005C', '"' => '\\u0022', '\\0' => '\\u0000', '' => '\\u0001', '' => '\\
\u0002', '' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', '' => '\\u0008', ' ' => '\\u0009', '
', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029') includes/json-encode.inc:75
    -> strtr('Place', array ('\\' => '\\u005C', '"' => '\\u0022', '\\0' => '\\u0000', '' => '\\u0001', '' => '\\
\u0002', '' => '\\u0003', '
' => '\\u0004', '
' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', '' => '\\u0008', ' ' => '\\u0009', '
', '
', '
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', '' => '\\u0012', '' => '\\u0013', '' => '\\u0014', '' => '\\u0015', '' => '\\u0016', '' => '\\u0017', ''
=> '\\u0018', '' => '\\u0019', '' => '\\u001A', '' => '\\u001B', '' => '\\u001C', '' => '\\u001D', '' => '\\u001E', '' =>
'\\u001F', '\\'' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')
```

```

' => '\\u0005', '
' => '\\u0006', '
' => '\\u0007', ' ' => '\\u0008', ' ' => '\\u0009', '
,
' => '\\u000C', '
' => '\\u000D', '
' => '\\u000E', '
' => '\\u000F', '
' => '\\u0010', '
' => '\\u0011', ' ' => '\\u0012', ' ' => '\\u0013', ' ' => '\\u0014', ' ' => '\\u0015', ' ' => '\\u0016', ' ' => '\\u0017', ' '
=> '\\u0018', ' ' => '\\u0019', ' ' => '\\u001A', ' ' => '\\u001B', ' ' => '\\u001C', ' ' => '\\u001D', ' ' => '\\u001E', ' ' =>
'\\u001F', '\\ ' => '\\u0027', '<' => '\\u003C', '>' => '\\u003E', '&' => '\\u0026', '/' => '\\u002F', '
' => '\\u2028', '
' => '\\u2029')) includes/json-encode.inc:77
  >=> 'Place'
  >=> '"Place"'
  -> drupal_json_encode_helper($var = class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow
Worcester' }) includes/json-encode.inc:95
  -> gettype(class SimpleXMLElement { 'Unit 16 Elgar Business Centre Moseley Road Hallow Worcester' }) includes/
json-encode.inc:14
  >=> 'object'
  => $output = array () includes/json-encode.inc:93
  -> implode(', ', array ()) includes/json-encode.inc:97
  >=> ''
  >=> '{} '
  => $output[] = '"Place":{}' includes/json-encode.inc:95
  -> implode(', ', array (0 => '"Id":{}', 1 => '"StreetAddress":{}', 2 => '"Place":{}')) includes/json-encode.inc:
97
  >=> '"Id":{}', "StreetAddress":{}', "Place":{}'
  >=> '{"Id":{}', "StreetAddress":{}', "Place":{} }'
  => $output[] = '{"Id":{}', "StreetAddress":{}', "Place":{} }' includes/json-encode.inc:86
  -> implode(', ', array (0 => '{"Id":{}', "StreetAddress":{}', "Place":{} }', 1 => '{"Id":{}', "StreetAddress":{}',
"Place":{} }', 2 => '{"Id":{}', "StreetAddress":{}', "Place":{} }')) includes/json-encode.inc:88
  >=> '{"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}',
"StreetAddress":{}', "Place":{} }'
  >=> '[ {"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}',
"StreetAddress":{}', "Place":{} } ]'
  >=> '[ {"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}', "StreetAddress":{}', "Place":{} }, {"Id":{}',
"StreetAddress":{}', "Place":{} } ]'
  >=> NULL

```