## OIL SPILL RESPONSE CHECKLIST: DISPERSANT USE IN ZONES 2 AND 3 AND IN UNDESIGNATED AREAS

۱.	SPILL DATA (To be completed by responding party and submitted to Federal On-Scene Coordinator)
A.	
В.	Date and time of incident:
C.	Incident: Grounding
	Collision: Dlowout: Other: Other:
D.	Did source burn? Yes No
	Is source still burning? Yes No No
E.	Spill location:
F.	Distance (in miles) and direction to nearest land:
	nearest town:
G.	Product released: North Slope Crude Cook Inlet Crude JP4
	Chevron Residual Diesel #2 Other
Н.	Product easily emulsified? Yes No
l.	Product already emulsified? No Light emulsion (0-20%)
	Moderate emulsion (21-50%) Heavy emulsion (>51%) Unknown Unknown
J.	Estimated volume of released product: gals bbls
K.	galsgals
L.	Release status: Continuous Intermittent
	One time only, now stopped
	If continuous or intermittent, specify rate of release: gals bbls
М. Е	Estimated water surface covered (square miles)
Η.	WEATHER AND WATER CONDITIONS AT THE TIME AND LOCATION OF THE SPILL (To be completed by responding party and submitted to Federal On-Scene Coordinator)
A.	Temperature: Air°F Water°F
В.	Weather: Clear Partly Cloudy Overcast Overcast
	Rain Snow Fog
C.	Tidal State: Slack Tide Incoming (flood) Outgoing (ebb)
D.	Dominant current, net drift: Speedkts Direction (from)
E.	Wind Speed:knots Direction (from)
F.	Sea State: Calm Choppy Swell Swell
	Waves: < 1 ft > 3 ft > 3 ft
G.	Water depth (fathoms ft): 0-3 4-10 11-30 31-99 > 100

Percent coverage: < 10%	Н.	Ice Present: Yes, No;
Note: (1) See Section IV for weather and water conditions forecast (to be completed by NOAA Scientific Support Coordinator). (2) See Section V for predicted oil behavior (to be completed by NOAA Scientific Support Coordinator). (3) Responding party has option of also submitting information on predicted oil behavior to Federal On-Scene Coordinator.  III. PROPOSED DISPERSANT USE PLAN (To be completed by responding party and submitted to Federal On-Scene Coordinator)  A. Reason for requesting dispersant use:  B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1		Percent coverage: < 10% 11-30% 31-50% 51-100%
Note: (1) See Section IV for weather and water conditions forecast (to be completed by NOAA Scientific Support Coordinator).  (2) See Section V for predicted oil behavior (to be completed by NOAA Scientific Support Coordinator).  (3) Responding party has option of also submitting information on predicted oil behavior to Federal On-Scene Coordinator.  III. PROPOSED DISPERSANT USE PLAN (To be completed by responding party and submitted to Federal On-Scene Coordinator)  A. Reason for requesting dispersant use:  B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1	I.	Other considerations: Low visibility Rip tides Whirlpools
Scientific Support Coordinator).  (2) See Section V for predicted oil behavior (to be completed by NOAA Scientific Support Coordinator).  (3) Responding party has option of also submitting information on predicted oil behavior to Federal On-Scene Coordinator.  III. PROPOSED DISPERSANT USE PLAN (To be completed by responding party and submitted to Federal On-Scene Coordinator)  A. Reason for requesting dispersant use:  B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1		Eddies Other
Federal On-Scene Coordinator)  A. Reason for requesting dispersant use:  B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1		<ul> <li>Scientific Support Coordinator).</li> <li>(2) See Section V for predicted oil behavior (to be completed by NOAA Scientific Support Coordinator).</li> <li>(3) Responding party has option of also submitting information on predicted oil behavior to Federal On-Scene Coordinator.</li> </ul>
A. Reason for requesting dispersant use:  B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1	Ш.	
B. Dispersant zone where dispersant would be applied (check one or more):  Zone 1  Zone 2  Zone 3  Cone 3  Con		·
Zone 1 Zone 2 Zone 3 C. Location of area to be treated relative to the following, as shown on attached chart: Slick/Trajectory Dispersant zone Nearest Land  D. Name of the dispersant proposed for use:  COREXIT 9527 COREXIT 9550 OFC D-609 Other  E. Application Platform(s): C-130 Helicopter Vessel Safety Plan for applicable Platform in place? Yes No F. Dispersant dosage goals:  Ratio of dispersant-to-oil: 1:20 Other  Gallons per acre: 5 gals per acre Other  G. Total amount of dispersant to be used: gals.  H. Time of dispersant application: Start time Day  Finish time Day  I. Estimated percentage of spill area to be treated:  1-5% 6-20% 21-40% 41-70% 71-99% 100%  Signature of Requester:	A.	, , ,
C. Location of area to be treated relative to the following, as shown on attached chart:  Slick/Trajectory Dispersant zone Nearest Land  D. Name of the dispersant proposed for use:  COREXIT 9527 COREXIT 9550 OFC D-609 Other  E. Application Platform(s): C-130 Helicopter Vessel  Safety Plan for applicable Platform in place? Yes No  F. Dispersant dosage goals: Ratio of dispersant-to-oil: 1:20 Other  Gallons per acre: Jo gals per acre Other  G. Total amount of dispersant to be used: gals.  H. Time of dispersant application: Start time Day  Finish time Day  Signature of Requester:  Title of Requester:	B.	
Slick/Trajectory Dispersant zone Nearest Land  D. Name of the dispersant proposed for use:  COREXIT 9527 COREXIT 9550 OFC D-609 Other  E. Application Platform(s): C-130 Helicopter Vessel  Safety Plan for applicable Platform in place? Yes No  F. Dispersant dosage goals: Ratio of dispersant-to-oil: 1:20 Other  Gallons per acre: 5 gals per acre Other  G. Total amount of dispersant to be used: gals.  H. Time of dispersant application: Start time Day  Finish time Day  I. Estimated percentage of spill area to be treated: 1-5% 6-20% 21-40% 41-70% 71-99% 100%  Signature of Requester:		
COREXIT 9527 COREXIT 9550 OFC D-609 Other  E. Application Platform(s): C-130 Helicopter Vessel Safety Plan for applicable Platform in place? Yes No Safety Plan for applicable Platform in plac	C.	Slick/Trajectory Dispersant zone
E. Application Platform(s): C-130  Helicopter Vessel Safety Plan for applicable Platform in place? Yes No Safety	D.	Name of the dispersant proposed for use:
Safety Plan for applicable Platform in place? Yes No Plan No Plan No Plan No Plan No No Plan N		COREXIT 9527 COREXIT 9550 OFC D-609 Other
F. Dispersant dosage goals: Ratio of dispersant-to-oil: 1:20  Other Gallons per acre:	E.	Application Platform(s): C-130 Helicopter Vessel Vessel
Ratio of dispersant-to-oil: 1:20  Other Gallons per acre:		Safety Plan for applicable Platform in place? Yes No No
Gallons per acre: 5 gals per acre Other G. Total amount of dispersant to be used: gals.  H. Time of dispersant application: Start time Day I. Estimated percentage of spill area to be treated: 1-5% 6-20% 21-40% 41-70% 71-99% 100% Signature of Requester: Title of Requester:	F.	Dispersant dosage goals:
G. Total amount of dispersant to be used: gals.  H. Time of dispersant application: Start time Day  Finish time Day  I. Estimated percentage of spill area to be treated:  1-5% 6-20% 21-40% 41-70% 71-99% 100%  Signature of Requester:		Ratio of dispersant-to-oil: 1:20  Other
H. Time of dispersant application: Start time Day  Finish time Day  I. Estimated percentage of spill area to be treated:  1-5% 6-20% 21-40% 41-70% 71-99% 100%  Signature of Requester:		Gallons per acre: 5 gals per acre Other
Finish time Day	G.	Total amount of dispersant to be used: gals.
I. Estimated percentage of spill area to be treated:  1-5%	н.	Time of dispersant application: Start time Day
1-5%		Finish time Day
Signature of Requester:  Title of Requester:	I.	
Title of Requester:		1-5% 6-20% 21-40% 41-70% 71-99% 100%
	Sigi	nature of Requester:
Time & Date Request Submitted to FOSC:	Titl	e of Requester:
Time & Date Request Submitted to FOSC:		
Time & Date Request Submitted to FOSC:		
	Tim	e & Date Request Submitted to FOSC:

١٧.	(12.11.11.11.11.11.11.11.11.11.11.11.11.1
	completed by NOAA Scientific Support Coordinator)
A.	Wind Speed (knots):
	24-hour projection:
	48-hour projection:
	Wind Direction (from):
	24-hour projection:
	48- hour projection:
C.	Sea conditions:
	24-hour projection:
	Calm Choppy Waves < 1 ft Waves 1-3 ft Waves > 3 ft
	48- hour projection:
	Calm Choppy Waves < 1 ft Waves 1-3 ft Waves > 3 ft
D.	Tidal information for three tidal cycles (see attached graph).
E.	Dominant current (net drift):
	Speed: knots Direction (from):
٧.	PREDICTED OIL BEHAVIOR (To be completed by NOAA Scientific Support Coordinator).
	Untreated oil forecast:
	Estimated trajectory (see attached graph):
	Expected area(s) and time(s) of land fall:
	Estimated percent naturally dispersed and evaporated within first 24 hours:

VI. RESOURCES AT R A. Habitats (see attached  Sheltered tid  Coastal mars  Other  B. Biological Resources (s	<u>charts):</u> dal flats shes		y Reso	urce Ag	encies)		
	Dist	ribution		Estimat	ed # o	f Individua	ls
Taxon	General	Concentrate	1-10	11-50	51-100	101-1000	>1000
Endangered/Threatened							
Species							
1.							
2. 3.							
Non-endangered/ Threatened Species							
Sea Otters							
Fur seals							
Other seals Toothed whales							
Baleen whales							
Polar bears							
Walrus							
Waterfowl							
Seabirds							
Diving birds							
Shorebirds							
Raptors							
Ungulates							
Bears (brown & black)							
Furbearers							
Fish:							1
Pelagic & Larval							_
Bottomfish:							_
Intertidal mollusks:							_
Crustacea:							┙
C. <u>Human Resources:</u>							
Commercial facilities and	d enterprises		(se	ee attache	ed chart)		
Public facilities and ente				ee attache			

Historic and archaeological resources:
Present, (Appropriate information to be provided to FOSC).
Not present Unknown Unknown
Commercial harvest areas:
Generally distributedConcentrated (see attached chart)
Subsistence harvest areas:
Generally distributed Concentrated (see attached chart)
VII. FEDERAL ON-SCENE COORDINATOR'S EVALUATION OF RESPONSE OPTIONS (To be completed by Federal On-Scene Coordinator)
A. Has mechanical clean-up been fully evaluated? Yes No
B. Has in-situ burning been fully evaluated? Yes No
C. Why is dispersant use necessary?
D. Will dispersants be used in addition to mechanical recovery and/or in-situ burning?
Yes No No
E. Will dispersants be used instead of mechanical recovery and/or in-situ burning?  Yes No
VIII. ALASKA REGIONAL RESPONSE TEAM RECOMMENDATION TO FEDERAL ON-SCENE COORDINATOR REGARDING DISPERSANT USE (To be completed by Alaska Regional Response Team Co-Chairman).
Time and Date request received by Alaska Regional Response Team Co-Chairman:
A No dispersants may be applied.
B Dispersants may be used under noted conditions (if any) in limited or selected areas (see
attached chart).
C. Dispersants may be applied as requested above in Section III.*
*Requests exceeding 20 gallons per acre require Alaska Regional Response Team approval.
Signature of ARRT Co-Chairman:
Printed Name of ARRT Co-Chairman:
Time and Date of Recommendation:

IX. FEDERAL ON-SCENE COORDINATOR'S DECISION REGARDING DISPERSANT USE - BASED ON ARRT GUIDELINES & DECISION MATRIX (To be completed by Federal On-Scene Coordinator)
Time and Date Request Submitted to Federal On-Scene Coordinator:
A. No dispersants may be applied.
B Dispersants may be used under noted conditions (if any) and in limited or selected areas (see
attached chart).
C. Dispersants may be applied as requested above in Section II.*
*Requests exceeding 20 gals/acre require Alaska Regional Response Team approval.
Signature of Federal On-Scene Coordinator:
Time and Date of Decision:

## OIL SPILL RESPONSE CHECKLIST: DISPERSANT USE IN ZONES 2 AND 3 AND IN UNDESIGNATED AREAS

١.	SPILL DATA (To be completed by responding party and submitted to Federal On-Scene Coordinator)
A.	Name of Incident: T/V Cook Inlet oil spill
В.	Date and time of incident: Month/Day/Year: 4/15/05 Time: 0830
C.	Incident: Grounding 🗹 Transfer Operations Explosion
	Collision: Blowout: Other:
D.	Did source burn? Yes No V
	Is source still burning? Yes No V
E.	Spill location: Latitude 59 06'N Longitude 151 41'W
F.	Distance (in miles) and direction to nearest land: <1 mile N
	nearest town: Nanwalek
G.	Product released: North Slope Crude Cook Inlet Crude JP4
	Chevron Residual Diesel #2 Other
Н.	Product easily emulsified? Yes No No
l.	Product already emulsified? No Light emulsion (0-20%)
	Moderate emulsion (21-50%) Heavy emulsion (>51%) Unknown
J.	Estimated volume of released product: 380,000 gals bbls
K.	Estimated volume of produce potentially released: 380,000 gals bbls
L.	Release status: Continuous / Intermittent
	One time only, now stopped
	If continuous or intermittent, specify rate of release: 90 gals bbls
M. E	stimated water surface covered (square miles)
11.	WEATHER AND WATER CONDITIONS AT THE TIME AND LOCATION OF THE SPILL (To be completed by responding party and submitted to Federal On-Scene Coordinator)
A.	Temperature: Air 39 °F Water 45 °F
В.	Weather: Clear Partly Cloudy Overcast
	Rain Snow Fog
C.	Tidal State: Slack Tide Incoming (flood) Outgoing (ebb)
D.	Dominant current, net drift: Speed 3 kts Direction (from) NW
E.	Wind Speed: 5 knots Direction (from) NW
F.	Sea State: Calm Choppy Swell Swell
	Waves: < 1 ft.
G.	Water depth (fathoms ft

Н.	Ice Present: Yes No ,;
	Percent coverage: < 10% 11-30% 31-50% 51-100%
I.	Other considerations: Low visibility Rip tides Whirlpools
	Eddies Other
Not	te: (1) See Section IV for weather and water conditions forecast (to be completed by NOAA Scientific Support Coordinator).
	(2) See Section V for predicted oil behavior (to be completed by NOAA Scientific Support
	Coordinator).  (3) Responding party has option of also submitting information on predicted oil behavior to Federal On-Scene Coordinator.
Ш	. PROPOSED DISPERSANT USE PLAN (To be completed by responding party and submitted to
	Federal On-Scene Coordinator)
A.	Reason for requesting dispersant use: mechanical containment insufficient for amount
В.	Dispersant zone where dispersant would be applied (check one or more):
	Zone 1 Zone 2 Zone 3 ✓
C.	Location of area to be treated relative to the following, as shown on attached chart: Slick/Trajectory Dispersant zone Nearest Land
D.	Name of the dispersant proposed for use:
	COREXIT 9527 ✓ COREXIT 9550 OFC D-609 Other
E.	Application Platform(s): C-130 Helicopter Vessel
	Safety Plan for applicable Platform in place? Yes V No
F.	Dispersant dosage goals:
	Ratio of dispersant-to-oil: 1:20 Other
	Gallons per acre: 5 gals per acre Other
G.	Total amount of dispersant to be used: gals.
Н.	Time of dispersant application: Start time 0900 Day 4/17/05
	Finish time 1400 Day 4/17/05
I.	Estimated percentage of spill area to be treated:
	1-5% 6-20% 21-40% 41-70% 71-99% 100%
	nature of Requester:  John Kwietniak
	Incident Commander
	e of Requester.
	quester Affiliation: Tesoro Alaska Company  TAV Cook Inlet oil spill
	quester Representing: T/V Cook Inlet oil spill  De & Date Request Submitted to FOSC: 1000 4/17/05
Tim	ne & Date Request Submitted to FOSC: 1000 4/17/05

IV.	. WEATHER AND WATER CONDITION FORECAST FROM TIME OF SPILL. (To be completed by NOAA Scientific Support Coordinator)	е
A.	Wind Speed (knots):	
	24-hour projection: 3-5	
	48-hour projection: 5	
	Wind Direction (from):	
	24-hour projection: NW	
	48- hour projection: NW	
C.	Sea conditions:	
	24-hour projection:	
	Calm Choppy Waves < 1 ft Waves 1-3 ft Waves > 3 ft	
	48- hour projection:	
	Calm Choppy Waves < 1 ft Waves 1-3 ft Waves > 3 ft	
D.	Tidal information for three tidal cycles (see attached graph).	
E.	Dominant current (net drift):	
	Speed: 3 knots Direction (from): NW	
٧.	PREDICTED OIL BEHAVIOR (To be completed by NOAA Scientific Support Coordinator).	-
	Untreated oil forecast:	
	Estimated trajectory (see attached graph): SE	
	Expected area(s) and time(s) of land fall: already at landfall to the north	
	Estimated percent naturally dispersed and evaporated within first 24 hours: 25%	

VI. RESOURCES AT R A. Habitats (see attached  Sheltered tide  Coastal mars  Other  B. Biological Resources (s	charts): dal flats shes	·	oy Reso	urce Ag	encies)		
	Dist	ribution		Estimat	ed # o1	Individua	ls
Taxon	General	Concentrate	1-10	11-50	51-100	101-1000	>1000
Endangered/Threatened Species 1. 2. 3.							
Non-endangered/ Threatened Species							
Sea Otters		✓		✓			
Fur seals	✓			1			
Other seals	<b>√</b>		1				
Toothed whales	V			<b>√</b>			
Baleen whales			<b>—</b>				
Polar bears							
Walrus							
Waterfowl Seabirds Diving birds Shorebirds Raptors	<b>* * * *</b>				<i>√</i>	\frac{1}{}	
Ungulates	<b>_</b>				1		
Bears (brown & black)	<b>✓</b>				<b>V</b>		
Furbearers	<b>✓</b>				✓		
Fish:	almon, dol	ly varden, her	ring		,		
Bottomfish: halibut,	pacific cod						
		s, blue musse	ls cock	els			
Intertidal mollusks: D Crustacea:	atter claims	, Dide masse	13, COCK	iolo			
C. <u>Human Resources:</u>							
Commercial facilities an	d enterprises		(se	ee attache	ed chart)		
Public facilities and ente	erprises		(se	ee attache	ed chart)		

Historic and archaeological resources:
Present, (Appropriate information to be provided to FOSC).
Not present Unknown 🗸
Commercial harvest areas:
Generally distributed Concentrated (see attached chart)
Subsistence harvest areas:
Generally distributed Concentrated (see attached chart)
VII. FEDERAL ON-SCENE COORDINATOR'S EVALUATION OF RESPONSE OPTIONS (To be completed by Federal On-Scene Coordinator)
A. Has mechanical clean-up been fully evaluated? Yes No
B. Has in-situ burning been fully evaluated? Yes No
C. Why is dispersant use necessary? mechanical recovery unfeasible, plume trajectory too far-reaching
D. Will dispersants be used in addition to mechanical recovery and/or in-situ burning?
Yes No No
E. Will dispersants be used instead of mechanical recovery and/or in-situ burning?  Yes No V
VIII. ALASKA REGIONAL RESPONSE TEAM RECOMMENDATION TO FEDERAL ON-SCENE COORDINATOR REGARDING DISPERSANT USE (To be completed by Alaska Regional Response Team Co-Chairman).
Time and Date request received by Alaska Regional Response Team Co-Chairman: 0900 4/17/05
A. No dispersants may be applied.
B. Dispersants may be used under noted conditions (if any) in limited or selected areas (see
attached chart).
C. Dispersants may be applied as requested above in Section III.*
*Requests exceeding 20 gallons per acre require Alaska Regional Response Team approval.
Signature of ARRT Co-Chairman:
Printed Name of ARRT Co-Chairman: Carl Lautenberger, EPA
Time and Date of Recommendation: 1000 4/17/05

	FEDERAL ON-SCENE COORDINATOR'S DECISION REGARDING DISPERSANT USE - BASED ON ARRT GUIDELINES & DECISION MATRIX (To be completed by Federal On- Scene Coordinator)
Time	and Date Request Submitted to Federal On-Scene Coordinator: 1000 4/17/05
А	No dispersants may be applied.
в	Dispersants may be used under noted conditions (if any) and in limited or selected areas (see
	attached chart).
c. [	Dispersants may be applied as requested above in Section II.*
*Rec	uests exceeding 20 gals/acre require Alaska Regional Response Team approval.
,	
Signat	ure of Federal On-Scene Coordinator:
Printe	d Name of Federal On-Scene Coordinator: Mark DeVries
Time	and Date of Decision: 1200 4/17/05
	ixample

## **More Information on this Form**

When do you need this form?

When dispersant use is requested in zone 2 or 3 of Alaska waters.

Who fills out this form?

An appropriate permitter with the responsible party.

Who signs this form?

The requestor and the Federal On-scene Coordinator.

Where does this form get delivered?

This plan should be vetted through the appropriate ICS positions. In addition, the State of Alaska has conditions of approval that need to be met. See attached letter.

555 Cordova Street, 2<sup>nd</sup> Floor Anchorage, AK 99501 PHONE: (907) 269-7557

FAX: (907) 269-7648

http://www.state.ak.us/dec/home.htm

## PREVENTION EMERGENCY RESPONSE PROGRAM CENTRAL ALASKA RESPONSE TEAM

RE:

Dear		:					
	er is in regar		1 1			 plicatio	ns.

Conditions of Approval for Application of Chemical Countermeasures.

This letter is in regards to ADEC's approval for Zone 2 and 3 Dispersant Applications. Zone 1 is exempt from this approval, since the Federal On-Scene Coordinator can approve it. These conditions will enable and aid in the study of the dispersant efficiency, for future reference. Please be advised that the State of Alaska approval for the application of dispersant in Zone 2 and 3 will be subject to the following conditions:

- The approval will be valid for the date approved. Approval for subsequent dispersant application shall be subject to daily evaluation by the Alaska Regional Response Team and the Unified Command approval.
- 2. The applicant or Responsible Party (RP) shall provide for the collection of data during the application operation including: swath width, dispersant spraying speed, aerial coverage rate, spraying time, and global positioning readings to document the location of the application area, estimated surface area treated with dispersant, and the volume of dispersant applied. This information must be provided to the Department on a daily basis.
- 3. The On-Water Dispersant Monitoring Team should be mobilized and on site, ready to take samples as soon as possible but no later than 12 hours after approval of Dispersant Application.
- 4. Along with the application for Dispersant Approval a Sampling Plan should be submitted for the Fluorometer and Grab Sampling procedures and, provisions for laboratory analysis of dissolved, aromatic, and aliphatic fractions of the oil within the water column at various depths. This plan is subject to the Department's approval and after approval the applicant should adhere to this plan.
- 5. The applicant shall implement on-water monitoring and sampling within 20 minutes of dispersant application to confirm effective dispersion of oil. Real-time monitoring procedures described within the Special Monitoring of Applied Response Technologies (SMART) Dispersant Module shall be equivalent to those performed

during this operation. The on-water or 'Tier II' monitoring team as described within the SMART procedures must ensure sampling to provide confirmation that the oil has been dispersed. Fluorometer readings should be taken at the surface, and depths of 1m, 5m, and 10m. Baseline Data collection shall also provide sampling for the untreated, unoiled water's physical and chemical parameters, including pH, temperature, turbidity, conductivity and dissolved oxygen content, since these do affect the optimum efficiency of the dispersants.

A State of Alaska representative shall also be included on this monitoring vessel to observe sample collection and documentation. Data gathered during the on-water sampling shall be submitted to the Department on a daily basis for consideration in continued dispersant operations.

6. The applicant shall also provide for monitoring in-water concentrations and fate of dispersed oil using grab sampling for later laboratory analysis. Grab samples should be taken at the surface, and depths of 1m, 5m, and 10m.

Completion of analysis of samples collected during operations is projected to take up to a month. This analysis report shall be submitted to the Department within 24 hours of receipt of the laboratory data. Extension to this date is subject to Department approval.

7. The applicant shall include State of Alaska observers on the dispersant spotter aircraft to monitor real-time application and visually evaluate effectiveness of the dispersion of oil within the application area.

If you have any questions please contact me at 907-269-7543

Sincerely,

Gary Folley State On-Scene Coordinator

cc: Captain Mark DeVries, USCG
Matt Carr, EPA
Betty Schorr, IPPP/Marine Vessels/Valdez