1. ID		Marital status			
Name:		Marital status:			
			Occupation:		
DOB:	Age:				
2. HPI ONSET, DURATIO	N, COURSE				
(Why present now/precipitants/st	ressors? When it started? How	long it lasts/frequency? What i	s it like? Impact on life)		
For episodic illnesses describe fir	st episode:				
1. Onset:					
2. Precipitants:					
3. Duration:					
4. Rx response:					
<b>DEPRESSION</b> ("Sigecaps")	MANIA ("Giddiness")	PSYCHOSIS	PANIC ATTACKS		
Low mood for >2 weeks	Grandiose	Hallucinations/illusions	Trembling		
Sleep	Increased activity	Delusions	Palpitations		
Interest	goal-directed/high risk	Self-reference:	Nausea/chills		
Guilt/worthlessness	Decreased judgment	people watching you	Choking/chest pain		
Energy	Distractible	talking about you	Sweating		
Concentration	Irritability	messages from media	Fear:		
Appetite/weight $\Delta$	Need less sleep	Thought blocking/insertion	dying/going crazy		
Psychomotor slowing	Elevated mood	Disorganization:	Anticipatory anxiety		
Suicide:	Speedy talking	speech/behavior	Avoidance		
Hopelessness/Plan/Access	Speedy thoughts		Agoraphobia		
GENERALIZED ANXIETY		OBSESSIVE-COM PULSIVE DISORDER			
Excess worry	Intrusive/persistent the		Experienced/witness event		
Restless/edgy	Recognized as excessive/irrational		Persistent re-experiencing Dreams/flashbacks		
Easily fatigued	•	Repetitive behaviors:			
Muscle tension	Washing/cleaning		Avoidance behavior		
↓ sleep	Counting/checking		Hyper-arousal:		
↓ concentration	Organizing/praying		↑ vigilance/ ↑ startle		
SOCIAL PHOBIA	BORDERLINE PESONALITY		ANTISOCIAL PERSONALITY		
Performance situations:	Fear abandonment/re	ejection	Forensic history:		

Performance situations:
Fear of embarrassment
Fear of humiliation
Criticism

## **SPECIFIC PHOBIAS**

Heights/crowds/animals

## BODY DYSM ORPHIC DISORDER

Excess concern with appearance or certain part of body Avoidance behavior

Fear abandonment/rejection
Unstable relationships
Chronic emptiness

↓ self esteem
Intense anger/outbursts
Self-damaging behavior
Labile mood and impulsivity

## **EATING DISORDERS**

Binging/purging/restriction/amenorrhea Perception of body image or weight Forensic history: arrests/imprisonment Aggressiveness/violence Lack of empathy/remorse Lack of concern for safety: self or others Childhood conduct disorder

3. PSYCHIATRIC HX  Previous psychiatric Hx/Counseling/Suicide attempts/Violence:	
Previous diagnoses:	
M edications/Tx:	
4. FAM PSYCHIATRIC HX	
Psychiatric Dx/Visits/Counseling/Suicide attempts:	
Substance use:	
Suicide:	
5. MEDICAL HX Previous illnesses & treatment:	6. SYSTEMS REVIEW CNS:
Surgeries/hospitalizations:	H & N:
Head injury (+/- LOC) and workup/imaging:	CVS:
Todo iljuly (i/ 200) and ilomap illuging.	RESP:
Medications:	GI:
Alcohol use:	GU:
Substance use: (caffeine, nicotine, over-counter/illicit med/drugs)	M SK:
	DERM:

7. PERSONAL HX Place of birth:						
As a child: (family structure, parents' occupations, relationship with parents, siblings, friends,	abuse)					
As a teen: (friends, relationships, school, activities, sex, trouble, relationship with parents)						
As an adult: (work, finances, education, relationships, family, goals for future, trends in functioning)						
8. MSE	9. FOLST	EIN MM:	SE			
Appearance:	Orientation	:	/10			
Behavior:		year season month				
Speech:		date				
Emotion: Affect and mood	Place:	day floor building				
Perception:		city				
Thought process:		province country				
Thought content:	Immediate	recall:	/3			
	Attention:		/5			
Concentration:	Delay recal	II:	/3			
Mamaru	Naming:		/2 /1			
Memory:	Repetition: 3-stage cor		/3			
Insight:	Reading:	iiiialiu.	/s /1			
	Copying:		/1			
Judgment:	Writing:		/1			
Suicide:	Total:		/30			

10. IMPRESSION/FORMULATION BIOPSYCHOSOCIAL	
11. MULTIAXIAL DIAGNOSIS	
Axis I: Psychiatric disorder:	
Axis II: Personality:	
Axis III: Medical conditions:	
Axis IV: Social factors:	
12. PLAN	
Investigations:	
Treatment:	
Biological:	
Psychological:	