

HOME CARE BABY SCALE

CE 2004/108/EC

SOEHNLE
PROFESSIONAL



Removable baby weighing tray

27309

TECHNICAL SPECIFICATIONS

Capacity:	20 kg	Dimensions:	530x240x100 mm
Battery operated	9V - not included	Sensitivity:	10 g
Warranty:	2 years	Weight:	4 kg
		Made in	Germany

- **27309 SOEHNLE 8310 DIGITAL BABY SCALE**
Well-designed, easy to handle baby scale made out of easy to clean plastic.
- detachable baby tray scale for children up to 20 kg
- quattro-Tronic technology with 4 load cells for fast readings
- fully-electronic scale: no wear and tear parts, no maintenance
- easy to read LCD-display with 20 mm figures
- one button control for on-tare-off functions
- "weight-lock" function: weight display remains stable if baby moves
- tare function to calibrate for baby blankets/textiles
- automatic power-off to save battery capacity
- manual in: DE, GB, FR, IT, ES, NL, DK, SE, HU FI, PT.
- **27304 TRANSPORT CASE**
- **27311 TRAY FOR 8310 - spare**

MANUAL AND ELECTRIC LICE COMB

Natural, ecologic method to eliminate completely lice and nits without any harm.

Ideal for allergy sufferers and children.

• 24400 MANUAL LICE COMB

Ergonomic comb with long metal teeth and a detachable cleaning brush with built-in magnifier. The long, delicately closed teeth of the comb are designed specifically to detach lice and their nits (tiny eggs).

The round form of the touching point respects the growth direction of the hair without harming its texture.

• 24402 ELECTRIC LICE COMB

This innovative product removes and kills lice and nits with a quick increasing electrical discharge of 130-180 Volts from the teeth, imperceptible and harmless to humans.

Provided of LED light, buzzer indicator and cleaning brush.



Detachable cleaning brush with built-in magnifier

24400



24402

DEVICES AGAINST INSECTS, MEDUSAE, SMOKYBITES

25770

• 25770 ZANZA-CLICK AFTERBITE - IT - blue

• 25771 ZANZA-CLICK AFTERBITE - GB - green

A few clicks to soothe the irritation caused by insects, medusae and nettles.

• 25772 BABYFRIEND

Ultrasonic repelling device against mosquitos.



• 25773 ECOSAVE

Electronic stimulator against snake bites or poisonous stings of insects and fishes.

Few electric shocks are enough to reduce toxic reaction.

CE 0051



SNORE STOPPER WRISTBAND

• 24405 SNORE STOPPER

• 24406 SPARE ELECTRODES - kit of 3

This innovative wristband reduces snoring using natural biofeedback process, it helps you sleep better and wake up refreshed without changing your life style.



HOME FETAL HEART DETECTOR

• 29485 HOME CARE BABY SOUND

Portable, lightweight device to help women detect the sound of the fetal heartbeat and follow the growth and development of a fetus. Suitable for home care use. Supplied with headset, recording cable and user manual (GB, FR, IT, ES).



CE 0482



□ EAR THERMOMETER

- 25580 IR EAR THERMOMETER
- 25581 PROBE COVERS - box of 40 pcs.
- 32212 SPARE BATTERY
- fully meet "ASTM" standard and CE EN 12470-5 (only few brands passed it) in measurement accuracy (35.5 °C to 42 °C ± 0.2 °C, others ± 0.3 °C).
- unique and handy design
- one-second measurement, fast and easy
- 9 memory for temperature comparison and evaluation, fever alarm, easy reading LCD display
- self-diagnostic and infrared measurement



25581



25580


TECHNICAL SPECIFICATIONS 25580-25585

Measurement Range:	- forehead	34.0 °C~42.2 °C (93.2 °F~108.0 °F)
	- scan mode:	-22/80 °C (-7.6/-76 °F) - 25585 only
Response time:		1 second (25580) 5-30 sec. (25585)
Time between Measurement:		> 5 sec
Display Model		°C/°F
Battery Type:		CR2032 (32212)
Dimension (LxWxH):	- Weight:	14x3.8x3 cm - 70 g
Norms:	IEC60601-1, IEC60601-1-2 (EMC), ASTM E1965-98	



□ FOREHEAD THERMOMETER


- 25585 INFRARED MULTI-FUNCTION FOREHEAD THERMOMETER
- 32212 SPARE BATTERY
- Multifunctional innovative infrared thermometer with 5 applications: forehead temperature, room temperature, scan mode for surface temperatures (bath water or milk), real time clock, stopwatch.
- friendly 3 LED zone indicator to get fever status (see picture)
- instant measurement
- large LCD to read easily
- detailed 9 memories with time/date & site
- fever alarm with beeper
- selectable °C/°F mode
- small size to carry conveniently when travelling
- accurate: ± 0.2/0.3 °C
- self-diagnosis warning when device is abnormal.
- Packed in deluxe carton box.



25585



3 LED Fever Indicator



□ HOME CARE EAR THERMOMETER

- 25579 POCKET EAR THERMOMETER
- Small, easy to clean, cover free design ear thermometer. For home care use.

TECHNICAL SPECIFICATIONS

Measurement Range:	34 °C - 44 °C (93.2 °F - 111.2 °F)
Accuracy:	±0.2 °C (±0.4 °F)
Response time:	1-2 seconds
Battery:	Lithium 3 V (CR2032) - life approx 4,000 measurements
Size:	114x35x40 mm
Weight:	35 g (including batteries)



Easy to read
3 digit LCD display
27.9x13 mm

10 memories

□ ECOLOGICAL THERMOMETERS - MERCURY FREE

25551

25550

MERCURY FREE

25586

25589

- 25550 ECOLOGICAL OVAL THERMOMETER °C - hang box
- 25551 ECOLOGICAL OVAL THERMOMETER - box of 12
- 25587 SHAKER for ecological thermometers - box of 24
- Mercury free clinical thermometer with gallium alloy instead of mercury. Safe, precise and functional. Glass structure. Italian manufacturer, made in P.R.C.

- 25586 ECOLOGICAL OVAL THERMOMETER with shaker - hang box
- 25589 ECOLOGICAL OVAL THERMOMETER with shaker display box of 24 pcs.
- Same as 25550-51 but supplied with a shaker to help shake down gallium after use.

☐ THERMOFOCUS® PROFESSIONAL "NO CONTACT" THERMOMETERS

THERMOFOCUS THERMOMETERS

The most advanced thermometers in the world! Thermofocus read infrared radiations emitted by the surface of the skin and calculates accurately the body temperature.



A patented optic-aiming system allows to immediately find correct distance for measurements.

- **without touching:** never in contact to avoid any risk of infection
- **non invasive:** does not require patient collaboration, recommended for children
- **accurate:** a sophisticated microprocessor ensures high precision
- **economic:** no need of expensive probes
- **fast:** takes the temperature in one second
- **1 °C-55 °C:** for measurement of wide range of objects
- **body temperature scan (25571/2):** can be done quickly

• 25570 THERMOFOCUS - mod. 0700 - 2 buttons - blister **FOR FAMILY**

For the private user who needs an easy, fast and precise thermometer. Simply press the ON button, hold it perpendicular to the centre of the forehead and release the button as soon as the two red lights converge in a single point. It can also be used to take the temperature of objects such as a baby's feeding bottle. Not recommended for doctors and hospitals.

• 25571 THERMOFOCUS - mod. 1500 - 6 in 1 - 3 buttons **FOR DOCTORS**

For the family or the private doctor who require maximum accuracy and flexibility of the temperature taking. Same as 25570 with an additional button ("home") to read the ambient temperature and that of other parts of the body (such as navel or armpit), as well as the temperature of objects and liquids within a range from 1 to 55 °C (33.8 to 131 °F). Provided with the exclusive Manual Quick Calibration System (MQCS) technology through which the thermometer is always perfectly stabilized to the ambient temperature.

• 25572 THERMOFOCUS - mod. 1500 H1N1 3 buttons **HOSPITAL-EMERGENCY**


Specifically studied for hospitals, airports, schools, factories, etc. in case of emergency and/or pandemic situations. Quick, accurate and easy to use, allows a fast and hygienic temperature reading for



For use in emergency and pandemic situations

thousands of consecutive measurements. Same as 25571, but with compulsory MCQS technology (Manual Quick Calibration System), through which the thermometer is always perfectly stabilized to the ambient temperature and ready to take series of measurements. Supplied with a lanyard to be worn around the neck.

• 32200 "AAA" BATTERIES



TECHNICAL SPECIFICATIONS	
Forehead measuring range:	34.0/42.5 °C (93.2/108.5 °F)
Measuring range (apart from forehead):	1.0/55.0 °C (33.8/131 °F)
Ambient temperature working range	16/40 °C (60.8/104.0 °F)*
Precision:	0.1 °C (0.2 °F)
Accuracy level according to ASTM E 1965-98:	
from 34 to 35.9 °C (93.2/96.6 °F)=	±0.3 °C (±0.5 °F)
from 36 to 39 °C (96.8/102.2 °F)=	±0.2 °C (±0.4 °F)
from 39.1 to 42.5 °C (102.4/108.5 °F)	±0.3 °C (±0.5 °F)
Distance of operation:	3 cm (1.2 inch) fixed through optical signal
* The thermometer can work also in environments with a temperature between 5 and 16 °C (41/60.8 °F), but we do not guarantee the accuracy.	
Battery:	4xAAA (1.5V) included Weight: 99 g Size: 165x40x22 mm
Made in Italy	

THERMOFOCUS 5 IN 1




☐ PROFESSIONAL INFRARED EAR THERMOMETER - HOSPITAL USE

- 25575 PROFESSIONAL INFRARED EAR THERMOMETER
- 25576 PROBE COVERS - box of 200 pcs. (5 tubes of 40 pcs.)
- 25577 PROBE COVERS LOADER with 40 PROBE COVERS
- special design for hospital use
- durable probe for cover replacement up to 100,000 times

- probe cover ejector and probe cover detector
- one-second response time: fast and easy
- neck strap and probe cap
- fever alarm
- selectable °C/°F

TECHNICAL SPECIFICATIONS	
Measurement range:	34~42.2 °C (93.2-108 °F)
Ambient operation range:	10-40 °C (50~104 °F)
Accuracy:	±0.2 °C (0.4 °F) during 35.5~42 °C (95.9~107.6 °F), ±0.3 °C (0.5 °F) for other range
Memory:	25 sets
Buzzer:	Yes
Battery:	CR2032 1
Dimension:	144.82x39.84x48.50 mm
Weight (with battery):	68.8 g



LIQUID CRYSTAL THERMOMETERS

Non toxic, mercury free, safe, unbreakable, reliable, long lasting, easy to read, liquid crystal thermometers. 10 languages manual. Made in Italy.

REUSABLE FOREHEAD THERMOMETERS

- 25593 FEVERTEST - display of 25 blister of 2 pcs. It indicates the normal temperature or fever in 15 seconds.
 - 25596 FEVERTEST BULK - box of 100 - hospital use
 - 25597 FEVERCONTROL - display of 25 blister
- It indicates temperature in 15 seconds with graduation of 0.5 °C.

BODY TEMPERATURE MONITOR

- 25594 48h FEVER MONITOR - display of 25 blister of 3 pcs. Innovative "continual" fever indicator for 48h monitoring.



DIGITAL THERMOMETERS

30-60 SECONDS CE 0197



- 25559 GIMA DIGITAL THERMOMETER - °C - box - 30 seconds
Sold in a counter display of 36 pcs. (English - Italian)
- 25560 GIMA DIGITAL THERMOMETER - °C - hang box - 60 seconds
- 25561 GIMA DIGITAL THERMOMETER - °F - hang box - 60 seconds (89,6-109,2 °F)

60 SECONDS CE 0197



- 25557 FLEXI JUMBO 2 DIGITAL THERMOMETER °C - hang box, flexible tip, water-proof resistant, fever alarm

30 SECONDS CE 0476



- 25562 W-P DIGITAL THERMOMETER °C - hang box water-proof

30 SECONDS CE 0476



- 25563 FLEXI DIGITAL THERMOMETER °C - hang box flexible tip, water-proof

30 SECONDS CE 0476



- 25565 BACKLIGHT DIGITAL THERMOMETER °C - hang box flexible tip, backlight display. Battery L394A. Manual GB, IT.

BASAL THERMOMETER

- 25608 DIGITAL BASAL THERMOMETER °C - hang box - water-proof
With 4 digits, 2 decimals, for fertility control

4 DIGITS, 2 DECIMALS CE 0476



25608

BATH THERMOMETER

- 25567 BATH THERMOMETER °C - Star
Measures water temperature in 90 sec.
Measurement range 0° C to 70° C.
Supplied in hang blister.

CE 0476

25567

- 25598 BATHERMO °C - Display 25 blister
Liquid crystal bath thermometer to check
water temperature in few seconds.
10 language manual.



Counter display of 36 pieces 25559

GIMA DIGITAL THERMOMETERS

Available in °C or °F, provide accurate and quick read-out. Safe and easy to use with clear and large display.

- display range: 32.0°C-42.9°C (25556-7, 25559-60, 25563, 25565)
- 32.0°C-42.0°C (25562, 25558)

- accuracy ±0.1°C (±0.2°F)
- beeper function and auto shut-off
- multilanguage manual and box (GB, FR, IT, ES, PT, GR) 25556, 25557 have also PL, AR
- memory: last reading
- plastic case

- 25549 BATTERY 1.5V LR/41 - box of 20 for all thermometers except 25558, 25565

HIGH SPEED 10 SECONDS READING CE 0197 FDA



- 25558 FLEXI JUMBO DIGITAL THERMOMETER °C - hang box flexible tip, water-proof, fever alarm, backlight jumbo display (28x13 mm size). Battery CR1220 3V.

8 SECONDS CE 0197



- 25556 INSTANT DIGITAL THERMOMETER °C - hang box, flexible tip, water-proof, fever alarm, large display

BABY THERMOMETERS

60 SECONDS CE 0197



- 25555 PANDA DIGITAL THERMOMETER °C - hang box water-proof, fever alarm

30 SECONDS CE 0476



- 25566 FROG DIGITAL THERMOMETER °C - hang box - flexible tip

- 25568 NIPPLE-LIKE DIGITAL PACIFIER THERMOMETER °C
Individually packed in carton box, memorizes last temperature. Auto power-off. Display range 32.0°C - 42.0°C, with accuracy ±0.1°C. 1.5 V button battery



CE 0476



Safe non toxic material
Fast 120 seconds reading
Fever alarm sound

25568

PHARMADOCT FIRST AID, MEDICATION AND WELLNESS



All products are in blister with 5 languages package (GB, FR, IT, ES, DE)

GIMA code	PHARMADOCT LINE	Pieces for box	Minimum order*	GIMA code	PHARMADOCT LINE	Pieces for box	Minimum order*
25300	Classic plasters - 7x2 cm	20	12 box	25316	Herpes patch	15	12 box
25301	Classic plasters - 6 assorted sizes	30	12 box	25318	Nasal strips	10	12 box
25302	Classic plasters - 6 assorted sizes	100	12 box	25372	Ear plugs	4	12 box
25305	Hypoallergenic plasters - 5 assorted sizes	30	12 box	25350	Corn plasters	10	12 box
25307	Hypoallergenic plasters - 2 assorted sizes	4	12 box	25351	Oval corn plasters	9	12 box
25310	Children plasters "tattoo" 2 assorted sizes	16	12 box	25352	Blister plasters	5	12 box
25312	Plasters with hemostatic gauze	20	12 box	25370	Dental floss	1	12 box
25314	Hand plasters - 3 assorted sizes	14	12 box	25380	Lip balm classic	1	12 box
25320	Dressing strip 100x6 cm	1	12 box	25382	Lip balm strawberry	1	12 box
25322	Cloth roll - fabric - 5 mx1.25 cm	1	18 box	25360	Nail scissors	1	12 box
25324	Cloth roll 5 mx2.5 cm	1	12 box	25361	Cuticle clipper	1	12 box
25335	First aid - kit of 8 different products	8	8 box	25362	Nail file	1	12 box
25330	Cotton gauze swabs 18x40 cm	6	12 box	25363	Tweezer	1	12 box
25332	Elastic bandages 4 mx6 cm	2	6 box	25364	Small nail cutter	1	12 box
25337	Adhesive elastic compression bandage 2.5 mx 6cm	1	6 box	25390	Condoms	12	8 box

* Minimum order is carton of "....." boxes, each one containing "....." pieces


QUALITY PILL SPLITTERS AND PILL PULVERIZERS

These easy tools are ideal for elderly people, children and hospital attendants. Great also for medicating pets. They avoid dispersion of medicine and guarantee integrity of the dose. Easy to clean, also in dishwasher. Made in non-toxic, unbreakable material.

- 25729 PILL SPLITTER - bulk
- 25730 PILL SPLITTER - with box
- 25743 ULTRA PILL SPLITTER - blister

Accurately divide tablets, large and small pills for reduced dosage or easier ingestion. Simple to operate.

Top quality products, made in Europe (25729-30), USA (25743)



- 25747 DISPLAY FOR SPLITTER (25730) PULVERIZER (25731) - empty (English language)

Suitable for 4 pill splitters and 4 pill pulverizers. Available in any language on request.

- 25741 PILL PULVERIZER - bulk
- 25731 PILL PULVERIZER - with box
- 25744 ULTRA PILL PULVERIZER - blister

Powerful pulverizing point powders pills of any shape and size, with an easy twist of the wrist.




MIXED COLOUR PILL SPLITTERS

- 25748 PILL SPLITTER - box of 12 pcs
This box includes 12 pill splitters in 4 colours: light blue, green, transparent lavender and transparent orange.
- 25749 PILL SPLITTER - display box of 12 pcs
Counter display box including 12 pill splitters, each one in a single carton box in 4 colours: light blue, green, transparent lavender and transparent orange.



DISPLAY STAND

- 25524 DISPLAY empty
Display stand with 30 hangs, 2 shelves and 1 drawer. Suitable for diagnostic tests (page 7-11, 145-146), thermometers, pill devices, easy life products (page 65-69), dressing and first aid (page 66, 288-294) and many other products.
Size: 66x37xh 203.5 cm



INVALID RINGS



Quality invalid rings made of latex-free rubber.

GIMA code	INVALID RUBBER RINGS LATEX - FREE
28610	Invalid ring Ø 35 cm
28611	Invalid ring Ø 40 cm
28612	Invalid ring Ø 45 cm

DRINKING GLASS



- 28965 DRINKING GLASS - box of 180
Drinking glass made of polypropylene with a separated tap and a lip. Capacity 250 ml graduated by 25 ml. Autoclavable. Can be disinfected in washer. Not for microwaves

VIALS OPENER

• 25739 VIALS OPENER - box of 20

A practical tool to help opening of vials in a safe way.



25739

PILL BOX AND PILL BOX TIMER

25732 - 7 DAYS PILL BOX
blue translucent

Translucent top enables the user to see if medication has been taken



It comes with one set of labels for individual marking of compartments.

With 7 detachable 4 compartments small boxes (morning, noon, evening and night)

• 25765 PILL BOX TIMER

Pocket pill box timer in ABS material, size 90x50x19 mm, supplied in carton box with batteries.

Double pill box space to store pills and tablets. It remains when you have to take your medication with a countdown up to 19 hours and 59 minutes.



25765



25757 - TWICE A DAY PLANNER - Italian
25759 - TWICE A DAY PLANNER - English
2 colours translucent



Available from stock with English or Italian printings.
We can print in any language, minimum 1000 pcs.



25758 - 7 DAYS PLANNER - Italian
25760 - 7 DAYS PLANNER - English
4 colours translucent



Contoured design for easy pill removal

Available from stock with English or Italian printings.
We can print in any language, minimum 1000 pcs.



Holds up to 50 pills

L M M G V S D
T T W J F S D

Supplied with a set of labels for each day suitable for 6 languages: English, French, German, Italian, Spanish, Portuguese



25750



25735



25754



25734



25756

- 25750 PILL BOX pack of 2 pcs - blue/pink - blister
- 25735 DAILY PILL BOX - yellow - box
- 25752 DAILY PILL BOX - blue translucent - blister

- 25754 DAILY PILL BOX - white - blister
- 25734 WEEKLY PILL BOX - white - box
- 25756 WEEKLY PILL BOX - white - blister

	25750	25735/25752	25734	25732	25757/25759	25758/25760	25754	25756
English language printed on pill boxes	yes	-	-	yes	yes	yes	yes	no
Labels in other languages*	-	-	yes	yes	yes	yes	-	-
Colour	blue/pink	yellow/blue	white	translucent	translucent	translucent	white	white
Compartments	2	6	7	28(4x7)	14(2x7)	28(4x7)	4	7
Size cm	7x5x2	8x5.5x1.5	13x2.5x2	17x12x2	18.5x9.5x3	21x14.5x3.5	95x2x2	15,5x3x2
Package	blister	box/blister	box	box	box	box	blister	blister

*Supplied with a set of labels with day in 6 languages (English, French, German, Italian, Portuguese, Spanish) and 1 white label for compartment for individual marking.

EASY LIFE: AIDS FOR DAILY LIVING



• **28920 CUTLERY SET**
Set of 4 pieces (knife, fork, small and large spoon). Made in stainless steel with thick, ribbed rubber handle (10 cm) for easy grip



• **28925 SPOON & FORK HOLDERS - pack of 2 pcs.**
These portable, stylish holders fit onto virtually any style spoon and fork providing a secure grip (spoon and fork are not included).



• **28901 PENCIL GRIP - pack of 2 pcs.**
Rubber grip for pens or pencils. Helpful aids for elderly or disabled people. These cushions are designed in both shape and density to alleviate stress while providing a secure grip.



• **28945 SHOPPING BAG CARRIER**
This product provides an effort-free handle that remains constantly supportive, regardless of bag loads.



• **28950 EASY OPENER**
This all in one product easily open bottle caps, pull tabs, and even those impossible box tops! Designed to provide safety for the user.



• **28951 JAR OPENER & CLOSER**
This uniquely designed product concentrates hand power to remove lids and turn facets effortlessly.



• **28915 LONG BATH SPONGE**
These lightweight sponges feature soft polyfoam attached to a plastic handle. Designed as bath sponges, Available with contoured sponge.



• **28906 MAGNIFYING GLASS**
Magnifies two times larger than original size. Large enough to do what's needed, yet small enough to be totally portable, fitting easily into purse or pocket.



• **28912 SOCK AID NOTCH**
Soft terry cloth on one side grips the sock, while smooth nylon on the other side reduces friction, allowing your foot to slip in easily. Two long loop handles are easy to hold and assist with pulling the sock onto your foot. Ideal for those who have the use of only one hand or with decreased strength or coordination.



• **28911 ZIPPER AND BUTTON PULLER**
For those with weak or arthritic fingers, there's probably no more difficult task than fastening a button! This unique product eliminates the frustration by pulling the button or zipper into position. Folds to half-length to fit easily into pocket or purse.



• **28940 EASY KEY TURNER**
pack of 2 pcs
These enlarged key turners are designed with the turning effort already begun, so completion of the turn is accomplished with minimal effort. Two different colours per package.



• **28941 MULTIPLE KEY TURNER**
The key turner holder is a heavy-duty holder designed to assist person with limited wrist strength or movement. People with arthritis or other limited hand mobility can manipulate keys with ease. House keys and most car keys (without plastic head covers) fit into the slots and are held by a single screw. Can hold 1 to 3 keys. Keys fold into handle when not in use to slip into pocket or purse.



• **28963 GRASPING TOOL - foldable**
Your extended reach grasping tool will help you to eliminate bending or climbing for those hard-to-reach items. Length: 80 cm, foldable in 2. Locking tab holds the item in place.



• **28960 GRASPING TOOL - 3 WAYS - 66 cm**
Aluminium body, PP handle. Three grasping ways: steel hook, magnetic tip, rubber head.

BATH CHAIRS




- **27733 ADJUSTABLE SWIVEL STOOL**
- easy tool-free installation
- swivel seat with 90 degree position lock at every right angle location
- seat with 8 height adjustments, by 2.5 cm (1") increment
- non-slip central seat pad and soft under-covers
- 135 kg (300 lbs) maximum load

- **27730 SHOWER CHAIR with backrest**
- Seat and backrest in plastic material.
- Height adjustable (35-45 cm), non slip end. Load: 100 kg.


BATH SWIVEL SEATS

- **27732 BATH SWIVEL SEAT**
- clamps onto the edge of the bath, no drilling or screwing required
- swivel seat with 90 degree position lock
- handle mounts either right or left side
- suitable for most types of bath with clamp adjustable 50-150 mm
- safety handle provides support and balance when getting in or out of bath



BATH CHAIR

- **27755 SWIVEL BATH CHAIR**
- Revolving bath chair at 360° with 4 positions for easier access to bath. Polypropylene seat. Frame in painted steel, rotation system in stainless steel. Load: 100 kg. Weight: 5.5 kg




SAFETY SUCTION GRAB BARS



- **28972 SAFETY GRAB BAR - 443 mm**
 - **28973 SAFETY GRAB BAR - 545 mm**
 - **28974 SAFETY DOUBLE GRAB BAR - 929 mm**
- Innovative line of GRAB BAR, can be quickly installed every where without need of drilling and screwing.
Patented suction cups (Ø 93 mm).

Holds up to 60 kg (28972/3) or 85 kg (28974) vertical and 45 or 60 kg (28974) lateral weight (tested by SGS). Ideal solution to support elder people during daily bathroom use. Top quality product made of heavy duty ABS, with patented "green/red" suction indicator for better safety.

BATH SEAT



- **27731 BATH SEAT**

TUB RAIL



- non slip comfort grip
- easy tool-free assembly
- 2 separate clamps hold firmly to bathtubs with sloped inner walls
- handle with 5 position height adjustment
- oversized handle provides additional stability

- **27734 TUB RAIL**

RAISED TOILET SEATS



- **27750 RAISED TOILET SEAT** height 12.5 cm with fixing system and fixed armrest. Max load 130 kg (286,6 lb). Packing: 410x165x460 mm

- **27751 RAISED TOILET SEAT** height 12.5 cm with fixing system (back and front) and reclining armrest. Max load 130 kg (286,6 lb). Packing: 410x165x460 mm

- **27741 RAISED TOILET SEAT** height 10 cm
- **27740 RAISED TOILET SEAT** height 14 cm with lateral fixing system. Max load 200 kg.

- **27739 SOFT RAISED TOILET SEAT - height 10 cm** Made in expanded and reticulated closed cell polyolefin. Size 404x385x140 mm. Max load 200 kg.

ELBOW CRUTCHES MADE IN FRANCE



- 43100 43101 43102 43110 43115
 - 43100 EVOLUTION CRUTCHES - black/grey - pair
 - 43101 EVOLUTION CRUTCHES - blue/grey - pair
 - 43102 EVOLUTION CRUTCHES - orange/grey - pair
- Ergonomic handle and brachial support to enhance safety and quality of arm support while moving around.
- 43110 PROGRESS 2 CRUTCH - pair
- For tall and heavy-weight adults, the handle adjusts from 22 to 29 cm. This crutch is suitable for adults whose height is comprised between 160 and 215 cm.
- 43115 TIKI CRUTCH - blue/orange - pair
- For children or teenagers. The handle adjust from 17.5 to 20 cm.
- 43120 RUBBER TIP - grey - bag of 10 inside Ø 19 mm

TECHNICAL SPECIFICATIONS

Model	EVOLUTION	PROGRESS 2	TIKI
Weight kg:	0.5	0.5	0.5
Height handle to floor mm:	758-883	720-960	520-740
Material of handle:	Polypropylene		
Diameter upper/down pipe mm:	22/19	22/19	22/19
Number of adjustment of height:	12 times adjustable every 12 mm		
Finishing/material:	grey anodization/aluminium		
Certified and tested for kg:	130	150	100
Standard used for testing:	EN ISO 11199-1		
Adjustable handgrip:	-	4 times	3 times
Handgrip size: Ø x l x h mm	35x100x235	35x100x220/290	32x100x175/200

STICKS AND CRUTCHES




- 27783 27779 27781 27780 27782 27790 27793
 - 27779 ALUMINIUM WALKING STICK - bronze
- Adjustable height: 72-94 cm - weight 0.4 kg
- 27780 ALUMINIUM WALKING STICK - silver
- Adjustable height: 71-94 cm - weight 0.36 kg
- 27781 ALUMINIUM WALKING STICK - black
- Adjustable height: 67-90 cm - weight 0.3 kg
- 27782 FOLDABLE ALUMINIUM WALKING STICK - coffee
- Adjustable height: 80-90 cm - weight 0.37 kg
- 27783 FOLDABLE ALUMINIUM WALKING STICK - cashmere fantasy
- Adjustable height: 82-92 cm - weight 0.36 kg
- 27790 QUADRIPODS - FOUR LEGS
- Aluminium made, height adjustable 74-97 cm - 0.9 kg
- 27793 FOREARM CRUTCHES
- Light weight aluminium tube. Anatomic handgrip. Height adjustable 96-119 cm. Weight 0.55 kg. Max load 130 kg
- 27795 RUBBER TIP Ø 19 mm - grey for 27780-2, 27793 - bag of 5
 - 27796 RUBBER TIP Ø 16 mm - grey for 27790 - bag of 5
 - 27797 RUBBER TIP Ø 22 mm - grey for 27798 - bag of 5

QUALITY STICKS MADE IN ITALY



- WOODEN STICKS:
- 27760 GIOTTO CURVED HANDLE - man - brown
 - 27761 GIOTTO CURVED HANDLE - woman - brown
 - 27762 RAFFAELLO "T" HANDLE - man - brown
 - 27763 RAFFAELLO "T" HANDLE - woman - brown
 - 27764 TIZIANO CURVED HANDLE - unisex - brown
 - 27765 TIZIANO "T" HANDLE - unisex - brown
 - 27768 LEONARDO METAL CURVED HANDLE - unisex - black
 - 27769 LEONARDO METAL "T" HANDLE - unisex - black
 - 27772 TIEPOLO CHROMED "DUCK" HANDLE - unisex - black

QUALITY STICKS MADE IN FRANCE




- WOODEN STICKS
- 27773 "T" HANDLE - wooden
 - 27774 CROOK - chestnut
- SYNTHETIC STICKS
- 27776 "T" HANDLE - black
 - 27777 CROOK - amber style
 - 27778 CROOK - horn style
- ADVANCED WALKING STICK
- 27771 "T" ADVANCE - grey
- Aluminium height adjustable cane with comfortable gel-grip to reduce hand stress



□ FOLDING SHOULDER WALKER

• **43136 FOLDING SHOULDER WALKER** - adjustable height
Blue painted steel, foldable shoulder walker with chromed and padded, height adjustable shoulder support. Supplied with 4 castors, 2 of them with brake. Optional padded seat and brachial support. Made in Italy.

- **43137 PADDED SEAT**
- **43138 BRACHIAL SUPPORT**



43136

□ T-BAR CRUTCHES

- **27792 T-BAR CRUTCHES - small**
Stainless steel type. Adjustable height: 98-118 cm. Max load 130 kg
- **27798 T-BAR CRUTCHES - medium**
Stainless steel type. Adjustable height: 112-132 cm. Max load 130 kg
- **27799 T-BAR CRUTCHES - large**
Stainless steel type. Adjustable height: 119-139 cm. Max load 130 kg
- **27797 RUBBER TIP Ø 22 mm grey** for 27792/8/9 - bag of 5



27792 27798 27799

□ WALKING FRAMES



27722

- **27722 WALKING FRAME**
Made of lightweight aluminium tubing, non-slip end and padded handgrips. Size 47x46 cm foldable with adjustable height 78-96 cm. Weight: 2.4 kg - Load: 100 kg.
- **27794 RUBBER TIP Ø 28 mm - grey** for 27722-3 - bag of 5 pcs.



Wheels
Ø 12.7 cm (5")

27723

- **27723 WALKING FRAME - 2 WHEELS**
Made of lightweight aluminium tubing, with padded hand grips, 2 non-slip ends and 2 with wheels. Size 51x44 cm, foldable with adjustable height 79-97 cm. Weight: 3 kg - Load: 100 kg.
- **27794 RUBBER TIP Ø 28 mm - grey** for 27722-3 - bag of 5 pcs.



43130

- **43130 WALKING FRAME - 4 WHEELS**
Made of lightweight aluminium tubing, 2 front swivel wheels, 2 rear wheels with stop, with foam grips. Size 55x44 cm foldable with adjustable height 83-93 cm. Weight: 3.5 kg - Load: 100 kg.

□ ROLLATORS

Wheels
Ø 10 cm (4")



27721

- **27721 ROLLATOR**
Size 54x45 with adjustable height 52-87 cm. Weight: 4.8 kg - Load: 100 kg.



Wheels
Ø 11.5 cm (4.5")

- **43132 ROLLATOR WITH SEAT**
Blue painted steel adjustable height 79-93 cm frame with padded seat. Weight 6.4 kg - Load: 100 kg.

□ PEDAL EXERCISER

- **27738 PEDAL EXERCISER**
This pedal exerciser can be used on a table top as an arm exerciser or placed on the floor to exercise the legs. Hook-and-loop straps hold feet firmly to pedals. Convenient tension control knob allows a broad range of pedal resistance for a progressive exercise programme.



ELITE COMMUNE WHEELCHAIRS - MADE IN ITALY



43200

- 43200 ELITE 100 COMMUNE - 43 cm
- chromed steel frame
- blue, washable, fire proof leatherette
- plastic pan
- 4 wheels Ø 10 cm (2 with brake)
- adjustable height foot rest
- removable arm-rest
- rigid back rest



43203

Swivelling rear wheel

- 43203 ELITE 200 COMMUNE - 43 cm
- 43204 ELITE 200 COMMUNE - 53 cm
- chromed steel frame
- blue, washable, fire proof leatherette
- plastic pan
- 4 wheels Ø 20 cm (2 with brake)
- adjustable length and raising foot rest
- removable arm-rest
- reclining back rest



Universal tray

43210



43217



43216

- 43210 UNIVERSAL TRAY
 - 43212 WHEEL Ø 20 cm - front - spare
 - 43213 WHEEL Ø 20 cm - rear - spare
 - 43216 BELT
 - 43217 BELT with strap
- Sturdy and washable polypropylene belts. Quick mounting.

TECHNICAL SPECIFICATIONS		
	ELITE 100	ELITE 200
Size:	53x88xh 95 cm	53x56xh 105 cm
Seat height	53 cm	53 cm
Seat width	43 cm	43 o 53 cm
Weight	14.6 kg	21 kg
Load	100	100

COMMUNE CHAIRS

- 27701 COMMUNE CHAIR - stainless steel
- Stainless steel chair frame, with plastic detachable commode seat.

- 27702 COMMUNE WHEELCHAIR - painted
- Powder coated steel frame, detachable armrest and footrest, solid rear castors with lock, plastic commode seat.

- 27703 COMMUNE WHEELCHAIR - stainless steel

Stainless steel chair frame, detachable armrest and footrest, rear castors with lock, plastic commode seat.

- 27699 FOOTREST for 27702 - pair
- 27700 FOOTREST for 27703 - pair



27701



27702



27703

GIMA code	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12
27702/3	48	44	12.5	12.5	51	92	90	44	42	100	54x53x53	17 18
27701	56	44			47	94		43	38	100	50x19x75	8.5

WC COMMUNE



Weight: 5.5 kg
Load: 100 kg
38 cm

Height adjustable
83 - 93 cm

Height adjustable
45 - 55 cm

42 cm 63 cm



48 cm 45 cm

- 27758 BATH BENCH with backrest
- Aluminium frame seat suitable for bath or shower use. Removable plastic bowl WC.

- 27759 WC COMMUNE
- Size: 48x45 cm. Adjustable height 45-55 cm (back 78-88 cm)

COMFORT COMMUNE CHAIR



43190

Weight: 6.6 kg

The generously padded and removable seat offers this chair the best comfort and high level of hygiene. Pan is removable from both sides and from the top. Made in France.

- 43190 COMFORT COMMUNE CHAIR - blue
 - 43191 COMFORT COMMUNE CHAIR - height adjustable - blue
- Made in France.



43191

Weight: 6.8 kg

MAX LOAD 130 kg

TECHNICAL SPECIFICATIONS	
Total height: 86 or 86/97 cm	Height seat-floor: 52 or 52/63 cm
Width between armrests: 51.5 cm	Height seat-backrest: 38 cm
Total width: 60.5 cm	Seat plate depth: 39 cm
Height armrest-floor: 72 or 72/83 cm	Total depth: 58 cm

ROLLATORS




• **43140 3 WHEELS ROLLATOR - blue**
Blue painted steel, adjustable height frame. With 3 solid castors (2 fixed rear with brake and 1 swivel front). Supplied with shopping basket and tray.
Weight: 7.7 kg - Load: 100 kg.



• **43142 IDEAL ROLLATOR - blue**
Blue painted steel, adjustable height foldable frame. With 4 solid castors (2 fixed rear and 2 swivel front). Ergonomic and adjustable handle and hand brakes. Supplied with padded seat, shopping basket and tray.
Weight: 12.5 kg - Load: 100 kg.
Carton size: 590x290x680 mm



• **27724 ROLLATOR WITH SEAT - foldable**
With seat, large front basket and brakes on wheels.
Size 71x64 cm, adjustable.
Height 78-90 cm.
Seat at 46 cm.
Weight 7.4 kg - Load: 100 Kg.



• **43145 LEISURE ROLLATOR - foldable**
Powder coated aluminium frame, grey colour. Comfortable cotton belt backrest and nylon seat.
Height adjustable handles from 84 cm to 95 cm.
Up-down bidirectional brake. Solid tires Ø 20 cm (8"). Provided with nylon shopping bag.
Weight: 8.2 kg - Load: 100 kg.

POWERED WHEELCHAIR

• **27729 POWERED WHEELCHAIR - 41 cm seat**
Powered wheelchair, easy to use, for daily indoor use. The user can move the powered wheelchair forwards, backwards or turn round in the same place only by the controller. When the power is not enough, it can be used as a transit wheelchair. The seat cushion is detachable.
Main features:
Powder coated steel frame, adjustable armrest pad, detachable sideboards, detachable strong footrests, adjustable backrest inclination, rubber foam castors and drive wheels, with safety lamp.
Size: 1020x650x990 mm, weight: 50 kg (including batteries).
Load: 110 kg. Speed: 0-6 km/h.
Power: 2x12V=24V (20 km distance with fully charged couple of batteries)

• **27725 SLA BATTERY pack of 2 - SPARE**

Pivoting up to: 12°



□ LIGHTWEIGHT ALUMINIUM FOLDING WHEELCHAIRS



PAEDIATRIC

CE

27708

- 27708 PAEDIATRIC WHEELCHAIR - 32 cm seat - black tissue
- aluminium type
- flip up arm-rest
- fixed foot-rest
- solid front castors
- pneumatic rear wheels
- folding



LIGHT - ONLY 9,5 KG

CE

43250

- 43250 QUEEN ALUMINIUM WHEELCHAIR - 46 cm seat - light blue tissue
- extra light aluminium frame only 9.5 kg
- fixed armrest
- flip-up footrest
- solid castors
- pneumatic rear mag wheel,
- drop back handle
- locking brake
- folding



LIGHT - ONLY 13 KG

CE

27718

- 27718 LIGHT ALUMINIUM WHEELCHAIR - 45 cm seat, red tartan tissue
- aluminium frame
- detachable armrest
- flip-up footrest
- folding brake
- pneumatic rear wheel
- solid castors
- folding



DE LUXE



CE

27719

- 27719 CLASSIC ALUMINIUM WHEELCHAIR - 46 cm seat - black tissue
- aluminium red frame
- flip-up desk armrest,
- detachable footrest
- solid castors
- quick release pneumatic rear wheel
- folding



CE

27720

- 27720 KING ALUMINIUM WHEELCHAIR - 46 cm seat - black tissue
- aluminium grey frame
- flip-up and height-adjustable armrest
- detachable footrest
- quick release pneumatic rear wheels
- solid castor, with carrying and anti wheel
- folding



CE

27717

- 27717 DELUXE WHEELCHAIR - 46 cm seat - black tissue
- flip up desk armrest
- adjustable height
- detachable footrest,
- solid rear wheels,
- PU castors,
- quick release mag wheel
- folding



Wheel chair	SPARE - ACCESSORIES				Icons for various features												(Kg)	DIM	NW	GW
	Rear wheel	Front wheel	Foot-rest pair	IV stand	1	2	3	4	5	6	7	8	9	10	11	12				
27708	27742	-	27710	27705	52	32	35	58	15	48	90	97	36	40	75	90x33x73	13	15.5		
43250	-	-	-	-	60	-	46	31	15	48	90	100	36	40	100		9.5	11		
27718	27785	27789	27726	27705	63	28	46	40	15	51	91	100	40	45	100	78x28x78	13.7	15.5		
27719	27786	27789	27727	27705	64	-	46	62	15	52	90	-	-	-	100	80x28x91	14.2	16.3		
27720	27787	27791	27728	27705	63	-	46	62	15	50	89	-	-	-	100	83x28x92	17.2	19.4		
27717	27748	27791	27714	27705	61	36	41	61	15	52	93	105	40	45	100	83x35x95	17	19		

FOLDING WHEELCHAIRS



- 43260 ESSEX WHEELCHAIR - 43 cm - black tissue
- 43261 ESSEX WHEELCHAIR - 46 cm - black tissue
- 43262 ESSEX WHEELCHAIR - 51 cm - black tissue
- blue powder coated steel frame
- rear solid PU wheels Ø 30.5 cm (12")
- front solid PU wheels Ø 20 cm (8")
- front powder steel fork
- padded flip-up armrest
- aluminium footrests
- black nylon seat and back

- 43270 OXFORD WHEELCHAIR - 43 cm - black tissue
- 43271 OXFORD WHEELCHAIR - 46 cm - black tissue
- 43272 OXFORD WHEELCHAIR - 51 cm - black tissue
- blue powder coated steel frame
- pneumatic rear wheels Ø 61 cm (24") with chromed steel handrim
- rubber solid front wheels Ø 20 cm (8")
- front powder steel fork
- padded flip-up armrest
- plastic footrests
- swing away+leg strap legrest
- black nylon seat and back

Wheel chair												DIM		NW	GW
43260	58	25	43	30	20	50	90	96	40	41	110	72x27x93	17	19	
43261	61	25	46	30	20	50	90	96	40	41	110	72x27x93	17	19	
43262	66	25	51	30	20	50	90	96	40	41	110	72x27x93	17	19	
43270	63	26	43	60	20	50	90	103	40	45	110	82x27x93	19	21	
43271	66	26	46	60	20	50	90	103	40	45	110	82x27x93	19	21	
43272	71	26	51	60	20	50	90	103	40	45	110	82x27x93	19	21	



- 27709 STANDARD WHEELCHAIR - 50 cm seat - blue tissue
- chromed frame
- economy type
- fixed armrest and footrest
- folding
- solid front castors
- solid rear wheel



- 27715 ROYAL WHEELCHAIR - 46 cm seat - black tissue
- chromed steel frame
- heavy duty type
- detachable armrest and footrest
- folding
- pneumatic rear wheels
- solid front castors



- 27716 EXTRA LARGE WHEELCHAIR - 55 cm seat - black tissue
- Powder coated steel frame
- super width 55 cm seat
- flip up armrest
- detachable footrest
- rubber foam castors
- pneumatic rear mag wheels




Wheel chair	SPARE - ACCESSORIES																			
	Rear wheel	Front wheel	Foot-rest pair	IV stand	Table*	PVC** backrest										DIM	NW	GW		
27709	27744	27788	27711	27705	27706	-	64	24	46	58	20	49	87	106	40	45	100	94x23x89	17	19.2
27715	27746	27789	27712	27705	-	27707	64	28	46	61	15	51	94	106	40	45	100	80x28x78	15.8	18.6
27716	27747	-	27713	27705	27706	-	73	32	56	62	20	54	93	109	45	46	125	83x33x93	21.5	24.1

** Fire retardant PCV backrest and seat
* Size of table: 32x55

ANTI-DECUBITUS AIR MATTRESSES WITH PUMP

Flaps length: 50x50 cm (top + bottom)



**EN71 MEDICAL GRADE
0.35 mm PVC**

28513

28516

BUBBLE MATTRESS

Designed for the treatment and prevention of pressure sore stage I in long-term and domiciliary therapies. The PVC mattress is composed of 130 7 cm-high bubble cells, particularly comfortable. Fixable to bed by extra flaps on both top and bottom side. Cold-resistant -30 degrees.

PUMP SYSTEM

Special silent pump for an excellent pressure regulation by a knob on the device front panel. The pump can be hung to any kind of hospital bed frame by means of two adjustable hooks. For use with bubble or alternating cell mattresses.



28514

INTERCHANGEABLE CELL-MATTRESS

Recommended for the prevention and treatment of pressure sore stage I and II in long-term and domiciliary therapies. The 24 7.5 cm-high Nylon+PVC cells provide superior comfort. They can easily be replaced in case of breakage.

GIMA code	MATTRESSES AND PUMP
28513	Bubble mattress
28514	Pump for 28513
28515	Kit bubble mattress+pump (28513+28514)
28516	Interchangeable cell mattress
28517	Pump for 28516
28518	Kit cell mattress+pump (28516+28517)
28519	Spare cell for 28516

Manual and box in 10 languages: GB, FR, IT, ES, DE, PT, PL, HU, GR, Arabic

TECHNICAL SPECIFICATIONS - PUMP

	28514	28517
Size:	25x13xh 9.5 cm	
Operating voltage:	220 V, 50 Hz	
Working pressure:	50-105 mmHg	50-110 mmHg
Air output:	4-6 liter/min	5-8 liter/min
Cycle time:	6 min	
Plastic casing:	Taiwan chimei ABS	
	TUV-CE IEC/EN60601-1; 60601-1-2	

TECHNICAL SPECIFICATIONS - MATTRESS

	28513	28516
Total size:	200x90x7 cm	180x80x7.5 cm
Cell height:	7 cm (2.7")	7.5 cm (3")
Material:	PVC	Nylon+PVC
Thickness:	0.35 mm	≥ 0.35 mm
Number of cells:	130	24+1 spare
Suitable for persons up to:	100 kg	110 kg

THERAPEUTIC ANTIDECUBITUS MATTRESSES UP TO LEVEL III

Bielastic, breathable, waterproof, cover easy to clean. Made in polyester fibre + PU



28501

Mattress made in nylon/polyurethane
Compressor size: 30x18x13 cm

Bielastic, breathable, bacteriostatic antifungal, waterproof, fireproof, cover easy to clean. Made in polyester fibre + PU

Made in Italy

Mattress made in nylon/polyurethane



28512

Compressor size: 27x23x13 cm

• **28501 EURO BASIC ANTIDECUBITUS SYSTEM - low risk**
Euro Basic is an alternating low pressure system which includes a three way compressor with pressure regulator and an overlay mattress. To be used in prevention and therapy of ulcers caused by decubitus.

Static or dynamic mode: dynamic mode allow to continuously change the contact areas and to distribute the weight load. **CPR function** allows a quick deflation of overlay mattress.

• **28511 EURO SOFT EVO ANTIDECUBITUS SYSTEM - medium risk**
• **28512 EURO SOFT PRO ANTIDECUBITUS SYSTEM - high risk**
Euro Soft are alternating low pressure systems, suitable for medium risk patients (28511) or high risk patients (28512) Norton scale. They include a three-way digital compressor and a replacement mattress.

- Static head elements, to improve patient's comfort
- Polyurethane foam base, 5 cm deep, to ensure sufficient patient support in case of emergencies
- CPR function for easy and rapid deflation of mattress (10 sec.)
- Transport facility: the mattress will remain inflated for 10-12 hours in case of power failure or during patient transport
- Inclination sensor to avoid sacral sinking
- Radio translucent surface enables examination without moving the patient

TECHNICAL SPECIFICATIONS

	28501	28511	28512
Prevention efficacy (Norton scale)	low risk	medium risk	medium-high risk
Prevention efficacy (NPUAP scale)	I level	II level	III level
Mattress size - cm	200x85x11	200x90x18	200x90x23
Mattress weight - kg	3.5	7	9
Max patient weight - kg	150	200	250
Deflation time (CPR)	10 sec.	10 sec.	10 sec.
Inflation time	25 min.	20 min.	30 min.
Power supply (compressor)	220/230 V - 50 Hz		
Conformity to:	CEI EN 60601-1, CEI EN 60601-1-2		



28501

Overlay mattress

18 elements - height 11 cm

28511

Mattress

17 elements - height 13 cm

28512

Mattress

20 elements - height 18 cm

ANTI-DECUBITUS AIR MATTRESSES TO PREVENT SORES

- **28482 MASTER PUMP SYSTEM - with pressure adjustment**
 - **28483 KIT MASTER (AIR MATTRESS 28492 + MASTER PUMP 28482)**
- Made of stiff and strong ABS, it may be placed on the ground, as it has rubber feet, or hung at the edge of the bed. A control handle makes pressure regulation easier: air amount is adjustable to suit patient weight from 40 to 120 kg. The mattress should inflate totally in about 20 minutes. Air output 2.5 l/min. Master pump can be used with bubble or interchangeable section mattress. Flame retardant PVC.



Master pressure pump may be placed on the ground or hung at the edge of the bed.

TECHNICAL SPECIFICATIONS FOR MASTER PUMP - RINT PLUS PUMP	
Size: 330x150x120 mm	Suitable for mattress: bubble or section
Weight: 1.95 Kg	Regulations: IEC-601-1 class II Type B
Operating voltage: 230 V - 50 Hz	Made in Italy
on request 110 V - 60 Hz	User manual in English Spanish, French, Italian, German
Power Consumption: 8 W - CLASS II	
Working pressure: 60-135 mm/Hg	

CE
Low noise, long lasting pump made with high quality materials

28482



28492

MADE IN ITALY
0.4 mm PVC THICKNESS



28493

Patient Weight	Pressure
50 kg - 110 lbs	40 mm/Hg
50-80 kg - 110-176 lbs	70 mm/Hg
80-150 kg - 176-330 lbs	100 mm/Hg

- **28492 AIR MATTRESS WITH BUBBLES**
- This air mattress is divided in bubble sections which inflate and deflate alternatively latitudinally through the alternative compressor. The continual movement given by the pressure pumped inside is useful to prevent minor bed sore problems.


- **28493 AIR MATTRESS - with interchangeable sections**
- It has 20 sections which can be inflated or deflated alternatively. Easy and practical to use, it is ideal for patients with minor bed sore problems. Elements are jointed in-between and fixed to a PVC sheet.

TECHNICAL SPECIFICATIONS MATTRESSES			
	28492	28493	28495
Total size:	190x85 cm	190x85 cm	200x90x10.5 cm
Inflatable size:	160x85 cm	160x85 cm	170x90 cm
Weight:	3 Kg	5.2 Kg	5.5 Kg
PVC thickness:	0.4 mm	0.4 mm	0.4 mm
Number of elements:	-	20	17
Suitable for persons up to:	80/90 kg	100 kg	120 kg

- **28494 INTERCHANGEABLE CELL - spare for 28493**
- Press studs which attach each section to the supporting sheet allow an easy exchange in case of damage.
- **28495 RINT PLUS AIR MATTRESS - interchangeable cells**
- Rint Plus Mattress is made of a strong and soft PVC, realized with 17 big interchangeable bars. The integrated CPR function (Cardio Pulmonary Reanimation) allows the immediate emptying of the 17 bars. It is supplied with bi-elastic, liquid proof and permeable to water-steam cover. Made in Italy.

- **28498 RINT PLUS PUMP SYSTEM - with pressure adjustment**
- Same as Master pump but with special valve for use with Rint Plus Mattress.

- **28496 INTERCHANGEABLE CELL - spare for 28495**
- **28497 COVER - spare for 28495**



28498

Thanks to height of cells, Rint Plus can be used also with medium risk patients.

ANTI-DECUBITUS PVC WATER MATTRESS

- **28499 WATER MATTRESS**
- It is made in PVC with a stabilising inflatable external structure to prevent excessive water "wave motion" and of 3 independent units. The water mattress distributes the total pressure on the whole supporting surface, making this less than the average arterial pressure, avoiding the exposure of the skin to pressure risk. Easy to use, it is placed over the usual mattress and it is washable. It is sold with a manual pump, 2 disinfectants and an inflation tube. Size: 190x85 cm. Weight 4 kg. PVC thickness 0,4 mm



Each water section measures 60x70 cm

28499

PVC rigid edge inflatable with air

ANTI-DECUBITUS CUSHION - MADE IN FRANCE



28530




PREVENTION FOR LOW DECUBITUS RISK




28534



PREVENTION FOR HIGH DECUBITUS RISK



28538



PREVENTION FOR HIGH TO VERY HIGH DECUBITUS RISK

The Gima line of seat cushions ranges from Gel to Foam Cushions designed to support patients on wheelchair or permanently on chairs. All cushions are supplied with a PU cover (made of waterproof urethane) with zipper and handle. Made in France.

- 28530 BULGEL CUSHION 41x41x3 cm
 - 28531 BULGEL CUSHION 43x43x3 cm
- This anti-decubitus cushion is made of a flame-resistant pocket including a PE foam core covered by an aqueous gel.

- 28534 VISCO-MOUSS CUSHION 41x41x6 cm
 - 28535 VISCO-MOUSS CUSHION 43x43x6 cm
- Visco Mouss is a pre-shaped moulded cushion made of viscoelastic foam with memory effect. Memory foam is pressure sensitive and moulds quickly to the shape of a body pressing against it, returning to its original shape once the pressure is removed. When the patient moves, the material reacts very quickly to match the new position. Anatomical shape with raised lateral edges and front-back slope improves positioning, stability and comfort when seated.

- 28538 GEL AIR 2D CUSHION 41x41x7.5 cm
 - 28539 GEL AIR 2D CUSHION 43x43x7.5 cm
- The Gel Air 2D cushion is made of a contoured moulded viscoelastic foam base (i.e. Visco Mouss') connected to a polyurethane gel insert. The viscoelastic fluid gel (blue pad) ensures maximum pressure relief of vulnerable bony areas while the regular gel and the foam increase the contact surface and maximize pressure relief. The cushion's shape ensures a good posture while seating and prevents from sliding forward.

BEDSIDE TABLES



27665

Size: 42x40xh 83 cm



27669

Size: 42x40xh 83 cm



27670

Size: 45x38xh 76 cm



27671

Size: 62x42xh5/115 cm



27679

27678

BEDSIDE TABLE WITH DRAWER, DOOR, BOTTLE - GLASS HOLDER, OVERBED TABLE

Epoxy powder coated steel sheet body. Thermoformed ABS top with towel holder, lateral bottle and glass holder. Sliding drawer with removable ABS tray. Laminated plastic drawer face and door 10 mm thick. Anti-trauma handles. Revolving, extensible, adjustable height cm 90/110 ABS overbed table top. Removable inner shelf. Plastic grid at bottom. Four revolving castors Ø 60 mm (2 with brake) with bumpers Ø 100 mm.

- 27678 BEDSIDE TABLE WITH OVERBED TABLE - DOUBLE FACE
- 27679 BEDSIDE TABLE WITH OVERBED TABLE - SINGLE FACE

BEDSIDE TABLES

Epoxy powder coated steel sheet tube or body.

Thermoformed ABS top and drawer. Laminated plastic drawer face and door (27665 and 27666 only) 10 mm thick. Bedside table with door has inner removable shelf and is available in left (L) or right (R) version.

- 27669 BEDSIDE TABLE WITH DRAWER
- 27665 BEDSIDE TABLE WITH DRAWER AND LEFT DOOR
- 27666 BEDSIDE TABLE WITH DRAWER AND RIGHT DOOR

BEDSIDE TABLES WITH DRAWER AND DOOR

Manufactured from high density chipboard panels, borders made of polished sheet steel structure epoxy glass finish 200°. With drawer, door, removable inner shelf and anti-trauma handles.

- 27670 BEDSIDE TABLE - feet
- 27671 BEDSIDE TABLE - castors Ø 50 mm with lateral bottle holder, overbed table.