FIREFIGHTER I

PRACTICAL SKILLS CERTIFICATION EVALUATION PACKET

(NFPA Standard 1001, 2008 Edition)

Revised 5/15/13

FFI- 5.1.2A

Candidate:

STANDARD: NFPA 1001: 5.1.2

SKILL AREA: Personal Protective Equipment

Date:

TASK: Don personal protective clothing within one (1) minute: doff personal protective clothing and prepare for reuse.

PERFORMANCE OUTCOME: The candidate shall be able to properly don personal protective clothing in one minute and to prepare the personal protective clothing for reuse.

EQUIPMENT: Bunker pants and boots, coat, hood, gloves, and helmet.

CONDITIONS: Given personal protective clothing, the candidate shall demonstrate the ability to:

No.	TASK STEPS		TEST		EST
			F	Р	F
	DONNING:				
1.	***Don hood (covering hair, ears, and neck) (P/F)				
2.	***Don pants and boots (cuffs over boots, suspenders in place, waist fastened) (P/F)				
3.	***Don coat (storm flap closed, collar up and secured, cuffs in place) (P/F)				
4.	***Don helmet (chin strap connected, adequately tightened, ear shroud down) (P/F)				
5.	***Don gloves (covering wrist completely) (P/F)				
6.	***Complete above correctly within one (1) minute (P/F)				
	DOFFING:				
7.	Place all equipment in a ready state for reuse.				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Overall Skill S	heet Result:			
6 out of 7 required				
***critical skill required				
_	_			
Pass (P): 🗌	Fail (F): 🗌			

Evaluator Signature

PRACTICAL SKILL REQUIREMENTS

FFI- 5.1.2B

Candidate:

STANDARD: NFPA 1001: 5.1.2

SKILL AREA: Rope, Knots, Tool Hoisting

Date:

TASK: Hoist a tool and/or piece of equipment using rope and the correct knot(s).

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to tie an approved knot and hoist or have hoisted a tool or piece of equipment to a designated height, as specified by evaluator.

EQUIPMENT: Utility rope, forcible entry tools, pike pole, ground ladder, roof ladder, hose line, full protective equipment, and/or appliance.

CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:

No.	Task	TASK STEPS		TEST		EST
			Р	F	Р	F
	Proctor selects one of the following tools and/or piece of equipment for final certification examination:					
	a. Forcible entry tool	d. 🗌 Hose line (Charged)				
	b. 🗌 Pike pole	e. 🗌 Hose line (Uncharged)				
	c. 🗌 Roof ladder	f. 🗌 Other:				
1.	***Wears appropriate PPE					
2.	***Tie a fire department approved knot(s) for the tools or equipment selected					
3.	Utilize a safety knot (if appropriate) for additional support.					
4.	***Hoist or have hoisted a tool and/or piece of equipment to a designated height.					
5.	Untie the knot(s) without difficulty.					

Evaluator:	Retest Evaluator:	
Comments:		

 Date	<u>Overall Skill S</u>	<u>heet Result:</u>
 2000	4 out of 5 r ***critical ski	1
	Pass (P): 🛛	Fail (F): 🗌

Evaluator Name

Evaluator Signature

AZCFSE Firefighter I, revised 5/15/13

FFI- 5.1.2C

Cand	idate	:			C	ate:		
STANE	STANDARD: NFPA 1001: 5.1.2 SKILL AREA: Response Information Guidelines							
TASK:	Loca	te information in departmental docu	ments a	and standard or co	de materia	als		
		NCE OUTCOME: The candidate shadures, and standard or code mater		onstrate the ability	to locate	written c	locument	S,
EQUIP	MENT	REQUIRED: Department Standard	l Operat	ing Procedures an	d NFPA S	Standard	or Code	Book.
CONDI	TIONS	S: Given department reference mate	erial, th	e candidate shall d	lemonstra	te the al	oility to:	
Γ	No.	TASK STE	EPS		т	EST	RETEST	г
					Р	F	ΡI	=
	1.	Locate a department standard oper		ocedure				
-		Select one of the following tasks						
		NFPA Standard	Depart	mental Policy				
_	2.	Locate a standard or departmental	materia	Ι.				
Evalu	ator:			Retest Evaluat	tor:			
Comn	nent	S:			·			
Evaluator Name Date			Date			<u>l Sheet</u> 2 requir	Result: red	
Evaluator	Signatu	re			Pass	(P): [Fa i	il (F): 🗌

FFI- 5.2.1

Candidate:

Date:

STANDARD: NFPA 1001: 5.2.1 SKILL AREA: Initiate Emergency Response

TASK: Initiate a response to a reported emergency, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate fire department communications equipment, relay information, and record information.

EQUIPMENT REQUIRED: Department SOP/SOG, communication equipment, paper, and pencil.

CONDITIONS: Given a scenario of a reported alarm, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TASK STEPS TEST		RET	EST
		Р	F	Р	F
1.	Verbalize how the alarm is received				
2.	Write proper address and nature of the emergency				
3.	Promptly contacts dispatch by radio indicating an alarm has been received (or simulate)				
4.	Notify dispatch that a response to the emergency has been initiated				

Evaluator:	Retest Evaluato	or:
Comments:		

Evaluator Name	Date	Overall Skill S 3 out of 4 i	
Evaluator Signature		Pass (P): 🛛	Fail (F): □

FFI- 5.2.2

Candidate:

STANDARD: NFPA 1001: 5.2.2

SKILL AREA: Phone Operations

Date:

TASK: Given a fire department phone, receive a telephone call, so that procedures for answering the phone are used and the caller's information is relayed.

PERFORMANCE OUTCOME: The candidate shall be able to operate fire station telephone and intercom equipment.

EQUIPMENT: Telephone, paper, and pencil.

CONDITIONS: Given a real or simulated call from the proctor, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		PF		Р	F
1.	Answer the call promptly				
2.	Identify himself/herself and the department to the caller				
3.	Ensure paper and pencils (or pen) are available				
4.	Take an appropriate message (e.g.: date, time, caller, caller's phone number and person taking call)				
5.	End the call courteously and in a timely manner				
6.	Deliver a message or transfer the call to the appropriate person				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator	Name
-----------	------

Date

Overall Skill Sheet Result: 5 out of 6 required

Evaluator Signature

SKILL AREA: Radio Operations

FFI- 5.2.3

Date:

Candidate:

STANDARD: NFPA 1001: 5.2.3

TASK: Transmit and receive messages via the fire department radio, so that the information is accurate, complete, clear, and relayed within the time established by fire department policy and procedure.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate radio equipment and follow fire department etiquette for routine traffic, emergency traffic, and emergency evacuation signals.

EQUIPMENT: Fire department mobile or portable radio, interior structure props, full protective clothing and SCBA.

CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
	Select one of the following tasks for final certification examination:				
	a. C Routine Traffic: Non-emergent situations				
	b. Emergency Traffic: Emergent situations				
1.	Determine there is no other radio traffic before transmitting (unless emergency traffic).				
2.	Speak calmly, clearly, distinctly and at a medium speed.				
3.	Transmit a message that is brief, accurate and to the point				
4.	Identify who the message is addressed to				
5.	Identify the person or unit transmitting				
6.	Provides correct information during emergent situation (i.e. firefighter mayday).				
7.	Acknowledges information back from command (if applicable).				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Overall Skill Sheet Result: 6 out of 7 required

Evaluator Signature

FFI- 5.3.1A

Candidate:

STANDARD: NFPA 1001: 5.3.1

SKILL AREA: Don/Doff Self Contained Breathing Apparatus

Date:

TASK: Use SCBA during emergency operations, so that the SCBA is correctly donned and activated within 1 minute, and SCBA is correctly worn.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: correctly complete SCBA donning procedures within one (1) minute.

EQUIPMENT: Complete SCBA ensemble and full bunker gear.

CONDITIONS: Given a non-fire ground environment, the candidate shall demonstrate the ability to complete all tasks.

• SCBA donning starts when indicated by the Evaluator and ends when the candidate indicates completion

• The candidate must successfully complete <u>all</u> steps 2-9 within one [1] minute

• All procedures must adhere to the fire department procedure and manufacturer's specifications

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
1.	Verify that the SCBA is ready for service and confirm the amount of air in the cylinder is above minimum acceptable level				
	DONNING:				
2.	***Open SCBA cylinder valve				
3.	***Correctly don SCBA backpack assembly				
4.	***Check gauge for operation and verbalize air cylinder pressure				
5.	***Verify activation and operation of pass device				
6.	***Correctly don face piece				
7.	***Check face piece seal and operation of exhalation valve				
8.	***Connect face piece to air supply/regulator				
9.	***Have all personal protective clothing correctly in place				
10.	***Correctly accomplished above steps within one (1) minute				
	DOFFING:				
11.	Remove SCBA and place all equipment in a ready state for reuse				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 9 out of 11 required ***critical skill required

FFI- 5.3.1B1

Candidate:

STANDARD: NFPA 1001: 5.3.1	SKILL AREA: Use Self Contained Breathing Apparatus- Controlled Breathing
TASK: Use SCBA during emergency operation	s, so that the SCBA is correctly worn, controlled breathing

techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: control breathing while using the SCBA; initiate and complete emergency procedures in the event of SCBA failure; recognize all low-air warnings.

EQUIPMENT: Complete SCBA ensemble and full bunker gear.

CONDITIONS: Given a non-fire ground environment the candidate shall demonstrate the ability to complete all task steps.

• All procedures must adhere to the fire department procedure and manufacturer's specifications

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
1.	***Recognize and acknowledge all low air warning alarms				
	CONSERVATION OF AIR:				
2.	Demonstrate controlled breathing: (e.g., Inhale through the nose, exhale through the mouth, and control rate of breathing)				
	SCBA FAILURE:				
	Air Delivery System-				
4.	***Check regulator/open bypass				
5.	Check that the low pressure line between regulator and pressure reducer is intact				
6.	Check cylinder valve making certain it is fully open				
	Regulator Failure-				
7.	Close mainline if present				
8.	Open by-pass slowly				
9 .	Close by-pass after each breath				
10.	Open bypass for next breath				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Evaluator Signature

AZCFSE Firefighter I, revised 5/15/13

PRACTICAL SKILL REQUIREMENTS

FFI- 5.3.1B2

Date:

STANDARD: NFPA 1001: 5.3.1	SKILL AREA: Use Self Contained Breathing Apparatus- Controlled Breathing
	s, so that the SCBA is correctly worn, emergency procedures e recognized and appropriate action taken, respiratory

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: initiate and complete emergency procedures in the event of air depletion; recognize all low-air warnings, and replace SCBA air cylinders.

EQUIPMENT: Complete SCBA ensemble and full bunker gear.

CONDITIONS: Given a non-fire ground environment the candidate shall demonstrate the ability to complete all task steps.

• All procedures must adhere to the fire department procedure and manufacturer's specifications

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Р	F
	DEPLETION OF AIR SUPPLY:				
	Out of air with no air resupply available-				
1.	***Activate pass device				
2.	Initiate emergency breathing techniques (per AHJ)				
3.	Exit hazardous area rapidly				
	Out of air with full cylinder available (non-hazardous atmosphere)-				
4.	Doff backpack (skip if changing cylinder on a team member)				
5.	***Close cylinder valve and release pressure				
6.	Disconnect hose/pack assembly from cylinder				
7.	Remove depleted cylinder				
8.	***Replace with cylinder containing air				
9.	Connect hose/pack assembly to cylinder				
10.	***Turn on cylinder and check regulator pressure				
11.	Re-don backpack (skip if changing cylinder on a team member)				

Evaluator:		Retest Evaluator:				
Comments:	Comments:					

Evaluator Name

Date

Evaluator Signature

Pass (P):
Fail (F):

Overall Skill Sheet Result:

9 out of 11 required ***critical skill required

FFI- 5.3.1C

Candidate:

Date:

STANDARD: NFPA 1001: 5.3.1

SKILL AREA: Use Self Contained Breathing Apparatus- Restricted Passage

TASK: Given SCBA and other personal protective equipment, use SCBA during emergency operations, so that the SCBA is correctly worn, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion.

PERFORMANCE OUTCOME: While operating at a simulated fire scene the candidate shall demonstrate the ability to recognize all low-air warnings and exit through a restricted passage while using the SCBA.

EQUIPMENT: Complete SCBA ensemble, full bunker gear, and prop for restricted opening.

CONDITIONS: Given a non-fire ground environment with a restricted passage, the candidate shall demonstrate the ability to complete all task steps.

• The candidate must have full PPE and be on SCBA air before completing the restricted passage steps

• All procedures must adhere to the fire department procedure and manufacturer's specifications

No.	TASK STEPS		TEST		EST
		Р	F	Р	F
	RESTRICTED PASSAGE: Demonstrate the ability to maneuver through a restricted passage while using SCBA (on air) while utilizing one of the two methods (chosen by candidate) listed below:				
	Remove the Backpack Method:				
1.	Remove SCBA backpack, not compromising face-piece seal or ability to breathe				
2.	Push backpack through opening, not compromising SCBA operation				
3.	Enter opening and proceed through opening completely				
4.	***Re-don SCBA backpack assembly				
5.	***Ensure that mask seal or SCBA functioning was not compromised during maneuver				
6.	***Exit hazardous area prior to air depletion				
	Reduce Profile Method:				
1.	Loosen straps as necessary to reduce profile by sliding tank to side				
2.	Reduce profile further by removing one or both backpack harness straps (ONLY if necessary to maneuver through passage)				
3.	Enter opening and proceed through opening completely				
4.	***Re-don/Secure SCBA backpack assembly to body				
5.	***Ensure that mask seal or SCBA functioning was not compromised during maneuver				
6.	***Exit hazardous area prior to air depletion				

PRACTICAL SKILL REQUIREMENTS

Evaluator:	Retest Evaluator:	
Comments:	·	·
Evaluator Name	Date	Overall Skill Sheet Result: 5 out of 6 required **critical skill required
Evaluator Signature		Pass (P): Fail (F):

FFI- 5.3.2

Candidate:

Date:

STANDARD: NFPA 1001: 5.3.2

SKILL AREA: Apparatus Response

TASK: Respond on an apparatus to an emergency scene, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used.

PERFORMANCE OUTCOME: The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment.

EQUIPMENT: Fire apparatus, personal protective equipment, hearing protection, eye protection (*for those not in enclosed cabs*), and SCBA's for departments/organizations that allow or require firefighters to don SCBA's while in route to the emergency.

CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
	MOUNTING:				
1.	***Properly don personal protective clothing				
2.	State that the vehicle is not in motion				
3.	Mount fire apparatus using handrails				
4.	Close door, safety bar, gate to cab or compartment				
5.	***Sit and fasten seat belt				
6.	Correctly use any other personal protective equipment furnished				
	DISMOUNTING:				
7.	Wait for order(s) before leaving apparatus				
8.	***State that vehicle must be completely stopped before leaving				
-	apparatus				
9.	***Look for hazards before stepping off vehicle				
10.	Safely step from vehicle using handrails				

Evaluator:		Retest Evaluator:	
Evaluator.			
Comments:			

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Pass (P): 🛛	Fail ((F): 🗌
---------	------	--------	----------------

FFI- 5.3.3

Candidate:

STANDARD: NFPA 1001: 5.3.3

SKILL AREA: Emergency Scene Operations

Date:

TASK: Establish and operate in work areas at emergency scenes, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, so that procedures are followed, protective equipment is worn, protected work areas are established, and the candidate performs assigned tasks only in established, protected work areas.

PERFORMANCE OUTCOME: The candidate shall be able to use personal protective equipment, deploy traffic and scene control devices, dismount apparatus, and safely operate in the protected work areas as appropriate.

EQUIPMENT: Fire apparatus, personal protective equipment, and traffic control devices.

CONDITIONS: Given a scenario within an emergency scene or designated work zone (with simulated highway traffic), the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
	Select one of the following scenarios for final certification examination:				
	a. Structure fire scene				
	b.				
	c. Downed electrical lines				
	d. Other (specify):				
1.	Survey emergency scene for hazards according to department SOP's				
2.	***Identify potential for injury based on identified hazards				
3.	Verbalize a plan for mitigation of hazards				
4.	***Properly dismounts apparatus with PPE correctly worn				
5.	Using traffic cones, and verbalizing the placement of apparatus, establish a safe work area				
6.	Verbalize how structure, roadway emergency scenes, traffic hazards, and downed power lines would be treated and isolated				
7.	***Describe measures to ensure continued scene safety				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

6 out of 7 required ***critical skill required

Pass (P): Fail (F):

Overall Skill Sheet Result:

NFPA 1001- 2008 Ed. **PRACTICAL SKILL REQUIREMENTS**

Candidate:			Dat	e:				
Sta	STANDARD: NFPA 1001: 5.3.4 SKILL AREA: Forcible Entr				Ъ			
		rce entry into a structure, so that the tools n a safe condition and ready for entry.	s are used as designed, the ba	arrier i	s remo	oved, a	ind the	
		ANCE OUTCOME: The candidate shall d and to force entry through doors, window					d and	
		IT: Personal protective equipment, appro window, and wall breach (if available).	opriate hand tools or power to	ols, aı	nd forc	ible er	itry pro	р
Con	DITIO	NS: Given a simulated fire scenario, the o	candidate shall demonstrate t	he ab	ility to:			
	No.	TASK STEPS		TE	ST	RET	EST	
			-	Ρ	F	Р	F	
		Proctor selects one of the following se certification examination:	cenarios for final					
		a. Force entry through door						
		b.						
		c. Force entry through wall						
		a. DOOR:						
	1.	***Wears appropriate PPE						
	2.	Select the correct tool(s)						
	3.	Safely carry the selected tool(s) to the do	oor					
	4.	Try the door to verify it is locked before fe	forcing					
	5.	Correctly size up the door						
	6.	Choose an appropriate technique and de forced entry	emonstrate or simulate					
	7.	***Use hand and eye protection						
	8.	Clear opening all of obstacles						
		b. WINDOW:						
	1.	***Wears appropriate PPE						
	2.	Select the correct tool(s)						
	3.	Safely carry the selected tool(s) to the wi						
	4.	Try the window to verify it is locked befor	re forcing					
	5.	Correctly size up the window						
	6.	Choose an appropriate technique and de forced entry	emonstrate or simulate					
	7.	***Use hand and eye protection						
	8.	Clear opening all of obstacles						

PRACTICAL SKILL REQUIREMENTS

No.	TASK STEPS		ST	RET	EST
		Р	F	Р	F
	c. WALL:				
1.	***Wears appropriate PPE				
2.	Correctly size up the wall to be breached				
3.	Identify common breaching hazards				
4.	Select the correct tool(s) for the type of wall				
5.	Sound for studs (<i>if appropriate</i>) and choose an appropriate technique and demonstrate or simulate forced entry				
6.	***Use hand and eye protection				
7.	Make an appropriate sized opening				
8.	Clear the opening of obstacles				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 6 out of 8 required ***critical skill required

Candidate:	Date:			
STANDARD: NFPA 1001: 5.3.5., 5.3.1 Skill Area: Exit Hazardous Environment				
TASK: Exit a hazardous area as a member of a team, so that a safe haven is found before exhausting the ai supply, others are not endangered, and the team integrity is maintained.				
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate as a team member in vision-obscured conditions, locate and follow a guideline, conserve air supply, and evaluate areas for hazards and identify a safe haven.				
EQUIPMENT: Personal protective equipment, SCBA (on air), hand tools, obscured vision, and hose line/guideline.				
CONDITIONS: Given a simulated fire scenario and as a member of a team with vision-obscured conditions, the candidate shall demonstrate the ability to:				

No.	TASK STEPS		TEST		RETEST	
		Р	F	Р	F	
1.	***Determine air supply available when entering hazardous atmosphere					
2.	***Monitor the air supply available while in hazardous atmosphere					
3.	***Identify the need to leave hazardous atmosphere before depletion of air supply while maintaining team integrity					
4.	***Communicate need for egress with team member(s)					
5.	***Locate hose line or guideline and determine correct method of travel for egress					
6.	***Follow hose line or guideline towards exit with all team members					
7.	***Exit hazardous atmosphere with all team members before depletion of air supply					

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result:

7 out of 7 required ***critical skill required

NFPA 1001- 2008 Ed. **PRACTICAL SKILL REQUIREMENTS**

Can	dida	e:		Date	e:			
Sta	NDAR	D: NFPA 1001: 5.3.6 SKILL	AREA: Ground Ladd	ers				
climb	oing, e	t up ground ladders, so that hazards are asses stension ladders are extended to the necessary actural component, and the assignment is acco	/ height with the fly locke					nst a
ladde	eliable structural component, and the assignment is accomplished. PERFORMANCE OUTCOME: The candidate shall be able to demonstrate the ability to carry ladders, raise adders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension adder height requirements, and place the ladder to avoid obvious hazards.							
Equ		IT: 24' or 35' extension ladder, and full person	al protective clothing, an	Id SCE	3A.			
Con	IDITIO	NS: Given a simulated fire scenario and a tear	n, the candidate shall de	monst	trate th	e abili	ty to:	
Ī	No.	TASK STEPS		TE	ST	RET	FST	1
			-	P	F	P	F	
		Proctor selects one of the following scenar certification examination:	rios for final					
		a. Window Ventilation: Place along side						
		 (upwind) side, with tip even or above top of b. Rescue from window or entry through 						
		slightly below sill or 2-3 rungs into window	if opening is wide					
		enough to allow room beside ladder to res	,					
		c. Work with hose with no entry: Tip pl window opening if no flames from window window.						
		 d. Access roof: Place ladder to access r above the roof edge or point of contact. 	oof with 3-5 rungs					
		DEPLOY, RAISE, AND EXTEND LADDER						
	1.	***Wears appropriate PPE						
	2.	Select the proper length ladder for the design						
	3.	Coordinate with team member to correctly lift/ the designated area or apparatus to the area <i>method utilized</i>):	of deployment (<i>check</i>					
		Low shoulder High Shoulder Arms						
	4.	***Visually check work area for hazards and s if hazards exist						
	5.	Determine ladder placement and verify that th support ladder	e wall/roof will					
	6.	Raise the ladder (beam or flat) and ensure pro						
	7.	***Extend fly section to proper height and ens						
	8.	Lower ladder against stable wall or surface an						
	9.	Adjust ladder for proper climbing angle and er given task	nsure placement for					
	10.	***Position ladder correctly for task given						

NFPA 1001- 2008 Ed. **PRACTICAL SKILL REQUIREMENTS**

FFI- 5.3.6

No.	TASK STEPS	TE	ST	RET	EST
		Ρ	F	Р	F
	RETRACT, LOWER, AND RETURN LADDER				
11.	Move top of ladder away from building, release halyard, locks, and correctly lower fly(s)				
12.	Lower ladder to ground (reversing raising procedures)				
13.	Coordinate with team member to lift/carry the ladder from the deployment area to the designated area or apparatus (<i>check method utilized</i>):				
	Low shoulder High Shoulder Arms length Flat				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name	Date	Overall Skill Sheet Result: 10 out of 13 required ***critical skill required
Evaluator Signature		Pass (P): □ Fail (F): □

Candidate:		Date:
STANDARD: NFPA 1001: 5.3.7	SKILL AREA: Vehicle Fire A	Attack
TASK: Attack a passenger vehicle fire while oper leaking flammable liquids are identified and contri- compartments are overhauled, and the fire is exti	olled, protection from flash fires is	
PERFORMANCE OUTCOME: The candidate, wh ability to identify automobile fuel type; assess and pattern on the nozzles; apply water for maximum attack lines; and expose hidden fires by opening	d control fuel leaks; open, close, a effectiveness while maintaining f	and adjust the flow and
EQUIPMENT: Hose lines, fire apparatus, person automobile, light truck or van, and dedicated safe		on air), hand tools,

CONDITIONS: Given a simulated vehicle fire, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Ρ	F
1.	Properly wear full protective clothing and SCBA (on air)				
2.	***Select at least 1 $\frac{1}{2}$ inch hose line, bleed line, and adjust nozzle				
3.	Attack from upwind and uphill (verbalize conditions were considered if not applicable)				
4.	Protect exposures (if present)				
5.	***Approach vehicle from side or 45 degree angle (never in front of bumpers until cooled) adjusting nozzle flow and stream for team protection				
6.	Identify possible fuel types and methods for controlling fuel leaks				
7.	Extinguish ground fire around and under the vehicle				
8.	Expose all hidden fire and open all compartments using appropriate techniques and extinguish remaining fires within the vehicle (simulate)				
9.	Overhaul the fire scene and preserve evidence if indicated				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Overall Skill Sheet Result: 7 out of 9 required ***critical skill required

Evaluator Signature

Candidate:

n	2	ŧ,		•	
μ	α	Ľ	5	•	

STANDARD: NFPA 1001: 5.3.8 SKILL AREA: Exterior Fire Attack

TASK: Extinguish a fire in exterior Class A materials (simulate), so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to recognize inherent hazards related to the material's configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate and modify water application for maximum penetration, search for and expose hidden fires, assess patterns for origin determination, and evaluate for complete extinguishment.

EQUIPMENT: Stack of Class A material or unattached structure or storage container, hose lines (min. 1 ¹/₂ inch), hand tools, dedicated safety line with personnel, fire/pumper apparatus, and full personal protective equipment with SCBA.

CONDITIONS: Given a simulated exterior Class A fire, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Ρ	F
1.	***Wears appropriate PPE				
2.	Describe inherent hazards related to burning material configuration				
3.	***Select and deploy the appropriate size hose line or extinguishing agent				
4.	Attack from upwind and uphill or flanks (verbalize if not applicable)				
5.	Bleed air from hose line and adjust nozzle for maximum effectiveness				
6.	***Protect exposures (if present)				
7.	Break-up burning material using hand tools and water streams (simulate)				
8.	Search for and expose hidden fires				
9.	Extinguish the fire (flow adequate water)				
10.	Overhaul fire scene while protecting and preserving signs of cause or origin if present				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Evaluator Signature

AZCFSE Firefighter I, revised 5/15/13

NFPA 1001- 2008 Ed. **PRACTICAL SKILL REQUIREMENTS**

Candidate: Date:							
STANDARD: NFPA 1001: 5.3.9 Skill Area: Interior Search and Resc	cue						
TASK: Conduct a search and rescue in a structure operating as a member of a team, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team member's safety – including respiratory protection – is not compromised.							
PERFORMANCE OUTCOME: The candidate shall demonstrate to the ability to use an SCBA to restricted passages, set up and use different types of ladders for various types of rescue operati firefighter and non-firefighter victim, and assess areas to determine tenability.							
EQUIPMENT: Full personal protective clothing including SCBA (on air), various size ladders, portable radio, flashlight, hose line, various hand tools, and rescue mannequin.							
CONDITIONS: Given a scenario with obscured visibility and a team member, the candidate shall demonstrate the ability to:							
No. TASK STEPS TEST	RETEST						

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Р	F
	Proctor selects one of the following scenarios for final certification examination:				
	a. Person without respiratory protection				
	b. Fire Fighter with functioning SCBA				
	c.				
1.	***Wears appropriate PPE				
2.	Size up the problem and select the appropriate tool(s) and equipment				
3.	Ladders are correctly placed for assignment (if warranted by scenario)				
4.	Correctly open all doors (feeling for heat and opening slowly, keeping control of the door) or windows				
5.	***Establish, maintain, and search in an effective pattern (i.e. left- hand or right-hand)				
6.	Searching in a body position appropriate for the conditions				
7.	Use hose line effectively (if applicable)				
8.	***Find and remove victim using appropriate techniques				
9.	***Ensure completion of the primary search.				
10.	***Maintain team integrity, communication, and safety throughout search				

PRACTICAL SKILL REQUIREMENTS

Evaluator:	Retest Evaluator	:
Comments:		
Evaluator Name	 Date	Overall Skill Sheet Result:

Evaluator Signature

8 out of 10 required ***critical skill required

FFI- 5.3.10A

Candidate:

Date:

STANDARD: NFPA 1001: 5.3.10 SKILL AREA: Interior Fire Attack- Grade Level TASK: Attack a grade level interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, access is gained into the fire area, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, hazards are recognized and managed, and the fire is brought under control.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: correctly open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; couple and uncouple various hand line connections; carry hose; and correctly attack fire at grade level.

EQUIPMENT: Full personal protective equipment with SCBA (on air), hose line (min. 1 ¹/₂"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus.

CONDITIONS: Given a grade level simulated structure fire and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS		TEST		RETEST	
		Р	F	Р	F	
	GRADE LEVEL FIRE					
1.	***Properly wears full protective clothing and SCBA (on air)					
2.	Properly deploy and charge hose line for fire attack (min 1 1/2")					
3.	Properly bleed hose line, adjust nozzle, and prevent water hammer					
4.	***Check door before entering and sound floor for stability					
5.	Stay low upon entry and approaching fire					
	Coordinate ventilation with Fire Attack (verbalize)					
6.	Attack and extinguish the fire using an appropriate attack method.					
7.	Demonstrate the following attack methods: DIRECT INDIRECT					
8.	Overhaul fire scene while protecting and preserving signs of cause or origin (if present)					
luato	r: Retest Evaluator:					

Comments:

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 6 out of 8 required ***critical skill required

PRACTICAL SKILL REQUIREMENTS

FFI- 5.3.10B

Candidate:

STANDARD: NFPA 1001: 5.3.10

GENERAL	SKILL:	Interior	Fire	Attack-	Above	Grade

Date:

TASK: Attack an above grade interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: prevent water hammer when closing nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; operate charged hose line while secured to ladder; couple and uncouple various hand line connections; carry hose; and attack an above grade level (2nd floor or above) fire.

EQUIPMENT: Full personal protective equipment with SCBA (on air), hose line (min. 1 ½"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus. (*Note: If a standpipe is available, then hotel/high rise hose packs, a gated wye, a spanner wrench will be needed*)

CONDITIONS: Given a above grade level simulated structure (2nd floor or above) fire and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Ρ	F
	ABOVE GRADE LEVEL FIRE				
1.	***Properly wear full protective clothing and SCBA (on air)				
2.	Properly place ladder or ensure ladder is placed to fire floor level (if applicable) for access, secondary egress or fire attack.				
3.	 Properly deploy and charge hose line (min 1 ½") for fire attack (check one option): If standpipe present: Connect hose to standpipe one floor below and advance to the doorway of the fire floor, flaking excess up stairway going to upper floor (if present). If no standpipe present: Lay hose to the doorway of the fire floor, flaking excess up stairway going to upper floor (if present). 				
4.	Properly bleed hose line, adjust nozzle, and prevent water hammer				
5.	Properly place ladder or ensure ladder is placed to fire floor (if applicable) for access, secondary egress or fire attack				
6.	***Check door before entering and sound floor for stability				
7.	Stay low on entering and approaching fire				
8.	Coordinate ventilation with Fire Attack (verbalize)				
9.	Attack and extinguish the fire using an appropriate attack method.				
10.	Demonstrate the following attack methods:				
11.	Overhaul fire scene while protecting and preserving signs of cause or origin (if present)				

PRACTICAL SKILL REQUIREMENTS

Evaluator:	Retest Evalua	tor:
Comments:		,
Evaluator Name	Date	Overall Skill Sheet Result: 9 out of 11 required
Evaluator Signature		<pre>***critical skill required Pass (P): Fail (F): </pre>

PRACTICAL SKILL REQUIREMENTS

FFI- 5.3.10C

Candidate:

STANDARD: NFPA 1001: 5.3.10

GENERAL SKILL:	Interior	Fire	Attack-	Below	Grade

Date:

TASK: Attack a below grade interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, access is gained into the fire area, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, hazards are recognized and managed, and the fire is brought under control.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and/or uncharged hose line; couple and uncouple various hand line connections; carry hose; and attack below grade level (basement or cellar) fire.

EQUIPMENT: Full personal protective equipment with SCBA (on air), hose line (min. 1 ¹/₂"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus.

CONDITIONS: Given a below grade level simulated structure fire and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS		TEST		EST
		Р	F	Р	F
	BELOW GRADE LEVEL FIRE				
1.	***Properly wears full protective clothing and SCBA (on air)				
2.	Properly deploy and charge hose line for fire attack (min 1 1/2")				
3.	Properly bleed attack line, adjust nozzle, and prevent water hammer				
4.	Coordinate ventilation with Fire Attack (verbalize)				
5.	***Check door before entering and sound floor for stability				
6.	Descend stairs safely and quickly when ventilation accomplished (if appropriate)				
7.	At bottom of stairs search for and correctly extinguish the fire using appropriate attack method (simulate)				
8.	Demonstrate the following attack methods:				
9.	Overhaul fire scene while protecting and preserving signs of cause or origin (if present)				
aluato	r: Retest Evaluator:				
ommer	its:				
ator Nam	e Date Ov	orall	Skill	Shoo	t Resi

Evaluator Signature

7 out of 9 required ***critical skill required

AZCFSE Firefighter I, revised 5/15/13

Can	Candidate:								
STANDARD: NFPA 1001: 5.3.10 SKILL AREA: Extend or Replace Hose Section									
		tend or replace a hose line as a member of e added or replaced on a charged line, an							
hose	and a	ANCE OUTCOME: The candidate shall d add a section of hose on a charged line, or ad line connections; carry hose; recharge l	r replace a damage section of	hose;	couple	e and ι	uncoup	ole	
		NT: Full personal protective equipment wi nose clamp, various hose appliance/tools,						dio,	
Con	IDITIO	NS: Given a charged hoseline, the candid	idate shall demonstrate the ab	ility to					
	No.	TASK STEPS		TE	ST	RET	EST		
				Ρ	F	Ρ	F		
		Proctor selects one of the following ta examination:	asks for certification						
		a. Extend a section of fire hose							
		b. Replace a section of damaged/bu	ourst fire hose						
		EXTEND A SECTION OF FIRE HOSE							
	1.	***Properly wear full protective clothing							
	2.	Select hose section to be added to line a	and place it in position						
		***Correctly shut down water flow at near	arest appliance or source;						
	3.	or, Correctly apply hose clamp							
	4.	Bleed pressure and undo coupling or ren	move nozzle						
	5.	Extend hose length by at least one section replace nozzle (if applicable)	on, tighten couplings, and						
	6.	***Ensure nozzle is closed and is secure	9						
	7.	Correctly restore water flow at nearest an slowly open hose clamp to avoid water h							
	8.	Verify that all connections are tightened							
		REPLACE A SECTION OF FIRE HOSE							
	1.	***Properly wears full protective clothing	and SCBA						
	2.	Stage replacement hose section near da	amaged hose section						
	3.	***Correctly shut down water flow at near or, Correctly apply hose clamp	arest appliance or source;						
	4.	Bleed pressure, undo couplings, and rem	move damaged hose						
	5.	Replace damaged hose section and tight	nten coupling						
	6.	***Ensure nozzle is closed and is secure	9						
	7.	Correctly restore water flow at nearest ap Slowly open hose clamp to avoid water h							
	8.	Verify that all connections are tightened							

PRACTICAL SKILL REQUIREMENTS

Evaluator:	Retest Evaluator:	
Comments:		·
Evaluator Name	 Dale	Overall Skill Sheet Result: 6 out of 8 required **critical skill required
Evaluator Signature		ass (P): Fail (F):

Candidate:

STANDARD: NFPA 1001: 5.3.11	GENERAL SKILL:	Horizontal Ventilation				
TASK: Perform horizontal ventilation on a structure openings are free of obstructions, tools are used are correctly placed, and the structure is cleared of the structur	as designed, ladders a					
PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the ability to transport and operate ventilation tools and equipment; clear an opening with hand tools; select, carry, deploy, and secure ground ladders for ventilation activities (<i>if applicable</i>); and carry ventilation tools and equipment while ascending and descending ladders (<i>if applicable</i>).						
EQUIPMENT: Full personal protective equipmen pressure fan, and/or smoke ejector.	it with SCBA, hose line	e, hand tools, pike pole, ladder, positive				

CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Ρ	F
	BREAK WINDOW OR DOOR GLASS FOR VENTILATION (5 OUT OF 6 REQUIRED)		- 		
1.	***Wears appropriate PPE				
2.	Appropriately place ladder (if needed)				
3.	***Choose proper tool for task and carry tool safely				
4.	Assume proper position				
5.	***Break glass (simulate or use prop) and remove any remaining obstructions from opening				
6.	Ensure Coordination with Interior Attack group				
	Proctor selects one of the following ventilation techniques for certification examination:				
	Positive (3 out of 4 required)				
1.	***Wears appropriate PPE				
2.	Properly place fan in front of adequate entry point				
3.	***Ensure appropriate exit point has been established				
4.	Start fan, open entry point (block open if necessary) and ensure that the cone of air covers entire opening				
	Negative (4 out of 5 required)				
1.	***Wears appropriate PPE				
2.	Remove objects that might be drawn into fan (curtains, drapes, etc.)				
3.	Properly place fan in exhaust opening by hanging from window or door casing, door edge (with door blocked open), or from leaning ladder over opening				
4.	***Create an entrance opening preferably on upwind side of building				
5.	Start fan and prevent churning by covering the area around fan with salvage covers or other material				

			Hydraulic (3 out of 4 required)						
	1.	***	Wears appropriate PPE						
	2.	Re	move objects that might obscure flow (ca	urtains, drapes, etc.)					
	3.	***/	Adjust fog pattern to cover 85-90% of op	pening					
	4.	Pla	ace nozzle at appropriate distance from o	opening					
∃va	valuator:			Retest Evaluator:					
Cor	nmer	nts:							

Evaluator Name

Date

Evaluator Signature

Pass (P):
Fail (F):

Overall Skill Sheet Result:

See scoring requirement above ***critical skill required

GENERAL SKILL: Vertical Ventilation

FFI- 5.3.12

Candidate:

Date	:

STANDARD: NFPA 1001: 5.3.12

TASK: Perform vertical ventilation on a structure operating as part of a team, so that ladders are correctly positioned, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are removed, and the team retreats from the area when ventilation is accomplished.

PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the ability to: transport and operate ventilation tools; deploy ground ladders; deploy roof ladders on pitched roofs while secured to a ground ladder; sound a roof for integrity; hoist tools to a roof; cut roofing for ventilation; clear an opening with hand tools; and carry ventilation tools and equipment while ascending and descending ladders.

EQUIPMENT: Full personal protective equipment with SCBA (on air when accessing roof), roof prop, roof ladder. various extension ladders, chainsaw/cutting tools, pike pole, and pick head axe.

CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RET	EST
		Р	F	Р	F
1.	***Properly wear full protective clothing and SCBA (on air)				
2.	Collect and organize necessary equipment and tools				
3.	Select and properly carry ladders appropriate for roof ventilation				
4.	Locate position for opening at highest point on roof above fire				
5.	Properly place and secure ladder for roof ventilation				
6.	Correctly carry roof ladder (if applicable) while ascending ground ladder and place in position on roof up-wind from intended ventilation site				
7.	***Sound roof for integrity and location of roof joists and rafters				
8.	***Move tools to roof utilizing teamwork (after starting & stopping power tools on ground)				
9.	Remove appropriate roof materials				
10.	***Make an opening at least 4' x 4' in size				
11.	***Push ceiling through				
12.	Ensure coordination with Interior Attack group (verbalize)				
13.	Have team exit roof immediately after performing ventilation				

Evaluator:	Retest Evaluator:	
Comments:		
Evaluator Namo	Ov	verall Skill Sheet Result:

Evaluator Name

Date

10 out of 13 required ***critical skill required

Evaluator Signature

AZCFSE Firefighter I, rev	/ised 5/15/13
---------------------------	---------------

Candidate:		Date:				
STANDARD: NFPA 1001: 5.3.13	GENERAL SKILL: Over	haul				
TASK: Overhaul a fire scene, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.						
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: deploy and operate an attack line; remove flooring, ceiling, and wall components to expose void spaces without compromising structural integrity; apply water for maximum effectiveness; expose and extinguish hidden fires in walls, ceilings, and subfloor spaces; recognize and preserve obvious signs of area of origin and arson; and evaluate for complete extinguishment.						
EQUIPMENT: Full personal protective equipment available), attack line and/or portable water exting		les, hand tools, thermal imager (if				

CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		TASK STEPS TEST R		RET	EST
		Р	F	Р	F		
1.	***Properly wear full protective clothing and SCBA (on air)						
2.	Ensure that a charged hose line is available (verbalize)						
3.	Select proper tools and equipment for overhaul requested						
4.	Demonstrate locating hidden fires by sight, touch, sound, or electronic sensor						
5.	Expose hidden fires in ceilings, walls, and/or subfloor spaces						
6.	Remove or extinguish burning objects (simulate)						
7.	***Preserve evidence or signs of cause and origin						
8.	Coordinate overhaul with Fire Investigation Unit or Command (verbalize)						
9.	Ensure debris piles or burning material are completely extinguished (verbalize)						

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Evaluator Signature

Overall Skill Sheet Result: 7 out of 9 required ***critical skill required

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS

Candidate:				Date:	Date:				
STA	NDAR	D: NFPA 1001: 5.3.13	GENERAL SKILL:	Deplo	y Attack Lin	10			
TASK: Deploy an attack line, so that the appropriate hose line is selected; the hose is correctly deployed; the line is safely charged; kinks are removed; and nozzle pattern is appropriately adjusted for fire attack.									
PER line.	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: deploy and operate an attack line.								
EQUIPMENT: Full personal protective equipment with SCBA and an attack line. CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:									
	No. TASK STEPS				TEST	RETEST			
	1.	***Properly wear full protective clothing and SCBA			P F	P F			
	2. 3.	Select appropriate preconnect hose for scenario Correctly pull hose out of the bed and proceeds towards fire until hose is completely out of the bed (minimum of 100 feet of hose)							
	4.	Remove kinks in hose and correctly prepare for advance (flake or orient to play out without significant difficulty							
	5.	Secure nozzle, call or signal for water, bleed air from the attack line and appropriately adjust nozzle pattern for fire attack							
	6. 7.	Close nozzle slowly to prevent water hammer Shut down line, drain hose							
Evaluator:		r:	Retest Ev	aluator:					
Comments:									
Evaluat	Evaluator Name								
Evaluat	Evaluator Signature			*:	6 out of 7 required **critical skill required				
				P	ass (P): [] Fail (F): 🗆		

Candidate:					Date:					
STANDARD: NFPA 1001: 5.3.14 GENERAL SKILL: Property Conservation							tion			
TASK: Conserve property as a member of a team, so that the building and its contents are protected from further damage.										
PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the ability to cluster furniture; deploy covering materials; roll and fold salvage covers for reuse; construct water chutes and catch-alls; and stop the flow of water from a sprinkler with sprinkler wedges or stoppers.								Э		
EQUIPMENT: Appropriate PPE, pike poles, salvage covers, and sprinkler wedges or stoppers.										
Con	IDITIO	NS: Given a simulated fire scenario and	a team, the candida	ate shall d	emons	strate th	ne abili	ty to:		
[No. Task Steps				TEST RETEST			EST		
					Р	F	Р	F	_	
		Cover Property							I	
	1.	***Wears appropriate PPE							I	
	2.	Arrange furnishing in close piles(s) and	raise off the floor if	possible					I	
	3.	Select proper salvage cover and deploy covering materials over furnishings using one of the following (For final evaluation, select from the following methods):								
		Deploy a folded salvage cover							I	
	Deploy a rolled salvage cover								l	
	4.	Construct one of the following to effectively route water from one								
									I	
	5.	Demonstrate how to stop the flow of water from a sprinkler using wedges, stoppers, or control valve Separate, remove or extinguish burning objects to a safe area (simulate)								
	6.									
	7.	Demonstrate proper technique to cover a building opening; door window or floor (simulate)								
	8.	8. Correctly fold and/or roll a salvage cover and return to service								
Evaluator: Retest Evaluator:										
Comments:										
Evaluator Name Date Overall Skill Sheet Res Evaluator Signature 6 out of 8 required					ired	<u>ult:</u>				

FFI- 5.3.15

Candidate:

STANDARD: NFPA 1001: 5.3.15

GENERAL SKILL: Water Supply

Date:

TASK: Connect a pumper apparatus to water supply as a member of a team, so that connections are tight and water flow is unobstructed.

PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the ability to hand lay a supply hose, connect and place hard suction hose for drafting operations, deploy portable water tanks and other necessary equipment, make hydrant-to-pumper hose connections for forward and reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant.

EQUIPMENT: Appropriate PPE, hydrant kit, and appropriate supply line (min. 2 ½ hose line).

CONDITIONS: Given a static water source or fire hydrant, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
	Proctor selects one of the following tasks:				
	FIRE HYDRANT CONNECTION VIA FORWARD & REVERSE LAY:				
	(6 out of 8 required)				
1.	***Wears appropriate PPE				
2.	Properly deploy supply hose from hose bed				
3.	Connect supply hose to hydrant				
4.	Connect supply hose to pumper intake				
5.	Remove kinks from hose				
6.	***Fully open hydrant slowly				
7.	At end of operation, fully close the hydrant				
8.	Place all equipment and hydrant in a ready condition				
	STATIC WATER SOURCE:				
	(7 out of 9 required)				
1.	***Wears appropriate PPE				
2.	Deploy portable water tank, pond/ dry hydrant				
3.	Check gaskets on the hard suction hose for dirt, gravel or defects				
4.	Connect strainer or foot or float to hose				
5.	Fasten rope/strap to strainer to aid in handling the hose				
6.	Connect hard suction hose to pumper				
7.	Use rubber mallet to ensure air tight connections				
8.	Lower hose and strainer into static water source				
9.	***Signal pumper operator to start drafting procedure				

Evaluator:	Retest Evaluator	:
Comments:	 1	
Evaluator Name	 Date	Overall Skill Sheet Result: See scoring requirement above ***critical skill required
Evaluator Signature		ernear skin required
	1	Pass (P): 🛛 🛛 Fail (F): 🗌

Can	Candidate:								
STA	STANDARD: NFPA 1001: 5.3.16 GENERAL SKILL: Fire Extinguisher- Class A								
	TASK: Extinguish an incipient Class A fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.								
extin	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers.								
EQU burn		IT: Full personal protective equipment with	h SCBA, various f	fire extingu	ishers	(class	A ratir	າg), an	d
CON	IDITIO	NS: Given a small Class A fire (or simulate	ed), the candidate	e shall dem	onstra	te the	ability	to:	
	No.	Task Steps			TE	ST	RET	EST	
					Ρ	F	Р	F	
	1.	***Wears appropriate PPE							
	2.	Correctly identify the class of fire							
	3.	Select an appropriate extinguisher based fire	on the type and s	ize of					
	4.	Properly activate the extinguisher (pulls pl cartridge)	•						
	5.	Test operation of the extinguisher by a bri before approaching the fire	ef discharge of ag	gent					
	6.	***Safely carry the extinguisher and appro							
	7.	Approach to an effective distance for disc extinguisher	harge of the selec	cted					
	8.	Discharge extinguishing agent on the bas over the fire area (or simulate)	e of the fire and s	weep					
	9.	Advance on the remaining burning materia extinguish hot spots (or simulate)	Advance on the remaining burning material while continuing to extinguish hot spots (or simulate)						
	10.	Extinguish the fire and check for remainin	g hot spots (or sir	nulate)					I
Eva	luato	r:	Retest Eva	luator:					
Con	nmer	ts:							

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Pass (P): 🛛	Fail (F): 🗌
-------------	-------------

Car	ndida	te:			Date	e:			
STA	NDAR	D: NFPA 1001: 5.3.16	GENERAL SKILL:	Fire Exti	inguis	sher- (Class	В	
		tinguish an incipient Class B fire, so the ed, and correct extinguisher-handling te			osen, tl	he fire	is com	pletely	'
extin	nguishe	ANCE OUTCOME: The candidate shaters, approach fire with portable fire extine pe of fire, and safely carry portable fire	nguishers, select an a					on the	Э
	JIPMEN pan.	NT: Full personal protective equipment	t with SCBA, various t	fire extingu	ishers	(class	B ratir	ıg), an	d
Con	DITIO	NS: Given a small Class B fire (or sim	ulated), the candidate	shall dem	onstra	ite the	ability	to:	
ļ	No.	TASK STE	PS		TE	ST	RET	EST	
					Ρ	F	Р	F	
ļ	1.	***Wears appropriate PPE							
ļ	2.	Correctly identify the class of fire							
	3.	Select an appropriate extinguisher ba fire	sed on the type and s	size of					
	4.	Properly activate the extinguisher (pu cartridge)	Ils pin and/or puncture	es					
	5.	Test operation of the extinguisher by before approaching the fire	a brief discharge of ag	gent					
ļ	6.	***Safely carry the extinguisher and a							
	7.	Approach to an effective distance for extinguisher	discharge of the selec	cted					
	8.	Discharge extinguishing agent on the over the fire area (or simulate)	base of the fire and s	weep					
	9.	Advance on the burning material and burning liquid (or simulate)	continue to extinguish	n the					
	10.	Extinguish the fire and watch for re-fla simulate)	ds (or						
_			Defect Fire						
Eva	luato)r:	Retest Eva	luator:					
Cor	nmer	its:							
1									

Evaluator Name

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Pass (P):
Fail (F):

Evaluator Signature

Car	ndida	e:						Dat	Date:			
STA	NDAR	D: NFPA 10	01: 5.3.16		GEN	NERAL SKILL:	Fire E	xtingui	sher-	Class	С	
	TASK: Extinguish an incipient Class C fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.											
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers.												
	JIPMEI pan.	IT: Full pers	onal protectiv	e equipmen	nt with	SCBA, various	fire extin	guishers	(class	C ratii	ng), an	ıd
Con	NDITIO	NS: Given a	small Class (C fire (or sin	nulate	d), the candidate	e shall de	emonstra	ate the	ability	to:	
	No.			TASK STE	EPS			TE	ST	RET	EST	
								Р	F	Р	F	
	1.	***Wears ap	propriate PPI									
	2.		entify the clas									
	3.		e-energize th									
	4.	Select an appropriate extinguisher based on the type and size of fire										
	5.	Properly activate the extinguisher (pulls pin and/or punctures cartridge)										
	6.	Test operati	on of the extin baching the fin	nguisher by re	a brie	ef discharge of a	gent					
	7.		-		approa	ach the fire from	upwind					
	8.	Approach to extinguisher		distance for	disch	arge of the seled	cted					
	9.	Discharge e			e base	of the fire and s	weep					
	10.	Advance on		g burning m	ateria	I while continuin	g to					
	11.		• •	,	aining	hotspots (or sin	nulate)					
	12.	Verify the ite	em involved ir	the fire is c	de-ene	ergized						
Eva	luato	r:				Retest Eva	luator:					
Cor	Comments:											
<u> </u>												
Evalua	tor Nam	3				Date		verall 9 ou *critica	it of 12	2 requ	iired	<u>ult:</u>

Evaluator Signature

AZCFSE Firefighter I, revised 5/15/13

FFI- 5.3.17

Car	Candidate:								
STA	STANDARD: NFPA 1001: 5.3.17 GENERAL SKILL: Illuminate Emergency Scene								
	TASK: Illuminate an emergency scene, so that designated areas are illuminated and all equipment is operated within the manufacturer's listed safety precaution.								
and	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate department power supply and lighting equipment, deploy cords and connectors, reset ground-fault (GFI) devices, and locate lights for best effect.								
		IT: Full personal protective equipment with and ground fault interrupters, and full pers			d pow	er sup	oly, ligł	nts, co	rds,
CON	CONDITIONS: Given a simulated fire ground scenario, the candidate shall demonstrate the ability to:								
	No.	TASK STEPS			TE	ST	RET	EST	
					Ρ	F	Р	F	
	1.	***Wears appropriate PPE							
	2.	Lift equipment safely							
	3.	Locate power plant in a remote and well v							
	4.	Arrange power cords neatly to minimize tr	rip hazards						
	5.	Organize lights in a useful position to illun	ninate the area su	ficiently					
	6.	Start power plant & reset GFI							
	7.	Plug cords into power unit or junction box	and furnish illumir	nation					
	8.	Shut down equipment when told to do so							
	9.	Allow equipment to cool before returning t explain the need to do so	to service or verba	lly					
	10.	Clean equipment, check oil, and refuel po explain the need to do so	ower plant or verba	lly					

Evaluator:		Retest Evaluator:					
Comments:	Comments:						

Evaluator Name

Date

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

Pass (P):
Fail (F):

Evaluator Signature

Candidate:	Candidate:						ate:			
STANDARD:	STANDARD: NFPA 1001: 5.3.18 GENERAL Skill: Building Utilities									
TASK: Turn off building utilities, so that the assignment is safely completed.										
	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to identify utility control devices, operate control valves or switches, and assess for related hazards.									
EQUIPMENT: service boxes.		rsonal protective equipment	t with	SCBA, hand too	ls for cor	ntrolli	ng util	ities, a	and util	ity
CONDITIONS:	: Given	a simulated fire ground sce	naric	, the candidate s	hall dem	onsti	ate the	e abilit	ty to:	
No	No. TASK STEPS					TE	ST	RET	EST	
						Ρ	F	Р	F	
1.	1. ***Wears appropriate PPE									
2 & 3		ect two of the following use candidate to locate and s			or					
		Locate Electrical main pa breaker to "off" position	nel a	nd move switch o	or					
		Locate natural gas meter valve to closed position	and	rotate gas shutof	f					
		Locate LPG/CNG storage valve clockwise to shut of		c/cylinder and tur	n					
		Locate water meter box a valve to stop the flow of v		orrectly turn or ro	tate					
4.	4. Verbalize hazards associated with securing building utilities.				lding					
Evaluator:				Retest Eval	uator:					
Comments	:									

Evaluator Name	Date	- Overall Skill Sheet Result 3 out of 4 required ***critical skill required			
		Pass (P): 🛛	Fail (F): 🗌		

Candidate:			Date:			
STANDARD: NFPA 1001: 5.3.19	GENERAL SKILL:	Combat	Ground Cover Fire			
TASK: Combat a ground cover fire operating as a member of a team, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed.						
PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the ability to determine exposure threats based on fire spread potential, protect exposures, construct a fire line or extinguish with hand tools, maintain integrity of established fire lines, and suppress cover fires using water.						
EQUIPMENT: Wildland personal protective equipment, wildland hand tools, wildland hose lines, pump extinguishers, and a map or drawing.						

CONDITIONS: Given a simulated wildland ground cover fire scenario (*may be a tabletop scenario*), the candidate shall demonstrate the ability to:

No.	TASK STEPS	TE	ST	RET	RETEST	
		Р	F	Р	F	
1.	***Don or describe what personal protective clothing should be worn and what tools and equipment are needed (<i>If no respiratory</i> <i>hazards SCBA and hood not required, wild land protective clothing</i> <i>recommended if available</i>)					
2.	Perform an assessment of the incident with respect to type of fuel, topography, weather conditions, and exposures					
3.	Explain the exposures present and what protection is needed, or conduct the operation					
4.	Based on available fuels and terrain, conduct or explain construction and maintenance of a fire line using hand tools					
5.	Conduct or explain extinguishment of ground cover fires using hand tools and a backpack or vest pump extinguisher					
6.	Conduct or explain extinguishment of ground cover fires using hand tools and a wildland hand line					
7.	***Identify the need for lookouts, communications, safety zones, and escape routes					
8.	Explain how to quickly retreat using established escape routes					

Evaluator:		Retest Evaluator:					
Comments:							

Evaluator Name

Date

6 out of 8 required ***critical skill required

Evaluator Signature

AZCFSE Firefighter I, revised 5/15/13

Pass (P):
Fail (F):

Overall Skill Sheet Result:

Can	Candidate:					e:			
STA	STANDARD: NFPA 1001: 5.5.1 GENERAL SKILL: Maintenance: Ladders								
depa		n and check ladders, so that equipm guidelines, maintenance is recorde							
clear		NCE OUTCOME: The candidate sh inspection, follow manufacturer and cedures.							
Equ	IPMENT	: Ladders, service tags, cleaning su	pplies, and maintenar	nce log boo	k/recc	ord			
CON	DITION	S: Given a fire station or other adeq	uate location, the can	didate shall	l demo	onstrate	e the a	bility to	0:
	No.	TASK ST	TEPS		TEST		RETEST		
					Ρ	F	Р	F	
	1.	***Wears appropriate PPE							
	2.	Washes and dries per manufacture	er's specification						
	3.	Inspects halyard/cable							
	4.	Inspects all movable parts of ladde and beams/rails)	r (i.e. guide, pulley(s),	locks,					
	5.	Examine all, rungs, bolts, rivets, we	elds, and heat indicato	or					
	6.	Check lubrication of moveable part	s and lubricate if nece	essary					
	7.	***If defects found, mark defects in or department guidelines and place							
	8.	Verbalizes conditions that cannot b or maintenance	e corrected through c	leaning					
	9.	Record and report all finds in accord procedures established by AHJ	rding to policies and						
	10.	If no defects found, place equipme	nt in ready state						

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Date

Evaluator Signature

Overall Skill Sheet Result: 8 out of 10 required ***critical skill required

FFI- 5.5.1B

Candidate:							Date				
STA	STANDARD: NFPA 1001: 5.5.1 GENERAL SKILL: Maintenance: SCBA										
depa	TASK: Clean and check SCBA's, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.										
clean	ning and	NCE OUTCOME: The candidate shat inspection, follow manufacturer and cedures.									for
EQU	IPMENT	: SCBA ensemble, service tags, cle	aning	supplies, and m	nainten	ance	log bo	ok/red	cord		
CON	DITIONS	S: Given a fire station or other adequent	uate l	ocation, the can	didate	shall	demor	nstrate	the a	ability to	o:
ſ	No.	TASK S	TEPS				ТЕ	ST	RETEST		
	-		-				Р	F	Р	F	
	1.	***Wears appropriate PPE									
	2.	Wash face piece, hoses, and exhall cleaner/disinfectant per manufactur completely with water and air dry									
-	3.	Clean SCBA with damp cloth or acc	ordir	g to department	policie	s					
	4.	Check straps and backpack assem	oly								
	5.	Check condition and hydrostatic tes	t dat	e of cylinder							
	6.	Turn the cylinder valve on fully									
	7.	Compare the two pressure gauges within the manufacturer's specificat	ion			is					
	8.	Check regulator operation by conne breathing	ecting	to face piece an	ld						
	9.	Check face piece and exhalation va	lve b	y inhaling & exha	aling						
	10.	Check by-pass operation and ensur after testing	e by-	pass is in the off	f positio	on					
-	11.	Check low pressure alarm while ble	eding	g the air line							
	12.	Return all straps, valves, and comp									
	13.	Check the air cylinder is in off positi (90% - full)	on ar	nd for adequate a	air pres	sure					
	14.	Candidate will remove from service findings in according to policies and				AHJ					
Eva	Evaluator: Retest Evaluator:										
Con	nment	s:									
Evaluate	valuator Name Date Date Date Date <u>Overall Skill Sheet Result:</u> 11 out of 14 required ***critical skill required										

FFI- 5.5.1C

Car	Candidate:					Dat	e:					
STA	NDAR	D:	NFPA 1001: 5.5.1	Gen	IERAL SKILL:	Main	nten	ance:	Rope	s		
depa	TASK: Clean and check ropes, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.											
clear		nd in	E OUTCOME: The candidate sha spection, follow manufacturer and odures.									for
			Ropes, service tags, cleaning supp									
CON	NDITIO	NS:	Given a fire station or other adequ	ate l	ocation, the can	didate	shal	l demo	onstrate	e the a	ability t	0:
	No.		TASK STEP	PS				TE	ST	RET	EST	
								Ρ	F	Ρ	F	
	1.		Vears appropriate PPE									
	2.		amine the entire surface of the rope or, or fraying	for (cuts, abrasions,	stains,	,					
	3.		amine the inner component by twist iching and thinness	ing t	he rope or feelin	g for						
	4.		an rope using clear water									
	5.		w rope to dry completely, or state r npletely	оре	must be allowed	l to dry	/					
	6.	Per	form additional inspection after dry	ing								
	7.		cord and report all finds in accordin ablished by AHJ	g to	policies and proc	cedure	s					
	8.		o damage found, properly store rop i storage	e us	ing coil method	or rope	Э					
Eva	luato	or:			Retest Eva	luatoi	r:					
Cor	nmer	nts:										
Evolue	tor Nom						Ov	erall	Skill	Shee	t Res	ult:
Evalua	Evaluator Name Date Overall Skill Sheet Result 6 out of 8 required ***critical skill required											
Evaluator Signature					critica	ul skill	requ	ired				
							Pas	ss (P	'): 🛛	Fa	ail (F): 🛛

Candidate:	Date:				
STANDARD: NFPA 1001: 5.5.1	nance: Ventilation nent & Hand Tools				
TASK: Clean and inspect ventilation equipment a maintained according to manufacturer or departm placed in a ready state or reported otherwise.					
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.					
EQUIPMENT: Ventilation equipment, hand tools, book/record.	service tags, cleaning	supplies,	and maintenance log		

CONDITIONS: Given a fire station or other adequate location, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RET	EST
		Р	F	Ρ	F
	VENTILATION EQUIPMENT:				
1.	Check blades for sharpness and equipment for completeness and readiness				
2.	Check that appropriate guards are in place and secure				
3.	Start equipment and ensure proper operation				
4.	For electric fans, check cords for cuts and frays				
	HAND TOOLS:				
	Wooden Handles:				
5.	Check for cracks, blister, or splinters				
6.	Sand wooden handles if needed				
7.	Clean with soapy water, rinse, and dry after use				
8.	Apply coat of boiled linseed oil to the handle				
9.	Check to ensure head is on tight				
	Fiberglass Handles:				
10.	Wash with warm, soapy water				
11.	Dry with soft, dry cloth				
12.	Check to ensure head is on tight				
	Cutting Edges:				
13.	Check to ensure cutting edge is free of nicks or tears				
14.	File the edges by hand				
	Plated Surfaces:				
15.	Inspect for damage				
16.	Wipe plated surface clean or wash with soap and water				

NFPA 1001- 2008 Ed.

PRACTICAL SKILL REQUIREMENTS

FFI- 5.5.1D

No.	TASK STEPS		TEST		EST
		Р	F	Р	F
	Unprotected Metal Surfaces:				
17.	Keep clean of rust				
18.	Keep oiled when not in use (Light machine oil or similar product)				
19.	Check to ensure no paint is on surface (may hide cracks)				
20.	Check that metal surfaces are free of burred or sharp edges (file as necessary)				
	REPORT DAMAGE:				
21.	Record and report all finds in according to policies and procedures established by AHJ and place damaged equipment out of service				
22.	If no damage found, properly store tools/equipment in a ready state				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result	
17 out of 22 required	
_	_

Candidate:			Date:		
STANDARD: NFPA 1001: 5.5.1	GENERAL SKILL	Mainten	ance: Salvage Equipment		
TASK: Clean and inspect salvage equipment, so manufacturer or departmental guidelines, mainten reported otherwise.			5		
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.					
EQUIPMENT: Personal protective clothing, Salvage covers, service tags, cleaning supplies, and maintenance					

log book/record.

CONDITIONS: Given a fire station or other adequate location, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RET	EST
		Р	F	Р	F
1.	***Wears appropriate PPE				
2.	Spread the salvage cover out flat for cleaning				
3.	Scrub the cover with detergent solution and a brush				
4.	Rinse cover thoroughly				
5.	State cover should be thoroughly dried before returning to service				
6.	Check the cover thoroughly for damage by having assistants hold the cover above heads while looking for holes and tears				
7.	Check the cover thoroughly for damage by having assistants hold the cover above heads while looking for holes and tears				
8.	Record and report all findings in according to policies and procedures established by AHJ and place damaged equipment out of service				
9.	If no damage found, properly store equipment in a ready state				

Evaluator:	Retest Evaluator:	
Comments:		

Evaluator Name

Evaluator Signature

Date

Overall Skill Sheet Result: 7 out of 9 required ***critical skill required

Pass (P): [∃ Fail (F): □
-------------	---------------

Candidate:				Date:					
STA	STANDARD: NFPA 1001: 5.5.2 GENERAL SKILL: Maintenance: Fire Hose								
	TASK: Clean, inspect, and return fire hose to service, so that damage is noted and corrected, equipment is placed in a ready state or reported otherwise, and service maintenance is recorded.								
opera roll h	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to clean different types of hose, operate hose washing and drying equipment (if available), mark defective hose, and replace coupling gaskets, roll hose, reload hose, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.								
		F: Personal protective clothing, scrub dryer (if available), tags, and mainter			replac	emen	t gask	ets, ho	se
Con	DITION	S: Given a fire station or other adeq	uate location, the canc	lidate shall	l demo	nstrat	e the a	ability t	:0:
	No.	TASK ST	EPS		TEST		ST RETEST		Î
				-	Ρ	F	Ρ	F	
		CLEANING AND INSPECTION:							
	1.	***Wears appropriate PPE							
	2.	Clean hose using water and scrub b used)	orush (mild detergent n	nay be					
	3.	Clean couplings by removing gaske water and reinstalling gaskets (repla		ару					
	4. Dry hose								
	5.	Inspect hose for signs of mechanica	I damage						
	6.	Inspect hose for dirt and debris							
7. Inspe		Inspect hose for loose couplings							
	8.	Inspect hose for damaged male or f							
	9.	Inspect and verify that swivel operat	,						
	10.	Record and report all findings in acc procedures established by AHJ and service.		out of					
	11.	If no damage found, properly store of	or load hose in a ready	[,] state					
		RETURN HOSE TO SERVICE:							
		Using local fire department appro complete two types of hose rolls donut, etc):							
	12.	Hose Roll #1							
	13.	Hose Roll #2							

NFPA 1001- 2008 Ed.

PRACTICAL SKILL REQUIREMENTS

FFI- 5.5.2

No.	TASK STEPS	TEST		RETEST	
		Р	F	Р	F
	 Using local fire department approved methods, complete each of the following hose loads: One preconnect attack line (<i>i.e. minuteman, triple lay, flat</i>) One supply line (<i>i.e. accordion, horseshoe, flat</i>) 				
14.	Preconnect hose load				
15.	Supply hose load				

Evaluator:		Retest Evaluator:			
Comments:					

Evaluator Name	Date	Overall Skill Sheet Result: 12 out of 15 required ***critical skill required			
		Pass (P): 🛛	Fail (F): 🗌		