a) Record distance from individual at which

 $forced\ whispered\ voice\ can\ first\ be\ heard.$ 

Feet

Feet

## COMMERCIAL DRIVER LICENSING - MEDICAL EXAMINATION CERTIFICATION





500 Hz | 1000 Hz | 2000 Hz | 500 Hz | 1000 Hz | 2000 Hz

Average

Average

|   |   |   | ТО ВЕ (                               | COMPLETED BY I            |                       |           |  | PLEASE PRINT                                     |           |               | ***************************************    | 1912.00   |
|---|---|---|---------------------------------------|---------------------------|-----------------------|-----------|--|--|-----------|---------------|--|-----------|
| <b>Driver Comple</b>  |   |   |                                       |                           | RIVER'S INFORN        |           |  |  |           |               |  |           |
|   |   |   |                                       |                           |                       |           |  | OF EXAM  |           | _ □ R         | EW CERTIFICA'<br>.ECERTIFICATI<br>OLLOW-UP |           |
|   |   |   |                                       |                           |                       |           |  |  | SN _      |               |  |           |
| HOME PHON   | E ( )   |   | DF                                    | IVER                      |                       |           | 1.14   | CENSE A C  |           | STATE         |  |           |
| WORK PHON   |   |   | LIC                                   | CENSE<br>JMBER            |                       |           |  | ASS B I  |           | OF<br>ISSUE   |  |           |
| Driver Comple   | tes this Sec  | tion  |                                       | 2.)                       | HEALTH HIST           | ORY       | М  | edical Examiner is enco                          | uraged    | l to discus   | s with Driver                              |           |
| YES   | NO  | .ioii   |                                       | ,                         |                       | YES       | NO   |  |           |               |  |           |
|   |   |   | injury in last 5 ye                   |                           |                       |           |  | Liver disease                                    |           |               |  |           |
|   |   | ad /Brain in<br>zures, epilej                               | juries, disorders<br>psy              | or illness                |                       |           |  | Digestive problems Diabetes or elevated b        | olood si  | ugar          |  |           |
|   | _   | medication  |                                       |                           |                       |           | controlled by ☐ diet, ☐ pills, ☐ insulin ☐ Nervous or psychiatric disorders, e.g., severe depression |  |           |               |  |           |
| _   | (exc  | Eye disorders or impaired vision (except corrective lenses) |                                       |                           |                       |           |  | medication                                       |           |               |  |           |
|   |   |   | loss or hearing or<br>or heart attack | balance                   |                       |           |  | Nervous stomach<br>Loss of, or altered con       | scious    | ness          |  |           |
|   | _   | medication  | n<br>(valve repalceme                 | nt/hymass                 |                       | Ē         |  | Fainting or dizziness<br>Sleep disorders, apnea  |           |               | nass land snasina                          |           |
|   | ang   | ioplasty, pa  | cemaker)                              | nt/oypass,                |                       |           |  | Stroke or paralysis                              | •         | •             |  |           |
| u   |   | th blood pre<br>medication                                  |                                       |                           |                       |           |  | Missing or impaired has Spinal injury or disease |           | m,foot, le    | g, finger, toe                             |           |
|   | _   | Muscular disease  |                                       |                           |                       |           |  | Chronic low back pain                            | l         |               |  |           |
|   | ☐ Lung disease, emphysema, asthma, chronic bronchitis [ |   |                                       |                           |                       |           |  | Regular, frequent alco<br>Narcotic or habit form |           |               |  |           |
|   | _   | ney disease   | •                                     |                           |                       | 1         |  |  |           | <b>.</b> : (: | 1 1 !                                      | 4         |
|   |   |   |                                       |                           |                       |           |  | rent limitaiton. List all r                      |           |               |  | unter     |
| Laartify that the   | havainfarm  | etion is some   | nlata and true. Lund                  | largtand that in a courat | a falsa armissina int | Formati   | on mor   | y invalidate the examinatio                      | n and n   | w Madiaal     | Evaminar's Cartific                        |           |
| -   |   |   |                                       |                           | _                     |           |  |  |           | -             |  |           |
|   |   |   |                                       |                           |                       | he driv   | er any   | Date   | l hazaro  | ds of medic   | ations, including ov                       | er-the-   |
| counter medication  | ons, while dr   | iving.)   |                                       |                           |                       |           |  |  |           |               |  |           |
|   |   |   |                                       |                           | TESTING               |           | M  | edical Examiner comple                           | etes pa   | rts 3 thro    | ıgh 7                                      |           |
|   |   |   |                                       |                           | 3.) VISION            |           |  |  |           |               |  |           |
| Standard: At le   | ast 20/40 acı   | ulty (Sneller   | n) in each eye with                   | or without correction.    | . At least 70 periphe | ral in ho | orizon   | tal meridian measured in e                       | each ey   | e. the use o  | f corrective lenses                        | should    |
| be noted on the N   |   |   |                                       | and give test vesults i   | n Snallan aamnanah    | lanalu    | os In s  | recording distance vision,                       | uga 20    | faat as no    | mal Panautwicual                           | aguity    |
| as a ratio with 2   | 0 as numera   | tor and the s   | mallest type read                     | at 20 feet as denomin     | ator. If the applican | t wears   | corre  | ctive lenses, these should                       | be wor    | n while vis   | ual acuity is being                        | tested.   |
| If the driver hab<br>are not qualified  |   | s contact lei   | nses, or intends to                   | do so while driving, s    | sufficient evidence o | f good    | tolera   | nce and adaptation to the                        | rir use r | nust be ob    | vious. Monocular a                         | drivers   |
| Numerical read  |   | oe provided   | •                                     |                           |                       | Ca        | ın appl  | icant recognize and distin                       | iguish a  | ımong traf    | fic  |           |
| ACUITY  | UNCOR   | RECTED  | CORRECTED                             |                           | ELD OF VISION         | col       | ntrol si   | gnals and devices showing er colors? — — —       | standat   | trd red, gre  | en,<br>— — Yes                             | ∩ No      |
| Right Eye<br>Left Eye   | 20/<br>20/  |   | 20/<br>20/                            | Right Eye<br>Left Eye     | 0                     | Ap        | plican   | nt meets visual acuity requ                      | iremen    | its only wh   | en   |           |
| Both Eyes   | 20/   |   | 20/                                   |                           | ٥                     |           |  | corrective lenses. — —                           |           |               | \ Yes [<br>Yes [                           |           |
| Next box to be co   | ompleted on   | ly if vision to   | esting is done by a                   | n ophthalmologist or o    | optometrist.          |           |  |  |           |               |  |           |
| Printed Name of Ophthalmologist or Optometrist License # and State of Issue Telephone # |   |   |                                       |                           |                       |           |  |  |           |               |  |           |
| Signature   |   |   |                                       |                           |                       |           |  | Da   | ate of E  | xam           |  |           |
|   |   |   |                                       |                           |                       |           |  |  |           |               |  |           |
| Standard: -) 34   | nat first   | naiva fa 1  | whichered:-                           | 5 ft with a sit           | 4.) HEARING           |           | a bass.  | ng logg in botton 40                             | ID.       |               |  |           |
|   |   |   |                                       | ing aid required to me    |                       | iverage   | e neari  | ng loss in better ear $\leq 40c$                 | цВ.       |               |  |           |
|   |   |   | etric test results fro                | om ISO to ANSI, -14       | dB from ISO for 500   | )Hz, -1   | 0 dB f   | For 1,000 Hz., -8.5 dB for 2                     | 2,000 F   | Iz. To ave    | age, add the readir                        | ngs for 3 |
| Numerical read  |   | •   |                                       |                           |                       |           |  | ln: 1.c  |           |               | LOF  |           |
|   |   |   | Right Ear                             | Left Ear                  |                       |           |  | Right Ear  |           |               | Left Ear                                   |           |

b) If audiometer is used, record hearing loss

in decibels. (acc. to ANSI Z24.5-1951

| 5.) BLOOD PRESSURE / PULSE RATE - NUMERICAL READINGS MUST BE RECORDED  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
|--|--|---|---------------------|-----------|----------|------------------|--|---|--|------|------|--|--|
|  | r should take at lease   | Reading   |                     | Category  |          |                  |  | ration Date   | Recertification  |      |      |  |  |
|  | 2 readings to confirm blood pressure.  Blood Systolic Diastolic    |   | Stag                | ge 1      |          | 1 y              | 1 year   |   | 1 year if ≤140/90<br>One-time certificate for 3 months                                       |      | hsif |  |  |
| Pressure Driver is qualified if  | C < 140/00   | 160 150 100 16  | 20 00               |           |          |                  |  | 141-159/91-99   |  |      |      |  |  |
| Pulse  | ≥ 140/90.  | 160-179/100-10  |                     | Stage 2   |          |                  |  | eate for 3 months   | 1 year from date of exam if ≤ 140/90   |      |      |  |  |
| Rate   | Irregular  | ≥ 180/110   | $\geq 180/110$ Stag |           |          |                  |  | ate of exam if $\leq 140/90$  | 6 months if $\leq 140/90$  |      |      |  |  |
|  |  |   | 6.) LABOR           | RATOR     | Y AND    | OTHER            | TEST FIND  | INGS  |  |      |      |  |  |
|  | Urinalysis is required.  | Protein, blood or s   | ugar in the ur      | ine may   | be an in | dication f       | or further testi   | ng to rule out any underlyi   | ng medical problem.  |      |      |  |  |
| Numerical reading  | s must be recorded.  | Urine Specimen  | Sp. Gr.             | Protein   | Bloo     | od Su            | igar   |   |  |      |      |  |  |
|  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
| Other testing, describe and record.  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
|  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
|  |  |   | 7.)                 | PHYS      | SICAL    | EXAMI            | NATION   |   |  |      |      |  |  |
| The presence of a certain condition may not necessarily disqualify a driver, particularly if the condition is controlled adequately, is not likely to worsen, or is readily amenable to treatment. Even if a condition does not disqualify a driver, the medical examiner may consider deferring the driver temporarily. Also, the driver should be advised to take the necessary steps to correct the condition as soon as possible; particularly if the condition, if neglected, could result in more serious illness that might affect driving. |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
|  | mmercial motor vehicle   |   |                     |           |          |                  |  | il in the space below, and ir<br>sease is present, note that it h   |  |      |      |  |  |
| BODY SYSTEM  | CHECK FOR:   |   |                     | YES*      | NO       | BODY             | SYSTEM   | CHECK FOR:  |  | YES* | NO   |  |  |
| 1. General<br>Appearance   | Marked overweig problem drinking                                   | ght, tremor, signs o<br>, drug abuse.   | f alcoholism,       |           |          | 7. Abdo          |  |   | larged liver, enlarged spleen, masses, bruit<br>nia, significiant abdoninal wall muscle weak |      |      |  |  |
| tion, ocular mo<br>traocular mo<br>strabismus un   |  | y, reaction to light,<br>ty, ocular muscle in<br>ent, nystagmus, ex-<br>rected by corrective  |                     |           | 8. Vasc  | ular system      | ness.  Abnormal pulse and am bruits, varicose veins.                                   | plitude, carotid or arterial  |  |      |      |  |  |
|  | generation.  | opathy, cataracts, aphakia, glaucoma, macular degeneration.  9. Genito-urinary system   |                     |           |          |                  |  | Hernias.  |  |      |      |  |  |
| 3. Ears  |  | Middle ear disease, occlusion of external car perforated eardrums.  |                     |           |          | impa             | emities - Limb<br>ired. Driver   | Loss or impairment of leg,foot, toe, arm, hand, finger. Perceptible limp, deformities, atrophy, weakness, paralysis, clubbing, edema, hypotonia. Insuf- |  |      |      |  |  |
| 4. Mouth & Throat  |  | rremediable deformities likely to interfere v<br>reathing or swallowing.  |                     |           |          | SPE              | be subject to<br>certificate if<br>wise qualified.                                     | ficient grasp and prehension in upper limb to maintain steering wheel grip. Insufficient mobility and   |  |      |      |  |  |
| 5. Heart   | Murmurs, extra so  | sounds, enlarged heart, pacemaker.    Spine, other   Strength in lower limb to operate pedals poper   |                     |           |          |                  |  |   |  |      |      |  |  |
| 6. Lungs & Chest,<br>not including bre<br>examination  | ast tory rate, abnormal<br>or alveolar rates,<br>dyspnea, cyanosis | Abnormal chest wall expansion, abnormal restory rate, abnormal breath sounds including whe or alveolar rates, impaired respiratory functive dyspnea, cyanosis. Abnormal findings on phy exam may require further testing such as pu |                     |           |          | musc<br>12. Neur | uloskeletal  | tern, paresthesia, asymm<br>sensory or positional abo   | pordination or speech pat-<br>etric deep tendon reflexes,<br>normalities, abnormal pa-       |      |      |  |  |
| *COMMENTS  | nary tests and/or x  |   | on as panno         |           |          |                  |  | tellar and Babinski's ref   | lexes, ataxia.   |      |      |  |  |
|  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
| Note certification sta   | itus here. See <i>Instructi</i>                                    | ons to the Medical  | Examiner for        | r guidanc | ce.      |                  |  |   |  |      |      |  |  |
| Does not meet standards.  ☐ Meets standards, but periodic evaluation required. ☐ Due to driver qualified only for ☐ 3 months ☐ 6 months  |  |   |                     |           |          | Wea              | Skill Performance Evaluation (SPE) Certificate Driving within an exempt intracity zone |   |  |      |      |  |  |
| ☐ Temporarily disqualified due to (condition or medication)  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
| Return to medical examiner's office for follow up on  If meets standards, complete a Medical Examiner's Certificate (page 4) according to 49 CFR 391.43(h). Driver must carry certificate when operating a commercial vehicle.   |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
| Printed Name of Medical Examiner  Address  Telephone#  |  |   |                     |           |          |                  |  |   |  |      |      |  |  |
|  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                               |   |                     |           |          |                  |  |   | ( )  |      |      |  |  |
| Signature Date   |  |   |                     |           |          |                  |  |   |  |      |      |  |  |

|   | Medical Examiner's Certificate                 |                                     |  |
|---|--|-------------------------------------|--|
| TE STATE  | (to be completed by medical examiner)          | WE S                                | (Print driver name)                      |
| I certify that I have examined  | tions (40 CED 201 41 201 40) and with Impula   | las of his/han driving duties. I fi | 1.471                                    |
| in accordance with the Federal Motor Carrier Safety regular applicable only when: | ttions (49 CFR 591.41-591.49) and with knowled | ige of his/her driving duties, i ii | nd min/ner quanned, and in               |
| wearing a hearing aid.  | accompanied by a                               | waiver/exemption.                   |  |
| wearing corrective lenses.  | accompanied by a Skill Performance Ev          | valuation Certificate (SPE)         |  |
| Qualified by operation of 49 CFR 391.64.  | driving within an exempt intracity zone        | (49 CFR 391.62).                    |  |
| completely and correctly, and is on file in my office.                            | Printed Name of Medical Examiner               | Lic/Cert # & State                  | Telephone Number                         |
| Mailing Address of Medic  | OCH EURO                                       | Date of Examination                 | Expiration Date                          |
| X   | 1012   | Date of Diminiation                 | (No more than 2 years from date of exam) |
| Signature of Medical Examiner   | ropractor 🔲 Physician Assist. 🔲 Adv. Practice  | e Nurse                             |  |
| Signature of Driv   | ver  |                                     |  |
| Address of Driver: City Stat  | e and Zin Code                                 | Driver License Number               | State of Issuance                        |

## Medical examination; certificate of physical examination.

- (a)(1) Except as provided in paragraph (b) of this section, the medical examination shall be performed by a licensed medical examiner as defined in 390.5 of this subchapter. (a)(2) The drug use verification procedures required by subpart H need not be performed by or under the supervision of the medical examiner. If not performed, the medical examiner shall assess compliance with 391.41(b)(12) based on his/her observations, statements of the applicant and/or any tests performed.
- (b) A licensed optometrist may perform so much of the medical examination as pertains to visual acuity, field of vision, and the ability to recognize colors as specified in paragraph (10) of 391.41(b).

#### Medical examiners shall

- (c)(1) Be knowledgeable of the specific physical and mental demands associated with operating a commercial motor vehicle and the requirements of this subpart, including the medical regulatory criteria prepared by the FHWA as guidelines to aid the medical examiner in making the qualification determination; and
- (2) Be proficient in the use of and use the medical protocols necessary to adequately perform the medical examination required by this section.
- (b) Any driver authorized to operate a commercial motor vehicle within an exempt intracity zone pursuant to 391.2(d) shall furnish the examining medical examiner with a copy of the medical findings that led to the issuance of the first certificate of medical

- examination which allowed the driver to operate a commercial motor vehicle wholly within an exempt intracity zone.
- (c) Any driver operating under a limited exemption authorized by 391.64 shall furnish the medical examiner with a copy of the annual medical findings of the endocrinologist, ophthalmologist or optometrist, as required under that section. If the medical examiner finds the driver qualified under the limited exemption in 391.64 such fact shall be noted on the Medical Examiner's Certificate.
- (d) The medical examination shall be performed, and its results shall be recorded, substantially in accordance with the following instructions and examination form. Existing forms may be used until current printed supplies are depleted or until March 31,1997.

#### The Driver's Role

Responsibilities, work schedules, physical and emotional demands, and lifestyles among commercial drivers vary by the type of driving that they do. Some of the main types of drivers include the following: turn around or short relay (drivers return to their home base each evening); long relay (drivers drive 9-11 hours and then have at least a 10-hour off-duty period), straight through haul (cross country drivers); and team drivers (drivers share the driving by alternating their 5-hour driving periods and 5-hour rest periods.)

The following factors may be involved in a driver's performance of duties: abrupt schedule changes and rotating work schedules, which may result in irregular sleep patterns and a driver beginning a trip in a fatigued condition; long hours; extended time away from family and friends, which may result in lack of social support; tight pickup and delivery schedules, with irregularity in work, rest, and eating patterns, adverse road, weather and traffic conditions, which may cause delays and lead to hurriedly loading or unloading cargo in order to compensate for the lost time; and environmental conditions such as excessive vibration, noise, and extremes in temperature. Transporting passengers or hazardous materials may add to the demands on the commercial driver.

There may be duties in addition to the driving task for which a driver is responsible and needs to be fit. Some of these responsibilities are: coupling and uncoupling trailer(s) from the tractor, loading and unloading trailer(s) (sometimes a driver may lift a heavy load or unload as much as 50,000 lbs. of freight after sitting for a long period of

time without any stretching period); inspecting the operating condition of tractor and/or trailer(s) before, during and after delivery of cargo; lifting, installing, and removing heavy tire chains; and, lifting heavy tarpaulins to cover open top trailers. The above tasks demand agility, the ability to bend and stoop, the ability to maintain a crouching position to inspect the underside of the vehicle, frequent entering and exiting of the cab, and the ability to climb ladders on the tractor and/or trailer(s).

In addition, a driver must have the perceptual skills to monitor a sometimes-complex driving situation, the judgment skills to make quick decisions, when necessary, and the manipulative skills to control an oversize steering wheel, shift gears using a manual transmission, and maneuver a vehicle in crowded areas.

## §391.45 PHYSICAL QUALIFICATIONS FOR DRIVERS

- (a)A person shall not drive a commercial motor vehicle unless he is physically qualified to do so and, except as provided in §391.67, has on his person the original, or a photographic copy, of a medical examiner's certificate that he is physically qualified to drive a commercial motor vehicle.
- (b) A person is physically qualified to drive a motor vehicle if that person
- (1) Has no loss of a foot, a Leg a hand, or an arm, or has been granted a Skill Performance Evaluation (SPE) Certificate (formerly Limb Waiver Program) pursuant to 391.49.
- (2) Has no impairment of: (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or has been granted a SPE Certificate pursuant to §391.49.
- (3) Has no established medical history or clinical diagnosis of diabetes mellitus currently requiring insulin for control;
- (4) Has no current clinical diagnosis of myocardial infarction, use of an angina pectoris, coronary insufficiency, thrombosis, or any

- other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse, or congestive cardiac failure.
- (5) Has no established medical history or clinical diagnosis of a respiratory dysfunction likely to interfere with his ability to operate a commercial motor vehicle safely
- (6) Has no current clinical diagnosis of high blood pressure likely to interfere with his ability to operate a commercial motor vehicle safely.
- (7) Has no established medical history or clinical diagnosis of rheumatic, arthritic, orthopedic, muscular, neuromuscular, or vascular disease, which interferes with his ability to control and operate a commercial motor vehicle safely
- (8) Has no established medical history or clinical diagnosis of epilepsy or any other condition which is likely to cause loss of consciousness or any loss of ability to control a commercial motor vehicle;
- (9) Has no mental, nervous, organic, or functional disease or psychiatric disorder likely to interfere to drive a commercial motor vehicle safely;
- (10) Has distant visual acuity of at least 20/40 (Snellen) in each eye without corrective lenses or visual acuity separately corrected to 20/40 (Snellen) or better with corrective

- lenses, distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green and amber;
- (11) First perceives a forced whispered voice in the better ear not less than 5 feet with or without the hearing aid, or, if tested by use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels at 500 Hz, 1,000 Hz and 2,000 Hz with or without a hearing device when the audiometric device is calibrated to the American National Standard (formerly ASA Standard) Z224.5-1951;
- (12) (i) Does not use a controlled substance identified in 21 CFR 1308.11 Schedule 1, amphetamine, a narcotic, or anyother habit-forming drug. (ii) Exception: A driver may use such a substance or drug, if the substance or drug is prescribed by a licensed medical practitioner who: (A) Is familiar with the driver's medical history and assigned duties, and (B) Has advised the driver that the prescribed substance or drug will not adversely affect the driver's ability to safely operate a commercial motor vehicle; and
- (13) Has no current clinical diagnosis of alcoholism.

## INSTRUCTIONS TO THE MEDICAL EXAMINER

#### **General Information**

The purpose of this examination is to determine a driver's physical qualification to operate a commercial motor vehicle (CMV) in interstate commerce according to the requirements in 49 CFR 391.41-49. Therefore, the medical examiner must be knowledgeable of these requirements and guidelines developed by the FMCSA to assist the medical examiner in making the qualification determination. The medical examiner should be familiar with the driver's responsibilities and work environment and is referred to the section on the form, The Driver's Role.

In addition to reviewing the Health History section with the driver and conducting the physical examination, the medical examiner should discuss common prescriptions and over-the-counter medications relative to the side effects and hazards of these medications while driving. Educate the driver

to read warning labels on all medications. History of certain conditions may be cause for rejection, particularly if required by regulation, or may indicate the need for additional laboratory tests or more stringent examination perhaps by a medical specialist. These decisions are usually made by the medical examiner in light of the driver's job responsibilities, work schedule and potential for the conditions to render the driver unsafe.

Medical conditions should be recorded even if they are not cause for denial, and they should be discussed with the driver to encourage appropriate remedial care. This advice is especially needed when a condition, if neglected, could develop into a serious illness that could affect driving.

If the medical examiner determines that the driver is fit to drive and is also able to perform non-driving responsibilities as may be required, the medical examiner signs the medical certificate which the driver must carry with his/her license. The certificate must be dated. Under current regulations, the certificate is valid for two years, unless the driver has a medical condition that does not prohibit driving but does require more frequent monitoring. In such situations, the medical certificate should be issued for a shorter length of time. The physical examination should be done carefully and at least as complete as is indicated by the attached form. Contact the FMCSA at (202) 366-1790 for further information (a vision exemption, qualifying drivers under 49 CFR 391.64, etc.).

#### **Interpretation of Medical Standards**

Since the issuance of the regulations for physical qualifications of commercial drivers, the Federal Motor Carrier Safety Administration (FMCSA) has published recommendations called Advisory Criteria to help medical examiners in determining whether a driver meets the physical qualifications for commercial driving. These recommendations have been condensed to provide information to medical examiners that (1) is directly relevant to the physical examination and (2) is not already included in the medical examination form. The specific regulation is printed in italics and its reference by section is highlighted.Federal Motor Carrier Safety Regulations -Advisory Criteria

#### Loss of Limb: §391.41 (b)(1)

A person is physically qualified to drive a commercial motor vehicle if that person: Has *no loss of* a foot, leg, *hand* or an arm, or has been *granted* a Skill Performance Evaluation (SPE) Certificate pursuant to Section 391.49.

#### Limb Impairment: §391.41(b)(2)

A person is physically qualified to drive a commercial motor vehicle if that person: Has no impairment of. (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle, or (iii) Any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or (iv) Has been granted a Skill Performance Evaluation (SPE) Certificate pursuant to Section 391.49.

A person who suffers loss of a foot, leg, hand or arm or whose limb impairment in any way interferes with the safe performance of normal tasks associated with operating a commercial motor vehicle is subject to the Skill Performance Evaluation Certification Program pursuant to section 391.49, assuming the person is otherwise qualified.

With the advancement of technology, medical aids and equipment modifications have been developed to compensate for certain disabilities. The SPE Certification Program (formerly the Limb Waiver Program) was designed to allow persons with the loss of a foot or limb or with functional impairment to qualify under the Federal Motor Carrier Safely Regulations (FMCSRs) by use of prosthetic devices or equipment modifications, which enable them to safely operate a commercial motor vehicle. Since there are no medical aids equivalent to the original body or limb, certain risks are still present,

and thus restrictions may be included on individual SEE certificates when a State Director for the FMCSA determines they are necessary to be consistent with safety and public interest.

If the driver is found otherwise medically qualified (391.41(b)(3) through (13)), the medical examiner must check on the medical certificate that the driver is qualified only if accompanied by a SPE certificate. The driver and the employing motor carrier are subject to appropriate penalty if the driver operates a motor vehicle in interstate or foreign commerce without a current SPE certificate for his/her physical disability.

#### Diabetes: §391.41(b)(3)

A person is physically qualified to drive a commercial motor vehicle if that person: Has no *established* medical history or clinical diagnosis of *diabetes* mellitus currently requiring insulin for control. Diabetes mellitus is a disease, which, on occasion, can result in a loss of consciousness or disorientation in time and space. Individuals who require insulin for control have conditions, which can get out of control by the use of too much or too little insulin, or food intake not consistent with the insulin dosage. Incapacitation may occur from symptoms of hyperglycemic or hypoglycemic reactions (drowsiness, semi consciousness, diabetic coma or insulin shock).

The administration of insulin is, within itself, a complicated process requiring insulin, syringe, needle, alcohol sponge and a sterile technique. Factors related to long-haul commercial motor vehicle operations, such as fatigue, lack of sleep, poor diet, emotional conditions, stress, and concomitant illness, compound the dangers, the FMCSA has consistently field that a diabetic who uses insulin for control does not meet the minimum physical requirements of the FMCSR s.

Hypoglycemic drugs, taken orally, are sometimes prescribed for diabetic individuals to help stimulate natural body production of insulin. If the condition can be controlled by the use of oral medication and diet, then an individual <u>maybe</u> qualified under the present rule. CMV drivers who do not meet the Federal diabetes standard may call (202) 366-1790 for an application for a diabetes exemption

(See Conference Report on Diabetic Disorders and Commercial Drivers and Insulin-Using Commercial Motor Vehicle Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/n-,earepo.ts.htrn">http://www.fmcsa.dot.gov/rulesregs/n-,earepo.ts.htrn</a>)

#### Cardiovascular Condition §391.41(b)(4)

A person is physically qualified to drive a

commercial motor vehicle if that person:

Has no current clinical diagnosis of myocardial infarction, angina pectoris, coronary insufficiency, thrombosis or any other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse or congestive cardiac failure. The term "has no current clinical diagnosis of" is specifically designed to encompass: "a clinical diagnosis of"(1) a current cardiovascular condition, or (2) a cardiovascular condition which has not fully stabalized regardless of the time limit The term "Known to be accompanied by' is designed to include a clinical diagnosis of a cardiovascular disease (1) which is accompanied by symptoms of syncope, dyspnea, collapse or congestive cardiac failure; and/or (2) which is likely to cause syncope, dyspnea, collapse or congestive cardiac failure.

It is the intent of the FMCSRs to render unqualified, a driver who has a current cardiovascular disease which is accompanied by and/or likely to cause symptoms of syncope, dyspnea, collapse, or congestive cardiac failure. However, the subjective decision of whether the nature and severity of an individual's condition will likely cause symptoms of cardiovascular insufficiency is on an individual basis and qualification rests with the medical examiner and the motor carrier. In those cases where there is an occurrence of cardiovascular insufficiency (myocardial infarction, thrombosis, etc.), it is suggested before a driver is certified that he or she have a normal resting and stress electrocardiogram (ECG), no residual complications and no physical limitations, and is taking no medication likely to interfere with safe driving. Coronary artery bypass surgery and pacemaker implantation are remedial procedures and thus, not unqualifying. Implantable cardioverter defibrillators are disqualifying due to risk of syncope. Coumadin is a medical treatment, which can improve the health and safety of the driver and should not, by its use, medically disqualify the commercial driver. The emphasis should be on the underlying medical condition(s), which require treatment and the general health of the driver. The FMCSA should be contacted at (202) 366-1790 for additional recommendations regarding the physical qualification of drivers on coumadin.

(See Cardiovasular Advisory Panel Guidelines for the Medical examination of Commercial Motor Vehicle Drivers at: <a href="https://www.fmcsa.dot.gov/rulesregs/medrel)orts.htm">https://www.fmcsa.dot.gov/rulesregs/medrel)orts.htm</a>)

#### **Respiratory Dysfunction §391.41(b)(5)**

A person is physically qualified to drive a

commercial motor vehicle if that person: Has no *established* medical history or clinical diagnosis of a respiratory *dysfunction* likely to interfere with ability to control *and* drive a commercial motor vehicle safely.

Since a driver must be alert at all times, any change in his or her mental state is in direct conflict with highway safely. Even the slightest impairment in respiratory function under emergency conditions (when greater oxygen supply is necessary for performance) may be detrimental to safe driving.

There are many conditions that interfere with oxygen exchange and may result in incapacitation, including emphysema, chronic asthma, carcinoma, tuberculosis, chronic bronchitis and sleep apnea. If the medical examiner detects a respiratory dysfunction, that in any way is likely to interfere with the driver's ability to safely control and drive a commercial motor vehicle, the driver must be referred to a specialist for further evaluation and therapy. Anticoagulation therapy for deep vein thrombosis and/or pulmonary thromboembolism is not unqualifying once optimum dose is achieved, provided lower extremity venous examinations remain normal and the treating physician gives a favorable recommendation.

(See Conference on Pulmonary/Respiratory Disorders and Commercial Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>

#### **Hypertension §391.41(b)(6)**

A person is physically qualified to drive a commercial motor vehicle if that person: Has no current clinical diagnosis of high blood pressure likely to interfere with ability to operate a commercial motor vehicle safely. Hypertension alone is unlikely to cause sudden collapse; however, the likelihood increases when target organ damage, particularly cerebral vascular disease, is present. This regulatory criteria is based on FMCSA's Cardiovascular Advisory Guidelines for the Examination of CMV Drivers, which used the Sixth Report of the Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure (1997).

Stage 1 hypertension corresponds to a systolic BP of 140-159 mmHg and/or a diastolic BP of 90-99 mmHg. The driver with a BP in this range is at low risk for hypertension-related acute incapacitation and may be medically certified to drive for a one-year period. Certification examinations should be done annually thereafter and should be at or less than 140/90. If less than 160/100, certification may be extended one time for 3 months.

A blood pressure of 160-179 systolic and/ or 100-109 diastolic is considered **Stage 2**  hypertension, and the driver is not necessarily unqualified during evaluation and institution of treatment. The driver is given a one time certification of three months to reduce his or her blood pressure to less than or equal to 140/90. A blood pressure in this range is an absolute indication for anti-hypertensive drug therapy. Provided treatment is well tolerated and the driver demonstrates a BP value of 140/90 or less, he or she may be certified for one year from date of the initial exam. The driver is certified annually thereafter.

A blood pressure at or greater than 180 (systolic) and 110 (diastolic) is considered **Stage 3**, high risk for an acute BP-related event. The driver may not be qualified, even temporarily, until reduced to 140/90 or less and treatment is well tolerated. The driver may be certified for 6 months and biannually (every 6 months) thereafter if at recheck BP is 140/90 or less.

Annual re-certification is recommended if the medical examiner does not know the severity of hypertension prior to treatment.

An elevated blood pressure finding should be confirmed by at least two subsequent measurements on different days.

Treatment includes non-pharmacologic and pharmacologic modalities as well as counseling to reduce other risk factors. Most antihypertensive medications also have side effects, the importance of which must be judged on an individual basis. Individuals must be alerted to the hazards of these medications while driving. Side effects of somnolence or syncope are particularly undesirable in commercial drivers. Secondary hypertension is based on the above stages. Evaluation is warranted if patient is persistently hypertensive on maximal or near-maximal doses of 2-3 pharmacologic agents. Some causes of secondary hypertension may be amenable to surgical intervention or specific pharmacologic disease.

(See Cardiovascular Advisory Panel Guidelines for the Medical Examination of Commercial Motor Vehicle Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>)

# Rheumatic, Arthritic, Orthopedic, Muscular, Neuromuscular or Vascular Disease §391.41(b)(7)

A person is physically qualified to drive a commercial motor vehicle if that person: Has *no* established medical history or *clinical* diagnosis *of* rheumatic, arthritic, orthopedic, muscular, *neuromuscular* or vascular disease, which *interferes* with the ability to control and operate a commercial motor *vehicle* safely.

Certain diseases are known to have acute episodes of transient muscle weakness, poor muscular coordination (ataxia), abnormal sensations (paresthesia), decreased muscular tone (hypotonia), visual disturbances and pain which may be suddenly incapacitating. With each recurring episode, these symptoms may become more pronounced and remain for longer periods of time. Other diseases have more insidious onsets and display symptoms of muscle wasting (atrophy), swelling and paresthesia which may not suddenly incapacitate a person but may restrict his/her movements and eventually interfere with the ability to safely operate a motor vehicle. In many instances these diseases are degenerative in nature or may result in deterioration of the involved area.

Once the individual has been diagnosed as having a rheumatic, arthritic, orthopedic, muscular, neuromuscular or vascular disease, then he/she has an established history of that disease. The physician, when examining an individual, should consider the following: (1) the nature and severity of the individual's condition (such as sensory loss or loss of strength); (2) the degree of limitation present (such as range of motion); (3) the likelihood of progressive limitation (not always present initially but may manifest itself over time); and (4) the likelihood of sudden incapacitation. If severe functional impairment exists, the driver does not qualify. In cases where more frequent monitoring is required, a certificate for a shorter period of time may be issued. (See Conference on Neurological Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/ rulesregs/medreports.htm)

### Epilepsy §391.41(b)(8)

A person is physically qualified to drive a commercial motor vehicle if that person: Has no *established* medical history or clinical diagnosis *of* epilepsy or any other *condition*, *which* is likely to cause loss *of consciousness* or any loss of ability to control a motor vehicle.

Epilepsy is a chronic functional disease characterized by seizures or episodes that occur without warning, resulting in loss of voluntary control, which may lead to loss of consciousness and/or seizures. Therefore, the following drivers cannot be qualified: (1) a driver who has a medical history of epilepsy, (2) a driver who has a current clinical diagnosis of epilepsy; or (3) a driver who is taking anti-seizure medication.

If an individual has had a sudden episode of a non-epileptic seizure or loss of consciousness of unknown cause which did not require anti-seizure medication, the decision as to whether that person's condition will likely cause loss of consciousness or loss of ability to control a motor vehicle is made on an individual basis by the medical examiner in consultation with the treating physician. Before certification is considered, it is suggested that a 6-month waiting period elapse from the time of the episode. Following the waiting period, it is suggested that the individual have a complete neurological examination. If the results of the examination are negative and anti-seizure medication is not required, then the driver may be qualified.

In those individual cases where a driver has a seizure or an episode of loss of consciousness that resulted from a known medical condition (e.g., drug reaction, high temperature, acute infectious disease, dehydration or acute metabolic disturbance), certification should be deferred until the driver has fully recovered from that condition and has no existing residual complications, and not taking anti-seizure medication.

Drivers with a history of epilepsy/seizures off anti-seizure medication and seizure-free for 10 years may be qualified to drive a CMV in interstate commerce. Interstate drivers with a history of a single unprovoked seizure may be qualified to drive a CMV in interstate commerce if seizure-free and off anti-seizure medication for a 5-year period or more.

(See Conference on Neurological Disorders and Commercial Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>)

#### Mental Disorders §391.41(b)(9)

A person is physically qualified to drive a commercial motor vehicle if that person: Has no mental, nervous, organic or *functional* disease or psychiatric disorder likely to interfere with ability to drive a motor vehicle safely.

Emotional or adjustment problems contribute directly to an individual's level of memory, reasoning, attention, and judgment. These problems often underlie physical disorders. A variety of functional disorders can cause drowsiness, dizziness, confusion, weakness or paralysis that may lead to in coordination, inattention, loss of functional control and susceptibility to accidents while driving. Physical fatigue, headache, impaired coordination, recurring physical ailments and chronic "nagging" pain may be present to such a degree that certification for commercial driving is inadvisable. Somatic and psychosomatic complaints should be thoroughly examined when determining an individual's overall fitness to drive. Disorders of a periodically incapacitating nature, even in the early stages of development, may warrant disqualification.

Many bus and truck drivers have, documented that "nervous trouble" related to neurotic, personality, or emotional or adjustment problems is responsible for a significant fraction of their preventable accidents. The degree to which an individual is able to appreciate, evaluate and adequately respond to environmental strain and emotional stress is critical when assessing an individual's mental alertness and flexibility to cope with the stresses of commercial motor vehicle driving.

When examining the driver, it should be kept in mind that individuals who live under chronic emotional upsets may have deeply ingrained maladaptive or erratic behavior patterns. Excessively antagonistic, instinctive, impulsive, openly aggressive, paranoid or severely depressed behavior greatly interfere with the driver's ability to drive safely. Those individuals who are highly susceptible to frequent states of emotional instability (schizophrenia, affective psychoses, paranoia, anxiety or depressive neuroses) may warrant disqualification. Careful consideration should be given to the side effects and interactions of medications in the overall qualification determination. See Psychiatric Conference Report for specific recommendations on the use of medications and potential hazards for driving.

(See Conference on Psychiatric Disorders and Commercial Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>)

#### Vision §391.41(b)(10)

A person is physically qualified to drive a commercial motor vehicle if that person: Has distant visual acuity of at least 20/40 (Snellen) in each eye with or without corrective lenses or visual acuity separately corrected to 20/40 (Snellen) or better with corrective lenses, distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green, and amber.

The term "ability to recognize the colors of is interpreted to mean if a person can recognize and distinguish among traffic control signals and devices showing standard red, green and amber, he or she meets the minimum standard, even though he or she may have some type of color perception deficiency. If certain color perception tests are administered, (such as Ishihara, Pseudoisochromatic, Yarn) and doubtful findings are discovered, a controlled test using signal red, green and amber may be employed to determine the driver's ability to recognize these colors.

Contact lenses are permissible if there is sufficient evidence to indicate that the driver has good tolerance and is well adapted to their use. Use of a contact lens in one eye for distance visual acuity and another lens in the other eye for near vision is not acceptable, nor telescopic lenses acceptable for the driving of commercial motor vehicles.

If an individual meets the criteria by the use of glasses or contact lenses, the following statement shall appear on the Medical Examiner's Certificate. "Qualified only if wearing corrective lenses." CMV drivers who do not meet the Federal vision standard may call (202) 366-1790 for an application for a vision exemption.

(See Visual Disorders and Commercial Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>)

#### Hearing §391.41(b)(11)

A person is physically qualified to drive a commercial motor vehicle if that person: First perceives a forced whispered voice in the better ear at not less than 5 feet with or without the use of a hearing aid. or, if tested by use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels at 500 Hz, 1,000 Hz, and 2,000 Hz with or without a hearing aid when the audiometric device is calibrated to American National Standard (formerly ADA Standard) Z24.5-1951.

Since the prescribed standard under the FMCSRs is the American Standards Association (ANSI), it may be necessary to convert the audiometric results from the ISO standard to the ANSI standard. Instructions are included on the Medical Examination report form.

If an individual meets the criteria by using a hearing aid, the driver must wear that hearing aid and have it in operation at all times while driving. Also, the driver must be in possession of a spare power source for the hearing aid.

For the whispered voice test, the individual should be stationed at least 5 feet from the examiner with the ear being tested turned toward the examiner. The other ear is covered. Using the breath which remains after a normal expiration, the examiner whispers words or random numbers such as 66, 18, 23, etc. The examiner should not use only sibilants (s sounding materials). The opposite ear should be tested in the same manner. If the individual fails the whispered voice test, the audiometric test should be administered.

If an individual meets the criteria by the use of a hearing aid, the following statement must appear on the Medical Examiner's Certificate

"Qualified only when wearing a hearing aid." (See Hearing Disorders and Commercial Motor Vehicle Drivers at: <a href="http://www/fmrsa.dot.gov/rulesregs/medrports.htm">http://www/fmrsa.dot.gov/rulesregs/medrports.htm</a>)

#### Drug Use §391.41(b)(12)

A person is physically qualified to drive a commercial motor vehicle if that person: Does not use a controlled substance identified in 21 CFR 1308.11. Schedule 1, an amphetamine, a narcotic, or any other habit-forming drug. Exception: A driver may use such a substance or drug, if the substance or drug is prescribed by a licensed medical practitioner who is familiar with the driver's medical history and assigned duties; and has advised the driver that the prescribed substance or drug will not adversely affect the driver's ability to safely operate a commercial motor vehicle. This exception does not apply to methadone. The intent of the medical certification process is to medically evaluate a driver to ensure that the driver has no medical condition, which interferes with the safe performance of driving tasks on a public road. If a driver uses a Schedule 1 drug or other substance, an amphetamine, a narcotic, or any other habit-forming drug, it may be cause for the driver to be found medically unqualified. Motor carriers are encouraged to obtain a practitioner's written statement about the effects on transportation safety of the use of a particular drug.

A test for controlled substances is not required as part of this biennial certification process. The FMCSA or the driver's employer should be contacted directly for information on controlled substances and alcohol testing under Part 382 of the FMCSRs.

The term "uses" is designed to encompass instances of prohibited drug use determined by a physician through established medical means. This may or may not involve body fluid testing. If body fluid testing takes place, positive test results should be confirmed by a second test of greater specificity. The term "habit-forming" is intended to include any drug or medication generally recognized as capable of becoming habitual, and which may impair the user's ability to operate a commercial motor vehicle safely. The driver is medically unqualified for the duration of the prohibited drug(s) use and until a second examination shows the driver is free from the prohibited drug(s) use. Recertification may involve a substance abuse evaluation, the successful completion of a drug rehabilitation program, and a negative drug test result. Additionally, given that the certification period is normally two years, the examiner has the option to certify for a period of less than 2 years if this examiner determines

more frequent monitoring is required. (See Conference on Neurological Disorders and Commercial Drivers and Conference on Psychiatric Disorders and Commercial Drivers at: <a href="http://www.fmcsa.dot.gov/rulesregs/medreports.htm">http://www.fmcsa.dot.gov/rulesregs/medreports.htm</a>)

#### Alcoholism §391.41(b)(13)

A person is physically qualified to drive a commercial motor vehicle if that person: Has no current clinical diagnosis of alcoholism

The term "current clinical diagnosis of is specifically designed to encompass a current alcoholic illness or those instances where the individual's physical condition has not fully stabilized, regardless of the time element. If an individual shows signs of having an alcohol-use problem, he or she should be referred to a specialist. After counseling and/or treatment, he or she may be considered for certification.