Maternal & Fetal Care Referral Form

To expedite the referral process, please send demographics, insurance, all prenatal records/lab results and the appropriate signed order form for each. Also, please note that insurance companies require the ordering physician's office to request procedure authorizations.

Ple	ase fax information to the correct location:		
Referring provider:		From fax:	
Office contact:		Office phone:	
[]	FETAL CARE REFERRAL Refer to FETAL CARE CENTER for comprehensively supportive ca FETAL DIAGNOSIS. Referral phone number at Children's Direct is Fetal Care Center Nurse Coordinator: 314-747-6539	· ·	
[]	MATERNAL FETAL MEDICINE/OB Ultrasound Refer to MFM for traditional care for privately insured patients w Referrral phone number: 314-454-8181	[] FAX 314-747-1637 vith MATERNAL INDICATION.	
[]] HIGH RISK OB CLINIC, Teen Pregnancy Center or the CENTER FOR DIABETIC PREGNANCY Refer to the BJH clinics at the Center for Outpatient Health for comprehensively supportive, safety net care for publicly insured and uninsured patients with MATERNAL INDICATION. Referral phone number: 314-454-7882		
[]] WASHINGTON UNIVERSITY GENETIC COUNSELING Refer to GENETIC COUNSELING for pregnancies with advanced maternal age or abnormal maternal serum screening Referral phone number: 314-454-7552		
[]	ST. LOUIS CHILDREN'S HOSPITAL FETAL HEART CENTER Refer for SCREENING FETAL ECHOCARDIOGRAM for family or sibl Referral phone number: 314-454-6095	[] FAX 314-454-2561 Dling history of heart defect, maternal diabetes	
	Please call Women & Infants Outreach Coordinato with any questions or to discuss outre Office: 314-362-7188 Cell: 314-220-2487	each education.	
	For emergent maternal transport with our Maternal Fetal Tra consult with a Maternal Fetal Medicine specialist, pl	,	





The materials enclosed with this facsimile transmission are private and confidential and are the property of the sender. The information contained in the material is privileged and is intended only for the use of the individual(s) or entity(ies) named below. If you are not the intended recipient, be advised that any unauthorized disclosure, copying, distribution, or the taking of any action in reliance on the contents of this telecopied information, is strictly prohibited. If you have received this facsimile transmission in error, please immediately notify us by telephone to arrange for the return of the forwarded documents to us.



Barnes-Jewish Hospital OB/GYN Clinic Requisition for Outside Referral

Barnes-Jewish Hospital OB/GYN Clinic Center for Outpatient Health | 4901 Forest Park, Suite 341 Mail Stop 90-75-556 | St. Louis, MO 63108 Phone Number: 314-454-7882 | Fax Number: 314-454-5167

Email Address: BJH-ObgynClinic@bjc.org

Patient Demographic Inf			
Name:			
Address: Cell Phone:			
Alternate phone number a	nd/or contact person:		
Native language:	Interpreter Needed: [] Yes [] No		
Insurance: [] Self Pay [] N	NO Medicaid [] IPA [] HCUSA [] HomeState		
Group No.	Policy Number		
Your office information: Provider name:			
Office Address:			
Office phone number:			
Office fax number:			
Medical records clerk phone			
Medical records FAX num	ber:		
Office private/back line:			
Contact person with pager number or private phone line number:			
Clinical Information: Indication for the	referral (see list of diagnoses with ICD-9 codes)		
Service requested:	[] Consultation only: Evaluate and recommend [] Evaluate, Initiate treatment, and Follow Up for this Problem		
This evaluation is:	[] Urgent (please contact the clinic) [] Elective (4-6 weeks)		
Medical Records that mu	ust accompany OB referrals:		

- ACOG prenatal record
- Copies of all lab work obtained during this pregnancy
- Copies of all ultrasound reports obtained during this pregnancy
- Copies of operative notes from Cesarean sections in previous pregnancies 0
- Copies of records from any hospitalizations during this pregnancy 0
- Copies of reports from any consultants during this pregnancy

Medical Records that must accompany GYN referrals:

- Copies of office notes
- Copies of ultrasound, CT, or MRI reports 0
- Copies of PAP smear reports 0
- Copies of any other pertinent laboratory reports lab work, CA125, CBC, endometrial or cervical biopsies, mammography

OB Diagnosis Codes:

Anticardiolipin antibody (795.79; 646.83)

Antiphospholipid syndrome (795.79; 646.83)

Asthma (493.90; 648.93)

Maternal Cardiac Disease (648.53)

Incompetent Cervix (654.53)

Chronic Hypertension (642.03)

Cocaine abuse (305.60; 648.43)

Crohn's Disease (555.9; 648.93)

Cytomegalovirus infection (078.5; 647.63)

Deep venous thrombosis (DVT) (671.33)

Diabetes mellitus - class A (648.83)

Diabetes mellitus - class B (250.00; 648.03)

Diabetes mellitus - class C (250.01; 648.03)

Diabetes mellitus - class D (250.53; 648.03)

Gestational diabetes (648.93)

Epilepsy (345.90; 648.93)

Factor V Leiden (286.3; 648.93)

Fibroid uterus (654.13)

Hepatitis B (070.30; 647.63)

Hepatitis C (0.70.54; 647.63)

HIV (647.63)

Hypercoagulable state (MTHFR) (286.9; 648.93)

Hyperthyroidism (242.9x; 648.13)

Hypothyroidism (244.9; 648.13)

Isoimmunization - anti D (656.13)

Isoimmunization - other antigens (656.23)

GYN Diagnosis Codes: circle all applicable

Abnormal PAP (795.00)

Adnexal Mass (625.8)

Chronic pelvic pain (625.9)

Dysfunctional uterine bleeding (626.8)

Endometrial hyperplasia (621.33)

Endometriosis (617.1)

Genital Warts (078.19)

Hirsutism (704.1)

Infertility (628.9)

Postmenopausal Bleeding (627.1)

Pediatric gynecology

Vaginal bleeding (623.8)

Vaginal discharge (616.10)

Pelvic pain (625.9)

Precocious puberty (259.1)

Delayed puberty (259.0)

Congenital malformation of the reproductive tract (752.40)

Lupus erythematosus (710.0; 648.93)

Multiple congenital anomalies (655.83)

Multiple gestations

Twin pregnancy (651.03)

Triplet pregnancy (651.13)

Quadruplet pregnancy (651.23)

Twin-twin transfusion syndrome (651.03)

Morbid Obesity (278.01; 648.93)

Oligohydramnios (658.03)

Parvovirus exposure/infection (079.89; 647.63)

Placenta accreta (667.03)

Placenta previa w/o bleeding (641.03)

Polyhydramnios (657.03)

Pregnancy induced hypertension (642.33)

Preterm labor > 22 weeks and < 37 weeks (644.03)

Prior C-section (654.23)

Protein C Deficiency (286.9; 648.93)

Protein S deficiency (286.9; 648.93)

Renal disease w/o hypertension (646.23)

Rheumatoid arthritis (714.0; 648.7)

Sickle Cell Anemia (282.60; 648.23)

Substance Abuse (304.1; 648.33)

Suspected damage to fetus from other disease in mother (655.43)

Teratogen exposure (655.53)

Thrombocytopenia (287.5; 648.93)

Uterine scar (not prior C-section) (654.93)

Vaginal bleeding < 22 weeks (640.93)

PCOS (256.4)

Recurrent pregnancy loss (634.9)

Urogynecology

Pelvic organ prolapse (618.0: 618.8)

Urinary incontinence (788.30)

Stress Urinary Incontinence (625.6)

Mixed Incontinence (788.33)

Urinary retention (788.20) Uterine fibroid (218.9)