

OKOLONA FIRE DEPARTMENT REHABILITATION REPORT

DATE: _____

PAGE _____ OF _____

INCIDENT LOCATION: _____

INCIDENT NUMBER: _____ DEPARTMENT: _____

REHAB OFFICER _____

CO #	Name	Age	Time In	Blood Pressure	Pulse	O2 Sat %	CO Sat %	Time Out

Remarks: _____

Vital Sign Parameters:

- | | | |
|----|---------------------------------|--|
| 1. | BLOOD PRESSURE: | Systolic pressure should be between 160 and 100, diastolic pressure should be between 90 and 50. |
| 2. | PULSE: | Between 110 and 50. |
| 3. | PULSE OXIMETRY: | Above 92%. |
| 4. | CARBON MONOXIDE OXIMETRY | *Nonsmokers < 5%, Smokers < 8% |
| 3. | OTHER SIGNS OR SYMPTOMS: | Other signs or symptoms that the evaluator determines may require further medical evaluation. |

It is important to emphasize that vital sign readings outside the established parameters may or may not indicate a medical problem. These parameters are established to aid rehabilitation evaluators and to increase the level of protection for personnel at emergency scenes.

No member shall leave the Rehab Area until the carbon monoxide oximeter level is below 5% for nonsmokers and below 8% for smokers.

Vital Sign Parameters:

- | | | |
|----|---------------------------------|--|
| 1. | BLOOD PRESSURE: | Systolic pressure should be between 160 and 100, diastolic pressure should be between 90 and 50. |
| 2. | PULSE: | Between 110 and 50. |
| 3. | PULSE OXIMETRY: | Above 92%. |
| 4. | CARBON MONOXIDE OXIMETRY | *Nonsmokers < 5%, Smokers < 8% |
| 3. | OTHER SIGNS OR SYMPTOMS: | Other signs or symptoms that the evaluator determines may require further medical evaluation. |

*On arrival to the Rehab Area, a carbon monoxide oximetry reading:

- over 12% indicates moderate carbon monoxide inhalation
- over 25% indicates severe inhalation of carbon monoxide
- Members with initial CO levels over 8% but below 15% will be given the opportunity to breathe ambient air for 5 minutes, and the CO oximetry rechecked.
 - If still above 8%, the member will be given oxygen by mask until the value drops below 5%
- Any value over 15% will be given oxygen by mask until the value drops below 5%
- Any value over 25% will receive a complete medical evaluation by pre-hospital personnel and transported to an appropriate medical facility.

No member shall leave the Rehab Area until the carbon monoxide oximeter level is below 5% for nonsmokers and below 8% for smokers.