

LIST OF CONSUMABLE MATERIALS

NOTICE

This document is provided as a courtesy and contains a listing of consumable materials required to operate, maintain, and repair all Bell helicopter models. The primary purpose of this listing is to provide our customers with up-to-date information on consumable materials between BHT-ALL-SPM revisions. To obtain the latest listing, refer to the Electronic Commercial Technical Publications web site at www.bellhelicopter.net. For any information pertaining to the safety precautions, definition, application, and use of these consumables, refer to the manufacturers Technical Data Sheet, Material Safety Data Sheet (MSDS), or any other applicable documentation available through Bell Helicopter Textron (BHT) or the manufacturer of the product.

Bell *helicopter*
A Textron Company

POST OFFICE BOX 482 • FORT WORTH, TEXAS 76101



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	MIL-G-81322	AEROSHELL 22	14 OZ	Aeroshell Grease 22	54527		
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	MIL-G-81322	MOBIL 28	1 LB	Mobilgrease 28	1ZAY6		
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	MIL-G-81322	MOBIL 28 5LB CAN	5 LB	Mobilgrease 28	1ZAY6		
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	MIL-G-81322	None	N/A	Aeroshell Grease 22CF	07950		
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	MIL-G-81322	ROYCO 22	14 OZ	Royco 22CF	07950		
C-002	Hydraulic Fluid, Petroleum Base	MIL-PRF-5606	MIL-H-5606	MIL-H-5606	1 QT	Any product listed in current issue of QPL-5606	Commercial	Refer to Flight Manual for approved fluids	
C-003	Turbine Fuel	ASTM D1655, Type Jet A	None	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-003	Turbine Fuel	ASTM D1655, Type Jet A-1	None	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-003	Turbine Fuel	ASTM D6615	ASTM D1655, Type Jet B	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-003	Turbine Fuel	MIL-DTL-5624, Grade JP-4	MIL-T-5624	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-003	Turbine Fuel	MIL-DTL-5624, Grade JP-5	MIL-T-5624	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-003	Turbine Fuel	MIL-DTL-83133, Grade JP-8	MIL-T-83133	None	N/A	Refer to Flight Manual for approved fuels	Commercial	Refer to Flight Manual for approved fuels	
C-004	Use C-043	None	N/A	None	N/A	Use C-043	N/A	Use C-004	
C-005	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	AS5272	MIL-L-46010, Types I and II	None	N/A	Lube-Lok 2109	11770		
C-005	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	AS5272	MIL-L-46010, Types I and II	None	N/A	Sandstrom 9A	34227		
C-005	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	AS5272	MIL-L-46010, Types I and II	TIO LUBE 460	1 QT	Tiolube 460	34568		
C-006	Use C-021	None	N/A	None	N/A	Use C-021	N/A	Use C-021	
C-007	Grease, Aircraft, Helicopter, Oscillating Bearing	MIL-G-25537	None	MILG25537 1LB CAN	1 LB	Any product listed in current issue of QPL-25537	Commercial		
C-008	Petrolatum, Technical Grade	VV-P-236		PETROLATUM 13 OZ	13 OZ		Commercial		
C-008	Petrolatum, Technical Grade	VV-P-236				Any product meeting specification	Commercial		
C-009	Lubricating Oil, Jet Engine	MIL-PRF-6081, Grade 1010	MIL-L-6081	MIL-L-6081	1 GAL	Any product listed in current issue of QPL-6081	Commercial		
C-010	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-7808, Grade 3	MIL-L-7808	MIL-L-7808	1 QT		Commercial	Refer to Flight Manual for approved oils	
C-010	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-7808, Grade 3	MIL-L-7808	None	N/A	Aeroshell Turbine Oil 308	Commercial	Refer to Flight Manual for approved oils	
C-010	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-7808, Grade 3	MIL-L-7808	None	N/A	Exxon Turbo Oil 2389	Commercial	Refer to Flight Manual for approved oils	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-010	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-7808, Grade 3	MIL-L-7808	None	N/A	Royco 808H	07950	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class HTS	MIL-L-23699	AEROSHELL 560	1 QT	AeroShell Turbine Oil 560	Commercial	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class HTS	MIL-L-23699	MOBIL 254	1 QT	Mobil Jet Oil 254	Commercial	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class HTS	MIL-L-23699	ROYCO 560	1 QT	Royco Turbine Oil 560	07950	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class STD	MIL-L-23699	None	N/A	Aeroshell Turbine Oil 500	Commercial	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class STD	MIL-L-23699	None	N/A	Mobil Jet Oil II	Commercial	Refer to Flight Manual for approved oils	
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class STD	MIL-L-23699	ROYCO 500	1 QT	Royco Turbine Oil 500	07950	Refer to Flight Manual for approved oils	
C-012	Lubricating Grease					ML 7 PLUS 2	???		
C-012	Lubricating Grease					Molykote No. 3	70904		
C-012	Lubricating Grease	None	N/A	PLASTILUBE #3	14 OZ	Plastilube #3	1V074		
C-013	Lubricating Oil	J 2362 (10W30)				10W30	Commercial		
C-014	Grease, Aircraft and Instruments	MIL-PRF-23827, Type I or II	MIL-G-23827	MIL-G-23827	14 OZ	Any product listed in current issue of QPL-23827	Commercial		
C-015	Lubricant, Tube Pack, Driveshaft Coupling	None	N/A	204-040-755-005	6 OZ	204-040-755-005	97499		
C-016	Lubricating Oil, Jet Engine	MIL-PRF-6081, Grade 1005	MIL-O-6081			Any product listed in current issue of QPL-6081	Commercial		
C-017	Lubricant, Fluorosilicone	NLGI Grade 2	None			Molykote 3451	71984		
C-018	Silicone Compound	AS8660	MIL-S-8660	NO.4 SILICONE	5.3 OZ	DC-4	71984		
C-019	Use C-028	None	N/A	None	N/A	Use C-028	N/A	Use C-028	
C-020	Lubricating and Preservative Oil, Low Volatility	MIL-PRF-6085	MIL-L-6085	MIL-L-6085	1 GA	Any product listed in current issue of QPL-6085	Commercial		
C-020	Lubricating and Preservative Oil, Low Volatility	MIL-PRF-6085	MIL-L-6085	MIL-L-6085 PT	1 PT	Any product listed in current issue of QPL-6085	Commercial		
C-020	Lubricating and Preservative Oil, Low Volatility	MIL-PRF-6085	MIL-L-6085	MIL-L-6085 QT	1 QT	Any product listed in current issue of QPL-6085	Commercial		
C-021	Lubricant, Solid Film, Air Cured, Corrosion Inhibitor	MIL-L-23398, Type II		TIO-LUBE 70	12 OZ	TIOLUBE 70	34568		
C-021	Lubricant, Solid Film, Air Cured, Corrosion Inhibitor	MIL-L-23398, Type II				Perma Slik G			
C-021A	Use C-031	None	N/A	None	N/A	Use C-031	N/A	Use C-031	
C-022	Use C-005	None	N/A	None	N/A	Use C-005	N/A	Use C-005	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-023	Grease, Petroleum Lubricant					Lubriplate 130-A	73219		
C-023	Grease, Petroleum Lubricant					Lubriplate 130-AA	73219		
C-024	Assembly Fluid	None	N/A	#1FLUID4OZ ULTRACHEM	4 OZ	Ultrachem Assembly Fluid No. 1	56385		
C-025	Graphite Petrolatum, Thread Antiseize Compound	AMS 2518	MIL-T-5544	MIL-T-5544	1 LB				
C-025	Graphite Petrolatum, Thread Antiseize Compound	AMS 2518	MIL-T-5544			Any product meeting specification	98308		
C-026	Grease, Aircraft, Ball and Roller Bearing	MIL-G-25013		ROYCO 13	28 OZ				
C-026	Grease, Aircraft, Ball and Roller Bearing	MIL-G-25013				Royco 13CF	07950		
C-026	Grease, Aircraft, Ball and Roller Bearing	MIL-G-25013				Royco 13D	07950		
C-027	Lubricant, Semi-Fluid	MIL-L-46000				Royco 46	07950		
C-028	Lubricant, Dry Film	None	N/A	PERMALON #327	12 OZ	Permalon 327	8M506		
C-029	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant	MIL-PRF-83282	MIL-H-83282			Any product listed in current issue of QPL-83282	Commercial		
C-030	Lubricating Oil	DOD-PRF-85734	DOD-L-85734	AEROSHELL 555	1 QT	Aeroshell Turbine Oil 555	Commercial		
C-030	Lubricating Oil	DOD-PRF-85734	DOD-L-85734	None	N/A	Exxon Turbo Oil 25	Commercial		
C-030	Lubricating Oil	DOD-PRF-85734	DOD-L-85734	ROYCO 555	1 QT	Royco Turbine Oil 555	07950		
C-031	Lubricating Oil, Piston Engine	J 1966, Grade 1100					Commercial		
C-032	Lubricant					3201-86217-01-0	99167		
C-033	Use C-005	None	N/A	None	N/A	Use C-005	N/A	Use C-005	
C-034	Lubricant, Solid Film					Everlube 620	11770		
C-035	Use C-021	None	N/A	None	N/A	Use C-021	N/A	Use C-021	
C-036	Cleaning Compound					Hoppe's No. 9 or equivalent	73266		
C-037	Use C-003	None	N/A	None	N/A	Use C-003	N/A	Use C-003	
C-038	Soluble Oil, Corrosion Inhibitor	MIL-I-24453					29700		
C-039	Lubricating Oil, General Purpose, Low Temperature	MIL-PRF-7870	MIL-L-7870			Any product listed in current issue of QPL-7870	Commercial		
C-040	Lubricating Oil, Light Machine					3 in 1 or equivalent	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-041	Heatsink Compound, Silicone Base					Thermalcote 250	13103		
C-042	Coating, Resin, Permanent, Engine Components	MIL-PRF-3043	MIL-R-3043			Griggs Paints Blue Bake Resin			
C-043	Grease, Molybdenum Disulfide, Low & High Temperatures	MIL-G-21164	MIL-G-7187	MIL-G-21164	1 LB	Any product listed in current issue of QPL-21164	Commercial		
C-044	Antichafe Tape, Rubber Sealant			PF 5423	Roll (0.75" wide)	3M No. 5423 , 0.75 inch wide	00612		
C-044	Antichafe Tape, Rubber Sealant					3M No. 5423 , 0.375 inch wide	00612		
C-044	Antichafe Tape, Rubber Sealant					3M No. 5423 , 1.0 inch wide	00612		
C-045	Potassium Hydroxide [KOH] (Caustic Potash), Solid Form, Technical Grade	ASTM E1456, Type I	O-P-566	None	N/A	Any product meeting specification	Commercial		85% Potassium hydroxide [KOH]
C-046	Paint Remover, No Hazardous Air Pollutants	TT-R-2918	None	None	N/A	PR-3133	55208		
C-046	Paint Remover, No Hazardous Air Pollutants	TT-R-2918	None	None	N/A	Turco 6813ED	1N6B3		
C-047	Tape, Foam, Vinyl, Double Coated, 1/16" Thick	None	N/A	4416,1.00 WIDE	Roll (1" wide)	3M No. 4416	52152		
C-047	Tape, Foam, Vinyl, Double Coated, 1/16" Thick	None	N/A	4416,.750 WIDE	Roll (0.75" wide)	3M No. 4416	52152		
C-048	Rubber Sheet, Flexible Cellular, Oil/Flame Resistant, 0.5" thick	ASTM D6576, Type II, Grade A, Soft	MIL-R-6130	MILR6130TY2GRA.5S OFT	3 SQ FT	Any product meeting specification	Commercial		
C-049	Torque Seal, Lacquer	None	N/A	F900, YELLOW	0.5 OZ	F-900	01195	Yellow	
C-051	Fire Retardant Penetrant, Interior, Spray	None	N/A	FXPF-32	1 QT	Flamex PF	Commercial		
C-052	Contact Enhancer, Electrical, Concentrate	None	N/A	STABILANT 22	15 ML KIT	Stabilant 22	38948		
C-053	Mineral Oil (All Grades)	None	N/A	None	N/A	Baby oil	Commercial	Also known as liquid petroleum or baby oil (US, Canada, and UK)	
C-054	Insulating Compound, Electrical (Conformal Coatings)	MIL-I-46058	None	MIL-I-46058,TY UR	1 GAL	Any product listed in current issue of QPL-46058	Commercial		Type UR (Polyurethane Resin)
C-055	Corrosion Preventive Compound	None	N/A	None	N/A	Ardrox AV 8	0L040	Formerly Dinitrol AV 8	
C-063	Primer for Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Class 5 or 10	None	BR1009-49/10PCTSO LID	1 QT	BR1009-49 10% Solids	09BV7	Use with adhesive film (C-364)	Class 10 (10% Solids)
C-063	Primer for Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Class 5 or 10	None	BR1009-49/5PCTPRIMER	1 QT	BR1009-49 5% Solids	09BV7	Use with adhesive film (C-364)	Class 5 (5% Solids)
C-072	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant, Low Temperature	MIL-PRF-87257	MIL-H-87257	None	N/A	Aeroshell Fluid 51	07950	Refer to Flight Manual for approved fluids	
C-072	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant, Low Temperature	MIL-PRF-87257	MIL-H-87257	None	N/A	Brayco Micronic 881	98308	Refer to Flight Manual for approved fluids	
C-072	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant, Low Temperature	MIL-PRF-87257	MIL-H-87257	None	N/A	Royco 777	07950	Refer to Flight Manual for approved fluids	
C-099	Chemical Film Material for Aluminum Bonding and Grounding	MIL-DTL-81706, Class 3, Form II	MIL-C-81706	MIL-C-81706,CL3 PWDR	1 LB	Iridite 14-2	0PX54		Powder



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-099	Chemical Film Material for Aluminum Bonding and Grounding	MIL-DTL-81706, Class 3, Form II	MIL-C-81706	None	N/A	Alodine 600	71410		Powder
C-099	Chemical Film Material for Aluminum Bonding and Grounding	MIL-DTL-81706, Class 3, Form VI	MIL-C-81706	None	N/A	Alodine 1132 (Touch-N-Prep)	71410		Premixed liquid
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form II	MIL-C-81706	MILC81706 CL1AFORM11	2 LB				
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form II	MIL-C-81706	None	N/A	Alodine 1200S (Immersion)	71410		
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form II	MIL-C-81706	None	N/A	Alumibond 1200 (Immersion)	1DZU6		
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706	MIL-C-81706 1 GAL	1 GAL				
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706	MIL-C-81706 1 QT	1 QT				
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706	None	N/A	Alodine 1201 (Brush-on)	71410		
C-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form VI	MIL-C-81706	None	N/A	Alodine 1132 (Touch-N-Prep)	71410		
C-101	CPC, Solvent Cutback, Cold-Application (Hard Film)	MIL-PRF-16173, Grade 1	MIL-C-16173	MIL-C-16173,GR1 2OZ	2 OZ	Any product listed in current issue of QPL-16173	Commercial		
C-101	CPC, Solvent Cutback, Cold-Application (Hard Film)	MIL-PRF-16173, Grade 1	MIL-C-16173	MIL-C16173 GR1 PT	1 PT	Any product listed in current issue of QPL-16173	Commercial		
C-101	CPC, Solvent Cutback, Cold-Application (Hard Film)	MIL-PRF-16173, Grade 1	MIL-C-16173	MIL-PRF-16173ECLASS1	1 GAL	Any product listed in current issue of QPL-16173	Commercial		
C-102	Use C-101	None	N/A	None	N/A	Use C-101	N/A	Use C-101	
C-103	Chromic Acid Treatment, Brush-on	AMS-M-3171, Type VI	MIL-M-3171	None	N/A	Any product meeting specification	Commercial		Referred to as Dow #19 treatment.
C-104	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-C-16173	MIL-C-16173 GR2	1 GAL	Any product listed in current issue of QPL-16173	Commercial		
C-104	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-C-16173	MIL-C-16173,GR2 6OZ	6 OZ	Any product listed in current issue of QPL-16173	Commercial		
C-104	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-C-16173	MIL-PRF-16173,CR2	2.5 OZ	Any product listed in current issue of QPL-16173	Commercial		
C-104	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-C-16173	MIL-PRF-16173 GR2	1 PT	Any product listed in current issue of QPL-16173	Commercial		
C-105	Corrosion Preventive Compound, Fingerprint Remover	MIL-C-15074		MILC15074 GALLON	1 GAL	Any product listed in current issue of QPL-15074	Commercial		
C-106	Corrosion Preventive, Reciprocating Aircraft Engine	MIL-C-6529, Type II				Any product listed in current issue of QPL-6529	Commercial		
C-107	Hydraulic Fluid, Petroleum Base, Preservation/Operation	MIL-PRF-6083	MIL-H-6083			Any product meeting specification	Commercial		
C-108	Cadmium Plating Solution, Brush-on	MIL-STD-865	DWG 632132409	LHE SELECTRON SPS507	1 QT	5070	11924		
C-108	Cadmium Plating Solution, Brush-on	MIL-STD-865	DWG 632132409	None	N/A	2023	11924		
C-108	Cadmium Plating Solution, Brush-on	MIL-STD-865	DWG 632132409	None	N/A	LDC 4803	57868		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-109	Use C-125	None	N/A	None	N/A	Use C-125	N/A	Use C-125	
C-110	CPC, Solvent Cutback, Cold-Application (Water Displacing Film)	MIL-PRF-16173, Grade 3	MIL-C-16173	MIL-C16173 GR3 GL	1 GAL	Any product listed in current issue of QPL-16173	Commercial		
C-110	CPC, Solvent Cutback, Cold-Application (Water Displacing Film)	MIL-PRF-16173, Grade 3	MIL-C-16173	MIL-C16173 GR3 PT	1 PT	Any product listed in current issue of QPL-16173	Commercial		
C-111	Use C-020	None	N/A	None	N/A	Use C-020	N/A	Use C-020	
C-111A	Use C-020	None	N/A	None	N/A	Use C-020	N/A	Use C-020	
C-112	Cadmium Chromate Conversion Coating	None	N/A	DALIC 5005	1 QT	Dalic 5005, Brush	11924		
C-112	Cadmium Chromate Conversion Coating	None	N/A	None	N/A	SSS 3002, Brush	76071		
C-113	Calcium Fluoride [CaF2], Technical Grade	MIL-C-11162	None	CALCIUM FLOURIDE	1 LB	Calcium Fluoride	Commercial		
C-114	Dichromate Treatment	AMS-M-3171, Type III	MIL-M-3171	None	N/A	Any product meeting specification	Commercial		Referred to as Dow #7 treatment.
C-115	Magnesium Fluoride [MgF2], Technical Grade	JAN-M-621	None	None	N/A	Magnesium Fluoride	Commercial		
C-116	Chromic Acid [CrO3] (Chromium Trioxide), Technical Grade	A-A-55827	O-C-303	A-A-55827	1 LB	Any product meeting specification	Commercial		
C-117	Hydrofluoric Acid, Technical Grade	MIL-A-24641	None	None	N/A	Any product meeting specification	Commercial		60% Hydrogen fluoride [HF] minimum
C-118	Sodium Hydroxide [NaOH] (Caustic Soda), Technical Grade	ASTM D456	O-S-598	None	N/A	Any product meeting specification	Commercial		
C-119	Use C-112	None	N/A	None	N/A	Use C-112	N/A	Use C-112	
C-120	Calcium Sulfate [CaSO4], Technical Grade	None	N/A	CALCIUM SULFATE	4.4 LB	Calcium Sulfate	Commercial		
C-120	Calcium Sulfate [CaSO4], Technical Grade	None	N/A	CALCIUM SULFATE 1.0	1.3 OZ	Calcium Sulfate	Commercial		
C-121	Use C-100	None	N/A	None	N/A	Use C-100	N/A	Use C-100	
C-122	Coating, Corrosion Preventative, for Aircraft Integral Tanks	AMS-C-27725, Type I	MIL-C-27725	AMS-C-27725, TY 1, GAL	1 GAL	833K086 (Base) and 930K088 (Activator)	0ZX56	Two-part polyurethane coating with less than 420g/L VOC content.	
C-123	Metal Surface Conditioner					Cor D Smut 5215			
C-123	Metal Surface Conditioner					Deoxidine 299			
C-123	Metal Surface Conditioner					E-Pik 272			
C-123	Metal Surface Conditioner					Turco T4338	61102		
C-124	Corrosion Preventive Compound, Oil Additive			BRAYCO 599	8 OZ	Brayco Concentrate 599	98308	Use only with MIL-PRF-23699 turbine oil	
C-125	Corrosion Preventive	None	N/A	None	N/A	3M 5-Way Penetrant	04963		Oil-based, Aerosol



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-125	Corrosion Preventive	None	N/A	None	N/A	Castrol Rustilo 4135 HF	2R128		Solvent-based
C-125	Corrosion Preventive	None	N/A	None	N/A	Castrol Rustilo 4169	2R128		Oil-based
C-125	Corrosion Preventive	None	N/A	None	N/A	CRC 3-36	023V4		Oil-based, Aerosol
C-125	Corrosion Preventive	None	N/A	WD-40	12 OZ	WD 40	09137		Oil-based
C-126	Corrosion Preventive Compound, Aircraft Turbine Engine	MIL-PRF-8188	MIL-C-8188			Any product listed in current issue of QPL-8188	Commercial		
C-127	Corrosion Preventive Compound, Petrolatum, High Temp	MIL-C-11796, Grade 3	Multiple	MIL-C-11796,CL 1	1 LB	Any product listed in current issue of QPL-11796	Commercial		
C-127	Corrosion Preventive Compound, Petrolatum, High Temp	MIL-C-11796, Grade 3	Multiple	MIL-C-11796 CL.3	1 LB	Any product listed in current issue of QPL-11796	Commercial		
C-128	Corrosion Preventive Compound	None	N/A	XMAS6856K/160CTG	160 ML	Mastinox 6856K	0ZX56		
C-129	Use C-125	None	N/A	None	N/A	Use C-125	N/A	Use C-125	
C-130	Cleaning Compound, Solvent, Oil Cooler	MIL-PRF-6864	MIL-C-6864				Commercial		
C-131	Use C-018	None	N/A	None	N/A	Use C-018	N/A	Use C-018	
C-132	Brush Cadmium, Electro-cleaning Solution					SCM 4100	13929		
C-132	Brush Cadmium, Electro-cleaning Solution					1010	11924		
C-133	Tape, Anti-seize, Tetrafluoroethylene (TFE), with Dispenser	MIL-T-27730	-	None	N/A	Any product meeting specification	Commercial		
C-134	Use C-483	None	N/A	None	N/A	Use C-483	N/A	Use C-483	
C-135	Paint Remover, Hot Tank-Type, Water Rinsable	MIL-PRF-83936	MIL-R-83936	None	N/A	Cee-Bee A-477	Z08B0		Not approved for use on magnesium
C-136	Caps and Plugs, ESDS Protective, Electrical Connector	None	N/A	None	N/A	3M No. 4270	20999		
C-137	Cooling Agent	None	N/A	QUIKFREEZE	Each	Quik-Freeze MS-242N	18598		14oz Aerosol Spray
C-138	Staining Medium, Dye, Opaque	None	N/A	None	N/A	DYKEM Staining Color 81413	98148	Orange Color	8 OZ (Brush-In-Cap)
C-138	Staining Medium, Dye, Opaque	None	N/A	None	N/A	DYKEM Staining Color 81713	98148	Orange Color	1 GAL (Bottle)
C-139	Sealing Compound, Polythioether, Electrically Conductive	299-947-537	None	None	N/A	PR-2200 Class B	83574		
C-139	Sealing Compound, Polythioether, Electrically Conductive	AMS 3266	None	PR1764	2 OZ	PR-1764 Class B	83574		
C-139	Sealing Compound, Polythioether, Electrically Conductive	AMS 3266	None	PR1764-20Z	2 OZ	PR-1764 Class B	83574		
C-140	Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	None	N/A	None	N/A	3M No. 468	04963		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-141	Twine, Fibrous, Nylon, Waxed, Lacing and Tying	MIL-T-713, Type P, Class 1	None	MILT713CLI	Roll (1 LB)	Any product meeting specification	Commercial	70 Lbs minimum breaking strength	
C-144	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-326, Type II, Class E	None	299-947-326, TYII, CLE	1 LB	120-38-F161	91610	360°F-cure	120 style weave (Form 120)
C-145	Coating, Polyurethane, Two Parts, for Polycarbonate Plastic	None	N/A	None	N/A	POLANE T Polyurethane Enamel (F63B12)	54636	Use with thinner (R7K69)	Black per color code 37038
C-146	Coating, Polyurethane, Elastomeric, Rain Erosion Resistant	MIL-C-85322	-	None	N/A	Aeroglaze M1433 Coating	30676		Color code 36375 (gray) per FED-STD-595
C-147	Sodium Chromate, Tetrahydrate [Na2CrO4.4H2O], Technical Grade	None	N/A	None	N/A	Sodium Chromate Tetrahydrate	Commercial		
C-148	Tape, Polyester, Double Coated	None	N/A	415,.5 WIDE	Roll (0.5" wide)	3M No. 415	52152		
C-149	Edge Sealer, Erosion Protective Tape	None	N/A	62-3553-1435-2	1.7 OZ	DP190	52152		Epoxy Adhesive, Gray
C-151	Sealing Compound, Corrosion Inhibitive, Premixed, Prefrozen	299-947-074, Type IV	None	None	N/A	AC-665 B-2	1DWR5		
C-151	Sealing Compound, Corrosion Inhibitive, Premixed, Prefrozen	299-947-074, Type IV	None	None	N/A	P/S 870 B-2	0ZX56		
C-152	Cable, Safety, CRES and Heat Resistant Steel, 0.032"	AS4536	None	None	N/A	AS3510-02(any length)C	Commercial	Use with C-153	
C-153	Cable Ferrule, Safety, CRES and Heat Resistant Steel, 0.032"	AS4536	None	None	N/A	AS3510-02F	Commercial	Use with C-152	
C-154	Wire, Safety, CRES, 0.015"	NASM20995	MS20995	MS20995C15	Roll (1 LB)		Commercial		
C-155	Carbon Fabric, Woven, Epoxy Resin-Impregnated	299-947-321, Type II, Class B	None	299-947-321TYIICLB	1 LB	HMF 937A/5HS	0LHZ4	350°F-cure	Satin weave
C-156	Caps and Plugs, Protective, Electrical Connector	NAS 820	None	None	N/A	Any product meeting specification	Commercial		
C-157	Tape, Adhesive, Pressure Sensitive, PTFE Coated Fiberglass	None	N/A	None	N/A	CHR A2005	1ECV7		
C-157	Tape, Adhesive, Pressure Sensitive, PTFE Coated Fiberglass	None	N/A	None	N/A	Tooltec A005	53912		
C-158	Sealing Compound, Polythioether Rubber, Fuel Resistant, Fast Curing	AMS 3277, Type II, Class B	None	PR-1828 B-1/2	3 OZ	PR-1828 Class B	0ZX56		1/2-hour application time
C-158	Sealing Compound, Polythioether Rubber, Fuel Resistant, Fast Curing	AMS 3277, Type II, Class B	None	PR-1828 B-2	2.5 OZ KT	PR-1828 Class B	0ZX56		2-hour application time
C-159	Penetrating Fluid, High Solvency, VOC compliant	NSF H2	None	None	N/A	KB 88 - The Ultimate Penetrant	66724	For penetrant purpose only	
C-160	Tape, Adhesive, Hot-Melt, Thermoplastic	None	N/A	S-1048	Roll (1" wide)	S-1048	06090		
C-161	Sealing Compound, Dielectric	MIL-PRF-8516, Type II	MIL-S-8516	MILS8516TY2CL2 12OZ	12 OZ				High viscosity
C-161	Sealing Compound, Dielectric	MIL-PRF-8516, Type II	MIL-S-8516	MILS8516 TY2 CL2 PT	1 PT				High viscosity
C-161	Sealing Compound, Dielectric	MIL-PRF-8516, Type II	MIL-S-8516	None	N/A	CS 3100, Type II, Class 2	14439		High viscosity
C-161	Sealing Compound, Dielectric	MIL-PRF-8516, Type II	MIL-S-8516	None	N/A	WS-516, Type I and II			Low and high viscosity, respectively



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-162	Cable, Safety, Kit, Corrosion Resistant Steel, 0.032"	AS4536	None	None	N/A	AS3511-02(any length)K	Commercial		
C-163	Tape, Adhesive, Acrylic Foam, Black	None	N/A	4949,.750 WIDE	Roll (0.75" wide)	3M No. 4949	76381		
C-164	Masking Tape, High Temperature, Fine Line	None	N/A	None	N/A	3M No. 222	52152	1.0 inch wide	
C-165	Tape, Masking, High Temperature, Pressure Sensitive	None	N/A	2525 1.00 WIDE	Roll (1" wide)	3M No. 2525	52152		
C-165	Tape, Masking, High Temperature, Pressure Sensitive	None	N/A	None	N/A	3M No. 214	52152		
C-166	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-076, Type C	None	299-947-076 TY C	1 LB		97499	7781 style weave, 265°F-cure	38-inch width
C-166	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-076, Type C	None	299-947-076, TY C	1 LB		97499	7781 style weave, 265°F-cure	12-inch width
C-166	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-076, Type C	None	None	N/A	F185-1/7781	ISPP9	7781 style weave, 265°F-cure	38-inch width
C-166	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-076, Type C	None	None	N/A	Rigidite 3200/7781	04622	7781 style weave, 265°F-cure	
C-167	Corrosion Preventive Compound, Water Displacing, Soft Film	MIL-PRF-81309, Type II	MIL-C-81309	None	N/A	Corrosion X Aviation	0VJ14		Solvent-based, General Purpose Grade
C-174	Adhesive, Instant, Ethyl-2-Cyanoacrylate, Medium/High Viscosity	A-A-3097, Type II, Class 3	MIL-A-46050	MILA46050TYIICL3 1OZ	1 OZ	Any product meeting specification	Commercial		
C-174	Adhesive, Instant, Ethyl-2-Cyanoacrylate, Medium/High Viscosity	A-A-3097, Type II, Class 3	MIL-A-46050	MILA46050TYIICL3 8OZ	8 OZ	Any product meeting specification	Commercial		
C-192	Thread, Nylon, Twisted Multiple Cord, Bonded Finish, General Purpose	A-A-59826, Type II, Class A	V-T-295, Type II, Class A	None	N/A	Any product meeting specification	Commercial	Refer to text for thread size	
C-200	Putty, General Purpose, Non-Hardening, Corrosion Inhibiting	MIL-PRF-8116	MIL-P-8116	MILP8116	16 OZ	Any product meeting specification	Commercial	Formerly zinc chromate putty.	
C-201	Zinc Chromate Primer	TT-P-1757	TT-P-666 and MIL-P-8585	TT-P-1757	12 OZ	Any product meeting specification	Commercial		Color T (same as color code 34151(interior green) per FED-STD-595)
C-201	Zinc Chromate Primer	TT-P-1757	TT-P-666 and MIL-P-8585	TT-P-1757-CP G	3 OZ	Any product meeting specification	Commercial		
C-201	Zinc Chromate Primer	TT-P-1757	TT-P-666 and MIL-P-8585	TT-P-1757CP G/CLR T	1 GA	Any product meeting specification	Commercial		Color T (same as color code 34151(interior green) per FED-STD-595)
C-202	Primer, Catalyzed Epoxy	299-947-060, Type I	None	SUPER KOROPON	2 QT KIT	Super Koropon	K5635	Base P/N: 515X330 Activator P/N: 910J717	
C-202	Primer, Catalyzed Epoxy	299-947-060, Type I	None	SUPER KOROPON GAL	1 GAL KIT	Super Koropon	K5635	Base P/N: 515X330 Activator P/N: 910J717	
C-202A	Use C-204	None	N/A	None	N/A	Use C-204	N/A	Use C-204	
C-203	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-204	Primer, Epoxy Polyamide, High-Solids	MIL-PRF-23377, Type I or II, Class C2	MIL-P-23377	MIL-PRF-23377TI,CLC	1 PT		Commercial		
C-204	Primer, Epoxy Polyamide, High-Solids	MIL-PRF-23377, Type I or II, Class C2	MIL-P-23377	MIL-PRF-23377, TY I	2 GAL KIT		Commercial	Alternate C-246. C-246 not for wet installations.	
C-205	Thinner, Dope, Cellulose Nitrate	MIL-T-6095				Any product meeting specification	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-206	Thinner, Nitrate Cellulose Lacquer	A-A-857					Commercial	Use with C-216	
C-206	Thinner, Nitrate Cellulose Lacquer	MIL-T-19544					Commercial	Use with C-216	
C-207	Use C-210	None	N/A	None	N/A	Use C-210	N/A	Use C-210	
C-208	Epoxy/Zinc Coating	299-947-204		299-947-204 2GAL	2 GAL				
C-208	Epoxy/Zinc Coating	299-947-204				02-X-011 Base + Catalyst + Zinc Dust			
C-209	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	36307 GRAY	1 QT		Commercial		Color code 36307 (gray) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	BROWN, 20040	1 QT KIT		Commercial		Color code 20040 (brown) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	GRAY 36118 1.0 GAL	1 GAL KIT		Commercial		Color code 36118 (gray) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	GRAY 36118 1.5 GAL	1.5 GAL KIT		Commercial		Color code 36118 (gray) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	GRAY 36118 4 OZ	4 OZ		Commercial		Color code 36118 (gray) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	MIL-C-22750 GRA36231	2 GAL KIT		Commercial		Color code 36231 (gray) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	None	N/A		Commercial		Color code 17038 (black) per FED-STD-595
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	MIL-C-22750	None	N/A		Commercial		Color code 17925 (white) per FED-STD-595
C-211	Shellac Varnish	A-A-8, Type I, Grade B, Body 2	TT-S-300	TT-S-300 TYI GRADEB	1 GAL		Commercial		
C-212	Sodium Dichromate [Na ₂ Cr ₂ O ₇], Technical Grade	A-A-59123	O-S-595	None	N/A	Any product meeting specification	Commercial		
C-213	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-214	Anti-Static Coating	299-947-085	None			528X306	85570		
C-215	Use C-216	None	N/A	None	N/A	Use C-216	N/A	Use C-216	
C-216	Lacquer, Gloss, Clear	A-A-3165	TT-L-32			Any product meeting specification	Commercial		
C-217	Peelable Plastic Coating			TURCO 5580-G	5 GAL	Turco T-5580G	61102		
C-217	Peelable Plastic Coating					Glo-Rubber Indian Red			
C-217	Peelable Plastic Coating					Micropeel			
C-218	Coating, Aliphatic Polyurethane, Chem. Agent Resistant	MIL-C-46168, Type II					Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-219	Liquid Epoxy	MIL-P-38714, Type I, Grade 0		EPON828 W/DTA CATLST	1 PT	Epon 828	86961		
C-220	Catalyst, DTA (for Epoxy Resins)	None	N/A	None	N/A	EPI-Cure 3223 (Diethylenetriamine)			
C-221	Chemical Conversion Coating Material, Ferrous Surface	TT-C-490					02731		
C-222	Catalyzed Epoxy Primer (3 Part Kit)					Catalyzed Epoxy Primer (3 Part Kit)	22783		
C-223	Nonslip Compound, Walkway	A-A-59166, Type II	MIL-W-5044	BLK,37038 GAL	1 GAL	Any product meeting specification	Commercial		
C-224	Paint, Conductive, Silver					P/N 13220E8197	97403		
C-225	Release Film, High Temperature, Non-perforated	None	N/A	None	N/A	E3760	85670		
C-225	Release Film, High Temperature, Non-perforated	None	N/A	None	N/A	Tedlar PVF film, grade 200SG40TR	18873		
C-226	Synthetic Lacquer, Camouflage, Exterior, VOC Compliant	A-A-3164	TT-L-20			Any product meeting specification	Commercial		
C-227	Use C-228	None	N/A	None	N/A	Use C-228	N/A	Use C-228	
C-228	Sanding Surfacers, Polyurethane, VOC Compliant	299-947-127				09GY006/09GY006CAT, Parts A & B	33461		
C-229	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-230	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-231	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-232	Polyurethane Conductive Coating, Copper Filled	299-947-328				Antenna Guard, Y-1306	87354		
C-232	Polyurethane Conductive Coating, Copper Filled	299-947-328				Lightning Guard, 599-A8574-1	87354		
C-232	Polyurethane Conductive Coating, Copper Filled	299-947-328					97499		
C-233	Polyurethane Enamel	299-947-117, Type I				Imron Polyurethane Enamel	Commercial		
C-233	Polyurethane Enamel	299-947-117, Type II				Imron 6000 (Basecoat/Clearcoat)	Commercial		
C-234	Primer, Urethane Compatible	299-947-322, Type I				DeSoto, 513x384 Primer Base, 910x456 Curing Solution	97460		
C-234	Primer, Urethane Compatible	299-947-322, Type II				DeSoto, 513x411 Primer Base, 910x811 Curing Solution	97460		
C-235	Polyurethane Thinner	MIL-T-81772, Type I				(Polyurethane)	Commercial		
C-235	Polyurethane Thinner	MIL-T-81772, Type II				(Epoxy)	Commercial		
C-235	Polyurethane Thinner	MIL-T-81772, Type III		MILT81772 TYIII GAL	1 GAL	(Acrylic and Alkyd)	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-236	Use C-259	None	N/A	None	N/A	Use C-259	N/A	Use C-259	
C-237	Varnish, Alkaline Resistant	A-A-1800, Type I or II				Any product meeting specification	Commercial		
C-238	Use C-298	None	N/A	None	N/A	Use C-298	N/A	Use C-298	
C-239	Use C-245	None	N/A	None	N/A	Use C-245	N/A	Use C-245	
C-240	Enamel Overcoat, Alkyd, Exterior, Low VOC	TT-E-489					Commercial		
C-241	Coating, Aliphatic Polyurethane, Chem. Agent Resistant	MIL-C-53039	MIL-L-46159				Commercial	Use C-218 as alternate	
C-242	Use C-436	None	N/A	None	N/A	Use C-436	N/A	Use C-436	
C-243	Sodium Thiosulphate [Na2S2O3], Anhydrous, Technical Grade	None	N/A	None	N/A	Sodium Thiosulphate	Commercial		Also spelled sodium thiosulfate.
C-244	Use C-248	None	N/A	None	N/A	Use C-248	N/A	Use C-248	
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285TY1,CLEAR	3 GAL KIT		Commercial		Clear
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285TY1COL17925	2 GAL KIT		Commercial		Color code 17925 (white) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285TYI-13538	2 GAL KIT		Commercial		Color code 13538 (yellow) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285,TYI,16440	2 GAL KIT		Commercial		Use with primer C-246. Color code 16440 (gray) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285,TYI,17178	5 QT KIT		Commercial		Color code 17178 (gray) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285TYI-27925	1 GAL KIT		Commercial		Color code 27925 (white) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285,TYI,36440	2 GAL KIT		Commercial		Color code 36440 (gray) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MILC85285,TYI,37038	5 QT KIT		Commercial		Color code 37038 (black) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285	MIL-PRF-85285,12197	1 GAL KIT		Commercial		Color code 12197 (orange) per FED-STD-595
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-C-85285		N/A		Commercial		Color code 13655 (yellow) per FED-STD-595
C-246	Coating, Epoxy Primer, Waterborne	MIL-PRF-85582, Type I, Class C2	MIL-P-85582	EWDE072	5 QT KIT	EWDE072A/B	85570	Use C-204 for wet installations	
C-247	Use C-262	None	N/A	None	N/A	Use C-262	N/A	Use C-262	
C-248	Coating, Polymer	None	N/A	SERMETEL 1122	1 PT	SermeTel 1122	58913	Special order item. Availability may require lead-time.	Silver
C-249	Varnish	MIL-V-173					Commercial		
C-249	Varnish	MIL-V-173 Amend 2, Type 2					Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-249	Varnish	MIL-V-173 CP1					Commercial		
C-249	Varnish	MIL-V-173 CP2					Commercial		
C-250	Adhesive, Silicone Base					217-548	80064		
C-250	Adhesive, Silicone Base					6282PC12	80064		
C-250	Adhesive, Silicone Base					RTV-738	71984		
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	MIL-PRF-81733 2.5 OZ	2.5 OZ			Class 1 (Polysulfide) - Grade A (Chromate)	Type I (brush or dip application)
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	MILS81733TY II-2 PT	1 PT			Class 1 (Polysulfide) - Grade A (Chromate)	Type II (extrusion gun or spatula)
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	MILS81733TY II-2 QT	1 QT			Class 1 (Polysulfide) - Grade A (Chromate)	Type II (extrusion gun or spatula)
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	None	N/A	AC-665 B-1/2	1DWR5	Class 1 (Polysulfide) - Grade A (Chromate)	Type II (extrusion gun or spatula)
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	None	N/A	P/S 870 B-1/2	0ZX56	Class 1 (Polysulfide) - Grade A (Chromate)	Type II (extrusion gun or spatula)
C-251	Sealant, Corrosion Inhibitor	MIL-PRF-81733	MIL-S-81733	PR 870 A-2	6 Oz	P/S 870 A-2	0ZX56	Class 1 (Polysulfide) - Grade A (Chromate)	Type I (brush or dip application)
C-252	Adhesive Film, Intermediate Cure Temperature	299-947-320, Type I	None	None	N/A	3M No. AF 163-2K	6A670		
C-253	Adhesive Primer, Intermediate Cure Temperature	299-947-320, Class 1	None	EC3924B QT	1 QT	3M No. EC 3924B	6A670		
C-254	Kraft Paper, Wrapping, Untreated and Unbleached	None	N/A	None	N/A	Kraft Paper	Commercial		
C-255	Carbon Fabric, Woven, Dry, Plain Weave	299-947-499, Type II, Class 2, Form 3K-PW	None	None	N/A	PW 60" 195GSMTR7X12AS4 GP-3K	0LHZ4		
C-255	Carbon Fabric, Woven, Dry, Plain Weave	299-947-499, Type II, Class 2, Form 3K-PW	None	PW42"195GSMTR7X1 2AS4	1 FT	PW 42" 195GSMTR7X12AS4 GP-3K	0LHZ4		
C-256	Release Film, Fluoropolymer, Non-perforated	None	N/A	MB1679	Roll (50"x500')	A5000	0F451		FEP type
C-256	Release Film, Fluoropolymer, Non-perforated	None	N/A	None	N/A	A4000	53912		FEP type
C-256	Release Film, Fluoropolymer, Non-perforated	None	N/A	None	N/A	Wrightlon 5200	53912		ETFE type
C-257	Bagging Film, Nylon	None	N/A	None	N/A	Wrightlon 7400	53912	For cure temperature < 375°F	
C-258	Breather Felt, Non-Woven, Polyester, 10 oz, High Pressure	None	N/A	None	N/A	Airweave Super 10	53912	For cure temp < 400°F and press < 100 PSIG (autoclave)	
C-259	Sealant Tape, Extruded, General Purpose, Cure Temp < 375°F	None	N/A	GS100B.125X.50	Each	GS 100 (1/8" x 1/2")	53912	Not to be used for 4-hour cure cycles above 250°F.	
C-260	Masking Tape, Polyester, High Temperature	None	N/A	8403	Each	3M No. 8403	76381		2.0 inches wide
C-260	Masking Tape, Polyester, High Temperature	None	N/A	8403GREEN1/4INX72 YDS	Each	3M No. 8403	76381		0.25 inch wide



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-261	Epoxy Resin, Wet Layup	BMS-8-301, Class 1, Grade 1				Hysol EA9390	1UW17		
C-262	Anti-Seize Compound, Thread, Molybdenum, Disulfide, Petrolatum	MIL-PRF-83483	MIL-T-83483	MIL-PRF-83483	1 LB	Any product meeting specification	Commercial		
C-263	Sealant, Anaerobic, Threadlocking	None	N/A	LOCTITE 243	50 ML	Loctite 243	05972		
C-265	Coating, High Solids Polyurethane, Mar-Resistant	299-947-494	None	18BK006/18BK006CA T	Each	18 Series Coating	33461		Color code 37038 (black) per FED-STD-595, 60° Gloss 7-14
C-265	Coating, High Solids Polyurethane, Mar-Resistant	299-947-494	None	18W010/18W010CATT	Each	18 Series Coating	33461		Color code 27925 (white) per FED-STD-595, 60° Gloss 20-30
C-265	Coating, High Solids Polyurethane, Mar-Resistant	299-947-494	None	None	N/A	831G160BE/930G976	0ZX56		Color code 27925 (white) per FED-STD-595, 60° Gloss 20-30
C-265	Coating, High Solids Polyurethane, Mar-Resistant	299-947-494	None	None	N/A	838G045BE/930G976	0ZX56		Color code 37038 (black) per FED-STD-595, 60° Gloss 7-14
C-285	Isopropyl Alcohol, 70%, Rubbing Type	None	N/A	None	N/A	Isopropyl Alcohol	Commercial		
C-285	Isopropyl Alcohol, 99%	None	N/A	None	N/A	Isopropyl Alcohol	Commercial		
C-292	Strap, Tiedown, Adjustable, Self-Clinching, Plastic	None	N/A	PLT1M-C702Y	Each	Cable tie, 4.0", miniature cross section	06383		
C-292	Strap, Tiedown, Adjustable, Self-Clinching, Plastic	None	N/A	PLT2S-C702Y	Each	Cable tie, 7.4", miniature cross section	06383		
C-293	Tubing, Insulation, Heat Shrinkable	None	N/A	DR-25 1/4-0	1 FT	DR-25-1/4-0-SP	06090		
C-293	Tubing, Insulation, Heat Shrinkable	None	N/A	None	N/A	DR-25-1/8-0-SP	06090		
C-293	Tubing, Insulation, Heat Shrinkable	None	N/A	None	N/A	DR-25-3/16-0-SP	06090		
C-298	Adhesive, Epoxy, Metal Repair & Fairing Compound			DEVCON 2-TON	1 OZ	Devcon 2-Ton	16059		
C-299	Sealant, Anaerobic, Threadlocking, Fast Curing	ASTM D5363, Group 03, Class 1, Grade 1	MIL-S-46163	MILS46163TY11GRM 50CC	50 CC				
C-299	Sealant, Anaerobic, Threadlocking, Fast Curing	ASTM D5363, Group 03, Class 1, Grade 1	MIL-S-46163	None	N/A	Loctite 222	05972		
C-299	Sealant, Anaerobic, Threadlocking, Fast Curing	ASTM D5363, Group 03, Class 1, Grade 1	MIL-S-46163	None	N/A	Permabond LM113	3R2V1		
C-299	Sealant, Anaerobic, Threadlocking, Fast Curing	ASTM D5363, Group 03, Class 1, Grade 1	MIL-S-46163	None	N/A	Saf-T-Lok T22	4Z400		
C-300	Adhesive, Silicone Base, Two-Part	299-947-152, Type I, Class 1	None	299-947-152TICL1 1OZ	1 OZ				
C-300	Adhesive, Silicone Base, Two-Part	299-947-152, Type I, Class 1	None	299-947-152TYICL1 QT	1 QT				
C-300	Adhesive, Silicone Base, Two-Part	299-947-152, Type I, Class 1	None	None	N/A	Dapco 3300	58093		
C-300	Adhesive, Silicone Base, Two-Part	299-947-152, Type I, Class 1	None	None	N/A	Silgrip SR-529 with 3% SRC-18 Catalyst	01139		
C-301	Adhesive, Urethane Base	299-947-066, Type I		299-947-066 TY1	1 QT				



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-301	Adhesive, Urethane Base	299-947-066, Type I		299-947-066, TY1 4OZ	4 OZ				
C-301	Adhesive, Urethane Base	299-947-066, Type I				3M No. EC3549 (Tan)	6A670		
C-301	Adhesive, Urethane Base	299-947-066, Type I				Dapcotac 3013 (Natural Color)	58093		
C-302	Use C-339	None	N/A	None	N/A	Use C-339	N/A	Use C-339	
C-303	Adhesive, Acrylic Monomer-polymer Base, for Acrylic Plastics	299-947-092	None	299-947-092 PT	1 PT				
C-303	Adhesive, Acrylic Monomer-polymer Base, for Acrylic Plastics	299-947-092	None	None	N/A	PS-18 (Three components)	0VHD7		
C-303	Adhesive, Acrylic Monomer-polymer Base, for Acrylic Plastics	299-947-092	None	None	N/A	PS-30 (Two components)	0VHD7		
C-304	Solvent, Drycleaning, Degreaser	MIL-PRF-680, Type II	P-D-680	MIL-PRF-680TYII	5 GAL	Any product meeting specification	Commercial		
C-304	Solvent, Drycleaning, Degreaser	MIL-PRF-680, Type II	P-D-680	PD680	1 GAL	Any product meeting specification	Commercial		
C-305	Aliphatic Naphtha	TT-N-95, Type II	None	TT-N-95, TYII 1GAL	1 GAL	Any product meeting specification	Commercial		
C-306	Toluene, Technical Grade	A-A-59107		TTT548	55 GAL	Any product meeting specification	Commercial		
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2		299-947-152T1CL2 WHT	3 OZ				
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2		299-947-152, TY1, CL2	3 OZ				
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2		299-947-152TY1CL2C LR	3 OZ				
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2				RTV-108 (Translucent)	01139		
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2				RTV-732 (White, Black or Clear)	71984		
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2					97499		
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	299-947-107, Type III, Class 7	None	299-947-107 TY3 CL7	50 GRAMS				
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	299-947-107, Type III, Class 7	None			CS3204-B2	14439		
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	299-947-107, Type III, Class 7	None			PR-1440, Class B-2	83574		
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	299-947-107, Type III, Class 7	None			Pro-Seal 890-B2	83574		
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	AMS-S-8802, Class B2	MIL-S-8802	AMS-S-8802 6OZ	6 OZ				
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	AMS-S-8802, Class B2	MIL-S-8802	AMS-S-8802 PT	1 PT				
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	AMS-S-8802, Class B2	MIL-S-8802	AMS-S-8802 QT	1 QT				



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-308	Sealant, Temp. & Fuel Resistant, High Adhesion	AMS-S-8802, Class B2	MIL-S-8802			CS3204-B2	14439		
C-309	Methyl-Ethyl-Ketone (MEK)	ASTM D740	TT-M-261	METHYL ETHYL KETONE	1 GAL	Any product meeting specification	Commercial	Use C-316 or C-305 as alternates to MEK	
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6	None	299-947-107 TY3 CL6	1 QT				
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6	None	299-947-107TY3CL6 8OZ	8 OZ				
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6	None			Magna-Tac M-24	5B981		
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6	None			Magna-Tac M-24	85091		
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6	None				97499		
C-311	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	None	299-947-107T2CL4 4OZ	4 OZ				
C-311	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	None	299-947-107TY2CL4 QT	1 QT				
C-311	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	None	299-947-107TYIICL4	1 PT				
C-311	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	None			A-1231-B	1HS43		
C-311	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	None				97499		
C-312	Adhesive, Rubber Base, General Purpose	None	N/A	847	5 OZ	3M EC-847	6A670		
C-313	Adhesive, Room Temperature Cure, General Purpose	299-947-099	None	299-947-099 11OZ	11 OZ				
C-313	Adhesive, Room Temperature Cure, General Purpose	299-947-099	None			Araldite AV1258/HV1258	02684		
C-313	Adhesive, Room Temperature Cure, General Purpose	299-947-099	None			Hysol EA9340	1UW17		
C-313	Adhesive, Room Temperature Cure, General Purpose	299-947-099	None			Metalset A-4	90414		
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III		299-947-152, TY III	6 OZ				
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III				FRV-1106	01139		
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III				RTV-730 (White)	71984		
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III					97499		
C-315	Nitrogen [N], Gaseous, Technical Grade	A-A-59503, Type I	BB-N-411	None	N/A	Any product meeting specification	Commercial		
C-316	Acetone	ASTM D329		ACETONE GALLON	1 GAL	Any product meeting specification	Commercial		
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	299-947-100TY2CL2G 50	50 GRAMS	299-947-100, TY II, CL 2	None		



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	299-947-100TY2CL2P T	1 PT	299-947-100,TY II,CL 2	None		
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	299-947-100TY2CL2Q T	1 QT	299-947-100,TY II,CL 2	None		
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	None	N/A	Hysol EA9392	1UW17		
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	None	N/A	Magnobond 6398	22121		
C-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None			Hysol EA934NA	1UW17		
C-317A	Use C-317	None	N/A	None	N/A	Use C-317	N/A	Use C-317	
C-318	Cleaning Compound, Alkaline Base, Detergent	MIL-C-87936, Type I		MILC87936TYI 5GAL	5 GAL		Commercial		
C-319	Use C-305, C-309, C-389, or C-524	None	N/A	None	N/A	Use C-305, C-309, or C-389	N/A		Use C-305, C-309, or C-389 for cleaning by hand
C-319	Use C-305, C-309, C-389, or C-524	None	N/A	None	N/A	Use C-524	N/A		Use C-524 for vapor degreasing
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 1, Grade 1	MIL-S-22473, Grade AA	MILS22473 GR AA 50CC	50 CC	Loctite 089	05972		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 1, Grade 1	MIL-S-22473, Grade AA	None	N/A	Permabond HL126	3R2V1		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 2, Grade 3	MIL-S-22473, Grade AV	MIL-S-22473,GR AV	50 CC	Loctite 087	05972		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 4, Grade 2	MIL-S-22473, Grade CV	MIL-S-22473GRCV50 CC	50 CC	Loctite 083	05972		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 5, Grade 1	MIL-S-22473, Grade E	MIL-S-22473,GR E	50 CC	Loctite 080	05972		Use C-299 as alternate
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 6, Grade 1	MIL-S-22473, Grade H	MIL-S-22473,GRH 50CC	50 CC	Loctite 078	05972		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 6, Grade 1	MIL-S-22473, Grade H	MILS22473GRH 50CC	50 CC	Loctite 078	05972		
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade N, Form R	None	LOCQUIC N 6 OZ	6 OZ	Loctite 7649	05972		Activator for anaerobic sealant
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade N, Form R	None	LOCTITE 7649	1.75 OZ	Loctite 7649	05972		Activator for anaerobic sealant
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade N, Form R	None	MIL-S-22473,GRN4.5 OZ	4.5 OZ	Loctite 7649	05972		Activator for anaerobic sealant
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade N, Form R	None	None	N/A	Permabond ASC10	3R2V1		Activator for anaerobic sealant
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade T, Form R	None	LOCQUIC T 747	6 OZ	Loctite 7471	05972		Activator for anaerobic sealant
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade T, Form R	None	None	N/A	Permabond ASC10	3R2V1		Activator for anaerobic sealant
C-321	Use C-317	None	N/A	None	N/A	Use C-317	N/A	Use C-317	
C-322	Adhesive, Epoxy Base, Room Temperature Cure, High Peel Strength	DOD-A-82720	None	2216B/A	1 PT	3M No. 2216 B/A Gray	04963	Refer to text for specific material	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-322	Adhesive, Epoxy Base, Room Temperature Cure, High Peel Strength	DOD-A-82720	None	2216B/A 2OZ	2 OZ	3M No. 2216 B/A	04963	Refer to text for specific material	
C-322	Adhesive, Epoxy Base, Room Temperature Cure, High Peel Strength	DOD-A-82720	None	EC2216 B/A TAN N/S	1.7 OZ	3M No. 2216 B/A Tan NS	04963	Refer to text for specific material	
C-323	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type I	None	299-947-072TYPE 1 PT	500 GRAMS				
C-323	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type I	None	None	N/A	Hysol EA960	1UW17		
C-323	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type I	None	None	N/A	RP1257-3	02684		
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1	None	299-947-107 TYPE-1	1 PT				
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1	None			3M Scotchgrip 1300	6A670		
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1	None			3M Scotchgrip 1300L (EC1300L)	6A670		
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1	None			Pro-Seal 596	83574		
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1	None				97499		
C-325	Adhesive, Rubber Base, General Purpose, Urethane	299-947-107, Type II, Class 5	None	299-947-107 TY2CL5PT	1 PT				
C-325	Adhesive, Rubber Base, General Purpose, Urethane	299-947-107, Type II, Class 5	None	EC776-2OZ	2 OZ	3M EC-776	6A670		
C-326	Denatured Alcohol	None	N/A	DENATURED ALCOHOL	1 GAL	Denatured Alcohol	Commercial		
C-327	Adhesion Promoter, Metal Bonds	None	N/A	INSTABOND 900	1 PT	INSTAbond 900	5V071		
C-328	Sealant, Low Adhesion, Removable Panels	299-947-074, Type III	None	None	N/A	PR-1773, Class B-2	83574		
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3267/4	MIL-S-8784	None	N/A	AC-615, Class B-2	1DWR5		
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3267/4	MIL-S-8784	None	N/A	PR-1428, Class B-2	83574		
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	AMS 3267	3.5 OZ KIT				
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	AMS 3267 2OZ	2 OZ KIT				
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	AMS3284 TY 1	25 GRAMS KIT				
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	AMS3284, TY 1	1 QT KIT				Supersedes AMS3267 CLB2 QT
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	None	N/A	CS 3330, Class B-2	14439		
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3284, Type I	AMS 3267	None	N/A	PR-1773, Class B-2	83574		
C-329	Use C-320	None	N/A	None	N/A	Use C-320	N/A	Use C-320	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	GLASS CLEANER	Each	GLEME Glass Cleaner	31834		Aerosol
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	210 Plastic Cleaner / Polish	3J317		Aerosol
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	Airglas AGL Glass Cleaner	70127		
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	CADCO Anti-static Plastic Cleaner			
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	GLISTEN Glass Cleaner	20913		Aerosol
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	PRIST Acrylic, Plastic & Glass Cleaner	0YFV5		Aerosol
C-330	Cleaner, Glass and Acrylic Plastic	None	N/A	None	N/A	TEND Anti-static Plastic Cleaner	1N960		
C-331	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type I	None	299-947-125TYI50GM	50 GRAMS				
C-331	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type I	None	299-947-125 TYPE 1	1 QT				
C-331	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type I	None	EA9309NA	25 GRAMS KIT	Hysol EA 9309NA	33564		
C-331	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type I	None				97499		
C-332	Use C-362	None	N/A	None	N/A	Use C-362	N/A	Use C-362	
C-333	Adhesive, Rubber Base, General Purpose, Styrofoam	299-947-107, Type I, Class 2	None	299-947-107TY1CL2G A	1 GAL		97499		
C-333	Adhesive, Rubber Base, General Purpose, Styrofoam	299-947-107, Type I, Class 2	None	299-947-107TY1CL2 PT	1 PT		97499		
C-333	Adhesive, Rubber Base, General Purpose, Styrofoam	299-947-107, Type I, Class 2	None	None	N/A	3M Scotch-Grip Industrial Adhesive 4550	6A670		
C-334	Use C-309, C-389, or C-563	None	N/A	None	N/A	Use C-309 or C-389	N/A		Use C-309 or C-389 for cleaning by hand
C-334	Use C-309, C-389, or C-563	None	N/A	None	N/A	Use C-563	N/A		Use C-563 for vapor degreasing
C-335	Use C-320	None	N/A	None	N/A	Use C-320	N/A	Use C-320	
C-336	Adhesive					Hysol Epoxy Patch Kit No. 0151 (Clear)	04347		
C-337	Primer, Silicone Adhesive	None	N/A	1200 PRIMER	1 PT	Dow Corning 1200 Prime Coat	71984		Primer for Silicone Adhesive, same as C-374/C-375
C-337	Primer, Silicone Adhesive	None	N/A	S2260	1 PT	Dow Corning S 2260 Prime Coat	71984		Use with Dapco 3300 (C-300)
C-337	Primer, Silicone Adhesive	None	N/A	S2260-4OZ	4 OZ	Dow Corning S 2260 Prime Coat	71984		Use with Dapcotac 3300 (C-300)
C-337	Primer, Silicone Adhesive	None	N/A	SS4004	1 PT	SS4004 Silicone Primer	01139		Use with RTV 106 (C-346) or RTV 108 (C-307)
C-338	Use C-356	None	N/A	None	N/A	Use C-356	N/A	Use C-356	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-339	Ethyl Alcohol	A-A-59342, Grade 3	MIL-E-463	None	N/A	Any product meeting specification	Commercial		
C-339A	Use C-385	None	N/A	None	N/A	Use C-385	N/A	Use C-385	
C-340	Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	299-947-111, Type I	None	465	1 Roll	3M No. 465	04963		
C-340	Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	299-947-111, Type II	None	None	N/A	3M No. 467	04963		
C-341	Oakite Rust Stripper					Oakite 90	44389		
C-342	Cleaning Compound, Aircraft Surface	MIL-C-43616				Oakite 8	44389		
C-343	Electrolytic Cleaner, Alkaline					Anodex NP-2	34568		
C-343	Electrolytic Cleaner, Alkaline					Cor Clean 6000			
C-343	Electrolytic Cleaner, Alkaline					Cor Clean 6300			
C-343	Electrolytic Cleaner, Alkaline					Oakite 90	44389		
C-343	Electrolytic Cleaner, Alkaline					O-S 590			
C-344	Alcoholic Phosphoric Cleaner	MIL-C-10578, Type I	MIL-M-10578	TURCO W.O.1 GAL	1 GAL	Turco W.O. #1	1N6B3		
C-345	Use C-304 or C-305	None	N/A	None	N/A	Use C-304 or C-305	N/A	Use C-304 or C-305	
C-346	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type II	None	299-947-152 TY2 3OZ	3 OZ				
C-346	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type II	None	None	N/A	RTV-106	01139		Red
C-346	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type II	None	None	N/A	RTV-736	71984		Red
C-347	Use C-305	None	N/A	None	N/A	Use C-305	N/A	Use C-305	
C-348	Alkaline Steel Cleaner					Oakite LFL	44389		
C-349	Edge Sealer, Vinyl and Mylar Films	None	N/A	3950 SCOTCHCAL	8 OZ	3M Scotchcal No. 3950	04963		
C-350	Ammonium Nitrate [NH4NO3], Technical Grade	A-A-59476	MIL-A-175	None	N/A	Any product meeting specification	Commercial		
C-351	Adhesive	None	N/A	Q2-0046	Each	Q2-0046	71984		
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 1	MIL-R-46082, Type I	609	50 CC	Loctite 609	05972		
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 1	MIL-R-46082, Type I	None	N/A	Permabond HL138	3R2V1		
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 1	MIL-R-46082, Type I	None	N/A	Saf-T-Lok R01	4Z400		



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 2	MIL-R-46082, Type II	HM160	Each	Permabond HM160	3R2V1		
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 2	MIL-R-46082, Type II	None	N/A	Loctite 640	05972		
C-353	Sealing Compound, One-part Silicone, Firewall	AMS 3374, Type I	MIL-S-38249	DAPCO 2100	6 OZ	Dapco 2100	58093		Fire resistance to 3500°F. Use Dapco 2200 as an alternate.
C-353	Sealing Compound, One-part Silicone, Firewall	AMS 3374, Type I	MIL-S-38249	None	N/A	Dapco 2200	58093		Fire resistance to 2000°F. 4-Hour fast cure. Alternate for Dapco 2100.
C-354	Use C-320	None	N/A	None	N/A	Use C-320	N/A	Use C-320	
C-355	Detergent, Mild Liquid					Mild Detergent	Commercial		
C-356	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 2, Grade 1	MIL-R-46082, Type III	ASTM D5363, AN0421	50 CC				
C-356	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 2, Grade 1	MIL-R-46082, Type III	None	N/A	Loctite 635	05972		
C-356	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 2, Grade 1	MIL-R-46082, Type III	None	N/A	Permabond HM161	3R2V1		
C-356	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 2, Grade 1	MIL-R-46082, Type III	None	N/A	Saf-T-Lok R80	4Z400		
C-357	Adhesive, Rubber Base, Spray	299-947-107, Type I, Class 3	None			3M Spray Adhesive No. 77	6A670		
C-357	Adhesive, Rubber Base, Spray	299-947-107, Type I, Class 3	None				97499		
C-358	Use C-122	None	N/A	None	N/A	Use C-122	N/A	Use C-122	
C-359	Use C-320	None	N/A	None	N/A	Use C-320	N/A	Use C-320	
C-360	Sealing Compound					Pro-Seal 711-EP-B2	83527		
C-361	Adhesive Film	299-947-121, Type II				3M No. AF-163-2(U/S)	6A670		
C-361	Adhesive Film	299-947-121, Type II				Cytec N-1113	04622		
C-361	Adhesive Film	299-947-121, Type II				FM 53	09BV7		
C-361	Adhesive Film	299-947-121, Type II				FM 87	09BV7		Same as C-362
C-361	Adhesive Film	299-947-121, Type II					97499		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				3M No. AF-163-2K	6A670		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				AF-126 0.06 lbs/sq.ft	55119		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				AF-126 0.08 lbs/sq.ft	55119		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				AF-126-2 0.06 lbs/sq.ft	55119		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				AF-126-3 0.06 lbs/sq.ft	55119		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				Cytec N-1113	04622		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				FM 123-2 0.06 lbs/sq.ft	09BV7		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				FM 53	09BV7		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				FM 87	09BV7		Same as C-361
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				Hysol EA9601 0.06 lbs/sq.ft	94565		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I				Narmco 227 0.06 lbs/sq.ft	04622		
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I					97499		
C-363	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	299-947-100T2CL3 25G	25 GRAMS				
C-363	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	299-947-100TY2CL3P T	1 PT				
C-363	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	None	N/A	Hysol EA956	1UW17		
C-363	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	None	N/A	Magnobond 6367	22121		
C-364	Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Type I	None	FM1000-5302	1 SQ FT	FM1000-5302	09BV7	Use with primer (C-063)	Form S (not for honeycomb sandwich panels)
C-364	Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Type I	None	FM1000-EP15	1 SQ FT	FM1000-EP15	09BV7	Use with primer (C-063)	Form B (not for honeycomb sandwich panels or metal-to-metal bonding)
C-364	Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Type I	None	None	N/A	FM1000	09BV7	Use with primer (C-063)	Form U (Unsupported Adhesive Film)
C-365	Adhesive					Eccobond 45 / Catalyst 15			
C-366	Adhesive					Fusor 304-1 and 304-2	30676		
C-367	Use C-353	None	N/A	None	N/A	Use C-353	N/A	Use C-353	
C-368	Etchant for Teflon	None	N/A	TETRA ETCH	500 ML	Tetra Etch	60622		
C-369	Chromate Test Strip, Cadmium Conversion Coating					9859-N42	59728		
C-370	Sealant Tape, Extruded, Cure Temp < 400°F	None	N/A	None	N/A	Tacky-Tape SM 5127	53309		
C-371	Use C-344	None	N/A	None	N/A	Use C-344	N/A	Use C-344	
C-372	Fairing Compound, Aerodynamic, Polyester Filler	299-947-072, Type IV	None	None	N/A	APF 4, Grey			Formerly Filler #4
C-373	Use C-253	None	N/A	None	N/A	Use C-253	N/A	Use C-253	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-374	Use C-337	None	N/A	None	N/A	Use C-337	N/A	Use C-337	
C-375	Use C-337	None	N/A	None	N/A	Use C-337	N/A	Use C-337	
C-376	Adhesive, Rubber Base	299-947-107, Type IV, Class 8	None	A1503B	1 QT	A1503B	1HS43	Use with C-377	
C-377	Adhesive, Rubber Base, Accelerator	299-947-107, Type IV, Class 8	None	299-947-107TY4CL8	1 QT	A1343B	1HS43	Use with C-376	
C-378	Estane Primer	299-947-107, Type IV, Class 9	None	THIXON P-5-2	1 GAL	Thixon P-5-2	0KED9	Use with C-376 and C-377	
C-379	Methyl-Isobutyl-Ketone (MIBK)	ASTM D1153				Any product meeting specification	Commercial		
C-380	Use C-334	None	N/A	None	N/A	Use C-334	N/A	Use C-334	
C-381	Use C-363	None	N/A	None	N/A	Use C-363	N/A	Use C-363	
C-382	Use C-308	None	N/A	None	N/A	Use C-308	N/A	Use C-308	
C-383	Use C-024	None	N/A	None	N/A	Use C-024	N/A	Use C-024	
C-384	Use C-355	None	N/A	None	N/A	Use C-355	N/A	Use C-355	
C-385	Isopropyl Alcohol, 99%, Electronic Applications	TT-I-735	None	TT-I735 ISOPROPYL	1 GAL	Any product meeting specification	Commercial	For electronic use	
C-386	Solvent, Cleaner, VOC compliant	None	N/A	None	N/A	Prep-Sol 3919S	18873		
C-387	Use C-331	None	N/A	None	N/A	Use C-331	N/A	Use C-331	
C-388	Aromatic Naphtha	TT-N-97, Type I, Grade A					Commercial		
C-389	Stoddard Solvent, Mineral Spirits, Degreasing	MIL-PRF-680, Type I	P-D-680				Commercial		
C-390	Ethyl Acetate	TT-E-751	None	TTE751	1 GAL	Ethyl Acetate	Commercial		
C-391	Lubricant, Cleaning and Preservation	MIL-L-63460					81349		
C-392	Use C-251	None	N/A	None	N/A	Use C-251	N/A	Use C-251	
C-393	Luse-Lok					No. 2109	Commercial		
C-394	De-icing/Anti-Icing Fluid, Aircraft, SAE Type I	AMS 1424	None	None	N/A	ARCOplus, Type I	0FWN7		
C-394	De-icing/Anti-Icing Fluid, Aircraft, SAE Type I	AMS 1424	None	None	N/A	Kilfrost DF Plus (88)	4V360		
C-394	De-icing/Anti-Icing Fluid, Aircraft, SAE Type I	AMS 1424	None	OCTAFLO DILUTE TYPE1	5 GAL	Octaflo Type I	82925		
C-395	Titanium Cleaner			PASAJEL107	1 QT	Pasa-Jell 107	2B665		



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-396	Sealing Compound, Polythioether, Fuel and High Temperature	MIL-S-29574, Type I, Class B-1/2	None	MILS29574TYI CLB 6OZ	6 OZ	Any product meeting specification	Commercial		1/2-hour application time
C-397	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type II, Class 2	None	299-947-125TY2CL2	1 QT	EA 9320NA	33564		
C-398	Detergent, General Purpose, Nonionic Liquid	MIL-D-16791					Commercial		
C-399	Adhesive, Urethane Superfast, Windows					3M No. 08609	04963		
C-400	Insulation, Thermal, Aluminum Backed Fiberglass, Reflective Facing	ASTM C665, Type III	None	150-026	4 SQ FT	Any product meeting specification	Commercial		
C-401	Tape, Aluminum Foil/Glass Cloth, High Temperature	None	N/A	363,2.00 WIDE	Roll (2" wide)	3M No. 363	04963		
C-402	Use C-401	None	N/A	None	N/A	Use C-401	N/A	Use C-401	
C-403	Tape, Adhesive, Pressure Sensitive, Glass Cloth, Heat Resistant	299-947-110, Type I	None	361,2IN	Roll (2" wide)	3M No. 361	76381		
C-404	Glass Cloth, 0.010 inch thick	AMS-C-9084, Class 1, Type VIIIA	MIL-C-9084	MILC9084 CL1 TY8A	3 SQ FT	Any product meeting specification	Commercial		
C-404	Glass Cloth, 0.010 inch thick	AMS-C-9084, Class 2, Type VIIIA	MIL-C-9084	AMS-C-9084CL2TY8A	Roll (1 LB)	Any product meeting specification	Commercial		
C-404	Glass Cloth, 0.010 inch thick	AMS-C-9084, Class 2, Type VIIIB	MIL-C-9084	AMS-C-9084T8BCL2	3 SQ FT	Any product meeting specification	Commercial		
C-405	Wire, Safety, CRES, 0.032", AS100028	AS5685	AMS 5685	AS100028	Roll (5 LB)		Commercial	Supercedes MS20995C32	
C-406	Abrasive Cloth or Paper, Aluminum Oxide	None	N/A	180 GRIT CLOTH 9X11	Each (9"x11")	Aluminum Oxide Abrasive Cloth or Paper	Commercial	May be used on any metal	180 Grit
C-406	Abrasive Cloth or Paper, Aluminum Oxide	None	N/A	None	N/A	Aluminum Oxide Abrasive Cloth or Paper	Commercial	May be used on any metal	Refer to text for grit size
C-406	Abrasive Cloth or Paper, Aluminum Oxide	None	N/A	P-C-451	Each	Aluminum Oxide Abrasive Cloth or Paper	Commercial	May be used on any metal	180 Grit
C-407	Abrasive Pad, Nylon Web, Aluminum Oxide	None	N/A	None	N/A	Anderlex Abrasive Roll (P/N 60135)	58564	May be used on any metal	Very Fine
C-407	Abrasive Pad, Nylon Web, Aluminum Oxide	None	N/A	SCOTCHBRITE TY-A	Roll (4"x30')	3M Scotch-Brite, Type A, Very Fine	76381	May be used on any metal	Very Fine
C-408	Talcum Powder, Technical Grade, 35/65 Silicon Dioxide	A-A-59303, Type T1	MIL-T-50036	MILT50036	5 LB	Any product meeting specification	Commercial		
C-409	Use C-500	None	N/A	None	N/A	Use C-500	N/A	Use C-500	
C-410	Tape, Packaging, Waterproof	ASTM D5486/D 5486M, Type III				Any product meeting specification	Commercial		
C-411	Steel Wool	None	N/A	None	N/A	Steel Wool	Commercial	Do not use on aluminum, magnesium, stainless steel, or titanium	Fine
C-412	Wax, Waterproof, Solvent Type	MIL-W-18723		MILW18723	1 GAL	Concord 1600	Commercial		
C-413	Strip Aid, Copper					ALK-Cu Strip	Commercial		
C-413	Strip Aid, Copper					Enstrip S	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-413	Strip Aid, Copper					Metex Strip Aid	Commercial		
C-413	Strip Aid, Copper					Rostrip M-10	Commercial		
C-413	Strip Aid, Copper					Wetalyne Stripper No. 1	Commercial		
C-414	Wire, Shear, Copper, 0.020"	NASM20995	MS20995	MS20995CY20	1 LB	Any product meeting specification	Commercial		
C-415	Corrosion Preventive	None	N/A	LPS2	Each	LPS 2	66724		Oil-based, Aerosol
C-415	Corrosion Preventive	None	N/A	LPS3	Each	LPS 3	66724		Solvent-based, Aerosol
C-415	Corrosion Preventive	None	N/A	None	N/A	Castrol Rustilo 4135 HF	2R128		Solvent-based
C-415	Corrosion Preventive	None	N/A	None	N/A	Castrol Rustilo 4163	2R128		Oil-based
C-415	Corrosion Preventive	None	N/A	None	N/A	Castrol Rustilo 4169	2R128		Oil-based
C-415	Corrosion Preventive	None	N/A	None	N/A	Special Protective Oil, Oakite	44389		Oil-based
C-415	Corrosion Preventive	None	N/A	None	N/A	Turco Aquasorb	71410		Solvent-based
C-416	Corrosion Preventive Oil					Oakite 77	44389		
C-416	Corrosion Preventive Oil					Oakite 90	44389		
C-416	Corrosion Preventive Oil					Pensalt K-7	Commercial		
C-416	Corrosion Preventive Oil					Poro Kleen	Commercial		
C-416	Corrosion Preventive Oil					Presolv B	Commercial		
C-417	Inhibitor, Corrosion, Acid Pickle	MIL-I-17433	None	None	N/A	Rodine 213	84063		
C-418	Use C-434	None	N/A	None	N/A	Use C-434	N/A	Use C-434	
C-419	Use C-466 or C-503	None	N/A	None	N/A	Use C-466 or C-503	N/A	Use C-466 or C-503	
C-420	Masking Tape, 12 inch Scotch Paper					3M No. 1000	2E760		
C-421	Use C-318	None	N/A	None	N/A	Use C-318	N/A	Use C-318	
C-422	Aluminum Wool	A-A-1043, Type II	FF-W-1825	A-A-1043 TYII	1 LB	Aluminum Wool	Commercial	May be used on any metal	Medium
C-423	Abrasive Cloth or Paper, Silicon Carbide	None	N/A	ABRASIVE 240 GRIT	Each	Silicon Carbide Abrasive Cloth or Paper	Commercial	Do not use on aluminum or magnesium	240 Grit
C-423	Abrasive Cloth or Paper, Silicon Carbide	None	N/A	None	N/A	Silicon Carbide Abrasive Cloth or Paper	Commercial	Do not use on aluminum or magnesium	Refer to text for grit size



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-423	Abrasive Cloth or Paper, Silicon Carbide	None	N/A	P-P-101	Each (9"x11")	Silicon Carbide Abrasive Cloth or Paper	Commercial	Do not use on aluminum or magnesium	400 Grit
C-424	Use C-323	None	N/A	None	N/A	Use C-323	N/A	Use C-323	
C-425	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type II	None	299-947-072.TY II	1 QT				
C-426	Tape, Masking	None	N/A	232 1IN WIDE	Roll (1" wide)	3M No. 232	52152		
C-427	Barrier Material, Grease & Water Proof, Flexible	MIL-PRF-121	MIL-B-121	MIL-B-121 TY1 CL1	Roll (36"x200 yards)	Any product meeting specification	Commercial		
C-428	Caps and Plugs, Protective, Dust and Moisture Seal	NAS 847	MIL-C-5501	None	N/A	Any product meeting specification	Commercial		
C-429	Use C-308	None	N/A	None	N/A	Use C-308	N/A	Use C-308	
C-429A	Use C-423	None	N/A	None	N/A	Use C-423	N/A	Use C-423	
C-430	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	MIL-T-23142	None	N/A	Any product meeting specification	Commercial	Same as C-456	
C-431	Hydrochloric Acid (Muriatic Acid), Technical Grade	ASTM E1146	None	None	N/A	Any product meeting specification	Commercial		20 degrees Baumé
C-432	Nitric Acid [HNO3], Technical Grade	A-A-59105	O-N-350	None	N/A	Any product meeting specification	Commercial		
C-433	Surgical Tubing					Surgical Tubing	43729		
C-434	Plating Tape, Age Control			420 1.00 WIDE	Roll (1" wide)	3M No. 420 (Lead Foil)	04963		
C-434	Plating Tape, Age Control			420 2.00 WIDE	Roll (2" wide)	3M No. 420 (Lead Foil)	04963		
C-434	Plating Tape, Age Control			471,BLK,.75 WIDE	Roll (0.75" wide)	3M No. 471	04963		
C-434	Plating Tape, Age Control			471,YEL,.75 WIDE	Roll (0.75" wide)	3M No. 471	04963		
C-434	Plating Tape, Age Control					3M No. 420 (Lead Foil)	04963		
C-434	Plating Tape, Age Control					3M No. 470 (Purple)	04963		
C-434	Plating Tape, Age Control					3M No. 471 (Purple)	04963		
C-434	Plating Tape, Age Control					4-HTP (Green)	56059		
C-434	Plating Tape, Age Control					Borden Chemical No. 6404 (Yellow)	14429		
C-434	Plating Tape, Age Control					SC-1 (Yellow)	56059		
C-435	Paint Remover, General, Chlorinated Hydrocarbon, Water Rinsable	None	N/A	PR3700 5GAL	5 GAL	PR-3700	55208	Approved for use on magnesium	
C-436	Paint Remover, Epoxy & Polyurethane, Water Rinsable	MIL-R-81294, Type I or II	None	None	N/A	Any product listed in current issue of QPL-81294	Commercial	Approved for use on magnesium	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-436	Paint Remover, Epoxy & Polyurethane, Water Rinsable	MIL-R-81294, Type I or II	None	TURCO 5351(T-5469)	1 PT	Turco 5469	1N6B3	Approved for use on magnesium	
C-437	Ammonium Hydroxide, Technical Grade	A-A-59370, Type I	O-A-451	None	N/A	Any product meeting specification	Commercial		26 degrees Baumé (27 to 30% Ammonia [NH3])
C-437A	Use C-242	None	N/A	None	N/A	Use C-242	N/A	Use C-242	
C-438	Tinting Medium, Pigment, Enamel	A-A-3108	TT-T-390A	None	N/A	AA3108B	Commercial		
C-439	Tape, Aluminum Foil			None	N/A	BT 102	0E7C4		
C-439	Tape, Aluminum Foil	None	N/A	425 12.00 WIDE	Roll (12" wide)	3M No. 425	04963		
C-439	Tape, Aluminum Foil	None	N/A	425-2IN	Roll (2" wide)	3M No. 425	04963		
C-440	Sealing Compound, Pipe, Joint and Thread White, Lead Free	TT-S-1732	TT-A-580	TTS1732	1 PT	Any product meeting specification	Commercial		
C-441	Rubber Coated Fabric					No. 5253	89373		
C-442	Synthetic Rubber Coated Fabric					Synthetic Rubber Coated Fabric	89373		
C-443	Fabric, Sandwich					No. 5063	89373		
C-444	Cement					No. 3230	89373		
C-445	Sheet, Hard Felt (Rabbit Fur), 0.062 inch thick	C-F-206, Type I, Class 16R1X, 1/16" thk					91801		
C-445	Sheet, Hard Felt (Rabbit Fur), 0.062 inch thick					No. 2610-7087	97499		
C-446	Use C-471	None	N/A	None	N/A	Use C-471	N/A	Use C-471	
C-447	Wire, Safety, CRES, 0.041", AS100029	AS5685	AMS 5685	AS100029 1LB ROLL	Roll (1 LB)		Commercial	Supercedes MS20995C41	
C-447	Wire, Safety, CRES, 0.041", AS100029	AS5685	AMS 5685	AS100029 5LB ROLL	Roll (5 LB)		Commercial	Supercedes MS20995C41	
C-448	Use C-596	None	N/A	None	N/A	Use C-596	N/A	Use C-596	
C-449	Fuel Cell Repair Kit					2F1-3-35123	5H725		
C-450	Penetrant Inspection Kit, Fluorescent Dye	None	N/A	ZA-60	Each	ZA-60 Zyglo Kit	37676		
C-451	Use C-454	None	N/A	None	N/A	Use C-454	N/A	Use C-454	
C-452	Anti-Seize Compound, Thread, High Temperature	MIL-PRF-907	MIL-A-907	MIL-A907 ANTISEIZE	16 OZ		Commercial		
C-453	Tape, Vinyl	None	N/A	472,BLK,1.00 WIDE	Roll (1" wide)	3M Vinyl Tape 472	76381		
C-453	Tape, Vinyl	None	N/A	472,BLK,2.00 WIDE	Roll (2" wide)	3M Vinyl Tape 472	76381		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-453	Tape, Vinyl	None	N/A	472,BLK,3.00 WIDE	Roll (3" wide)	3M Vinyl Tape 472	76381		
C-454	Tape, Adhesive, Pressure Sensitive, PTFE Woven Glass Cloth	299-947-110, Type II	None	299-947-110TY2 5/8	Roll (5/8" wide)	3M No. 5453	76381		
C-454	Tape, Adhesive, Pressure Sensitive, PTFE Woven Glass Cloth	299-947-110, Type II	None	299-947-110,TYII,2IN	Roll (2" wide)	3M No. 5453	76381		
C-454	Tape, Adhesive, Pressure Sensitive, PTFE Woven Glass Cloth	299-947-110, Type II	None	5453	Roll (1" wide)	3M No. 5453	76381		
C-455	Tape, Foam, Urethane	None	N/A	4318,.50 WIDE	Roll (0.5" wide)	3M No. 4318	76381		
C-456	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	MIL-T-23142	A-A-59298	Roll (3.5" wide)	3M No. 853	76381	Same as C-430	
C-456	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	MIL-T-23142	A-A-59298 1.00 WIDE	Roll (1" wide)	3M No. 853	76381	Same as C-430	
C-456	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	MIL-T-23142	MIL-T23142 .500 WIDE	Roll (0.5" wide)	3M No. 853	76381	Same as C-430	
C-457	Mylar Tape, 3/4 inch by 72 yards					Mylar Tape, 3/4 inch by 72 yards	Commercial		
C-458	Mylar Tape, 1 inch by 72 yards					Mylar Tape, 1 inch by 72 yards	Commercial		
C-459	Cloth, Nylon, Woven	None	N/A	None	N/A		Commercial	Historical specification is MIL-C-7219 Type II	
C-460	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	299-947-110 TY3 CL1	Roll (1" wide)	3M No. 5490	76381		
C-460	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	299-947-110TY3CL1	Roll (3" wide)				
C-460	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	299-947-110TY3CL1 2I	Roll (2" wide)	CHR HM426	71643		
C-460	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	None	N/A	CHR 2255-2	1ECV7		
C-460	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	None	N/A	CHR 2285-2	1ECV7		
C-461	Ink, Etching, Acid	None	N/A	None	N/A	#25 Acid etching	38968		Metals / permanent etched mark
C-462	Tape, Polyester, High Temperature, Pressure Sensitive	None	N/A	None	N/A	Flashbreaker 1	53912		
C-462	Tape, Polyester, High Temperature, Pressure Sensitive	None	N/A	None	N/A	Flashbreaker 2	53912		Stronger version of Flashbreaker 1
C-463	Fabric, Nylon, Nonwoven, Chemical and Abrasion Resistant	None	N/A			Cerex No. 23030	76541		0.3 oz per square yard
C-463	Fabric, Nylon, Nonwoven, Chemical and Abrasion Resistant	None	N/A			Cerex No. 23070	76541		0.7 oz per square yard
C-464	India Stone	None	N/A	INDIA STONE	Each	Abrasive Stone	Commercial		
C-465	Antifretting Buffer					Bell standard 150-044-1	97499		
C-466	Use C-503	None	N/A	None	N/A	Use C-503	N/A	Use C-503	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-467	Aluminum Alloy Sheet, 2024-T3, 0.020 inch thick	AMS-QQ-A-250/4A					Commercial		
C-468	Vinyl Tape			4508 1-2IN	Roll (0.5" wide)	3M No. 4508 (Black)	04963		
C-468	Vinyl Tape			4508,1/8X1,BLK	Roll	3M No. 4508 (Black)	04963		
C-468	Vinyl Tape			4508,BLK,.75 WIDE	Roll (0.75" wide)	3M No. 4508 (Black)	04963		
C-469	Wicking Cloth, Fiberglass or Equivalent					HG32-38 inch	91775		
C-470	Glass Beads, Abrasive, for Cleaning and Peening	MIL-PRF-9954	None			Any product listed in current issue of QPL-9954	Commercial		
C-471	Cord, Fibrous, Nylon, Waxed	MIL-C-5040, Type III	AN-G-63A	MIL-C5040 TY3	1 FT	Any product meeting specification	Commercial		
C-472	Aluminum Alloy Sheet, 2024-T3, 0.032 inch thick	AMS-QQ-A-250/4A					Commercial		
C-473	Paint Remover, Solvent Type, Water Rinsable	MIL-PRF-25134	MIL-R-25134	MILR25134	1 GAL	Any product listed in current issue of QPL-25134	Commercial		
C-474	Dry Blasting Abrasive, Aluminum Oxide or Garnet					Dry Blasting Abrasive, Aluminum Oxide or Garnet	Commercial		
C-475	Thread, Cotton	A-A-52094	V-T-276	None	N/A	Any product meeting specification	81348	Refer to text for specific type	
C-476	Use C-397	None	N/A	None	N/A	Use C-397	N/A	Use C-397	
C-477	Release Film, Halohydrocarbon Polymer, Perforated	None	N/A	None	N/A	E3760 P1	85670	Clear or white	0.045 inch holes on 0.5 inch centers
C-477	Release Film, Halohydrocarbon Polymer, Perforated	None	N/A	None	N/A	E3760 P2	85670	Clear or white	Small slashes on 0.5 inch centers
C-477	Release Film, Halohydrocarbon Polymer, Perforated	None	N/A	None	N/A	Wrightlon 4500 P	53912	Clear or white	0.045 inch holes on 0.25 inch centers
C-477	Release Film, Halohydrocarbon Polymer, Perforated	None	N/A	None	N/A	Wrightlon 4500 P1	53912	Clear or white	0.045 inch holes, 0.25 inch staggered on width, 0.125 inch on roll
C-477	Release Film, Halohydrocarbon Polymer, Perforated	None	N/A	VACPAC NO.3760P	1 SQ FT	E3760 P	85670	Clear or white	0.045 inch holes on 0.25 inch centers
C-478	Release Fabric, Peel Ply, Synthetic, Non-Bonding	None	N/A	None	N/A	Release Ply B	53912		Nylon
C-478	Release Fabric, Peel Ply, Synthetic, Non-Bonding	None	N/A	None	N/A	Release Ply F	53912		Polyester
C-478	Release Fabric, Peel Ply, Synthetic, Non-Bonding	None	N/A	None	N/A	Release Ply Super F	53912		Polyester
C-479	Use C-427	None	N/A	None	N/A	Use C-427	N/A	Use C-427	
C-480	Use C-471	None	N/A	None	N/A	Use C-471	N/A	Use C-471	
C-481	Teflon-Dacron Fabric	None	N/A	S-1854-X1106	1 SQ FT	No. X1106	76157		
C-482	Duct Tape					3M No. 393	04963		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-483	Tape, Adhesive, Reflectorized Sheeting	None	N/A	10605000	Roll (150' long)	10605000	35012		
C-483	Tape, Adhesive, Reflectorized Sheeting	None	N/A	None	N/A	3M No. 7610	76381		
C-484	Welding Tube (Borium), 0.125 inch Hard Facing					Welding Tube (Borium), 0.125 inch Hard Facing	2M161		
C-484	Welding Tube (Borium), 0.125 inch Hard Facing					Welding Tube (Borium), 0.125 inch Hard Facing	57965		
C-485	Welding Tube (DT600HM), 0.125 inch Hard Facing					Welding Tube (DT600HM), 0.125 inch Hard Facing	26195		
C-486	Cheesecloth, Cotton			CCCC0046	1 SQ FT				
C-486	Cheesecloth, Cotton					#300 Hermitage Hermitex "1"	1L697		
C-486	Cheesecloth, Cotton					Rymplecloth #301			
C-486	Cheesecloth, Cotton	CCC-C-440, Class 1				Any product meeting specification	Commercial		
C-487	Electrolyte Solution, 30% Potassium Hydroxide [KOH]	None	N/A	None	N/A	Electrolyte, 30% KOH	Commercial		
C-488	Sodium Bicarbonate [NaHCO ₃], Technical Grade	A-A-374	O-S-576	None	N/A	Any product meeting specification	Commercial		
C-489	Boric Acid [H ₃ BO ₃]	A-A-59282	O-C-265	None	N/A	Boric Acid	Commercial		
C-490	Cork Stopper	A-A-51056, Type I, Grade A, Class 2					Commercial		
C-491	Electrical Insulation Tape, Plastic					3M No. 33	04963		
C-491	Electrical Insulation Tape, Plastic					Norton No. 507	58102		
C-492	Thread, Nylon, Twisted Multiple Cord, Soft Finish, Nonwicking	A-A-59826, Type I, Class B	V-T-295, Type I, Class B	None	N/A	Any product meeting specification	Commercial	Size E	
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-302-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-302-C	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-303-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-303-C	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-304-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-304-C	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-305-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-305-C	1 FT	Any product meeting specification	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-306-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-306-C	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-307-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-308-C	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-309-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-310-0	1 FT	Any product meeting specification	Commercial		
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	MIL-DTL-23053/18	M23053/18-310-C	1 FT	Any product meeting specification	Commercial		
C-494	Metal Marking Ink, Non-Permanent					F-1200 Vapor-Off Pen	01195		
C-495	Use C-307	None	N/A	None	N/A	Use C-307	N/A	Use C-307	
C-496	Abrasive, Wet Blasting	None	N/A	None	N/A	Flint Quartz No. 3/0, 3/0 Inspection Grade	84083		
C-497	Use C-471	None	N/A	None	N/A	Use C-471	N/A	Use C-471	
C-498	Use C-314	None	N/A	None	N/A	Use C-314	N/A	Use C-314	
C-499	Stencil Ink	A-A-208, Type I				Any product meeting specification - Color No. 603	09800		
C-500	Abrasive Cloth, Ferric (Iron) Oxide and Quartz	None	N/A	PC458	Each	Crocus Cloth	Commercial	Use C-423 as alternate	Refer to text for grit size
C-501	Sodium Chloride [NaCl] (Salt), Technical Grade	A-A-694	O-S-1926	None	N/A	Any product meeting specification	Commercial		
C-502	Polyethylene Syringe					Polyethylene Syringe	52004		
C-503	Tape, Polyurethane, Pressure Sensitive	299-947-113	None	299-947-113 1.00WIDE	Roll (1" wide)	3M No. 8671	04963	Transparent	
C-503	Tape, Polyurethane, Pressure Sensitive	299-947-113	None	299-947-113 .50WIDE	Roll (0.5" wide)	3M No. 8671	04963	Transparent	
C-503	Tape, Polyurethane, Pressure Sensitive	299-947-113	None	299-947-113 6IN	Roll (6" wide)	3M No. 8671	04963	Transparent	
C-504	Tape, Foam, Soundproofing					3M No. 4370	04963		
C-505	Nonwoven Fabric, .3 oz/sq.yd					Cerex No. 23030	41335		
C-506	Potassium Cyanide [KCN], Technical Grade	None	N/A	None	N/A	Potassium Cyanide	Commercial		
C-507	Sodium Cyanide [NaCN], Technical Grade	None	N/A	None	N/A	Sodium Cyanide	Commercial		
C-508	Wire, Safety, CRES, 0.020", AS100026	AS5685	AMS 5685	AS100026	Roll (1 LB)		Commercial	Supercedes MS20995C20	



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-509	Tape, Anti-chafing			4408,1/8X3,BLK	Roll	3M No. 4408	04963		
C-509	Tape, Anti-chafing			4408,2.00 WIDE	Roll (2" wide)	3M No. 4408	04963		
C-509	Tape, Anti-chafing			4408,.75 WIDE	Roll (0.75" wide)	3M No. 4408	04963		
C-509	Tape, Anti-chafing					3M No. 4408	04963		
C-510	Tape, Anti-chafing					3M No. 4508	04963	Same as C-468	
C-511	Tape, Double Emulsion	None	N/A	3M444	Roll	3M Double Coated Tape 444	04963		
C-511	Tape, Double Emulsion	None	N/A	NO 444	Roll (2" wide)	3M Double Coated Tape 444	04963		
C-512	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	None	N/A	Magnobond 6367	22121		
C-513	Aluminum Alloy Sheet, 2024-T3, 0.100 inch thick	AMS-QQ-A-250/4A					Commercial		
C-514	Aluminum Alloy Tube, 7075-T6, 0.156 inch thick wall	WW-T-700/7B					Commercial		
C-515	Steel Metal Sheet, Normalized 4130, 0.050 inch thick	AMS 6345					Commercial		
C-516	Cloth, Cleaning, Low-Lint					Cloth, Cleaning, Low-Lint	81349		
C-516	Cloth, Cleaning, Low-Lint						80244		
C-517	Nitrogen [N], Liquid, Technical Grade	A-A-59503, Type II	BB-N-411	None	N/A	Any product meeting specification	Commercial		
C-518	Tape, Flatback, High Adhesion	None	N/A	2525 1.00 WIDE	Roll (1" wide)	3M No. 250	04963		
C-519	Felt Sheet, 1/16 inch	C-F-206, Type I, Class 16R1X, 1/16" thk					81348		
C-520	Adhesive, Epoxy Base, Heat Resistant	MMM-A-134					81348		
C-521	Lubricant, Dry High Pressure			76209	Each	Mollylube Osborn P/N 76209	81348		
C-522	Anti-Seize Compound, High Temperature	None	N/A	EASE-OFF990	0.5 PT	Ease Off 990	81348		
C-523	Filler, Pinhole, High Solids Compound	299-947-144	None	299-947-144	1 QT	28C1 Static Conditioner Filler	OKXA5		
C-524	Trichloroethylene, Vapor Degreaser	ASTM D4080					Commercial	Use C-563 as an alternate	
C-525	Grease, Aircraft, High Load Capacity	MIL-G-81827	None	MILG81827 14OZ	14 OZ	Royco 22MS	07950		
C-525	Grease, Aircraft, High Load Capacity	MIL-G-81827	None	MILG81827 1LB	1 LB	Aeroshell Grease 23C	07950		
C-526	Grease, Silicone, Aircraft and Instrument	A-A-59173				DC 33 (Light)	71984		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-527	Grease					Armovis No. 8	Commercial		
C-528	Braid, Metal Sleeving					Bell standard 20-0363-11-XX	97499		
C-529	Anti-chafing Kit	None	N/A	BAS-KIT-010	Each	Bas Kit -010	1CP32		
C-530	Coating Compound, Plastic, Strippable (Hot Dipping)	MIL-P-149	JAN-C-149	None	N/A	Any product listed in current issue of QPL-149	Commercial		
C-531	Sealing Compound, Dielectric, Premixed, Prefrozen	299-947-074, Type II	None	299-947-074 TY2 6OZ	6 OZ	299-947-074 Class 1, 2, or 3	97499		
C-531	Sealing Compound, Dielectric, Premixed, Prefrozen	299-947-074, Type II	None	None	N/A	CS 3100	14439		
C-532	Soldering Flux, Rosin	ANSI J-STD-004	QQ-S-571	KESTER FLUX #185	1 GAL	Kester 185	75297		
C-533	Trichlorotrifluoroethane, Cleaning Compound, Standard	MIL-C-81302, Type II	None	None	N/A	1,1,2-Trichlorotrifluoroethane, Freon TF or 113	Commercial		
C-534	Methylene Chloride, Technical Grade	ASTM D4701	MIL-D-6998	None	N/A	Dichloromethane	Commercial		
C-535	Primer, Adhesion Promoter, Potting	None	N/A	None	N/A	PR-1523-M	83574		
C-536	Sleeving, Braided, Expandable	None	N/A	130-053-()-0	1 FT	130-053-()-0	97499	Size 1 to 8	
C-537	Solder, Hard, Brazing Alloy, Silver	QQ-B-654, BAg-9	QQ-S-561 and MIL-B-15395	None	N/A		Commercial		
C-538	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn60WRMAP3	Commercial		
C-539	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn60WS	Commercial		
C-540	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn62WRMAP	Commercial		
C-541	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn62WS	Commercial		
C-542	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn63WRMAP3	Commercial		
C-543	Solder, Electronic Grade	ANSI J-STD-006	QQ-S-571	None	N/A	Sn63WS	Commercial		
C-544	Spacers					Spacers	Commercial		
C-545	Stripper					LAR 388	Commercial		
C-546	Thermoplastic Sealant Tape					XTPA-080	Commercial		
C-547	Tape, Lacing, Polyester	A-A-52081	MIL-T-43435, Type II	None	N/A	Any product meeting specification	Commercial		
C-548	Insulation Tape, Electrical, Reinforced Silicone	A-A-59163, Type I	MIL-I-46852	603-1	Roll (1" wide)	Any product meeting specification	Commercial		
C-548	Insulation Tape, Electrical, Reinforced Silicone	A-A-59163, Type I	MIL-I-46852	A-A-59163 1.0W	Roll (1" wide)	Any product meeting specification	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-548	Insulation Tape, Electrical, Reinforced Silicone	A-A-59163, Type I	MIL-I-46852	A-A-59163 .5W	Roll (0.5" wide)	Any product meeting specification	Commercial		
C-549	Tape, Adhesive, Silicone	A-A-59474	MIL-I-23594				Commercial		
C-550	Tetrahydrofuran (THF)	A-A-59282	O-C-265	None	N/A	Any product meeting specification	Commercial		
C-551	Epoxy Adhesive, Potting Compound	None	N/A	S1125	Each	S-1125 Kit 1	06090		
C-552	Butyl Acetate, Contact Cleaner	None	N/A	None	N/A	Butyl Acetate, Contact Cleaner	Commercial		
C-553	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 5.5 to 7.5 µIN	299-947-110, Type III, Class 2	None	299-947-110TY3C2 3IN	Roll (3" wide)				
C-553	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 5.5 to 7.5 µIN	299-947-110, Type III, Class 2	None	299-947-110 TY3 CL2	Roll (0.5" wide)				
C-553	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 5.5 to 7.5 µIN	299-947-110, Type III, Class 2	None	None	N/A	3M No. 5491	76381		
C-554	Wire, Shear, Copper, 0.015"	NASM20995	MS20995	MS20995CY15-48	4 FT	Any product meeting specification	Commercial		
C-555	Release Agent, Mold, Liquid	None	N/A	FREKOTE 700-NC	1 GA	Loctite 700-NC	05972		
C-555	Release Agent, Mold, Liquid	None	N/A	None	N/A	Loctite Frekote 44-NC	05972		
C-555	Release Agent, Mold, Liquid	None	N/A	None	N/A	Mono-Coat E-150 N-ODS	Commercial		
C-556	Use C-415	None	N/A	None	N/A	Use C-415	N/A	Use C-415	
C-557	Tape, Erosion, Protective, Polyurethane	None	N/A	70-0000-6236-7	Roll (6"x36 yards)	3M No. 8663HS	52152		Matte Black, High Shear (HS) Acrylic Adhesive
C-557	Tape, Erosion, Protective, Polyurethane	None	N/A	70-0000-8095-5	Roll (6"x36 yards)	3M No. 8663HS	52152		Transparent, High Shear (HS) Acrylic Adhesive
C-558	Adhesive Promoter	None	N/A	3M 86A	1 PT	3M No. 86A	04963		
C-559	Sealing Compound, Fuel Resistant	AMS 3276	MIL-S-83430	AMS3276 1 PT	1 PT	Any product meeting specification	Commercial	Intermittent use to 360°F	
C-560	Glass Cloth, 0.005 inch thick	AMS-C-9084, Class 2, Type III	MIL-C-9084	AMS-C-9084,CL2TYIII	3 SQ FT	Any product meeting specification	Commercial	Style 120 Weave with Volan A Finish	
C-561	Grease, High Pressure	NLGI Grade 2	None	MB1913	15.5 OZ	Thixogrease	L1028		
C-562	Use C-317	None	N/A	None	N/A	Use C-317	N/A	Use C-317	
C-563	Vapor Degreaser	ASTM D4376	O-T-236			Tetrachloroethylene, Perchloroethylene	Commercial		
C-564	Bagging Film, Nylon	None	N/A	None	N/A	Ippilon WN1500	53912	For temperature cure < 400°F	
C-565	Breather Felt, Non-Woven, Polyester, 10 oz, High Pressure	None	N/A	None	N/A	Airweave N10	53912	For cure temp < 375°F and press < 100 PSIG (autoclave)	
C-566	Sealant Tape, Extruded, Cure Temp < 400°F	None	N/A	None	N/A	GS-213-3 (1/8" x 1/2")	53912	For 4-hour cure cycles above 250°F.	



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-567	Shimming Compound, Filled Resin, Two-Part (Uncatalyzed)	AMS 3726, Class 1	-	DMS-4-828	50 GRAMS	DMS-4-828	30256		
C-568	Copper Mesh, Non-Woven, Conductive, Perforated, 0.029 lb/sq ft	None	N/A	151-024-3	1 SQ FT	151-024-3	97499		Bulk Sheet
C-568	Copper Mesh, Non-Woven, Conductive, Perforated, 0.029 lb/sq ft	None	N/A	151-024-3-13-001	Each	151-024-3-13-001	97499		13 inches wide x 1 inch long
C-568	Copper Mesh, Non-Woven, Conductive, Perforated, 0.029 lb/sq ft	None	N/A	151-024-3-31-003	Each	151-024-3-31-003	97499		31 inches wide x 3 inches long
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	N/A	None	N/A	Boelube 70104	18554		Synonym: Boelube 100A
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	N/A	None	N/A	Cethyl Alcohol (solid blocks 1"x2"x3" approx.)	Commercial		
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	N/A	None	N/A	ICF-31P	72008		
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	N/A	None	N/A	Joocy-Loob			
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	N/A	None	N/A	Micro Lube	0M7L5		
C-570	Release Film, Fluoropolymer, Perforated	None	N/A	A5000P	Roll (48"x500')	A5000 Perforated	0F451		FEP type
C-570	Release Film, Fluoropolymer, Perforated	None	N/A	None	N/A	A4000 P	53912		FEP type
C-571	Adhesive, Abrasion Resistant Materials	None	N/A	LARSON L100	87 GRAMS KIT	Larson L100	61272		
C-572	Adhesive, Anaerobic, Retaining Compound	None	N/A	None	N/A	Loctite 603	05972		
C-573	Heatsink Compound, Non-Curing, Thermally Conductive Silicone	None	N/A	DC-340	1 PT	Dow Corning No. 340	71984		
C-574	Adhesive, Instant, Ethyl-2-Cyanoacrylate, Low Viscosity	A-A-3097, Type II, Class 1	MIL-A-46050	MIL-A-46050, TYII CL1	1 OZ	Any product meeting specification	Commercial		
C-575	Adhesive			ARALDITE 2026	50 ML	Araldite 2026	Commercial		
C-576	Tape, Plastic (PMB)			BT-100	Roll (2" wide)	BT-100 (Anchor Continental)	Commercial		
C-576	Tape, Plastic (PMB)					Tape 500 (3M)	Commercial		
C-577	Nylon Braid, Flat Electrical Tying, Resin Coated	AMS 3817	None	50		Any product meeting specification	Commercial		
C-578	Preservative Oil	MIL-L-21260, Type I or II					Commercial		
C-579	Use C-020	None	N/A	None	N/A	Use C-020	N/A	Use C-020	
C-580	Wire, Safety, CRES, 0.025", AS100027	AS5685	AMS 5685	None	N/A	Any product meeting specification	Commercial		Supercedes MS20995C25
C-581	Tape, Lacing, Aramid	A-A-52084	MIL-T-43435, Type V	AA52084-C-2	Roll (100' long)	AA52084-C-2	Commercial		
C-581	Tape, Lacing, Aramid	A-A-52084	MIL-T-43435, Type V	LACING TAPE SIZE 3	Each	AA52084-C-3	Commercial		



ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-582	Black Oxide Solution, Touch-up Material	None	N/A	None	N/A	Presto Black BST4 Brush-On	0HLC1		
C-583	Adhesive, Epoxy Base, Intermediate Cure, Heat Resistant	299-947-073		299-947-073 6OZ	6 OZ		97499		
C-583	Adhesive, Epoxy Base, Intermediate Cure, Heat Resistant	299-947-073		299-947-073 QUART	1 QT		97499		
C-583	Adhesive, Epoxy Base, Intermediate Cure, Heat Resistant	299-947-073				Hysol EA 9306NA	33564		
C-584	Insert Material, Low Density, Epoxy & Amine Base	299-947-097, Type II	None	299-947-097 TY2	1 PT				
C-584	Insert Material, Low Density, Epoxy & Amine Base	299-947-097, Type II	None	299-947-097, TY II	1 GAL				
C-584	Insert Material, Low Density, Epoxy & Amine Base	299-947-097, Type II	None	None	N/A	BH200A/9810	51625		
C-584	Insert Material, Low Density, Epoxy & Amine Base	299-947-097, Type II	None	None	N/A	Magnobond 120-271	22121		
C-585	Stencil Ink	A-A-208, Type III				Any product meeting specification	09800		
C-586	Corrosion Preventive Compound	None	N/A	CA1000 6OZ	6 OZ	DeSoto CA 1000	K5635		
C-587	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/4, Class 3	MIL-DTL-23053/4	None	N/A	ATUM (RK-6025)	06090		
C-588	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/8	MIL-DTL-23053/8	M23053/8-001-C	1 FT	Any product meeting specification	Commercial		
C-588	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/8	MIL-DTL-23053/8	M23053/8-004-C	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-102-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-103-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-103-9	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-104-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-105-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-106-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-106-9	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-107-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-107-9	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-108-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-109-0	1 FT	Any product meeting specification	Commercial		



A Textron Company

ITEM	NOMENCLATURE	SPECIFICATION	HISTORICAL SPECIFICATION	BELL ORDER NUMBER	ORDER QTY	MATERIAL	CAGE / FSCM / SOURCE	NOTES	ADDITIONAL INFORMATION
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-109-2	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-109-9	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-111-0	1 FT	Any product meeting specification	Commercial		
C-589	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	MIL-DTL-23053/5	M23053/5-118-0	1 FT	Any product meeting specification	Commercial		
C-590	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/4, Class 2	MIL-DTL-23053/4	M23053/4-203-0	1 FT	Any product meeting specification	Commercial		
C-591	Leak Detection Compound, Oxygen Systems	MIL-PRF-25567, Type I	MIL-L-25567			Sherlock 5-Second	23316	Use from 35 to 160°F (1 to 70°C)	
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-1-9	Each	Any product meeting specification	Commercial		
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-2-0	Each	Any product meeting specification	Commercial		
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-2-9	Each	Any product meeting specification	Commercial		
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-4-9	Each	Any product meeting specification	Commercial		
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-5-9	Each	Any product meeting specification	Commercial		
C-592	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367	MS3367-7-9	Each	Any product meeting specification	Commercial		
C-593	Adhesive, Silicone, Room Temperature Vulcanizing, High Strength	MIL-A-46146	None	None	N/A	RTV-3145	71984		
C-594	Lacquer, Acrylic, Grade P-95	299-947-069	None	None	N/A	Lacquer, Grade P-95	06341	Refer to text for specific color (FED-STD-595)	
C-595	Sealing Tape, Expanded PTFE, Adhesive Backed, Non-Ribbed, Tapered	AMS 3255, Class 2	None			120-255-7	0AMD8		
C-596	Tape, Thread Sealant and Lubricant, PTFE	None	N/A	48 THD SEAL	Each	48 Thread Sealant and Lubricant	75037		
C-596	Tape, Thread Sealant and Lubricant, PTFE	None	N/A	None	N/A	Scotch brand No.547	52004		
C-597	Sealing Tape, Expanded PTFE, Adhesive Backed, Ribbed	AMS 3255, Class 1	None	120-255-3	Roll	120-255-3	0AMD8		