

Paediatric Nutrition

Full range of both oral and tube feeding products,

1.0 – 1.5kcal mL with and without fibre

PediaSure Powder	38
PediaSure® Tetra	39
PediaSure® Can	40
PediaSure® RTH	41
PediaSure® with Fibre Can	42
PediaSure® with Fibre RTH	43
PediaSure® Plus	44
Isomil®	45
Pedialyte®	46

PEDIASURE® POWDER



PediaSure® Powder is a complete balanced formula for children 1 – 10 years of age and is ideal for children whose nutrient needs are increased or who may be undernourished due to illness or poor appetite. It has been shown to support catch-up growth in children with failure to thrive and can be used as an oral supplement to everyday food and drink. It can be reconstituted to meet the caloric requirements of the child and is suitable for tube feeding.

INDICATIONS

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Supporting catch-up growth in those children diagnosed with 'failure to thrive'

FEATURES

- Compete, balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Can be made up to different kcal/mL concentrations depending on the requirements of the patient
- Suitable for oral and tube feeding

FACTS

Nutrient density (Cal/mL)	1.0
(kJ/mL)	4.18
Protein (% Cal)	12.0
Carbohydrate (% Cal)	43.8
Fat (% Cal)	44.2
kcal/N ratio	208:1
Non-protein kcal/N ratio	185:1
Kosher	No
Gluten-free	Yes
Lactose	0.015g/100mL
Potential Renal Solute Load (mOsm/L)	201
Osmolality (mOsm/kgH ₂ 0)	350
Scoop size	9.08g

INGREDIENTS

Hydrolysed corn starch, sucrose, high oleic sunflower oil, sodium caseinate, soy oil, Medium Chain Triglycerides (MCT) oil, MINERALS (calcium phosphate tribasic, potassium citrate, magnesium chloride, potassium phosphate dibasic, potassium chloride, sodium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, chromium chloride, potassium iodide, sodium molybdate, sodium selenite), whey protein concentrate, flavouring, VITAMINS (choline chloride, ascorbic acid, ascorbyl palmitate, niacinamide, dl-alpha-tocopheryl acetate, d-calcium pantothenate, thiamin hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, beta carotene, biotin, phylloquinone, vitamin D₃, cyanocobalamin), m-inositol, taurine and l-carnitine.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla (Powder)	400 g Can	24	L763.14002
Vanilla (Powder)	900 g Can	12	L763.15202

PRECAUTION

Not suitable for children with galactosemia


NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty	Avg Qty
Energy	kJ	Per 100g 2075	Per 100mL [†] 418
Lifergy	kcal	496	100
Protein	g	14.9	3.0
Carbohydrate	g	54.3	10.95
Fat	g	24.7	4.98
Saturated fat	g	5.78	1.21
Monounsaturated fat	g	12.61	2.65
Polyunsaturated fat	g	4.89	1.03
Dietary fibre, total	g	0	0
Taurine	mg	36	7.2
Carnitine	mg	8.4	1.7
Inositol	mg	39.7	8.0
VITAMINS		00.4	77.40
Vitamin A	mcg	384 6.33	77.40 1.28
Vitamin D ₃ Vitamin E	mcg	6.33 7.65	1.28 1.54
Vitamin E Vitamin K,	mg	7.65 18.8	3.8
Vitamin C	mcg	49.6	10
Folic acid	mg mcg	184	37
Thiamin (Vitamin B ₁)	mg	1.33	0.27
Riboflavin (Vitamin B ₂)	mg	1.04	0.21
Vitamin B ₆	mg	1.3	0.26
Vitamin B ₁₂	mcg	3.0	0.6
Niacin	mg NE	9.9	2.0
Choline	mg	149	30
Biotin	mcg	159	32
Pantothenic acid	mg	5.0	1.0
MINERALS			
Sodium	mg	228	46
	mmol	9.92	2.0
Potassium	mg .	645	130
0	mmol	16.50	3.32
Chloride	mg .	496	100
0.11.	mmol	13.99	2.82
Calcium	mg	486	98 80
Phosphorus	mg	397	
Magnesium Iodine	mg	99.2 47.6	20 9.6
Manganese	mcg	47.6 1.24	0.25
Copper	mg mg	0.50	0.23
Zinc	mg	6.0	1.2
Iron	mg	6.9	1.4
Selenium	mcg	11.4	2.3
Chromium	mcg	14.9	3.0
Molybdenum	mcg	17.9	3.6
· · · · ·	- 3		

'Standard Dilution 201.6g = 1 Litre. A single serving is prepared by mixing 45.4g of powder (ie. 5 level scoops) with 190mL of water to yield approximately 225mL of beverage.



PEDIASURE® TETRA



PediaSure® tetras are complete balanced liquid feeds specially formulated for children 1 – 10 years of age. They come in convenient, ready-to-drink packs and are ideal for children whose nutrient needs are increased or who may be undernourished due to illness or poor appetite. They have been shown to support catch-up growth in children with failure to thrive and can be used as an oral supplement to everyday food and drink.

INDICATIONS

MITRIENT

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Compete balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Available in handy ready-to-drink tetra in a variety of flavours to enhance compliance

Avg Qty

Avg Qty

FACTS

Nutrient density (Cal/mL)	1.0
(kJ/mL)	4.2
Protein (% Cal)	11.2
Carbohydrate (% Cal)	44.7
Fat (% Cal)	44.2
kcal/N ratio	228:1
Non-protein kcal/N ratio	202:1
Kosher	Yes
Gluten-free	Yes
Lactose	0.014g/100mL
Potential Renal Solute Load (mOsm/L)	259
Osmolality (mOsm/1kg H ₂ 0)	320
N-6:N-3 Ratio	10.9:1

INGREDIENTS

Water, maltodextrin, sucrose, high oleic sunflower oil, milk protein isolate, soy oil, MCT oil, sodium caseinate, MINERALS (sodium citrate, magnesium chloride, potassium chloride, potassium phosphate dibasic, potassium citrate, calcium phosphate tribasic, ferrous sulphate, zinc sulphate, cupric sulphate, manganese sulphate, sodium fluoride, potassium iodide, sodium molybdate, chromium chloride, sodium selenite), flavouring, whey protein concentrate, monoglyceride, soy lecithin, VITAMINS (choline bitartrate, ascorbic acid, dl-alpha tocopheryl acetate, niacinamide, calcium pantothenate, riboflavin, thiamin hydrochloride, vitamin A palmitate, pyridoxine hydrochloride, folic acid, biotin, phylloquinone, vitamin D_g, cyanocobalamin), xanthan gum, m-inositol, taurine, l-carnitine.

May contain: magnesium sulphate, sodium chloride.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	200mL Tetra	27	M500.12001
Strawberry	200mL Tetra	27	M691.12001
Chocolate	200mL Tetra	27	M962.12001

PRECAUTION

Not suitable for children with galactosemia

NUTRIENT INFORMATION (VANILLA FLAVOUR)

Hnit

NUTRIENT	Unit	Per 100mL	Per 200mL
Energy	kJ	419	837
	kcal	100	201
Protein	g	2.80	5.6
Carbohydrate	g	11.16	22
Sugars	g	3.88	7.76
Fat	g	4.98	10
Saturated fat	g	1.38	2.76
Monounsaturated fat	g	2.36	4.72
Polyunsaturated fat	g	1.05	2.10
Dietary fibre, total	g	0	0
Water	g	85.4	171
Taurine	mg	7.2	14
Carnitine	mg	1.7	3.4
Inositol	mg	8.0	16
VITAMINS			
Vitamin A	mcg RE	45	90
Vitamin D ₃	mcg	1.0	2.0
Vitamin E	mg $lpha$ TE	1.5	3.0
Vitamin K₁	mcg	4.0	8.0
Vitamin C	mg	5.0	10
Folic acid	mcg	15	30
Thiamin (Vitamin B₁)	mg	0.15	0.30
Riboflavin (Vitamin B ₂)	mg	0.20	0.40
Vitamin B ₆	mg	0.10	0.20
Vitamin B ₁₂	mcg	0.20	0.40
Niacin	mg NE	1.2	2.4
Choline	mg	15	30
Biotin	mcg	5.0	10
Pantothenic acid	mg	0.30	0.60
MINERALS			
Sodium	mg	60	120
	mmol	2.61	5.22
Potassium	mg .	110	220
.	mmol	2.81	5.63
Chloride	mg .	100	200
0.1.	mmol	2.82	5.64
Calcium	mg	56	112
Phosphorus	mg	53	106
Magnesium	mg	16	32
lodine	mcg	10	20
Manganese	mg	0.10	0.20
Copper	mg	0.1	0.2
Zinc	mg	1.0	2.0
Iron	mg	1.0	2.0
Selenium	mcg	2.8 2.5	5.6
Chromium Molybdenum	mcg	2.5 4.0	5.0 8.0
Fluoride	mcg	50	100
riuonde	mcg	50	100



PEDIASURE® 237ML CAN



PediaSure® is a complete balanced liquid feed specially formulated for children 1 – 10 years of age. It is ideal for children whose nutrient needs are increased or who may be undernourished due to illness or poor appetite. It has been shown to support catch-up growth in children with failure to thrive and can be given as an oral or a tube feed, as the sole source of nutrition or as a supplement to everyday food and drink.

INDICATIONS

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Compete balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Ready-to-drink
- Suitable for oral or tube feeding

FACTS

Nutrient density (Cal/mL)	1.0
(kJ/mL)	4.2
Protein (% Cal)	11.9
Carbohydrate (% Cal)	43.9
Fat (% Cal)	44.2
kcal/N ratio	213:1
Non-protein kcal/N ratio	187:1
Kosher	Yes
Gluten-free	Yes
Lactose	0.0153g/100mL
Renal Solute Load (mOsm/L)	276
Osmolality (mOsm/kgH ₂ 0)	310
N-6:N-3 Ratio	10:1

INGREDIENTS

Water, maltodextrin, sucrose, sodium caseinate, high oleic safflower oil, soy oil, Medium Chain Triglycerides (MCT) oil, whey protein concentrate, calcium phosphate tribasic, natural and artificial flavour, potassium citrate, magnesium chloride, cellulose gel, potassium phosphate dibasic, potassium chloride, soy lecithin, mono- and diglycerides, choline chloride, carrageenan, ascorbic acid, cellulose gum, m-inositol, taurine, ferrous sulphate, zinc sulphate, niacinamide, dl-alpha tocopheryl acetate, l-carnitine, d-calcium pantothenate, thiamin hydrochloride, pyridoxine hydrochloride, riboflavin, manganese sulphate, cupric sulphate, vitamin A palmitate, folic acid, biotin, potassium iodide, sodium selenate, sodium molybdate, phylloquinone, vitamin D₃ and cyanocobalamin. Potassium hydroxide may be present.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	237mL Can	24	P335.126

PRECAUTION

Not suitable for children with galactosemia

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty	Avg Qty
Energy	kJ	Per 100mL 419	Per 237mL 992
Lifelgy	kcal	100	237
Protein	g	3.0	7.1
Carbohydrate	g	11	26
Sugars	g	4.39	10.40
Fat	g	5.0	11.8
Saturated fat	g	1.37	3.25
Monounsaturated fat	g	2.26	5.35
Polyunsaturated fat	9	1.12	2.66
Dietary fibre, total Water	g	0 85	0 200
Taurine	g mg	65 7	200 17
L-Carnitine	mg	2.0	4
m-Inositol	mg	8.0	19
VITAMINS	9	0.0	.0
Vitamin A	mcg	77.40	183
Vitamin D ₃	mcg	1.28	3.0
Vitamin E	mcg	1.54	3.62
Vitamin K ₁	mcg	4	9.0
Vitamin C	mg	10	24
Folic acid	mcg	37	88
Thiamin (Vitamin B₁)	mg	0.27	0.64
Riboflavin (Vitamin B ₂)	mg	0.21	0.50
Vitamin B	mg	0.3 0.6	0.62 1.4
Vitamin B ₁₂ Niacin	mcg mg	0.6	4.0
Choline	mg	30	71
Biotin	mcg	32	76
Pantothenic acid	mg	1.0	2.4
MINERALS	9		
Sodium	mg	38	90
	mmol	1.65	3.91
Potassium	mg	131	310
	mmol	3.35	7.93
Chloride	mg .	101	240
0.1.	mmol	2.85	6.77
Calcium	mg	97	230
Phosphorus Magnesium	mg	80 20	190 47
lodine	mg mcg	20 10	23
Manganese	mg	0.10	0.24
Copper	mg	0.10	0.24
Zinc	mg	1.2	2.8
Iron	mg	1.4	3.3
Selenium	mcg	2.3	5.4
Chromium	mcg	3.0	7.1
Molybdenum	mcg	3.6	8.5

www.abbottnutrition.com.au



PEDIASURE® RTH



PediaSure® RTH is a standard calorie (1.0 Cal/mL) complete balanced enteral formula specially formulated for children 1 – 10 years of age. It is suitable for children who have poor appetite or increased nutrient needs and can be used as the sole source of nutrition.

INDICATIONS

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Compete balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Suitable for oral and tube feeding

Ava Qtv

Ava Qtv

FACTS

Nutrient density (Cal/mL)	1.0
(kJ/mL)	4.2
Protein (% Cal)	11.2
Carbohydrate (% Cal)	44.7
Fat (% Cal)	44.2
kcal/N ratio	228:1
Non-protein kcal/N ratio	202:1
Kosher	Yes
Gluten-free	Yes
Lactose	0.014g/100mL
Potential Renal Solute Load (mOsm/L)	259
Osmolality (mOsm/kgH ₂ 0)	320
N-6:N-3 Ratio	10.9:1

INGREDIENTS

Water, maltodextrin, sucrose, high oleic sunflower oil, milk protein isolate, soy oil, MCT oil, sodium caseinate, MINERALS (sodium citrate, magnesium chloride, potassium chloride, potassium phosphate dibasic, potassium citrate, calcium phosphate tribasic, ferrous sulphate, zinc sulphate, cupric sulphate, manganese sulphate, sodium fluoride, potassium iodide, sodium molybdate, chromium chloride, sodium selenite), flavouring, whey protein concentrate, monoglyceride, soy lecithin, VITAMINS (choline bitartrate, ascorbic acid, dl-alpha tocopheryl acetate, niacinamide, calcium pantothenate, riboflavin, thiamin hydrochloride, vitamin A palmitate, pyridoxine hydrochloride, folic acid, biotin, phylloquinone, vitamin D₃, cyanocobalamin), xanthan gum, m-inositol, taurine, l-carnitine.

May contain: magnesium sulphate, sodium chloride.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	500mL RTH	15	M500.150

PRECAUTION

Not suitable for children with galactosemia

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty	Avg Qty
		Per 100mL	Per 500mL
Energy	kJ kcal	419 100	2093 502
Protein		2.80	502 14
	g	2.60 11.16	56
Carbohydrate Sugars	g	3.88	19.4
Fat	g	4.98	25
Saturated fat	g	1.38	6.9
Monounsaturated fat	g	2.36	11.8
Polyunsaturated fat	g	1.05	5.25
	g	0	0
Dietary Fibre, total Water	g	85.4	427
Taurine	g ma	7.2	36
Carnitine	mg ma	1.7	8.5
Inositol	mg ma	8.0	40
VITAMINS	mg	0.0	40
Vitamin A	mcg RE	45	225
Vitamin D _o	mcg	1.0	5.0
Vitamin E	mg α TE	1.5	7.5
Vitamin K,	mcg	4.0	20
Vitamin C	mg	5.0	25
Folic acid	mcg	15	75
Thiamin (Vitamin B₁)	mg	0.15	0.75
Riboflavin (Vitamin B ₂)	mg	0.10	1.0
Vitamin B ₆	mg	0.10	0.50
Vitamin B ₁₂	mcg	0.20	1.0
Niacin	mg NE	1.2	6.0
Choline	mg	15	75
Biotin	mcg	5.0	25
Pantothenic acid	mg	0.30	1.5
MINERALS	mg	0.00	1.0
Sodium	mg	60	300
Codiam	mmol	2.61	13.05
Potassium	mg	110	550
· otagoram	mmol	2.81	14.07
Chloride	mg	100	500
	mmol	2.82	14.10
Calcium	mg	56	280
Phosphorus	mg	53	265
Magnesium	mg	16	80
Iodine	mcg	10	50
Manganese	mg	0.10	0.50
Copper	mg	0.1	0.5
Zinc	mg	1.0	5.0
Iron	mg	1.0	5.0
Selenium	mcg	2.8	14
Chromium	mcg	2.5	13
Molybdenum	mcg	4.0	20
Fluoride	mcg	50	250
	=		



PEDIASURE® WITH FIBRE CAN



PediaSure® with Fibre is a complete balanced liquid feed specially formulated for children 1 – 10 years of age who may benefit from fibre. It is ideal for children whose nutrient needs are increased or who may be undernourished due to illness or poor appetite. It has been shown to support catch-up growth in children with failure to thrive and can be used as the sole source of nutrition or as a supplement to everyday food and drink.

INDICATIONS

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Compete balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Provides 5g total dietary fibre per litre

Ava Qtv

• Ready-to-drink

Ava Qtv

• Suitable for oral and tube feeding

FACTS

Nutrient density (Cal/mL)	1.0
(kJ/mL)	4.2
Protein (% Cal)	12.2
Carbohydrate (% Cal)	42.5
Fat (% Cal)	44.8
kcal/N ratio	211:1
Non-protein kcal/N ratio	185:1
Kosher	Yes
Gluten-free	Yes
Lactose	0.0149g/100mL
Renal Solute Load (mOsm/L)	275
Osmolality (mOsm/kgH ₂ 0)	345
N-6:N-3 Ratio	10:1

INGREDIENTS

Water, maltodextrin, sucrose, sodium caseinate, high oleic safflower oil or high oleic sunflower oil, soy oil, Medium Chain Triglycerides (fractionated coconut oil), whey protein concentrate, soy polysaccharide, calcium phosphate tribasic, natural and artificial flavours, potassium citrate, magnesium chloride, potassium phosphate dibasic, potassium chloride, mono- and diglycerides, soy lecithin, choline chloride, carrageenan, ascorbic acid, taurine, dl-alpha-tocopheryl acetate, ferrous sulphate, zinc sulphate, niacinamide, I-carnitine, d-calcium pantothenate, dextrose, manganese sulphate, corn oil, citric acid, thiamin chloride hydrochloride, pyridoxine hydrochloride, riboflavin, cupric sulphate, vitamin A palmitate, folic acid, biotin, potassium iodide, sodium molybdate, sodium selenite, phylloquinone, cyanocobalamin, vitamin D₃. Sodium citrate and potassium hydroxide may be present.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	235mL Can	24	M138.170

PRECAUTION

Not suitable for children with galactosemia PediaSure® with Fibre should be introduced gradually, and tolerance should be observed.

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty	Avg Qty
Energy	kJ	Per 100mL 419	Per 235mL 984
Ellergy	kcal	100	235
Protein		3.0	7.1
Carbohydrate	g	11	26
Sugars	g	4.42	10.39
Fat	g g	5.0	11.7
Saturated fat	g	1.35	3.17
Monounsaturated fat	g	2.18	5.12
Polyunsaturated fat	g	1.22	2.87
Linoleic Acid	g	0.8	1.9
Linolenic Acid	g	0.09	0.21
Dietary fibre, total	g	0.5	1.1
Taurine	mg	7.2	16.9
L-Carnitine	mg	1.7	4
VITAMINS	9		
Vitamin A	mcg	77.7	182.4
Vitamin D ₃	mcg	0.80	1.88
Vitamin E	mg α TE	2.35	5.50
Vitamin K,	mcg	3	8
Vitamin C	mg	10.2	24.0
Folic acid	mcg	37	88
Thiamin (Vitamin B₁)	mg	0.27	0.64
Riboflavin (Vitamin B ₂)	mg	0.21	0.50
Vitamin B ₆	mg	0.26	0.62
Vitamin B ₁₂	mcg	0.60	1.40
Niacin	mg	1.7	4.0
Choline	mg	30.0	70.5
Biotin	mcg	32.0	76.0
Pantothenic acid	mg	1.0	2.4
MINERALS			
Sodium	mg .	37	87
	mmol	1.61	3.78
Potassium	mg .	130	306
	mmol	3.32	7.83
Chloride	mg _.	101	238
0.1	mmol	2.85	6.71
Calcium	mg	97	228
Phosphorus	mg	80	188
Magnesium	mg	19.8	46.5
Iodine	mcg	9.7	23.0
Manganese	mg	0.25 0.10	0.59 0.24
Copper Zinc	mg	1.2	2.8
Iron	mg ma	1.2 1.4	2.8 3.3
Selenium	mg mcg	2.3	5.4
Chromium	mcg	3.0	7.1
Molybdenum	mcg	3.6	8.4
Morybaenam	meg	5.0	0.4

www.abbottnutrition.com.au



PEDIASURE® WITH FIBRE RTH



PediaSure® with Fibre RTH is a complete balanced enteral formula specially formulated for children 1-10 years of age who may benefit from fibre. It is suitable for children who have poor appetite or increased nutrient needs and can be used as the sole source of nutrition or as a supplement to everyday food and drink.

INDICATIONS

For children 1 – 10 years of age:

- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Compete balanced nutrition when used in appropriate amounts
- Shown to support weight gain and promote catch-up growth
- Provides 5g total dietary fibre per litre
- Suitable for oral and tube feeding

FACTS

1.0
4.2
11.2
43.8
44.2
228:1
202:1
Yes
No*
0.014g/100mL
259
340
10.9:1

INGREDIENTS

Water, maltodextrin, sucrose, sodium and calcium caseinates, high oleic sunflower oil, soy oil, Medium Chain Triglycerides (MCT) oil, whey protein concentrate, MINERALS (calcium phosphate tribasic, magnesium chloride, potassium chloride, sodium citrate, potassium phosphate dibasic, potassium citrate, ferrous sulphate, zinc sulphate, cupric sulphate, manganese sulphate, sodium fluoride, potassium iodide, sodium molybdate, chromium chloride, sodium selenite), flavouring, fructo-oligosaccharides (FOS), oat fibre, soy polysaccharide, gum arabic, monoglyceride, soy lecithin, VITAMINS (choline bitartrate, ascorbic acid, niacinamide, dl-alpha tocopheryl acetate, calcium pantothenate, thiamin hydrochloride, riboflavin, pyridoxine hydrochloride, vitamin A palmitate, folic acid, biotin, phylloquinone, vitamin D₃, cyanocobalamin), sodium carboxymethyl cellulose, xanthan gum, m-inositol, taurine, potassium hydroxide, l-carnitine,

May contain: magnesium sulphate, sodium chloride.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	500mL RTH	15	M610.15001

PRECAUTION

Not suitable for children with galactosemia PediaSure® with Fibre should be introduced gradually, and tolerance should be observed.

www.abbottnutrition.com.au

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty	Avg Qty
	kJ	Per 100mL 418	Per 500mL 2091
Energy	kcal	100	499
Protein		2.80	14.00
Carbohydrate	g	10.93	54.65
Sugars	g g	3.83	19.2
Fat	g	4.98	24.90
Saturated fat	g	1.37	6.85
Monounsaturated fat	g	2.34	11.7
Polyunsaturated fat	g	1.05	5.25
Dietary fibre, total	g	0.73	3.65
FOS	g	0.23	1.15
Taurine	mg	7.2	36
Carnitine	mg	1.7	8.5
Inositol	mg	8.0	40
Water	g	85.2	426
VITAMINS			
Vitamin A (Palmitate)	mcg RE	45	225
Vitamin D ₃	mcg	1.0	5.0
Vitamin E	mg $lpha$ TE	1.5	7.5
Vitamin K₁	mcg	4.0	20
Vitamin C	mg	5.0	25
Folic acid	mcg	15	75
Thiamin (Vitamin B₁)	mg	0.15	0.75
Riboflavin (Vitamin B ₂)	mg	0.20	1.0
Vitamin B ₆	mg	0.10	0.50
Vitamin B ₁₂	mcg	0.20	1.0
Niacin	mg NE	1.2	6.0
Choline	mg	15	75
Biotin	mcg	5.0	25
Pantothenic acid MINERALS	mg	0.30	1.5
Sodium	ma	60	300
Sodium	mg mmol	2.61	13.05
Potassium	mg	110	550
i otassium	mmol	2.81	14.07
Chloride	mg	100	500
Chierrae	mmol	2.82	14.10
Calcium	mg	56	280
Phosphorus	mg	53	265
Magnesium	mg	16	80
Iodine	mcg	10.0	50
Manganese	mg	0.10	0.50
Copper	mg	0.1	0.5
Zinc	mg	1.0	5.0
Iron	mg	1.0	5.0
Selenium	mcg	2.8	14
Chromium	mcg	2.5	13
Molybdenum	mcg	4.0	20
Fluoride	mg	0.05	0.25





PEDIASURE® PLUS



PediaSure® Plus RTH is a good source of concentrated calories (1.5 Cal/mL) to help children gain weight. It is a complete and balanced liquid feed specifically formulated for children aged 1-10 years of age. It can be given as an oral or a tube feed, and be used as the sole source of nutrition or as a supplement to everyday food and drink.

INDICATIONS

For children 1 – 10 years of age:

- With volume restrictions
- Whose nutrient needs are increased or who may be undernourished due to illness or poor appetite
- With chronic conditions requiring supplement or sole source nutrition such as neurological disorders or cancer
- With acute conditions such as trauma or burns
- Before and after surgery
- Diagnosed as 'failure to thrive' and require catch-up growth

FEATURES

- Complete balanced nutrition when used in appropriate amounts
- Clinically proven to support weight gain and promote catch-up growth
- Ready-to-drink
- Suitable for oral and tube feeding

FACTS

Nutrient density (Cal/mL)	1.5
(kJ/mL)	6.28
Protein (% Cal)	11.2
Carbohydrate (% Cal)	44.7
Fat (% Cal)	44.2
kcal/N ratio	228:1
Non-protein kcal/N ratio	202:1
Kosher	Yes
Gluten-free	Yes
Lactose	0.021g/100mL
Potential Renal Solute Load (mOsm/L)	354
Osmolality (mOsm/kgH ₂ 0)	350
N-6:N-3 Ratio	10.9:1

INGREDIENTS

Water, maltodextrin, sodium and calcium caseinates, high oleic sunflower oil, soy oil, sucrose, MCT oil, whey protein concentrate, MINERALS (potassium citrate, magnesium chloride, calcium phosphate tribasic, potassium phosphate dibasic, sodium citrate, ferrous sulphate, zinc sulphate, cupric sulphate, manganese sulphate, sodium fluoride, potassium iodide, sodium molybdate, chromium chloride, sodium selenite), flavouring, mono- and diglyceride, soy lecithin, VITAMINS (choline bitartrate, ascorbic-acid, dl-alpha tocopheryl acetate, niacinamide, calcium pantothenate, vitamin A palmitate, riboflavin, thiamin hydrochloride, pyridoxine hydrochloride, vitamin D₃, folic acid, biotin, phylloquinone, cyanocobalamin), m-inositol, xanthan gum, taurine and l-carnitine.

May contain: potassium chloride, sodium chloride and magnesium sulphate.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Vanilla	500mL RTH	1 5	M780.150

PRECAUTION

Not suitable for children with galactosemia

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty Per 100mL	Avg Qty Per 500mL
Energy	kJ	628	3139
,	kcal	150	750
Protein	g	4.20	21
Carbohydrate	g	16.74	83.7
Sugars	9	2.27	11.35
Fat	g	7.47	37.4
Saturated fat	9	2.05	10.25
Monounsaturated fat	g	3.50	17.5
Polyunsaturated fat	g	1.57	7.85
Dietary fibre, total	g	0	0
Taurine	mg	10.8	54
Carnitine	mg	2.6	13
Inositol	mg	12.0	60
Water	g	78.3	391.7
VITAMINS	9		
Vitamin A	mcg	99.0	495
Vitamin D	mcg	1.13	5.63
Vitamin E	mg	1.54	7.72
Vitamin K,	mcg	5.9	29.5
Vitamin C	mg	7.5	37.5
Folic acid	mcg	23	115
Thiamin (Vitamin B ₁)	mg	0.23	1.15
Riboflavin (Vitamin B ₂)	mg	0.30	1.5
Vitamin B ₆	mg	0.15	0.75
Vitamin B ₁₂	mcg	0.30	1.5
Niacin	mg NE	1.8	9
Choline	mg	22.5	113
Biotin	mcg	7.5	37.5
Pantothenic acid	mg	0.45	2.3
MINERALS	3		
Sodium	mg	60	300
	mmol	2.61	13.05
Potassium	mg	135	675
	mmol	3.45	17.26
Chloride	mg	100	500
	mmol	2.82	14.10
Calcium	mg	83	415
Phosphorus	mg	80	400
Magnesium	mg	24	120
Iodine	mcg	15	75
Manganese	mg	0.15	0.75
Copper	mg	0.17	0.83
Zinc	mg	1.5	7.5
Iron	mg	1.5	7.5
Selenium	mcg	4.2	21
Chromium	mcg	3.8	19
Molybdenum	mcg	5.9	29.5
Fluoride	mcg	75	375



ISOMIL®



Isomil® is a soy based infant formula for infants with feeding problems or who require a non-milk based formula as a first feeding alternative or as a supplement to breast feeding,

INDICATIONS

Nutritional support for infants (0 – 12 months) with disorders for which lactose should be avoided, including lactase deficiency and galactosemia. It is a complete formula for infants and children with allergy or sensitivity to cow's milk protein, where soy milk is recommended by a Healthcare Professional.

FEATURES

- Well-tolerated soy based formula
- Made with 100% soy protein isolates for infants who need to avoid cow's milk protein allergy or sensitivity
- Contains 1.03mg of iron (as ferrous sulphate) per 100mL
- Vegetable oils to provide recommended levels of essential fatty acids
- Contains appropriate levels of vitamins and minerals to support optimal growth
- Suitable for vegetarians

Avg Qty

• Suitable for lactose intolerant infants

Avg Qty

FACTS

Nutrient density (Cal/mL) (kJ/mL)	0.68 2.8
, ,	
Protein (% Cal)	10.59
Carbohydrate (% Cal)	40.52
Fat (% Cal)	48.89
kcal/N ratio	236:1
Non-protein kcal/N ratio	211:1
Kosher	Yes
Gluten-free	Yes
Lactose Free	Yes
Potential Renal Solute Load (mOsm/L)	169
Osmolality (mOsm/kgH ₂ 0)	250
N-6:N-3 Ratio	9.8:1
Scoop weight	7.9g

INGREDIENTS

Hydrolysed corn starch, soy protein isolate, high oleic sunflower oil, sucrose, coconut oil, soy oil, MINERALS (calcium phosphate tribasic, potassium citrate, magnesium chloride, sodium chloride, potassium chloride, ferrous sulphate, zinc sulphate, cupric sulphate, potassium iodide), VITAMINS (ascorbic acid, choline chloride, ascorbyl palmitate, dl-alpha tocopheryl acetate, niacinamide, calcium pantothenate, vitamin A palmitate, thiamin hydrochloride, riboflavin, pyridoxine hydrochloride, beta carotene, folic acid, phylloquinone, biotin, vitamin D₃, cyanocobalamin), l-methionine, taurine, l-carnitine.

ORDERING INFORMATION

Flavour	Presentation	Units	Abbott Nutrition
riavoui	rieseillation	per case	Product Code
Unflavoured	900g Can	12	G786.15201

NUTRIENT INFORMATION


MITRIENT

NUTRIENT	Unit	Per 100g	Per 100mL [†]
Energy	kJ	2163	284
	kcal	517	68
Protein	g	13.7	1.8
Carbohydrate	g	52.4	6.9
Sugars	g	16.68	2.19
Lactose	g	0	0
Fat	g	28.1	3.7
Saturated fat	g	9.05	1.19
Monounsaturated fat	g	11.72	1.54
Polyunsaturated fat	g	5.36	0.71
Linoleic acid	g	5.1	0.67
Dietary fibre, total	g	0	0
Moisture	g	2.4	90.1
Taurine	mg	34	4.5
Carnitine	mg	9	1.18
VITAMINS	9	Ü	
Vitamin A	mcg RE	600	79
Vitamin D _o	mcg	7.6	1.0
Vitamin E	mg α TE	8.7	1.1
Vitamin K.	mcg	42	5.5
Vitamin C	mg	53	7.0
Folic acid	mcg	100	13.2
Thiamin (Vitamin B₁)	mcg	494	65
Riboflavin (Vitamin B _a)	mcg	456	60
Vitamin B _e	mcg	304	40
Vitamin B ₁₂	mcg	2.3	0.3
Niacin	mg	5.3	0.7
Choline	mg	60	7.9
Biotin	mcg	23	3.0
Pantothenic acid	mg	3.8	0.5
MINERALS	mg	0.0	0.0
Sodium	mg	243	32
Codiam	mmol	10.57	1.39
Potassium	mg	578	76
1 Otassiai i	mmol	14.78	1.94
Chloride	mg	449	59
Official	mmol	12.66	1.66
Calcium	mg	532	70
Phosphorus	mg	380	50
Magnesium	mg	41	5.4
Iodine	mcg	76	10
Manganese	mcg	304	40
Copper	mcg	357	47
Zinc	mg	6.0	0.79
Iron	mg	7.8	1.03
	· ·		1.00
†Standard dilution 131.5g powder/Litre	e or one level scoop (7.	9g)/60mL water	

I Imit

www.abbottnutrition.com.au Standard dilution 131.5g powder/Litre

IMPORTANT NOTICE: Breast milk is best for babies. Professional advice should be followed before using an infant formula. Introducing partial bottle-feeding could negatively affect breast-feeding. Good maternal nutrition is important for breast-feeding and reversing a decision not to breast-feed may be difficult. Infant formula should be used as directed. Proper use of an infant formula is important to the health of the infant. Social and financial implications should be considered when selecting a method of feeding.





PEDIALYTE®



Pedialyte® helps restore fluid loss and prevents dehydration in gastroenteritis, vomiting and traveller's diarrhoea.

INDICATIONS

Help restore fluid loss and prevent dehydration in gastroenteritis, vomiting and travellers diarrhoea.

FEATURES

- Provides glucose to promote sodium and water absorption
- Raspberry flavour is colour free so no stains!
- Can be frozen and given as ice blocks
- Handy wrapped sachets

ACTIVE INGREDIENTS

Glucose anhydrous, potassium citrate, sodium chloride, sodium citrate, citric acid.

DIRECTIONS

Empty one sachet into 200mL of fresh drinking water and mix well until dissolved. For infants or where fresh drinking water is not available, use freshly boiled and cooled water. Do not add any other fluids, sweeteners, sugar etc. The reconstituted solution can be stored in a refrigerator for up to 24 hours.

ORDERING INFORMATION

Flavour	Presentation	Units per case	Abbott Nutrition Product Code
Raspberry	6.2g Sachet	120	G963.012
Orange	6.04g Sachet	120	G965.012

NUTRIENT INFORMATION

NUTRIENT	Unit	Avg Qty Per 200mL	Avg Qty Per 1000mL
Sodium	mmol	9	45
Potassium	mmol	4	20
Chloride	mmol	7	35
Citric	mmol	2	10
Glucose	mmol	25.2	126

Note: approximate analysis is based on 200mL of fresh water for reconstitution

IMPORTANT – USE CORRECT DILUTION

DOSAGE FOR:

Vomiting or mild diarrhoea:

Infants (up to 12 months): ½ - 1 sachet every 3-4 hours.

Children 1-6 years: 1-2 sachets every 3-4 hours.

Children 7-12 years: 2-4 sachets every 3-4 hours.

Adults and Children over 12 years: 1-2 sachets every hour.

Do not take immediately after a vomiting episode – take small sips when the solution is likely to be kept down.

Moderate diarrhoea

1 sachet after every loose bowel motion.

Severe diarrhoea

Seek medical attention.

Do not use this product if the patient is dehydrated without medical advice. Symptoms of dehydration include thirst, exhaustion, dry mouth and reduction in skin elasticity.

Please seek medical advice if diarrhoea persists for more than:

6 hours in babies under 6 months old.

12 hours in children aged 6 months to 3 years.

24 hours in children aged 3 to 6 years.

48 hours in anyone over 6 years.









ABBOTT AUSTRALASIA PTY LTD.

