

presented by

The Tilt-Up Concrete Association

The Tilt-Up Concrete Association created the Safety Awards program in order to recognize the contractors in the industry committed to maintaining safe working environments on their job sites. In 2007, this program was renamed "The Alphonse J. Engelman Safety Awards Program" in honor of past TCA president and champion of Tilt-Up construction safety, Al Engelman. The following awards are available to TCA members in each of the classifications described below:

Best Tilt-Up Safety Achievement Award: recognizes the firm with the lowest incident rate in 2011. Multiple companies with a zero Incident rate will result in the award given to the company with the highest number of annual work hours.

Most Improved Safety Achievement Award: recognizes the firm with the most improved incident rate in 2011 from the numbers reported in 2010.

Zero Lost time Accident Achievement Award: provided to all submitting companies who achieved an incident rate of zero for 2011.

Certificate of Recognition: awarded to all companies whose incident rate fell below the national average for structure contractors, a number that was made available by the Bureau of Labor Statistics.

Tilt-Up Concrete Association

P.O. Box 204 113 1st Street NW Mount Vernon, Iowa 52314 (319) 895-6911 www.tilt-up.org





Fill out this form in its entirety. When you are finished, click the submit button in the upper right hand corner. Doing this will open an e-mail addressed to the TCA with this file attached. Send the e-mail. You will receive a confirmation e-mail once we receive this form. If you do not receive a confirmation e-mail, we did not receive the form. Contact the TCA at (319) 895-6911 with any questions.

COMPANY INFORMATION

Co	mpany Name:		Company Website:		
Co	ntact Name:		Contact E-mail:		
Ad	dress:		City:		
	te or Province:				
Co	untry:		Phone:		
Co	ntractor Classification (Indicate one onl	'y):			
1.	GC less than 100K work hours	4.	TC less than 100K work hours	7.	CO less than 100K work hours
2.	GC 101K - 250K work hours	5.	TC 101K - 250K work hours	8.	CO 101K - 250K work hours
3.	GC greater than 251K work hours	6.	TC greater than 251K work hours	9.	CO greater than 251K work hours
	(GC = gener)	al cont	ractor, $TC = Tilt$ -Up Contractor and CO	= cran	e operator)
	ICIDENT RATE Incident Rate (IR): Use the numb that equalizes accident rates for a		n 2011 for the calculation below, which sizes.	is a na	tionally recognized measure of safety

 $(N \times 200,000) / WH = IR$

WH = number of work hours for the firm in the calendar year included all on your payroll: hourly, non-hourly, overtime.

should be the sum of the check marks in columns H, I and J of your 2011 OSHA 300 log.

N= number of lost workday cases plus recordable incidents and modified duty for both injuries and illnesses. This number

INJURY AND ILLNESS INCIDENCE AND FREQUENCY RATE

Company maintains a Hazard Communication Program.

	2009	2010	2011		
Total employee hours worked					
Total number recordable injury/illness cases (total in columns H, I & J of the OSHA 300 log)					
Total number of lost work-day cases due to injury/illness (total in column H in the OSHA 300 log)					
Total number of restricted duty cases (total in column I of the OSHA 300 log)					
Recordable incidence rate (using calculation formula on page 1)					
Lost work-day incidence rate (using calculation formula on page 1)					
Restricted duty rate (using calculation formula on page 1)					
Worker's compensation experience modification rate (EMR)					
MANAGEMENT COMMITMENT Management fully supports and participates in the safety program. Management sets responsibilities for safety. Safety is part of a company-wide performance appraisal. MANAGEMENT POLICY STATEMENT ON SAFETY The statement is known to all employees. The statement is part of safety policies and safety manual. It is signed by the Chief Executive Officer (CEO) or owner.			Submissions must be received by TCA no later than August 15, 2012. The winners will be announced at the 2012 TCA Annual Convention in Amelia Island,		
RESPONSIBILITY FOR SAFETY DEFINED Responsibility for safety is defined for all levels of the fin It is in writing, and is part of the safety manual.	This progr	Florida, October 2-4. This program is for self-performing contractors only.			
ADDITIONAL ITEMS Company prepares a site specific safety plan for each property A hazard/risk assessment is discussed and documented are considered prior to starting any new work task. Job-site safety meetings are held at least once weekly. Supervisors and foremen receive training in accident in	to assure that all exposur	20011 are	rs with a fatality in ineligible.		
analysis. All employees are trained in the use and maintenance o Company conducts drug testing for pre-hire and post a	f P.P.E.	TILT-UP CO	NCRETE ASSOCIATION		