




Since 1910  
**DANUSER**

**CHOOSE THE RIGHT DANUSER PTO DIGGER TO SUIT YOUR NEED.**

 <p><b>Figure 1 MODEL G20/40</b></p>	<p><b>MODEL G20/40—ORDER# DA 6000</b></p> <ul style="list-style-type: none"> <li>• 2" ROUND SPINDLE</li> <li>• PTO DRIVEN (540 RPM)</li> <li>• DESIGNED FOR MOST ASAE 3-pt HITCH CATEGORY I</li> <li>• 20 TO 40 HP <u>ONLY</u> TRACTORS</li> <li>• MAXIMUM DIAMETER AUGER 24"</li> </ul>
---	--


 <p><b>Figure 2 MODEL J20/80</b></p>	<p><b>MODEL J20/80—ORDER# DA 6800</b></p> <ul style="list-style-type: none"> <li>• 2" ROUND SPINDLE</li> <li>• PTO DRIVEN (540 RPM)</li> <li>• DESIGNED FOR MOST ASAE 3-pt HITCH CATEGORY I OR II</li> <li>• 20 TO 80 HP <u>ONLY</u> TRACTORS</li> <li>• MAXIMUM DIAMETER AUGER 24"</li> </ul>
--	--

 <p><b>Figure 3 MODEL F8</b></p>	<p><b>MODEL F8—ORDER# DA 9050</b></p> <ul style="list-style-type: none"> <li>• 2-9/16" ROUND SPINDLE</li> <li>• PTO DRIVEN (540 RPM)</li> <li>• DESIGNED FOR MOST ASAE 3-pt HITCH CATEGORY I OR II</li> <li>• 40 HP AND ABOVE TRACTORS</li> <li>• MAXIMUM DIAMETER AUGER 30"</li> </ul>
---	---

  
**DIGGERS**

\* Indicates a Normally Stocked Item

ORDER #	DESCRIPTION	WT.	LIST
<b>P.T.O. DIGGERS</b>			
DA 6000 *	<b>MODEL G 20/40 PTO DIGGER.</b> Designed for 20 to 40 HP Cat. I tractors. Complete with boom, yoke, auger adapter shield, gearbox, U-Joint, and hardware package. Gearbox ratio of 3.1:1 gives 1014 ft-lbs of torque. Shearpin protected. Uses 2" spindle augers (See Page G-47) Shipped complete in one crate. Maximum diameter auger 24".	217	1,399.00
DA6800 *	<b>MODEL J 20/80 PTO DIGGER, 2" ROUND SPINDLE, PTO (540 RPM)</b> DESIGNED FOR MOST ASAE 3-PT HITCH CAT I OR II. <b>20 TO 80 HP TRACTORS ONLY.</b> COMPLETE WITH BOOM, YOKE, AUGER ADAPTER GUARD, GEARBOX, DRIVELINE, AND HARDWARE PACKAGE. <b>GEARBOX RATIO OF 3:1:1 GIVES 1014 FT/LBS OF TORQUE.</b> SHEAR PIN PROTECTED. MAXIMUM DIAMETER AUGER 24" (LESS AUGER AND ACCESSORIES)	260	1,632.00
<b>ACCESSORIES FOR P.T.O. DIGGERS</b>			
DA 6109	<b>YOKE EXTENSION KIT:</b> PROVIDES APPROXIMATELY 6" OF ADDITIONAL LIFT HEIGHT TO THE DIGGER. AMOUNT OF ADDITIONAL LIFT HEIGHT WILL VARY DEPENDING ON THE TRACTOR MAKE AND MODEL	5	88.00
DA 6136	<b>AUGER ADAPTER GUARD:</b> FURNISHED AS PART OF THE J20/80 DIGGER GEARBOX	9	32.00 NET
DA 6818	<b>DOWN FORCE PACKAGE:</b> COMPLETE WITH RELIEF AND AUTOMATIC DUMP VALVE (LESS HOSES) <b>NOTE: TRACTOR MUST BE EQUIPPED WITH REMOTE OUTLETS AND EITHER A THREE WAY VALVE (AS USED IN OPERATION OF SINGLE ACTING CYLINDER) OR A FOUR WAY VALVE (AS USED IN THE OPERATION OF DOUBLE ACTING CYLINDER) HOSES TO TRACTORS NOT SUPPLIED (NEED ONE HOSE TO A PRESSURIZED OUTLET AND ONE HOSE TO THE SUMP OR RESERVOIR).</b>	57	670.00
DA 6220	<b>DOWN FORCE PACKAGE:</b> COMPLETE WITH RELIEF AND AUTOMATIC DUMP VALVE. FITS <b>G20/40 DIGGER HYDRAULIC HOSES NOT INCLUDED.</b>	57	570.00







## AUGERS FOR 2" SPINDLE DIGGERS

*\*Indicates a Normally Stocked Item.*

## AUGERS FOR G20/40 AND J20/80 DIGGERS

## AUGERS FOR 8300 AND 8800 DIGGERS

SIZE	PLAIN EDGE 40" HOLE DEPTH			SERRATED EDGE 40" HOLE DEPTH			HOLE DIGGER HEAD 40" HOLE DEPTH		
	ORDER #	WT.	LIST	ORDER #	WT.	LIST	ORDER #	WT.	LIST
4"	DA 6101	19	207.00	----- NA -----			----- NA -----		
6"	DA 6029	29	222.00	----- NA -----			DA 6121	34	383.00
9"	DA 6030	39	263.00	DA 6031 *	39	265.00	DA 6122	45	418.00
12"	DA 6032	51	310.00	DA 6033 *	51	315.00	DA 6123	58	468.00
14"	DA 6034	65	373.00	DA 6035 *	65	378.00	DA 6124	71	575.00
16"	DA 6036	69	435.00	DA 6037 *	69	443.00	DA 6125	77	687.00
18"	DA 6038	65	475.00	DA 6039 *	65	482.00	----- NA -----		
24"	DA 6040	91	550.00	DA 6041 *	91	560.00	----- NA -----		
<b>ORCHARD AUGERS - DOUBLE FLIGHT - FOR TREE PLANTING OR LANDSCAPE APPLICATIONS - 29" HOLE DEPTH</b>									
18"	----- NA -----			DA 6256	60	415.00	----- NA -----		
24"	----- NA -----			DA 6255	86	470.00	----- NA -----		
18" X 10"	DA 6240	73	470.00	DA 6248	72	481.00	----- NA -----		
24" X 12"	DA 6241	113	596.00	DA 6249	113	608.00	----- NA -----		
30" X 16"	DA 6242	165	852.00	DA 6250	165	869.00	----- NA -----		

## AUGER EXTENSIONS W/ GUARDS

ORDER #	DESCRIPTION	WT.	LIST
DA 6080G *	7" Round Extension W/Guard For 2" Spindle	13	94.00
DA 6204G *	14" Round Extension W/Guard For 2" Spindle	24	126.00
DA 6207G *	21" Round Extension W/Guard For 2" Spindle	30	145.00
<b>GUARD KITS FOR AUGER EXTENSIONS</b>			
DA 6269 *	Ext. Guard for 7" Extension 2" Round	3	<b>Net</b> 16.00
DA 6270 *	Ext. Guard for 14" & 21" Extension 2" Round	6	<b>Net</b> 21.00



### F8 P.T.O. DIGGER

*\*Indicates a Normally Stocked Item.*

Complete Digger price is: Digger \$ \_\_\_\_ + Auger \$ \_\_\_\_ + Accessories \$ \_\_\_\_ = Total List Price

ORDER #	DESCRIPTION	WT.	LIST
DA 9050 *	<b>MODEL F8 DIGGER.</b> Complete with boom, hardware package for both Cat. I & II 3-pt. mounting. 540 P.T.O. Gearbox ratio of 4.125:1 gives 1813 ft-lbs of torque. Gearbox rated for 40 HP and above tractors. Shearpin protected. Uses 2-9/16" spindle augers. Shipped complete (less auger &/or accessories) in one crate. Use with up to <b>30" max. diameter auger.</b> 5-year warranty on gearbox if registration is filed at time of purchase.	320	2,608.00
<b>DANUSER F8 DIGGER ACCESSORIES</b>			
DA 9079 *	<b>DOWN FORCE PACKAGE.</b> Complete with relief and automatic dump valve. Fits Danuser F8 Diggers. Also fits 8900 Hydraulic Diggers when equipped with 9049 Boom Assembly (less hoses).	51	668.00
<b>*** IMPORTANT NOTE ON THE 9079 DOWN-FORCE KIT***</b> <i>Tractor must be equipped with remote outlets and/or a three-way valve (as used in operation of a single-acting cylinder) or a four-way valve (as used in the operation of a double acting cylinder). HOSES TO THE TRACTOR ARE NOT SUPPLIED. (Need one hose to a pressurized outlet and one hose to the sump or reservoir)</i>			
DA 7480	<b>HOOK &amp; YOKE ASSEMBLY.</b> Use with 9049 crane boom for lifting. 750# Cap	10	137.00
DA 7270 *	<b>AUGER ADAPTER GUARD.</b> Furnished with F8 & 8700 Diggers. Required on all 2-9/16" spindle diggers <b>with 2-3/8" diameter center column augers.</b>	8	Net 27.00
DA 9545 *	<b>AUGER ADAPTER GUARD.</b> Required for use with 2" hex spindles or augers <b>with 3-5/8" diameter center column augers.</b>	9	Net 57.00
DA 9049 *	<b>CRANE BOOM YOKE ASSEMBLY</b> (for 3-pt. hitch tractors) to be used with 9051 or 9052 Assembly Hardware Package.	114	575.00
DA 9051 *	<b>ASSEMBLY HARDWARE PACKAGE.</b> Allows digger to be mounted on A.S.A.E. 3-pt. hitch tractors, Cat. I or II pins size, Cat. I width only. Now included in 9050 digger crate.	9	67.00
DA 9052 *	<b>ASSEMBLY HARDWARE PACKAGE.</b> Allows digger to be mounted on A.S.A.E. 3-pt. hitch tractors, Cat. II pin size, Cat. II width only. Now included in 9050 digger crate.	12	101.00

**Warranty Registration Form and Inspection Report must be completed to activate the 5 year warranty. Without these forms, the customer has only a 1 year warranty.**



**2-9/16" AUGERS TO ACCOMMODATE F8 AND 8900 SERIES DIGGERS**

*\*Indicates a Normally Stocked Item.*

<b>DANUSER 40" HOLE DEPTH AUGERS - DOUBLE FLIGHT</b>									
<b>SIZE</b>	<b>PLAIN EDGE (∇)</b>			<b>SERRATED EDGE (∇)</b>			<b>HOLE DIGGER HEAD</b>		
	<b>ORDER #</b>	<b>WT.</b>	<b>LIST</b>	<b>ORDER #</b>	<b>WT.</b>	<b>LIST</b>	<b>ORDER #</b>	<b>WT.</b>	<b>LIST</b>
4"	DA 450 *	25	287.00	-----NA-----			-----NA-----		
6"	DA 417 *	39	319.00	-----NA-----			DA 9387	44	480.00
9"	DA 1551	46	328.00	DA 1552 *	46	333.00	DA 9314	52	494.00
10"	DA 288	50	351.00	DA 487 *	51	357.00	DA 9315	57	512.00
12"	DA 412	62	375.00	DA 488 *	62	380.00	DA 9316	69	540.00
14"	DA 451	75	432.00	DA 489 *	74	441.00	DA 9317	85	651.00
16"	DA 7650	84	512.00	DA 7665 *	83	516.00	DA 9318	94	779.00
18"	DA 1275	87	593.00	DA 1276 *	87	599.00	DA 9319	125	1,044.00
24"	DA 1270	94	640.00	DA 1272 *	94	649.00	(#)DA 9320	150	1,281.00
30"	DA 7857	133	886.00	DA 7935	133	898.00	(#)DA 9321	207	1,624.00
36"	DA 9618	169	1,296.00	DA 9614	182	1,305.00	(#)DA 9412	264	1,821.00
<b>ORCHARD AUGERS - 29" HOLE DEPTH - DOUBLE FLIGHT - FOR TREE PLANTING OR LANDSCAPING APPLICATIONS</b>									
18"	-----NA-----			DA 9850	64	467.00	-----NA-----		
24"	-----NA-----			DA 9849	130	540.00	-----NA-----		
<b>STEP AUGERS - 33" HOLE DEPTH - DOUBLE FLIGHT - - FOR TREE PLANTING OR LANDSCAPING APPLICATIONS -</b>									
18" X 10"	DA 9611	76	555.00	DA 9615	75	565.00	-----NA-----		
<b>STEP AUGERS - 40" HOLE DEPTH - DOUBLE FLIGHT - - FOR TREE PLANTING OR LANDSCAPING APPLICATIONS -</b>									
24" X 12"	DA 9612	120	668.00	DA 9616	119	691.00	-----NA-----		
30" X 16"	DA 9613	169	922.00	DA 9617	168	946.00	-----NA-----		
<b>DANUSER 52" HOLE DEPTH AUGERS - DOUBLE FLIGHT</b>									
9"	DA 7476	60	390.00	DA 7497 *	60	392.00	DA 9322	71	588.00
10"	DA 7478	67	415.00	DA 7498 *	67	418.00	DA 9323	75	616.00
12"	DA 7419	83	472.00	DA 7499 *	82	477.00	DA 9324	94	689.00
14"	DA 7437	101	540.00	DA 7519 *	101	545.00	DA 9325	114	836.00
16"	DA 7661	116	644.00	DA 7734 *	116	652.00	DA 9326	126	1,007.00

**SPECIAL NOTES ON AUGERS**

- (∇) Add \$25.06 to the list price of the auger if ordered with 1937 Special Duty Point or \$68.82 if ordered with the 6210 Aggressive Duty Point, in lieu of the 831 Standard Point.
- (#) Indicates that these augers have 3-5/8" center columns. If the customer's digger has a factory installed 7270 Auger Adapter Guard, it will cover all 2-3/8" center column augers. ADDITIONALLY, the customer will need a 9545 Auger Adapter Guard when using 3-5/8" center column augers. Should the digger not be equipped with an Auger Adapter Guard, the customer must purchase 7270 Auger Adapter Guard OR 9545 Auger Adapter Guard.
- (●) Indicates single flight construction.
- (a) Includes Auger Adapter Guard.



**SINGLE FLIGHT INDUSTRIAL HOLE DIGGER HEAD AUGERS  
(2-9/16" ROUND SPINDLE) TO ACCOMMODATE F8 & 8900 DIGGERS**

*\*Indicates a Normally Stocked Item.*

	52" HOLE DEPTH			72" HOLE DEPTH		
SIZE	ORDER #	WT.	LIST	ORDER #	WT.	LIST
16"	(●) DA 9359	100	911.00	(●) DA 9331	131	1,005.00
18"	(●) DA 9361	139	1,191.00	(●) DA 9332	182	1,355.00
24"	(#) (●) DA 9363	131	1,248.00	----NA----		
30"	(#) (●) DA 9365	181	1,433.00	----NA----		

**SINGLE & DOUBLE FLIGHT  
INDUSTRIAL HOLE DIGGER HEAD AUGERS  
(2" HEX DRIVE)**

	40" HOLE DEPTH			72" HOLE DEPTH		
SIZE	ORDER #	WT.	LIST	ORDER #	WT.	LIST
6"	DA 9902	47	499.00	----NA----		
9"	DA 9903	53	548.00	DA 9706	101	719.00
10"	DA 9904	60	563.00	DA 9707	114	805.00
12"	DA 9905	70	593.00	DA 9708	131	931.00
14"	DA 9906	87	696.00	DA 9709	156	1,049.00
16"	(●) DA 9571 Single Flight	78	905.00	(●) DA 9710 Single Flight	133	1,120.00
18"	(●) DA 9572 Single Flight	102	1,050.00	(●) DA 9711 Single Flight	190	1,451.00
24"	(#) (●) DA 9573 Single Flight	106	1,093.00	----NA----		
30"	(#) (●) DA 9574 Single Flight	144	1,400.00	----NA----		
36"	(#) (●) DA 9575 Single Flight	263	1,865.00	----NA----		

**\*\*\* FOR 72" LONG AUGERS - PLEASE CALL FOR PRICING \*\*\***

**FOR NOTES ON AUGERS, PLEASE SEE PAGE G-49.**

AUGER EXTENSIONS			
ORDER #	SIZE & DESCRIPTION	WT.	LIST
DA 1849G *	7" Auger Extension W/Guard For 2-9/16" Round Shaft Diggers	30	175.00
DA 7494G *	14" Auger Extension W/Guard For 2-9/16" Round Shaft Diggers	34	155.00
DA 7663G *	21" Auger Extension W/Guard For 2-9/16" Round Shaft Diggers	44	185.00
DA 9486G	48" Auger Extension W/Guard For 2-9/16" Round Shaft Diggers	79	286.00
DA 9489G	72" Auger Extension W/Guard For 2-9/16" Round Shaft Diggers	115	356.00
DA 9622G *	7" Auger Extension W/Guard For 2" Hex Shaft Diggers	29	239.00
DA 9623G *	14" Auger Extension W/Guard For 2" Hex Shaft Diggers	29	210.00
DA 9624G	21" Auger Extension W/Guard For 2" Hex Shaft Diggers NOTE: On 24", 30, & 36" hex drive augers, this extension will also serve as a 14" extension.	35	250.00
DA 9629G	56" Auger Extension W/Guard For 2" Hex Shaft Diggers. NOTE: On 24", 30, & 36" hex drive augers, this extension will also serve as a 28", 35", 42", & 49" extension.	72	387.00
DA 9484G	72" Auger Extension - for 2" hex spindle diggers	86	497.00
GUARDS FOR AUGER EXTENSIONS			
DA 6271 *	Ext. Guard for 7" Extension 2-9/16" Round & 2" Hex	14	Net 53.00
DA 6272 *	Ext. Guard for 14" Extension and Longer Round & Hex	6	Net 21.00



**P.T.O. CONVERSION KITS**  
*\*Indicates a Normally Stocked Item.*

Due to an increased effort by Danuser Machine Co. and other posthole digger manufacturers to insure the safety of posthole digger operators, the following adapter kits are offered by Danuser Machine Co. and Alliance Distributing at special NET prices. These special NET priced kits include auger adapter guards. Please be certain that these guards are installed and are in working condition and that your customer understands the purpose of these guards. **AUGER ADAPTER GUARDS WILL NOT BE REMOVED FROM THESE CONVERSION KITS & NO RETURNS OF AUGER ADAPTER GUARDS WILL BE ACCEPTED.**

ORDER #	DESCRIPTION	WT.	NET PRICE
DA 7577 *	CONVERSION KIT. Used to convert any Danuser PTO Digger with a 622 casting number over to the 273 pinion. The kit includes a pinion, Pinion Guard, complete guarded driveline all the way to the tractor, and a 7270 Auger Adapter Guard for <b>2-3/8" diameter center column augers</b> . This kit <b>required</b> on all diggers with serial numbers prior to 59,999	50	399.00
DA 7580 *	Same as above except comes with 9545 Auger Adapter Guard for <b>3-5/8" diameter center column augers</b> .	51	427.00
DA 7578 *	CONVERSION KIT. Used to convert any Danuser PTO with a 622 casting number over to the 273 pinion. This kit includes a pinion, Pinion guard, and all parts out through the center cross at the U-Joint on the gearbox, and a 7270 Auger Adapter Guard for <b>2-3/8" diameter center column augers</b> . This kit <b>required</b> on all diggers with serial numbers ranging from 60,001 to 71,199.	18	242.00
DA 7581 *	Same as above except comes with 9545 Auger Adapter Guard for <b>3-5/8" diameter center column augers</b> .	19	265.00

**WELD-ON HOLE DIGGER HEADS FOR AUGERS - PARTS**  
 (With Removable teeth. For field welding to auger.)

ORDER #	SIZE	WT.	LIST	ORDER #	SIZE	WT.	LIST DISC AT-Z
DA 9386	6"	10	210.00	DA 9310	16"	26	361.00
DA 9306 *	9"	18	247.00	DA 9311	18"	29	455.00
DA 9307	10"	18	249.00	DA 9312	24"	35	618.00
DA 9308 *	12"	21	256.00	DA 9313	30"	42	715.00
DA 9309	14"	24	284.00	DA 9416	36"	56	828.00





## EP SERIES HYDRAULIC, PLANETARY DIGGER

- 2 HEX OUTPUT ONLY
- MOUNTS AVAILABLE FOR SKID-STEERS, BACKHOES, EXCAVATORS, MINI-EXCAVATORS, TRACTOR LOADERS, TELESCOPIC HANDLERS, ARTICULATED LOADERS, & INTERGRATED TOOL CARRIERS
- NEW SKID-STEER MOUNT
- HOSE KITS AVAILABLE
- LIFETIME WARRANTY COVERING OUTPUT PULL OUT!
- 3-YEAR WARRANTY ON DRIVE UNIT

*\*Indicates a Normally Stocked Item.*

ORDER #	DESCRIPTION	WT	LIST	
DA 10180 *	<b>MODEL EP6</b> Maximum Auger Diameter : 24" Hydraulic Flow: 6 - 15 GPM Maximum Hydraulic Pressure: 3000 PSI Gearbox Ratio: 3.86:1	SPEED GPM RPM 6 36 8 48 10 60 12 73 14 85 15 91	TORQUE PSI Ft.-lbs 2000 1014 2500 1267 3000 1520	137 1,350.00
DA 10181 *	<b>MODEL EP10</b> Maximum Auger Diameter : 30" Hydraulic Flow: 10 - 20 GPM Maximum Hydraulic Pressure: 3000 PSI Gearbox Ratio: 3.86:1	SPEED GPM RPM 10 48 12 58 14 68 16 77 18 87 20 97	TORQUE PSI Ft.-lbs 2000 1270 2500 1587 3000 1904	138 1,450.00
DA 10182	<b>MODEL EP15</b> Maximum Auger Diameter : 36" Hydraulic Flow: 15 - 30 GPM Maximum Hydraulic Pressure: 3000 PSI Gearbox Ratio: 3.86:1	SPEED GPM RPM 15 49 18 59 20 65 24 78 28 92 30 98	TORQUE PSI Ft.-lbs 2000 1874 2500 2342 3000 2811	140 1,520.00
<b>MOUNTING KITS FOR EP SERIES</b>				
DA 10489 *	Bolt-On Bucket Mount (less hardware)	43	268.00	
DA 10488 *	Universal Skid Steer Mounting Kit ( Fits Most Models Of Skid Steers)	128	408.00	
DA 20652*	<b>OFFSET (Right Side) Universal Skid Steer Style For Tractor Front-End Loaders</b>	120	367.00	
DA 20653*	<b>OFFSET (Right Side) Euro/Global QT Mount For Tractor Front-End Loaders</b>	130	393.00	
<b>HYDRAULIC HOSE KITS</b>				
<b>**For Skid Steers. If Offset Mtg is used on Tractor Front Loader Dealer Will Need To Supply Hoses Due To Various Lengths Depending On Tractor/ Loader Set-Up ( 20+ GPM Requires 3/4" Hose Kits)</b>				
DA 10050	1/2" x 96" Hose Kit with flat face ISO couplers (for EP6 & EP10)	14	203.00	
DA 10051	3/4" x 96" Hose Kit with flat face ISO couplers (for EP15)	19	281.00	
DA 10043	1/2" x 96" Hose Kit (includes fittings NOT couplers) (for EP6 & EP10)	9	135.00	
DA 10044	3/4" x 96" Hose Kit (includes fittings NOT couplers) (for EP15)	14	213.00	

**\*\*SEE PAGE G-61 FOR "EP" AUGERS, EXTENSIONS & ADAPTORS\*\***



## HYDRAULIC DIGGERS

DIGGER \$ + MOUNT \$ + AUGER \$ = TOTAL DIGGER PRICE

ORDER #	DESCRIPTIONS	WT.	LIST
DA 6141*	<b>MODEL 8300-1 HYDRAULIC BORING HEAD FOR MOUNTING TO LOADER BUCKET:</b> COMPLETE WITH EATON MOTOR AND AUGER ADAPTER SHIELD FOR HYDRAULIC SYSTEMS DELIVERING 5 TO 10 GPM AT 1500 TO 3000 PSI. MAXIMUM TORQUE AT SPINDLE OF 840 FT./LBS. 14" MAXIMUM RECOMMENDED AUGER SIZE. USES 2" SPINDLE AUGERS.	134	1,819.00
DA 6142*	<b>MODEL 8300-2 HYDRAULIC BORING HEAD FOR MOUNTING TO LOADER BUCKET:</b> COMPLETE WITH EATON MOTOR AND AUGER ADAPTER SHIELD FOR HYDRAULIC SYSTEMS DELIVERING 10 TO 20 GPM AT 1500 TO 3000 PSI. 24" MAXIMUM RECOMMENDED AUGER SIZE. USES 2" SPINDLE AUGERS.	135	1,849.00
DA 6150*	<b>MODEL 8800-1 HYDRAULIC BORING HEAD FOR 3-PT MOUNTING:</b> COMPLETE WITH EATON MOTOR AND AUGER ADAPTER GUARD. FOR HYDRAULIC SYSTEMS DELIVERING 5 TO 10 GPM AT 1500 TO 3000 PSI. PROVIDE MAXIMUM TORQUE AT SPINDLE OF 750 FT./LBS AT 2500 PSI. COMPLETE WITH BOOM, YOKE, GEARBOX AND MOUNTING PINS. MAXIMUM AUGER RECOMMENDED 14" (LESS HOSES AND AUGER)	199	2,191.00
DA 6165	<b>MODEL 8800-2 HYDRAULIC BORING HEAD FOR 3-PT MOUNTING:</b> COMPLETE WITH EATON MOTOR AND AUGER ADAPTER GUARD. FOR HYDRAULIC SYSTEMS DELIVERING 10 TO 20 GPM AT 1500 TO 3000 PSI. PROVIDES MAXIMUM TORQUE AT SPINDLE OF 1000 FT./LBS AT 2500 PSI. COMPLETE WITH BOOK, YOKE, GEARBOX AND MOUNTING PINS. MAXIMUM RECOMMENDED AUGER 24" (LESS HOSES AND AUGER)	199	2,226.00

### ADAPTER KITS FOR MODEL 8300-1 & 8300-2

DA 6143	UNIVERSIAL LOADER BUCKET MOUNTING KIT. FITS BUCKETS 48" MAXIMUM WIDTH AND 90" MAXIMUM DISTANCE AROUND OUTSIDE	87	431.00
DA 6216	BOLT ON BUCKET MOUNT KIT. WILL MOUNT ON HORIZONTAL OR VERTICAL SURFACE. MOUTNING HARDWARE NOT INCLUDED	12	87.00
DA 6136	AUGER ADAPTER GUARD. FURNISHED WITH THESE UNITS AND IS REQUIRED FOR ALL UNITS WITH 2" ROUND SPINDLE	9	32.00

**NOTES:** The tractor must be equipped with a minimum of three (3) remote outlets on 8300 and 8800 series diggers. Warranty Registration Form and Inspection Report MUST be completed to activate 5 year warranty. Without these forms warranty is ONE YEAR (1)



## 8900 HYDRAULIC DIGGERS

*\*Indicates a Normally Stocked Item.*

ORDER #	DESCRIPTION	WT	LIST
DA 9554 *	<b>MODEL 8900-4 HYDRAULIC DIGGER</b> Complete with planetary design gearbox and Eaton high torque hydraulic motor for systems delivering <i>10 to 20 G.P.M.</i> at 1500 to 3000 p.s.i. Provides maximum torque at spindle of 1880 ft. lbs. at 3000 p.s.i. Maximum diameter auger 36". Fits on the same boom and yoke assembly as the P.T.O. driven F8 digger. Quick-attach plates available for popular skid steer loaders or a flat surface, bolt-on kit is available for attaching to a loader bucket. 2-9/16" round spindle. HYDRAULIC HOSE KITS NOT AVAILABLE. Eaton motor ports are 1/2" with (7/8 - 14) SAE O-ring boss threads.	159	2,224.00
DA 9557 *	<b>MODEL 8900-7 HYDRAULIC DIGGER</b> Complete with planetary design gearbox and Eaton high torque hydraulic motor for systems delivering <i>14 to 30 G.P.M.</i> at 1500 to 3000 p.s.i. Provides maximum torque at spindle of 2530 ft. lbs. at 3000 p.s.i. Maximum diameter auger 36". Fits on the same boom and yoke assembly as the P.T.O. driven F8 digger. Quick-attach plates available for popular skid steer loaders or a flat surface, bolt-on kit is available for attaching to a loader bucket. 2-9/16" round spindle. HYDRAULIC HOSE KITS NOT AVAILABLE. Eaton motor ports are 1/2" with (7/8 - 14) SAE O-ring boss threads.	161	2,289.00
DA 9558 *	<b>MODEL 8900-8 HYDRAULIC DIGGER</b> Same as 8900-7 digger EXCEPT with 2" hex spindle.	160	2,354.00
<b>MOUNTING &amp; ACCESSORIES FOR 8900 SERIES DIGGERS</b>			
DA 9607 *	<b>BOLT-ON BUCKET MOUNT KIT</b> (Includes KNUCKLE KIT). Will mount on vertical surface. (Less hardware).	39	267.00
DA 9865 *	<b>SKID STEER QUICK ATTACH MOUNTING KIT</b> (Includes KNUCKLE KIT).	156	427.00
DA 20654*	<b>OFFSET (Right Side) Skid Steer Style Mounting For Tractor Front -End Loaders</b>	120	367.00
DA 20655*	<b>OFFSET (Right Side) Euro/Global QT Mounting For Tractor Front-End Loaders</b>	130	393.00
<b>FOR TRACTOR 3-PT. MOUNTING, USE THE 9049, 9051 OR 9052 (&amp; 9079 IF REQUIRED) KITS FOUND ON PAGE G-48</b>			

**Skid Steer Quick-Attach Plate Will Fit The Following:**  
Will fit **MOST** Universal Skid Steer mounts build after 1995.

**MELROE (BOBCAT):** 500, 600, 700, 800

**CASE:** 1835C, 1838, 1840, 1845C with "Quick Coupler", 75XT, 85XT, 90XT, 95XT

**JCB:** 165, 185, 245

**JOHN DEERE:** 3375, 4475, 6675, 7775, 240, 250, 260, 270

**GEHL:** 3635, 3935, 7600, 7800

**NEW HOLLAND:** L464, L465, LX465, LX485, L565, LX565, LX665, LX865, LX885

**Inquiries invited for mounting Digger on skid-steer models not listed.**

**\*\*See Pgs. G-49, G-50, G-61 & G-62 for Augers, Extensions & Adaptors\*\***



ORDER #	DESCRIPTION	WT	LIST
<b>ACCESSORIES FOR DISCONTINUED 8200 SERIES EARTH DRILL</b>			
DA 7270	AUGER ADAPTER GUARD. Furnished with 8200-3 and 8200-5 hydraulic diggers. Required on all diggers with a 2-9/16" spindle with 2-3/8" diameter center column augers.	8	Net 27.00
DA 9545	AUGER ADAPTER GUARD. Furnished with 8200-3 and 8200-5 hydraulic diggers. Required on all diggers with a 2" hexagon spindle and/or 3-5/8" round diameter center column augers.	9	Net 57.00
<b>DRIVER ACCESSORIES FOR DISCONTINUED MD6, MDH-1 &amp; BMDH</b>			
ORDER #	DESCRIPTION	WT	LIST
DA 2201 *	Post Guide Sleeve. 2-1/16" I.D. Use when driving T-posts.	11	111.00
DA 2781	Auxiliary Weight. Additional weight for tough conditions.	56	202.00
DA 2876 *	Storage Support Stand. Use with either MD6 or MDH1.	20	203.00
DA 3191	Driver Weight Guard Kit. Furnished with new drivers. <b>Required on all drivers.</b>	7	Net 47.00

Since 1910  
**DANUSER**

**NEW!!! NEW!!! NEW!!! NEW!!! NEW!!! NEW!!!**  
**DANUSER'S DIRTLESS DIGGING SOLUTION**  
**DANUSER WOBBLE AUGER**

<b>ORDER #</b>	<b>DESCRIPTION</b>	<b>LIST</b>
DA 20600	4" X 48" X 2" HEX WOBBLE AUGER	285.00
DA 20601	4" X 48" X 2 9/16" RND WOBBLE AUGER	285.00
DA 20602	4" X 48" X 2" RND WOBBLE AUGER	285.00
DA 20603	6" X 48" X 2" HEX WOBBLE AUGER	360.00
DA 20604	6" X 48" X 2 9/16" RND WOBBLE AUGER	360.00
DA 20605	6" X 48" X 2" RND WOBBLE AUGER	360.00
DA 20606	9" X 48" X 2" HEX WOBBLE AUGER	550.00
DA 20607	9" X 48" X 2 9/16" RND WOBBLE AUGER	550.00
DA 20608	9" X 48" X 2" RND WOBBLE AUGER	550.00

- Produces a hole with no loose dirt in the bottom or around the top of the hole
- No labor required to move dirt
- Various collar options available
- 4", 6", & 9" diameter with standard 4' length
- Spiral & Checkered hardfacing
- Pushes through dirt, sand, clay, asphalt compacted rock



**\*\* NOT FOR 3PT DIGGERS \*\* DOWN-FORCE IS REQUIRED \*\***