



# Equipment Price List



**Prices in effect December 1, 2012**

Customer Service: 888.417.5462 | Fax: 800.285.9511

Technical Service: 800.678.9511

Visit: [www.lincolnfp.com](http://www.lincolnfp.com)



## FASTBAKE™ TECHNOLOGY

*FastBake Impinger Ovens* from Lincoln, features an advanced airflow technology designed to reduce baking time as much as 15-30% over all other impingement ovens!


**Increase capacity. Save Energy.**

### PERFORMANCE YOU CAN SEE


*FastBake* technology allows the ovens to provide a higher level of heat transfer to food, thus reducing cook times. Computational Fluid Dynamics (CFD) allows designers to see the flow and intensity of liquids, gases, and air. Using this software to view impingement airflow from one orifice, it is possible to see that *FastBake* transfers heat more efficiently than any other air impingement oven, creating a faster and better quality bake.

### QUALITY YOU CAN TASTE

*FastBake* is revolutionizing the way pizza tastes on a conveyor belt. Gum lines are eliminated and vegetable toppings are hot and crisp without leaving water on the cheese. In addition, *FastBake* is more tolerant to differences between products. The result is that a greater variety of products come out perfectly baked. Call today and arrange a demonstration with a Lincoln Sales Representative and see for yourself!



Standard Impingement Oven



FastBake

### HOW TO ORDER FASTBAKE

*FastBake* is available on all new *Impinger II Express*, *Impinger I*, *Low Profile* and *3255/3270* series ovens. When ordering a new oven, include one of these *FastBake* setup kits on your purchase order. Lincoln will build and ship your new *FastBake* oven with the setup installed and ready to bake.

*To retro-fit an existing oven with FastBake technology, see page 16.*

Oven	Application	Direction	Kit Number
Impinger® II Express - 1100 Series <i>FastBake</i> Oven	Pizza	Left to Right	KF006
Impinger® II Express - 1100 Series <i>FastBake</i> Oven	Pizza	Right to Left	KF005
Impinger® I - 1400 series <i>FastBake</i> Oven	Pizza	Left to Right	K1825
Impinger® I - 1400 series <i>FastBake</i> Oven	Pizza	Right to Left	K1826
Impinger® Low Profile - 1600 series <i>FastBake</i> Oven	Pizza	Left to Right	K1827
Impinger® Low Profile - 1600 series <i>FastBake</i> Oven	Pizza	Right to Left	K1828



FastBake™ Technology	<b>2</b>
Table of Contents	<b>3</b>
Digital Countertop Impinger (CTI) Electric Ovens (2500 Series)	<b>4</b>
Analog Countertop Impinger (CTI) Electric Ovens (1300 Series)	<b>5</b>
Impinger II Express Conveyor Ovens (1100 Series)	<b>7</b>
Impinger I Conveyor Ovens (1400 Series)	<b>9</b>
Impinger Low Profile Conveyor Ovens (1600 Series)	<b>11</b>
Impinger 3255 Gas Conveyor Ovens (3200 Series)	<b>13</b>
Impinger 3270 Gas Conveyor Ovens (3200 Series)	<b>14</b>
FastBake™ Retrofit Kit Information	<b>16</b>
Impinger Means Capacity	<b>17</b>
Limited Warranty for Commercial Products	<b>18</b>
Lincoln Representative Listing	<b>19</b>
Authorized Service Agents Listing	<b>20</b>
Notes	<b>22</b>



# DIGITAL COUNTERTOP IMPINGER® (CTI) ELECTRIC OVENS (2500 SERIES)

## STANDARD FEATURES:

- Digital Controls that feature reversible conveyor direction, manual override, speed, temperature, and four (4) pre-set menu buttons with menu item, cook time and temperature displayed.
- Designed for countertop use\*
- Adjustable conveyor speed from 30 seconds to 30 minutes cooking time
- Push button controls assure consistency and are easy for operator to program and adjust
- 20" (508 mm) wide baking chamber
- Stackable up to two (2) high
- Adjustable temperature from 90°F (32°C) to 600°F (315°C)
- Quieter, slow bake options
- Stainless steel exterior
- Side access panels for easy cleaning
- 31" conveyor (standard) or 50" extended conveyor (optional)
- No ventilation required in many applications (local codes prevail)

\*Must be used with appropriate four-inch (4") legs for proper cooling when placed on counter tops.

## OPTIONAL FEATURES:

Catalytic Converter, will allow ventless operation and is UL710B (KNLZ) listed. Option available January 1, 2013.\*



Download Spec Sheet



## Easy Order Digital Countertop Impinger (CTI) Oven Packages

Order Number	Description	Shipping Weight	Shipping Cubic Feet	Price
2500-1	Single Stack CTI Oven Package - Includes One (1) oven with extended conveyor and one (1) 4" exit shelf.	245 lbs. (111 kg)	19 (0.5 cu. m)	<b>\$10,579.00</b>
2500-2	Double Stack CTI Oven Package - Includes Two (2) oven with extended conveyor and two (2) 4" exit shelf.	490 lbs. (222 kg)	38 (1.0 cu. m)	<b>\$21,158.00</b>

**You must specify the required voltage when ordering.**

## Digital Countertop Impinger (CTI) Electric Ovens with 31" Standard Conveyor

Model	Width	Depth	Height‡	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
2501/1353	35.4" (899 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	197 lbs. (89 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$ 9,510.00</b>
2502/1353	35.4" (899 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	197 lbs. (89 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$ 9,510.00</b>

## Digital Countertop Impinger (CTI) Electric Ovens with 50" Extended Conveyor

Model	Width	Depth	Height‡	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
2501/1346	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	240 lbs. (109 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$10,456.00</b>
2502/1346	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	240 lbs. (109 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$10,456.00</b>

## Digital Countertop Impinger (CTI) Electric Ovens with 50" Non-Stick Extended Conveyor

Model	Width	Depth	Height‡	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
2501/1366	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	240 lbs. (109 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$10,990.00</b>
2502/1366	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	240 lbs. (109 kg)	35 cu ft. (.99 cu. m)	NEMA 6-50P	6kW	<b>\$10,990.00</b>

\*\$1,000 up-charge for catalytic converter.

For the quieter version of the CTI, add "-4" to the appropriate catalog number. (Ex 2501-4/1346)

‡ Height shown is single stack CTI. Height Double Stack: 32" (813 mm)

Each oven requires a "dedicated neutral".

Cord and plug included.

Specifications subject to change without notice.

# ANALOG COUNTERTOP IMPINGER® (CTI) ELECTRIC OVENS (1300 SERIES)



## STANDARD FEATURES:

- Analog controls
- Designed for countertop use\*
- Adjustable conveyor speed from 30 seconds to 30 minutes cooking time
- 20" (508 mm) wide baking chamber
- Stackable up to two (2) high
- Adjustable temperature from 90°F (32°C) to 600°F (315°C)
- Quieter, slow bake options
- Stainless steel exterior
- Side access panels for easy cleaning
- 31" conveyor (standard) or 50" extended conveyor (optional)
- No ventilation required in many applications (local codes prevail)

\*Must be used with appropriate four-inch (4") legs for proper cooling when placed on counter tops.

## OPTIONAL FEATURES:

Catalytic Converter, will allow ventless operation and is UL710B (KNLZ) listed. Option available January 1, 2013.\*

## Easy Order Analog Countertop Impinger (CTI) Electric Oven Packages

Order Number	Description	Shipping Weight	Shipping Cubic Feet	Price
1300-1	Single Stack CTI Oven Package - Includes One (1) oven with extended conveyor and one (1) 4" exit shelf.	250 lbs. (113 kg)	19 cu. ft. (0.5 cu. m)	<b>\$10,176.00</b>
1300-2	Double Stack CTI Oven Package - Includes Two (2) oven with extended conveyor and two (2) 4" exit shelf.	500 lbs. (227 kg)	38 cu. ft. (1.0 cu. m)	<b>\$20,351.00</b>

You must specify the required voltage when ordering.

## Analog Countertop Impinger (CTI) Electric Ovens with 31" Standard Conveyor

Model	Width	Depth	Height†	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
1301/1353	35.4" (899 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	203 lbs. (92 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$ 9,143.00</b>
1302/1353	35.4" (899 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	203 lbs. (92 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$ 9,143.00</b>

## Analog Countertop Impinger (CTI) Electric Ovens with 50" Extended Conveyor

Model	Width	Depth	Height†	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
1301/1346	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	245 lbs. (111 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$10,052.00</b>
1302/1346	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	245 lbs. (111 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$10,052.00</b>

## Analog Countertop Impinger (CTI) Electric Ovens with 50" Non-Stick Extended Conveyor

Model	Width	Depth	Height†	Amps	Volts	Phase	Hz	Shipping Weight	Shipping Cubic Feet	Plug Type	Input Rate	Price
1301/1366	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	27	208	1	60	245 lbs. (111 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$10,566.00</b>
1302/1366	50" (1270 mm)	31.4" (797 mm)	18" (457 mm)	24	240	1	60	245 lbs. (111 kg)	19 cu. ft. (0.5 cu. m)	NEMA 6-50P	6kW	<b>\$10,566.00</b>

\*\$1,000 up-charge for catalytic converter.

For the quieter version of the CTI, add "-4" to the appropriate catalog number. (Ex 1301-4/1346)

† Height shown is single stack CTI. Height Double Stack: 32" (813 mm)

Each oven requires a "dedicated neutral".

\*Cord and plug included.

Specifications subject to change without notice.


# COUNTERTOP IMPINGER® (CTI) ELECTRIC OVENS | ACCESSORIES

Catalog Number	Description	Shipping Weight	List Price
1341	Exit shelf – 12"/305 mm length	4 lbs. (1.8 kg)	\$ 176.00
1342	Exit shelf – 4"/102 mm length	2 lbs. (0.9 kg)	\$ 124.00
1343	Entry incline shelf – 12"/305 mm length	4 lbs. (1.8 kg)	\$ 176.00
1344	Entry incline shelf – 4"/102 mm length	2 lbs. (0.9 kg)	\$ 124.00
1345	Conveyor end stop	2 lbs. (0.9 kg)	\$ 36.00
1346	Extended conveyor – 50"/1270 mm length	27 lbs. (12 kg)	\$ 1,822.00
1349	Columnating Panel - Top	1 lb. (0.45 kg)	\$ 45.00
1352	Extended baffle, inlet and outlet	1 lb. (0.45 kg)	\$ 34.00
1353	Standard conveyor - 31"/787 mm length	14 lbs. (6.4 kg)	\$ 882.00
1356	Columnating Panel - Perforated Stainless Steel Insert	1 lb. (0.45 kg)	\$ 42.00
1361	Columnating Panel - Full Closed	1 lb. (0.45 kg)	\$ 42.00
1362	Heat Shield for Top of Countertop Oven	10 lbs. (4.5 kg)	\$ 211.00
1366	Extended conveyor - 50"/1270 mm length w/non-stick coating	27 lbs. (12 kg)	\$ 2,345.00
1367	Extended conveyor - 50"/1270 mm length no frame - belt only w/non stick coating	27 lbs. (12 kg)	\$ 1,017.00
1368	Columnating Panel - Bottom	1 lb. (0.45 kg)	\$ 45.00
1371	Spare parts kit for #1301 and #1302	1 lb. (0.45 kg)	\$ 162.00
1375	Heavy duty extended conveyor – 50"/1270 mm length	27 lbs. (12 kg)	\$ 1,976.00
1376	Heavy duty standard conveyor – 31"/787 mm length	11 lbs. (5 kg)	\$ 1,052.00
1950	Wall receptacle – NEMA 6-50R (for 1300 & 2500 series ovens)	1 lb. (0.45 kg)	\$ 85.00
4805	CTI Stand w/ Bottom Shelf and Casters - 41.5"L x 26"W x 28.5"H - Single Stack Only	110 lbs. (50 kg)	\$ 1,971.00

\*\$1,000 up-charge for catalytic converter.

# IMPINGER® II EXPRESS CONVEYOR OVENS

(1100 SERIES)



## STANDARD FEATURES:

- Customer specific finger setups provide menu flexibility
- Capacity of one to two full-size deck ovens
- Stackable up to three (3) high
- 18" (457 mm) wide, 56" (1422 mm) long conveyor belt with product stop
- 28" (711 mm) baking chamber
- Temperature adjustable from 250°F to 575°F (121°-302°C)
- Conveyor speed is adjustable from one (1) minute to thirty (30) minutes cooking time
- Stainless steel top, front and sides
- Oven start-up/check-out by Manitowoc STAR authorized service agent included in price
- Digital controls
- Front-loading glass access door with cool to the touch handle
- Front removable conveyor for easy cleaning
- Reversible conveyor
- Electric or gas models available
- Optional FastBake™ technology can reduce bake time by as much as 15-30% without increased noise levels or loss of product quality

## Easy Order 1100 Series Oven Packages (FB in item number denotes FastBake finger setup)

Order Number	Description	Shipping Weight	Shipping Cubic Feet	Price
1180-1/1180-FB1	Single Impinger II Express Oven Package Includes One (1) oven with glass access window, radiant finger/FastBake setup, take-off shelf and high-stand with casters	374 lbs. (169 kg)	33 cu. ft. (0.9 cu. m)	<b>\$18,537.00</b>
1180-2/ 1180-FB2	Double Impinger II Express Oven Package Includes One (2) oven with glass access window, radiant finger/FastBake setup, two (2) take-off shelves and high-stand with casters	703 lbs. (318 kg)	63 cu. ft. (1.8 cu. m)	<b>\$35,359.00</b>
1180-3/ 1180-FB3	Triple Impinger II Express Oven Package Includes One (3) oven with glass access window, radiant finger/FastBake setup, three (3) take-off shelves and low-stand with casters	1032 lbs. (468 kg)	93 cu. ft. (2.6 cu. m)	<b>\$51,817.00</b>

You must specify the required voltage when ordering.

## Impinger II Express Gas Conveyor Ovens

Model	Width	Depth	Height‡	Gas	Amps	Volts	Phase	Hz	Shipping Weight§	Shipping Cubic Feet	Plug Type	Input Rate	BTUs Per Hour	Price*
1116-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	Nat	5	120	1	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-15P	11.7kW	40,000	<b>\$16,607.00</b>
1117-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	LP	15	120	1	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-15P	11.7kW	40,000	<b>\$16,607.00</b>

## Impinger II Express Electric Conveyor Ovens

Model	Width	Depth	Height‡	Amps	Volts	Phase	Hz	Shipping Weight§	Shipping Cubic Feet	Plug Type	Input Rate	Price*
1130-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	48	208	1	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-50P	10kW	<b>\$16,607.00</b>
1131-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	42	240	1	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-50P	10kW	<b>\$16,607.00</b>
1132-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	30	208	3	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-50P	10kW	<b>\$16,607.00</b>
1133-000-U	56" (1422 mm)	39" (911 mm)	42" (1067 mm)	25	240	3	60	365 lbs. (166 kg)	30.3 cu. ft. (.86 cu. m)	NEMA 5-50P	10kW	<b>\$16,607.00</b>

\*Price of oven includes two (2) columnating panels. ‡ Height shown is single oven Height Double Stack: 59.5" (1511 mm), Height Triple Stack: 62" (1575 mm). § Per Oven Each oven requires a "dedicated neutral".

## Options/FastBake Finger Set-Ups (Specify on order)

Order Number	Description	Price
N/A	Split Belt - price per oven	<b>\$ 3,294.00</b>
KF005	FastBake Kit - Right to Left	<b>No Charge</b>
*KF006	FastBake Kit - Left to Right	<b>No Charge</b>

Radiant finger setup standard with oven unless FastBake finger setup kit number is specified.  
\*Left to Right (KF006) will be sent as standard if not specified.

Specifications subject to change without notice.

# IMPINGER® II EXPRESS CONVEYOR OVENS | ACCESSORIES

Catalog Number	Description	Shipping Weight	List Price
1098	6'/1829mm flexible gas connector - for gas ovens only	6 lbs. (2.7 kg)	\$ 791.00
1112	Wall receptacle for #1138 NEMA14-50R - for electric ovens only	1 lb. (.45 kg)	\$ 249.00
1113	Wall receptacle for #1139 NEMA L21-30R - for electric ovens only	1 lb. (.45 kg)	\$ 249.00
1120-1	Portable stainless steel stand with casters - for single or double-stack ovens 41.5"W x 27.1"H x 28.6"D	45 lbs. (20.41 kg)	\$ 1,714.00
1121-1	Portable stainless steel stand with legs, not casters - for single or double-stack ovens 41.5"W x 29.1"H x 28.6"D	40 lbs. (18 kg)	\$ 1,714.00
1122	Counter mount stand (for single oven), four each – 6"/152mm bullet feet	6 lbs. (2.7 kg)	\$ 249.00
1124-1	Low stand with casters - for triple-stack ovens - 41.1"W x 9.4"H x 36"D	53 lbs. (24 kg)	\$ 1,350.00
1126	2/3 stacking ring to mount <i>Impinger II</i> on <i>Impinger I</i> - <i>Must also order #1122</i>	6 lbs. (2.7 kg)	\$ 675.00
1127-1	Portable stainless steel stand w/shelf and casters For single or double-stack ovens -41.5"W x 28"H x 28.5"D	45 lbs. (20.41 kg)	\$ 1,954.00
1128	Full close-off plate	1 lb. (.45 kg)	\$ 87.00
1129	1/2 close-off plate	1 lb. (.45 kg)	\$ 64.00
1138	Cord set for #1130-000-U & #1131-000-U, Single-Phase	2 lbs. (0.9 kg)	\$ 632.00
1139	Cord set for #1132-000-U & #1133-000-U, 3-Phase	2 lbs. (0.9 kg)	\$ 490.00
1140	Take-off shelf – straight (fits either side) – 12"/311mm length	4 lbs. (1.81 kg)	\$ 217.00
1141	Take-off shelf – 7° incline (fits either side) – 12"/311mm length	4 lbs. (1.81 kg)	\$ 217.00
1145	Spare parts kit for models #1116, #1117, #1130, #1131, #1132, and #1133	2 lbs. (0.9 kg)	\$ 195.00
1182	Heat Shield for Top of Oven for <i>Impinger II</i> Series Oven	11 lbs. (5 kg)	\$ 338.00
1199	Portable aluminum high stand with casters - for single or double-stack ovens 41.5"W x 28"H x 29.5"D	45 lbs. (20.41 kg)	\$ 1,385.00
1251	Heavy-duty solid conveyor belt	38 lbs. (17.23 kg)	\$ 1,977.00
1524	Columnating panel – full open, moderate velocity, bottom	5 lbs. (2.27 kg)	\$ 195.00
1525	Columnating panel – full open, moderate velocity, top	5 lbs. (2.27 kg)	\$ 195.00
1526	Columnating panel – full open, high velocity, bottom	5 lbs. (2.27 kg)	\$ 195.00
1527	Columnating panel – full open, high velocity, top	5 lbs. (2.27 kg)	\$ 195.00
1528	Columnating panel – full open, standard velocity, top	5 lbs. (2.27 kg)	\$ 195.00
1529	Columnating panel – full open, standard velocity, bottom	5 lbs. (2.27 kg)	\$ 195.00
1542	Columnating panel – full open, low velocity, top - to be used with #1544 special low velocity cover plate	5 lbs. (2.27 kg)	\$ 195.00
1543	Columnating panel – full open, with additional orifices to back of panel, standard velocity, top	5 lbs. (2.27 kg)	\$ 195.00
1544	Special low velocity cover plate - to be used with #1542 columnating panel top	5 lbs. (2.27 kg)	\$ 195.00
1545	Columnating panel – covered with perforated metal low velocity, bottom	5 lbs. (2.27 kg)	\$ 195.00

Each *Impinger II* Oven includes a start-up checkout performed by factory trained authorized service agent.

Note: The following components make up a minimum order requirement:

- 1 - Oven - (2 for double-stack ovens, 3 for triple-stack ovens)
- 1 - Stand
- 1 - Top columnating panel (1 per oven)
- 1 - Bottom columnating panel (1 per oven)



# IMPINGER® I CONVEYOR OVENS

(1400 SERIES)



Download Spec Sheet



## STANDARD FEATURES:

- Customer specific finger setups provide menu flexibility
- Capacity of three (3) full-size deck ovens
- Stackable up to two (2) high
- 32" (812 mm) wide, 73" (1854 mm) long conveyor belt with product stop
- 40" (1016 mm) baking chamber
- Temperature adjustable from 260°F to 600°F (121°-316°C)
- Conveyor speed is adjustable from one (1) minute to thirty (30) minutes cooking time
- Stainless steel top, front and sides
- Oven start-up/check-out by Manitowoc STAR authorized service agent included in price
- Digital controls
- Front-loading glass access door with cool to the touch handle
- Front removable fingers and side removable belt for easy cleaning
- Reversible conveyor
- Electric or gas models available
- Optional FastBake™ technology can reduce bake time by as much as 15-30% without increased noise levels or loss of product quality

## Easy Order 1400 Series Oven Packages (FB in item number denotes FastBake finger setup)

Order Number	Description	Shipping Weight	Shipping Cubic Feet	Price
1400-1/1400-FB1	Single Impinger I Oven Package Includes One (1) oven with glass access window, radiant finger/FastBake setup, take-off shelf, oven top and high-stand with casters	920 lbs. (417 kg)	130 (3.7 cu. m)	\$32,400.00
1400-2/1400-FB2	Double Impinger I Oven Package Includes two (2) ovens with glass access window, radiant finger/FastBake setup, two (2) take-off shelves, oven top, and low-stand with casters	1919 lbs. (870 kg)	232 (6.6 cu. m)	\$59,903.00

You must specify the required voltage when ordering.

## Impinger I Gas Conveyor Ovens

Model	Width	Depth	Height†	Gas	Volts	Phase	Hz	Shipping Weight‡	Shipping Cubic Feet	Plug Type	Input Rate	BTUs Per Hour	Price*
1450-000-U	78" (1981 mm)	58" (1473 mm)	52" (1321 mm)	Nat	120	1	60	725 lbs. (329 kg)	97.2 cu. ft. (2.75 cu. m)	NEMA 5-15P	32.5kW	120,000	\$28,097.00
1451-000-U	78" (1981 mm)	58" (1473 mm)	52" (1321 mm)	LP	120	1	60	725 lbs. (329 kg)	97.2 cu. ft. (2.75 cu. m)	NEMA 5-15P	32.5kW	120,000	\$28,097.00

## Impinger I Electric Conveyor Ovens

Model	Width	Depth	Height†	Amps	Volts	Phase	Hz	Shipping Weight‡	Shipping Cubic Feet	Plug Type	Input Rate	Price*
1452-000-U	78" (1981 mm)	58" (1473 mm)	52" (1321 mm)	80	120/208	3	60	750 lbs. (340 kg)	82.9 cu. ft. (2.34 cu. m)	Conduit	27kW	\$28,097.00
1453-000-U	78" (1981 mm)	58" (1473 mm)	52" (1321 mm)	70	120/240	3	60	750 lbs. (340 kg)	82.9 cu. ft. (2.34 cu. m)	Conduit	27kW	\$28,097.00

\*Price of oven includes eight (8) columnnating panels. † Height shown is single oven. Double Stack Height: 64.63 (1641 mm). ‡ Per oven. Panel setups are added as kit numbers to the end of the model number to complete the oven order; (example: 1450-000-U-K-XXXX) Each oven requires a "dedicated neutral".

## Options/FastBake Finger Set-Ups (Specify on order)

Order Number	Description	Price
N/A	Split Belt - price per oven	\$ 3,806.00
*K1825	FastBake Kit - Left to Right	No Charge
K1826	FastBake Kit - Right to Left	No Charge

Radiant finger setup standard with oven unless FastBake finger setup kit number is specified.  
\*Left to Right (K1825) will be sent as standard if not specified.

# IIMPINGER® | CONVEYOR OVENS | ACCESSORIES

Catalog Number	Description	Shipping Weight	List Price
1009	Oven top – one required	29 lbs. (13.15 kg)	\$ 941.00
1010	Low stand with casters / 48.94"W x 10.69"H x 40"D	170 lbs. (77.1 kg)	\$ 2,108.00
1011	Low stand with legs / 48.9"W x 10.63"H x 40"D	170 lbs. (77.1 kg)	\$ 1,817.00
1012	High stand with casters / 48.9"W x 25"H x 40"D	195 lbs. (88.45 kg)	\$ 3,032.00
1012-015	Stand with casters - required to stack an <i>Impinger</i> II on an <i>Impinger</i> I / 48.94"W x 15.82"H x 40"D	195 lbs. (88.45 kg)	\$ 2,573.00
1013	High stand with legs / 48.94"W x 25"H x 40"D	195 lbs. (88.45 kg)	\$ 2,733.00
1082	Take - off shelf – straight (fits either side) –16"/406mm length	11 lbs. (5 kg)	\$ 331.00
1083	Take - off shelf – inclining (fits either side) –16"/406mm length	12 lbs. (5.4 kg)	\$ 331.00
1098	6"/1829mm flexible gas connector - for gas oven only	6 lbs. (2.7 kg)	\$ 791.00
1467	Internal crumb pans (two)	5 lbs. (2.27 kg)	\$ 247.00
1468	Spare parts kit for gas ovens	2 lbs. (0.9 kg)	\$ 247.00
1472	Spare parts kit for electric ovens	2 lbs. (0.9 kg)	\$ 247.00
1500	Columnating panel – Full open standard velocity	4 lbs. (1.8 kg)	\$ 114.00
1501	Columnating panel – Full closed	4 lbs. (1.8 kg)	\$ 114.00
1502	Columnating panel – 1/2 open right hand, standard velocity	4 lbs. (1.8 kg)	\$ 114.00
1503	Columnating panel – 1/2 open left hand, standard velocity	4 lbs. (1.8 kg)	\$ 114.00
1508	Columnating panel – Full open, high velocity	3 lbs. (1.4 kg)	\$ 156.00
1510	Columnating panel – 1/4 open left hand, standard velocity	4 lbs. (1.8 kg)	\$ 114.00
1511	Columnating panel – Full open, moderate velocity	3 lbs. (1.4 kg)	\$ 156.00
1512	Columnating panel – 1/2 open right hand, high velocity	3 lbs. (1.4 kg)	\$ 156.00
1513	Columnating panel – 1/2 open left hand, high velocity	3 lbs. (1.4 kg)	\$ 156.00
1530	Radiant cover -use only with #1501 or 1531	3 lbs. (1.4 kg)	\$ 172.00
1531	Columnating panel – radiant - use only with #1530	4 lbs. (1.8 kg)	\$ 152.00
1532	Columnating panel – Four (4) holes open rear, standard velocity	4 lbs. (1.8 kg)	\$ 152.00
1533	Columnating panel – finishing	5 lbs. (2.27 kg)	\$ 156.00
1626	Stacking spacer kit - for use in stacking an <i>Impinger</i> I on a Low Profile, or a Low Profile on an existing <i>Impinger</i> I stand	15 lbs. (6.8 kg)	\$ 1,312.00
1672	Folding Conveyor*	140 lbs. (63.5 kg)	\$ 3,323.00

\*\$762 up-charge for folding conveyor on new oven

Note: The following components make up a minimum order requirement:

- 1 - Oven - (2 for double-stack ovens)
- 1 - 1009 Top - for either single or double-stack ovens
- 1 - Stand - High Stand for single-stack or Low Stand for double-stack ovens
- 8 - Columnating Panels - 16 for double-stack\*

# IMPINGER® LOW PROFILE CONVEYOR OVENS

(1600 SERIES)



Download Spec Sheet

## STANDARD FEATURES:

- Customer specific finger setups provide menu flexibility
- Capacity of three (3) full-size deck ovens
- Stackable up to three (3) high
- 32" (812 mm) wide, 73" (1854 mm) long conveyor belt with product stop
- 3 3/8" (85.7 mm) conveyor opening
- Temperature adjustable from 250°F to 575°F (121°-302°C)
- Conveyor speed is adjustable from one (1) minute to thirty (30) minutes cooking time
- Dual heating system for maximized cooking efficiency
- Stainless steel top, front and sides
- Oven start-up/check-out by Manitowoc STAR authorized service agent included in price
- Digital controls
- Front-loading glass access door with cool to the touch handle
- Front removable fingers and side removable belt for easy cleaning
- Reversible conveyor
- Electric or gas models available
- Optional FastBake™ technology can reduce bake time by as much as 15-30% without increased noise levels or loss of product quality

## Easy Order Impinger Low Profile Oven Packages (FB in item number denotes FastBake finger setup)

Order Number	Description	Shipping Weight	Shipping Cubic Feet	Price
1600-1/1600-FB1	Single Impinger Low Profile Oven Package Includes one (1) oven with glass access window, radiant finger/FastBake setup, take-off shelf, oven top, top cap motor cover and high-stand with casters	1049 lbs. (476 kg)	130 (3.7 cu. m)	<b>\$36,489.00</b>
1600-2/1600-FB2	Double Impinger Low Profile Oven Package Includes two (2) ovens with glass access window, radiant finger/FastBake setup, two (2) take-off shelves, oven top, top cap motor cover and high-stand with casters	1919 lbs. (870 kg)	232 (6.6 cu. m)	<b>\$69,138.00</b>
1600-3/1600-FB3	Triple Impinger Low Profile Oven Package Includes three(3) ovens with glass access window, radiant finger/FastBake setup, three (3) take-off shelves, oven top, top cap motor cover and low-stand with casters	2784 lbs. (1263 kg)	334 (9.5 cu. m)	<b>\$100,915.00</b>

You must specify the required voltage when ordering.

## Impinger Low Profile Gas Conveyor Ovens

Model	Width	Depth	Height†	Gas	Volts	Phase	Hz	Shipping Weight‡	Shipping Cubic Feet	Plug Type	Input Rate	BTUs Per Hour	Price*
1600-000-U	80" (2032 mm)	60.5" (1537 mm)	44.1" (1121 mm)	Nat	120	1	60	850 lbs. (385 kg)	103 cu. ft. (2.9 cu. m)	NEMA 5-15P	32.5kW	110,000	<b>\$32,319.00</b>
1601-000-U	80" (2032 mm)	60.5" (1537 mm)	44.1" (1121 mm)	LP	120	1	60	850 lbs. (385 kg)	103 cu. ft. (2.9 cu. m)	NEMA 5-15P	32.5kW	110,000	<b>\$32,319.00</b>

## Impinger Low Profile Electric Conveyor Ovens

Model	Width	Depth	Height†	Amps	Volts	Phase	Hz	Shipping Weight‡	Shipping Cubic Feet	Plug Type	Input Rate	Price*
1622-000-U	80" (2032 mm)	60.5" (1537 mm)	44.1" (1121 mm)	60	208	3	60	850 lbs. (385 kg)	103 cu. ft. (2.9 cu. m)	Conduit	22kW	<b>\$32,319.00</b>
1623-000-U	80" (2032 mm)	60.5" (1537 mm)	44.1" (1121 mm)	52	240	3	60	850 lbs. (385 kg)	103 cu. ft. (2.9 cu. m)	Conduit	22kW	<b>\$32,319.00</b>
1624-000-U	80" (2032 mm)	60.5" (1537 mm)	44.1" (1121 mm)	58	220	3	60	850 lbs. (385 kg)	103 cu. ft. (2.9 cu. m)	Conduit	22kW	<b>\$32,319.00</b>

\*Price of oven includes eight (8) columnating panels. † Height shown is single oven. Double Stack Height: 63.37" (1610 mm), Triple Stack Height: 66.37" (1686 mm). ‡ Per oven. Panel setups are added as kit numbers to the end of the model number to complete the oven order; (example: 1600-000-U-K-XXXX). Each oven requires a "dedicated neutral".

## Options/FastBake Finger Set-Ups

Specify on order

Order Number	Description	Price
N/A	Split Belt - price per oven	<b>\$ 3,806.00</b>
*K1827	FastBake Kit - Left to Right	<b>No Charge</b>
K1828	FastBake Kit - Right to Left	<b>No Charge</b>

Radiant finger setup standard with oven unless FastBake finger setup kit number is specified.

\*Left to Right (K1827) will be sent as standard if not specified.

Specifications subject to change without notice.

# IMPINGER® LOW PROFILE CONVEYOR OVENS | ACCESSORIES

Catalog Number	Description	Shipping Weight	List Price
1082	Take-off shelf – straight (fits either side) – 16”/406mm length	11 lbs. (5 kg)	\$ 331.00
1083	Take-off shelf – inclining (fits either side) – 16”/406mm length	12 lbs. (5.4 kg)	\$ 331.00
1098	6”/152 mm flexible gas connector	6 lbs. (2.7 kg)	\$ 791.00
1604	Spare parts kit	4 lbs. (1.8 kg)	\$ 183.00
1609	Oven top – one required	29 lbs. (13.1 kg)	\$ 892.00
1610	Low stand with casters - 47.19”W x 5.8” H x 40.16” D	150 lbs. (68 kg)	\$ 2,003.00
1612	High stand with casters - 47.19”W x 24.95” H x 40.16” D	175 lbs. (79.4 kg)	\$ 2,874.00
1626	Stacking spacer kit – for use in stacking either an <i>Impinger I</i> on a Low Profile, or a Low Profile on an existing <i>Impinger I</i> stand	5 lbs. (2.27 kg)	\$ 1,312.00
1627	Top cap motor cover – one required	5 lbs. (2.27 kg)	\$ 75.00
1671*	Folding Conveyor	140 lbs. (65 kg)	\$ 3,323.00
1700	Columnating panel – full open, standard velocity	5 lbs.(2.27 kg)	\$ 149.00
1701	Columnating panel – full closed	5 lbs. (2.27 kg)	\$ 149.00
1702	Columnating panel – 1/2 open right hand, standard velocity	5 lbs. (2.27 kg)	\$ 149.00
1703	Columnating panel – 1/2 open left hand, standard velocity	5 lbs. (2.27 kg)	\$ 149.00
1708	Columnating panel – Full open high velocity	5 lbs. (2.27 kg)	\$ 149.00
1712	Columnating panel – 1/2 open right hand, high velocity	5 lbs. (2.27 kg)	\$ 149.00
1713	Columnating panel – 1/2 open left hand, high velocity	5 lbs. (2.27 kg)	\$ 149.00
1715	Columnating panel – Partial pattern of holes perf metal covering holes. Provides additional velocity to the front of oven	5 lbs. (2.27 kg)	\$ 149.00
1730	Radiant cover -use only with #1731	5 lbs. (2.27 kg)	\$ 169.00
1731	Columnating panel – radiant - use only with #1730/1701	5 lbs. (2.27 kg)	\$ 149.00
1733	Columnating Panel-Finishing	5 lbs. (2.27 kg)	\$ 149.00
1738	Block off left hand with return plate	4 lbs. (1.8 kg)	\$ 61.00
1739	Block off right hand with return plate	4 lbs. (1.8 kg)	\$ 61.00

\* \$777 up-charge for folding conveyor on new oven

Note: The following components make up a minimum order requirement:  
 1- Low Profile Oven (2 for double-stack or 3 for triple-stack ovens)  
 1- 1627 Top Cap Motor Cover  
 1- 1609 Low Profile Oven Top - for single, double or triple-stack ovens  
 1- Low Profile Stand - High Stand for single-stack or double-stack ovens,  
 Low Stand for triple-stack ovens  
 8- Columnating Panels -16 for double-stack, 24 for triple-stack ovens

1600 SERIES

# 3255 GAS CONVEYOR OVENS

(3200 SERIES)



## STANDARD FEATURES:

- Customer specific finger setups provide menu flexibility
- Stackable up to three (3) high
- 32" (812 mm) wide, 91" (2311 mm) long conveyor belt with product stop
- 55" (1397 mm) banking chamber
- Temperature is adjustable from 250°F to 600°F (121° to 315°C)
- Conveyor speed is adjustable from one (1) minute to thirty (30) minutes cooking time
- Front-facing digital control panel
- Removable large front panel for easy access
- Front-loading access door with cool to the touch handle
- Available in Natural or LP gas only
- Stainless steel top, front and sides
- Over start-up/check-out by Manitowoc STAR authorized service agent included in price
- Reversible conveyor
- FastBake™ technology improves your bake time by 15% to 30% without increased noise levels or loss of product quality

### Impinger 3255 Natural Gas Conveyor Ovens

	Width	Depth	Height w/o Stand	Amps	Volts	Phase	Hz	Shipping Weight <sup>9</sup>	Shipping Cubic Feet	Gas Pipe Size (NPT)	Gas Supply Pressure Water Column	Input Rate BTUs/Hour	Price*
Single	91.1" (2314 mm)	57.4" (1458 mm)	21.6" (549 mm)	5	120	1	60	838 lbs. (380 kg)	103.7 cu. ft. (2.9 cu. m)	1"	8-14"	145,000	\$27,399.00
Double	91.1" (2314 mm)	57.4" (1458 mm)	43.2" (1097 mm)	10	120	1	60	1676 lbs. (760 kg)	207.4 cu. ft. (5.8 cu. m)	1.25"	8-14"	290,000	\$53,427.00
Triple	91.1" (2314 mm)	57.4" (1458 mm)	64.8" (1646 mm)	15	120	1	60	2514 lbs. (1140 kg)	311.1 cu. ft. (8.8 cu. m)	1.5"	8-14"	435,000	\$80,141.00

### Impinger 3255 Propane (LP) Gas Conveyor Ovens

	Width	Depth	Height w/o Stand	Amps	Volts	Phase	Hz	Shipping Weight <sup>9</sup>	Shipping Cubic Feet	Gas Pipe Size (NPT)	Gas Supply Pressure Water Column	Input Rate BTUs/Hour	Price*
Single	91.1" (2314 mm)	57.4" (1458 mm)	21.6" (549 mm)	5	120	1	60	838 lbs. (380 kg)	103.7 cu. ft. (2.9 cu. m)	1"	8-14"	145,000	\$27,399.00
Double	91.1" (2314 mm)	57.4" (1458 mm)	43.2" (1097 mm)	10	120	1	60	1676 lbs. (760 kg)	207.4 cu. ft. (5.8 cu. m)	1.25"	8-14"	290,000	\$53,427.00
Triple	91.1" (2314 mm)	57.4" (1458 mm)	64.8" (1646 mm)	15	120	1	60	2514 lbs. (1140 kg)	311.1 cu. ft. (8.8 cu. m)	1.5"	8-14"	435,000	\$80,141.00

\* Price per oven. \* Price of oven includes ten (10) columnating panels.

### Options *Specify on order*

Order Number	Description	Price
N/A	Split Belt - price per oven	\$ 4,392.00

# 3270 GAS CONVEYOR OVENS

(3200 SERIES)



Download Spec Sheet

## STANDARD FEATURES:

- Customer specific finger setups provide menu flexibility
- Stackable up to three (3) high
- 32" (812 mm) wide, 91" (2311 mm) long conveyor belt with product stop
- 70" (1778 mm) banking chamber
- Temperature is adjustable from 250°F to 600°F (121° to 315°C)
- Conveyor speed is adjustable from one (1) minute to thirty (30) minutes cooking time
- Front-facing digital control panel
- Removable large front panel for easy access
- Front-loading access door with cool to the touch handle
- Available in Natural or LP gas only
- Stainless steel top, front and sides
- Over start-up/check-out by Manitowoc STAR authorized service agent included in price
- Reversible conveyor
- FastBake™ technology improves your bake time by 15% to 30% without increased noise levels or loss of product quality

## Impinger 3270 Natural Gas Conveyor Ovens

	Width	Depth	Height w/o Stand	Amps	Volts	Phase	Hz	Shipping Weight <sup>5</sup>	Shipping Cubic Feet	Gas Pipe Size (NPT)	Gas Supply Pressure Water Column	Input Rate BTUs/Hour	Price*
Single	109.7" (2786 mm)	57.4" (1458 mm)	21.7" (551 mm)	14	120	1	60	1175 lbs. (533 kg)	141.1 cu. ft. (3.9 cu. m)	.75"	11.5-14"	150,000	\$34,248.00
Double	109.7" (2786 mm)	57.4" (1458 mm)	43.4" (1102 mm)	28	120	1	60	2350 lbs. (1066 kg)	282.2 cu. ft. (7.9 cu. m)	1"	11.5-14"	300,000	\$66,783.00
Triple	109.7" (2786 mm)	57.4" (1458 mm)	65.1" (1654 mm)	42	120	1	60	3525 lbs. (1599 kg)	423.3 cu. ft. (11.9 cu. m)	1.25"	11.5-14"	450,000	\$100,174.00

## Impinger 3270 Propane (LP) Gas Conveyor Ovens

	Width	Depth	Height w/o Stand	Amps	Volts	Phase	Hz	Shipping Weight <sup>5</sup>	Shipping Cubic Feet	Gas Pipe Size (NPT)	Gas Supply Pressure Water Column	Input Rate BTUs/Hour	Price*
Single	109.7" (2786 mm)	57.4" (1458 mm)	21.7" (551 mm)	14	120	1	60	1175 lbs. (533 kg)	141.1 cu. ft. (3.9 cu. m)	.75"	11.5-14"	150,000	\$34,248.00
Double	109.7" (2786 mm)	57.4" (1458 mm)	43.4" (1102 mm)	28	120	1	60	2350 lbs. (1066 kg)	282.2 cu. ft. (7.9 cu. m)	1"	11.5-14"	300,000	\$66,783.00
Triple	109.7" (2786 mm)	57.4" (1458 mm)	65.1" (1654 mm)	42	120	1	60	3525 lbs. (1599 kg)	423.3 cu. ft. (11.9 cu. m)	1.25"	11.5-14"	450,000	\$100,174.00

\* Price per oven. \* Price of oven includes ten (10) columnnating panels.

## Options *Specify on order*

Order Number	Description	Price
N/A	Split Belt - price per oven	\$ 4,392.00

# 3255/3270 GAS CONVEYOR OVENS | ACCESSORIES

Catalog Number	Description	Shipping Weight <sup>§</sup>	List Price
1098	6"/152 mm flexible gas connector	6 lbs. (2.72 kg)	\$ 791.00
5501	3255 High Stand - For Single and Double Stack - 54.75" x 21" H x 49.88" D	163 lbs. (74 kg)	\$ 2,970.00
5502	3255 Low Stand - For Triple Stack - 54.75" x 10.68" H x 49.88" D	120lbs. (54 kg)	\$ 2,084.00
7001	3270 High Stand - For Single and Double Stack - 69.78" x 25" H x 49.88" D	38 lbs. (17.24 kg)	\$ 3,267.00
7002	3270 Low Stand - For Triple Stack - 69.78" x 10.68" H x 49.88" D	48 lbs. (21.77 kg)	\$ 2,285.00
5505	3255 Oven Top	29 lbs. (13 kg)	\$ 1,075.00
7005	3270 Oven Top	28 lbs. (12.70 kg)	\$ 1,144.00
5506	Crumb Tray - Solid	5 lbs. (2.27 kg)	\$ 59.00
5507	Crumb Tray - Vented Left	5 lbs. (2.27 kg)	\$ 71.00
5508	Crumb Tray - Vented Right	6 lbs. (2.72 kg)	\$ 71.00
5509	Entry Shelf - 32" D x 6" L	2 lbs. (0.90kg)	\$ 337.00
5510	Exit Shelf - 32" D x 6" L	2 lbs. (0.90kg)	\$ 337.00
5512	Extended Exit Shelf (Straight) - 16"/406mm length		\$ 355.00
5513	Extended Entry Shelf - 16"/406mm length		\$ 355.00

Note: The following components make up a minimum order requirement:

- 1- 3255 Series Oven (2 for double-stack or 3 for triple-stack ovens)
- 1- 5505 Oven Top
- 1- 3255 Series Stand - High Stand for single-stack or double-stack ovens,  
Low Stand for triple-stack ovens
- 10 - Columnating Panels -20 for double-stack, 30 for triple-stack ovens
- 2 - Crumb Trays (2 solid or 2 vented) per oven

Note: The following components make up a minimum order requirement:

- 1- 3270 Series Oven (2 for double-stack or 3 for triple-stack ovens)
- 1- 7005 Oven Top
- 1- 3270 Series Stand - High Stand for single-stack or double-stack ovens,  
Low Stand for triple-stack ovens
- 14 - Columnating Panels -28 for double-stack, 42 for triple-stack ovens
- 2 - Crumb Trays (2 solid or 2 vented) per oven

# FASTBAKE™ RETROFIT KIT INFORMATION

Kit #	Oven Model
K3000	<i>Impinger I 1400 Series FastBake</i>
K4000	<i>Impinger Low Profile 1600 Series FastBake</i>

Each Kit Includes: 8 Housings, Columnating Panels, and Covers.

Description	List Price
Single Oven Package	<b>\$ 3,548.00</b>
Double Stack Oven Package	<b>\$ 4,667.00</b>
Triple Stack Oven Package	<b>\$ 6,739.00</b>

All *FastBake* retrofit kits must be purchased through an Authorized Manitowoc Service Agent. List price does not include, installation, calibration, or any other repair work required.

- Only sold through ASAs
- Must be installed by ASAs
- Includes ground freight, delivery of kit, removal of old fingers, installation of *FastBake* fingers, gas pressure check/adjustment, burner blower air shutter check/adjustment, general check of oven operation and oven calibration
- Pricing for regular time only - over time is extra
- All work must be done while ovens are off and cool
- Pricing does not include applicable sales taxes
- Pricing does not include travel beyond 100 miles from ASA or sub-agent locations (50 miles each way/ 100 miles round-trip)
- Pricing does not include any repairs needed to bring the oven to proper operation
- All additional charges are the responsibility of the customer. Customer must pay ASA directly for all charges including additional work needed



# IMPINGER® MEANS CAPACITY



Menu Items	State	Bake Time Min.	Bake Temp F°	Bake Temp C°	Countertop Impinger (CTI)	Impinger II	Impinger I / Low Profile	3255 Impinger	3270 Impinger
14" (356mm) Deep Dish Pizza	Fresh	7	480	249	13	18	50	88	112
12" (305mm) Pizza	Parbaked	4	465	214	27	41	107	242	308
6" (152mm) Italian Sub	Parbaked Bread	3	480	249	154	280	640	915	1165
Baked Ziti 10 oz. Portions	Refrigerated	6½	450	232	79	126	348	510	648
Mexican Combo 10" Platter	Heated	2	425	218	75	139	367	496	631
Nachos 3 oz. of Chips	Fresh	2	500	260	75	139	367	496	631
Orange Roughy 6 oz. Filet	Refrigerated	6½	425	218	84	160	336	448	576
Biscuits 12 each	Refrigerated	6½	400	204	138	252	396	696	864
Chicken Breast 6 oz.	Refrigerated	6½	450	232	132	264	528	726	922
Grilled Cheese	Fresh	2	500	260	268	780	1608	2211	2808
Hamburger 6 oz. Patty	Raw	6½	425	218	--	150	320	440	559
Chicken Wings 2.5 lb. Bag	Frozen	7½	465	241	168	252	732	1007	1279
Cheese Sticks 2 oz. Bag	Frozen	3¾	500	260	448	688	1968	2706	3437
Fries 3 oz. Portion	Frozen	5½	500	260	76	116	336	460	585
Vegetable Medley 10 oz. Portion	Fresh	8	425	218	38	53	150	206	262
Sausage	Raw	5	425	218	--	312	648	888	1128
Chocolate Chip Cookie 1 oz.	Refrigerated	5½	350	177	144	276	576	792	1008
Brownies (5220 Sheet Pan)	Fresh	12	350	177	11	22	53	82	105

CAPACITY

The Lincoln Culinary Center is equipped to develop ideal cooking programs for individual restaurants, commercial or institutional food service menu. If you need assistance incorporating *FastBake* technology with your existing menu, please contact the Culinary Center at

**1-800-374-3004**

## LINCOLN EQUIPMENT LIMITED WARRANTY

Lincoln Foodservice ("Lincoln") warrants this product to be free from defects in material and workmanship for a period of:

- CTI (analog & digital), *Impinger II*, *Impinger I*, Low Profile ovens are one (1) year from the date of purchase.
- 3200 Series Ovens (3255 & 3270) two (2) years from the date of purchase.

During the warranty period, Lincoln shall, at Lincoln's option, repair, or replace parts determined by Lincoln to be defective in material or workmanship, and with respect to services, shall re-perform any defective portion of said services. The foregoing shall be the sole obligation of Lincoln under this Limited Warranty with respect to the equipment, products, and services. With respect to equipment, materials, parts and accessories manufactured by others, Lincoln's sole obligation shall be to use reasonable efforts to obtain the full benefit of the manufacturer's warranties. Lincoln shall have no liability, whether in contract, tort, negligence, or otherwise, with respect to non-Lincoln manufactured products.

## WHO IS COVERED

This Limited Warranty is available only to the original purchaser of the product and is not transferable.

## EXCLUSIONS FROM COVERAGE

- Repair or replacement of parts required because of misuse, improper care or storage, negligence, alteration, accident, use of incompatible supplies or lack of specified maintenance shall be excluded.
- Normal maintenance items, including but not limited to, light bulbs, fuses, gaskets, O-rings, interior and exterior finishes, lubrication, conveyor belt, motor bushes, broken glass, etc. adjustments and calibrations for temperatures, speed and air flows
- Failures caused by improper or erratic voltages
- Improper or unauthorized repair
- Changes in adjustment and calibration after ninety (90) days from equipment installation date
- This Limited Warranty will not apply to any parts subject to damage beyond the control of Lincoln, or to equipment which has been subject to alteration, misuse or improper installation, accidents, damage in shipment, fire, floods, power changes, other hazards or acts of God that are beyond the control of Lincoln
- This Limited Warranty does not apply, and shall not cover any products to equipment manufactured or sold by Lincoln when such products or commercial equipment is installed or used in a residential or noncommercial application. Installations not within the applicable building or fire codes render this Limited Warranty and any responsibility or obligations associated therein null and void. This includes any damage, costs, or legal actions resulting from the installation of any Lincoln commercial cooking equipment in a noncommercial application or installation, where the equipment is being used for applications other than those approved for by Lincoln.

## LIMITATIONS OF LIABILITY

The preceding paragraphs set forth the exclusive remedy for all claims based on failure of, or defect in, products or services sold hereunder, whether the failure or defect arises before or during the warranty period, and whether a claim, however instituted, is based on contract, indemnity, warranty, tort (including negligence), strict liability, implied by statute, common-law or otherwise, and Lincoln its servants and agents shall not be liable for any claims for personal injuries, incidental or consequential damages or loss, howsoever caused. Upon the expiration of the warranty

period, all such liability shall terminate. THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, IMPLIED OR STATUTORY NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE SHALL APPLY. LINCOLN DOES NOT WARRANT ANY PRODUCTS OR SERVICES OF OTHERS.

## REMEDIES

The liability of Lincoln for breach of any warranty obligation hereunder is limited to: (i) the repair or replacement of the equipment on which the liability is based, or with respect to services, re-performance of the services; or (ii) at Lincoln's option, the refund of the amount paid for said equipment or services.

Any breach by Lincoln with respect to any items or unit of equipment or services shall be deemed a breach with respect to that item or unit or service only.

## WARRANTY CLAIM PROCEDURE

- Immediately advise the Dealer or Lincoln's Authorized Service Agent of the equipment serial number and the nature of the problem.
- Verify the problem is a factory responsibility. Improper installation or misuse of equipment, are not covered under this Limited Warranty.
- Cooperate with the Service Agency so that warranty service may be completed during normal working hour.
- Travel Time not to exceed two hours and millage not to exceed one hundred (100) miles.

## GOVERNING LAW

Limited Warranty shall be governed by the laws of the state of Delaware, USA, excluding their conflicts of law principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty.

## RMA Request Policy

Equipment may not be returned for credit without written consent from Lincoln. Damaged equipment, custom built equipment and equipment older than 120 days old are not returnable. Credit will not be issued without proper paperwork.

- Requested returns will be approved by Customer Service Manager
- Approved returns will be processed by appropriate Customer Service Representative as designated by territory.
- Returns requested due to warranty issues will be approved and processed by Technical Service Representative.
- Returns due to shipping or manufacturing errors will be issued at full credit.
- All other returns are subject to a restock fee.
  - 20% Lincoln

## INTERNATIONAL SALES POLICY

International sales orders submitted by US dealers are subject to the following up charge:

- *Impinger II*, *Impinger I*, Low Profile, 3200 Series ovens - **20%**.
- Countertop Oven (CTI), 1300 & 2500 Series ovens - **15%**.

All shipments FOB Fort Wayne, IN 46804

## GEOGRAPHICAL LOCATOR

State	Rep ID
Alabama	18
Alaska	3
Arizona	4
Arkansas	19
California	
Northern/Central	1
Southern	2
Colorado	4
Connecticut	
Western	12
Remainder	10
Delaware	16
District of Columbia	11
Florida	
Panhandle	18
Remainder	14
Georgia	15
Hawaii	3
Idaho	
Boise	3
Remainder	4
Illinois	
Northern	9
Southern	8
Indiana	5
Iowa	8
Kansas	8
Kentucky	5
Louisiana	19
Maine	10
Maryland	11
Massachusetts	10
Michigan	5
Minnesota	7
Mississippi	19
Missouri	8
Montana	3
Nebraska	8
Nevada	
Northern/Central	1
Southern	2
New Hampshire	10
New Jersey	12
New Mexico	4
New York	
New York City	12
Remainder	17
North Carolina	13
North Dakota	7
Ohio	5
Oklahoma	6
Oregon	3
Pennsylvania	
Eastern	16
Western	5
Rhode Island	10
South Carolina	13
South Dakota	7
Tennessee	
Eastern	18
Southern	19
Texas	
Southwestern	4
Remainder	6
Utah	4
Vermont	10
Virginia	11
Washington	3
West Virginia	5
Wisconsin	
Eastern	9
Western	7
Wyoming	4

- |           |  |           |  |
|-----------|--|-----------|--|
| <b>1</b>  | <b>Market Smart</b><br>6900 Koll Center Parkway   Suite 406<br>Pleasanton, CA 94566<br>Ph: (925) 846-6237   Fx: (925) 846-4465                   | <b>11</b> | <b>Lane Marketing</b><br>582 Bellerive Drive   Unit 4-A<br>Annapolis, MD 21401<br>Ph: (410) 974-1108   Fx: (410) 757-0293                            |
| <b>2</b>  | <b>Preferred Marking Group</b><br>20715 Dearborn Street<br>Chatsworth, CA 91311<br>Ph: (818) 998-9292   TF: (800) 292-4764<br>Fx: (818) 998-9399 | <b>12</b> | <b>Performance Food Equipment Group</b><br>495 Boulevard   Unit 2<br>Elmwood Park, NJ 07407<br>Ph: (201) 797-2266   Fx: (201) 797-2217               |
| <b>3</b>  | <b>Performance Reps, NW</b><br>9923 S.W. 178th Street<br>Vashon, WA 98070<br>Ph: (206) 463-6565   TF: (800) 462-0006<br>Fx: (206) 463-3455       | <b>13</b> | <b>Duskie-Utsey &amp; Associates</b><br>243 Overhill Drive   Suite C<br>Mooresville, NC 28117<br>Ph: (704) 663-0036   Fx: (704) 663-0821             |
| <b>4</b>  | <b>The Redstone Group</b><br>2618 S. Raritan Circle<br>Englewood, CO 80110<br>Ph: (303) 922-6920   Fx: (303) 922-4834                            | <b>14</b> | <b>Food Equipment Representatives</b><br>3716 SW 30th Avenue<br>Hollywood, FL 33312<br>Ph: (954) 587-9347   TF: (800) 226-8389<br>Fx: (954) 584-7170 |
| <b>5</b>  | <b>Zink Marketing</b><br>420 Westdale Avenue<br>Westerville, OH 43082<br>Ph: (614) 899-9500   Fx: (614) 899-9797                                 | <b>15</b> | <b>The Hansen Group</b><br>1770 Breckinridge Parkway   Suite 400<br>Duluth, GA 30096<br>Ph: (770) 667-1544   Fx: (770) 667-1491                      |
| <b>6</b>  | <b>E-Source</b><br>1950 Hurd Drive<br>Irving, TX 75038<br>Ph: (214) 614-0232   TF: (800) 856-0066<br>Fx: (888) 896-0985                          | <b>16</b> | <b>Moccia Enterprises, Inc.</b><br>528 Main Street<br>Riverton, NJ 08077<br>Ph: (856) 829-5562   Fx: (856) 829-5148                                  |
| <b>7</b>  | <b>Vader &amp; Landgraf</b><br>1047 10th Avenue SE<br>Minneapolis, MN 55414<br>Ph: (612) 331-1251   Fx: (612) 331-1846                           | <b>17</b> | <b>Bowerman Marketing Group</b><br>4522 Morgan Place<br>Liverpool, NY 13090<br>Ph: (315) 453-5288   Fx: (315) 453-5284                               |
| <b>8</b>  | <b>Kain-McArthur, Inc.</b><br>2000 East Prairie Circle<br>Olathe, KS 66062<br>Ph: (913) 829-3700   Fx: (913) 829-0000                            | <b>18</b> | <b>Reps South, Inc.</b><br>278 Franklin Road   Suite 294<br>Brentwood, TN 37027<br>Ph: (615) 370-1311   TF: (800) 617-5579<br>Fx: (615) 370-1317     |
| <b>9</b>  | <b>Mirkovich &amp; Associates, Inc.</b><br>1064 North Garfield Street<br>Lombard, IL 60148<br>Ph: (630) 792-0080   Fx: (630) 792-9914            | <b>19</b> | <b>The Wallin Group, Inc.</b><br>5820 River Oaks Road South<br>Harrahan, LA 70123<br>Ph: (504) 733-3344   Fx: (504) 733-0854                         |
| <b>10</b> | <b>Hatch-Jennings, Inc.</b><br>187 Ayer Road<br>Harvard, MA 01451<br>Ph: (978) 456-8702   Fx: (978) 456-8067                                     |           |  |

# AUTHORIZED SERVICE AGENTS LISTING

Contained herein are the Factory Authorized Servicers for Lincoln Foodservice Products, Merco, and Merrychef USA. For your convenience, we have provided toll free numbers where possible. Prior to contacting your nearest servicer, please have ready your model number, serial number and voltage of equipment as this will help expedite your call.

DO NOT CALL LINCOLN FOODSERVICE PRODUCTS, MERCOR OR MERRYCHEF USA TO ORDER PARTS. ALL PARTS ORDER CALLS TO THE FACTORY WILL BE REFERRED TO THE SERVICER IN YOUR AREA.

All warranty service on Lincoln, Merco and/or Merrychef USA equipment must be performed by a Factory Authorized Servicer. *Failure to comply with this policy will VOID your warranty.*

ALABAMA		Auth. Area (by Zip Code)
Camp Service and Parts	(601) 353-9700	354, 369
Jones McLeod	(205) 251-0159	350-369

ALASKA		Auth. Area (by Zip Code)
3Wire Restaurant Appliance	(866) 770-2022	995-999
Polar Refrigeration	(907) 349-3500	Anchorage Only

ARIZONA		Auth. Area (by Zip Code)
Service Solutions Group, LLC	(888) 774-4950	850-865
Arrowhead Commercial Equip Svc	(623) 773-1365	850-865
General Parts	(888) 686-8404	850-865

ARKANSAS		Auth. Area (by Zip Code)
Bromley Parts & Service	(501) 374-0281	716-729
Camp Food Service**	(901) 527-7543	723-724
GCS Service	(800)831-7174	723-724

\*\* Not available for Merrychef USA

CALIFORNIA		Auth. Area (by Zip Code)
Burney's Commercial Service**	(702) 736-0006	961
Commercial Appliance	(916) 567-0203	936-966
GCS Service	(800) 727-8710	918-922, 939-941, 943-955, 960, 962-966
Industrial Electric	(714) 379-7100	900-938
P&D Appliance	(650) 635-1900	936-966
3Wire Pacific Coast	(800) 531-1111	900-966

\*\* Not available for Merrychef USA

COLORADO		Auth. Area (by Zip Code)
Hawkins Comm. Appliance	(303) 781-5548	800-816
General Parts	(800) 892-0455	800-802,805,809

CONNECTICUT		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	060-069
Superior Kitchen	(888) 590-1899	060-069
A-Tech Service	(860) 925-6259	060-069
Tek Express/Hi Tek International	(877)612-5269	068, 069

DELAWARE		Auth. Area (by Zip Code)
American Kitchen	(215) 627-7760	197-199
EMR Service	(410) 467-8080	197-199
GCS Service	(800) 727-8710	197-199
Elmer Schultz	(800) 792-7906	197-199

FLORIDA		Auth. Area (by Zip Code)
Commercial Appliance Service	(813) 663-0313	320-323, 326-349
GCS Service	(800) 727-8710	324-349
Jones McLeod	(205) 251-0159	324-325
3Wire Nass	(407) 425-2681	320-323, 326-329, 344, 347-349
Pierce Parts & Service	(478) 781-6003	320, 322-325
Whaley Food Service Repairs	(800) 877-2662	320, 322-323

GEORGIA		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	300-319, 398-399
Pierce Parts & Service	(478) 781-6003	300, 302-304, 310-319
Whaley Food Service Repairs	(800) 877-2662	300-315, 399

HAWAII		Auth. Area (by Zip Code)
FEPCO**	(808) 847-4871	967, 968 (Oahu Only)

\*\*Not Available for Merrychef USA

IDAHO		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	832-833, 836-837
Hawkins Comm. Appliance	(800) 624-2117	832-834
3Wire Restaurant Appliance	(866) 770-2022	835, 838
Ron's Service	(503) 624-0890	832-837

ILLINOIS		Auth. Area (by Zip Code)
Coker Service	(630) 941-7070	600-614
Commercial Services (CSI)	(636) 519-7000	620-622
Cone's Repair	(309) 797-5323	610-616, 623
Eichenauer Services (ESI)	(217) 429-4229	609-629
GCS Service	(800) 727-8710	600-616, 618-620, 622-629
South Town Food Svc / Parts Town	(708) 345-5055	600-608, 610-613

INDIANA		Auth. Area (by Zip Code)
Coker Service	(888) 856-5600	463-466
GCS Service	(317) 545-9655	460-479
General Parts	(800) 410-9794	460-479
Service Solutions Group, LLC	(888) 774-4950	470-472
South Town Food Svc / Parts Town	(708) 345-5055	463-464

IOWA		Auth. Area (by Zip Code)
Cone's Repair	(309) 797-5323	506-507, 520-529
Eichenauer Services (ESI)	(217) 429-4229	520, 526-528
General Parts	(800) 279-9980	521
Goodwin Tucker Group	(515) 262-9308	500-528

KANSAS		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	660-679
General Parts	(800) 279-9967	660-679
Goodwin Tucker Group	(800) 372-6066	669-676
Hawkins Comm. Appliance	(800) 624-2117	677-678

KENTUCKY		Auth. Area (by Zip Code)
Service Solutions Group, LLC	(888) 774-4950	400-427
GCS Service	(800) 822-2303	400-410, 413-414, 420-427
General Parts	(877) 810-7068	400-402, 406
Statewide Service	(800) 441-9739	411-412, 414-416

LOUISIANA		Auth. Area (by Zip Code)
ARCO Commercial Services, Inc.	(985) 429-0901	700-709, 713-714
Armstrong Repair	(800) 392-5325	706
Camp Services & Parts	(800) 748-8793	712
All-Temp Refrigeration	(888)626-1277	700-709, 713-714
Complete Repair Service (CRS)	(318) 686-6566	710-714
Chandler's Parts & Service	(225) 272-6620	700-709, 713-714

MAINE		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	039-049
Pine Tree Food Equipment	(207) 657-6400	039-049

MARYLAND		Auth. Area (by Zip Code)
Dauber's, Inc.	(703) 866-3600	206-209
EMR Services	(410) 467-8080	206-219
GCS Service	(800) 727-8710	206-219

MASSACHUSETTS		Auth. Area (by Zip Code)
Superior Kitchen	(888) 590-1899	010-027
A-Tech Service	(860) 925-6259	010-016
Valley Services	(978) 794-9424	010-038

MICHIGAN		Auth. Area (by Zip Code)
ASC1	(800) 236-6460	498-499
Bildon Appliance Service	(800) 292-9898	480-499
General Parts	(800) 279-9980	498-499
Midwest Food Equip. Service	(616) 261-2000	480-499

MINNESOTA		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	550-567
General Parts	(800) 279-9980	550-567
Goodwin Tucker Group	(800) 372-6066	561-562

# AUTHORIZED SERVICE AGENTS LISTING



MISSISSIPPI		Auth. Area (by Zip Code)
ARCO Commercial Services, Inc.	(985) 429-0901	394-396
Camp Food Service**	(901) 527-7543	386, 388
All-Temp Refrigeration	(888) 626-1277	394-396
Camp Service and Parts	(601) 353-9700	386-396
GCS Service	(800) 727-8710	390-393, 397-398
Temco Inc	(601) 932-3333	386-396

\*\* Not available for Merrychef USA

MISSOURI		Auth. Area (by Zip Code)
Commercial Services (CSI)	(636) 519-7000	630-639, 650-652, 654-655
GCS Service	(800) 727-8710	630-659
General Parts	(800) 279-9967	635, 640-659

MONTANA		Auth. Area (by Zip Code)
General Parts	(800) 279-9980	592
Hawkins Comm. Appliance	(800) 624-2117	590-599
3Wire Restaurant Appliance	(866) 770-2022	590-599

NEBRASKA		Auth. Area (by Zip Code)
Hawkins Comm. Appliance	(800) 624-2117	691-693
Goodwin Tucker Group	(800) 372-6066	680-699

NEVADA		Auth. Area (by Zip Code)
Burney's Commercial Service**	(702) 736-0006	889-899
GCS Service	(800) 727-8710	898
Hi-Tech Commercial Service	(702) 649-4616	889-898
3Wire Pacific Coast	(800) 531-1111	889-898

\*\* Not available for Merrychef USA

NEW HAMPSHIRE		Auth. Area (by Zip Code)
CASCO Food Equipment Service	(603) 268-0606	030-038
GCS Service	(800) 727-8710	030-038
Pine Tree Food Equipment	(207) 657-6400	035, 038
Superior Kitchen	(888) 590-1899	030-038

NEW JERSEY		Auth. Area (by Zip Code)
American Kitchen	(215) 627-7760	077, 080-089
GCS Service	(800) 727-8710	078-089
Jay-Hill Repairs	(973) 575-9145	070-079, 085-089
Malachy Mechanical	(201) 823-1415	070-089
Tek Express/Hi Tek International	(877) 612-5269	070-079, 085, 087-089
Elmer Schultz	(800) 762-7906	077, 080-089

NEW MEXICO		Auth. Area (by Zip Code)
Hawkins Commercial Appliance	(800) 624-2117	870-884

NEW YORK		Auth. Area (by Zip Code)
ACME American Repair	(718) 456-6544	095-119
Alpro Service Company	(718) 386-2515	090-119, 124-127
Tek Express/Hi Tek International	(877) 612-5269	090-119, 124-127
Appliance Installation & Service	(716) 884-7425	130-149
B.E.S.T.	(716) 893-6464	140-149
Duffy's Equipment Services	(315) 737-9401	120-149
3Wire Northern	(800) 634-5005	120-129, 133-136

NORTH CAROLINA		Auth. Area (by Zip Code)
Whaley Food Service Repairs	(800) 877-2662	270-289

NORTH DAKOTA		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	580-588
General Parts	(800) 279-9980	580-588

OHIO		Auth. Area (by Zip Code)
AIS Commercial Parts & Service	(412) 809-0244	439-447
Bildon Appliance Service	(800) 292-9898	434-436
Service Solutions Group, LLC	(888) 774-4950	450-457
Commercial Parts & Service	(614) 221-0057	430-433, 437-439, 450-459
Electrical Appliance Repair	(216) 459-8700	434-449, 458
GCS Service	(800) 727-8710	430-449, 456-458

OKLAHOMA		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	734-735, 747
Hagar Restaurant Service	(405) 235-2184	730-749
Refrigerated Specialist, Inc. (Cooking Equipment Specialists)	(972) 279-3800	734-735, 747

OREGON		Auth. Area (by Zip Code)
Ron's Service	(503) 624-0890	970-979

PENNSYLVANIA		Auth. Area (by Zip Code)
American Kitchen	(215) 627-7760	180-181, 189-196
AIS Commercial Parts & Service	(412) 809-0244	150-167
GCS Service	(800) 727-8710	150-196
K & D Factory	(717) 236-9039	166, 168-188, 195-196
Clark Service	(717) 392-5590	166, 168-188, 195-196
Elmer Schultz Services	(215) 627-5400	180-181, 189-196

RHODE ISLAND		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	028-029
Superior Kitchen	(888) 590-1899	028-029
A-Tech Service	(860) 925-6259	028-029

SOUTH CAROLINA		Auth. Area (by Zip Code)
Whaley Food Service Repairs	(803) 996-9900	290-299

SOUTH DAKOTA		Auth. Area (by Zip Code)
General Parts	(800) 279-9980	570-577
Goodwin Tucker Group	(800) 372-6066	570-575
Hawkins Commercial Appliance	(800) 624-2117	575-577

TENNESSEE		Auth. Area (by Zip Code)
Camp Food Service**	(901) 527-7543	380-383
FESCO	(865) 522-5764	307, 370-385
GCS Service	(800) 831-7174	370-389

\*\* Not available for Merrychef USA

TEXAS		Auth. Area (by Zip Code)
Armstrong Repair	(713) 666-7100	758-759, 770-779
Commercial Kitchen Repair	(210) 735-2811	765, 768-769, 779-789
GCS Service	(800) 727-8710	750-769, 790-799
Hagar Restaurant Service	(866) 919-5200	750-767, 790-799
Refrigerated Specialist, Inc.	(972) 279-3800	750-769, 790-799

UTAH		Auth. Area (by Zip Code)
Service Solutions Group	(888) 774-4950	865
Burney's Commercial Service**	(702) 736-0006	846-847
Lamonica's Restaurant Equipment	(801) 263-3221	840-849

\*\* Not available for Merrychef USA

VERMONT		Auth. Area (by Zip Code)
Authorized Appliance Svc Center (Service One)	(800) 874-1080	050-059
3Wire Northern	(800) 634-5005	050-059

VIRGINIA		Auth. Area (by Zip Code)
Dauber's, Inc.	(703) 866-3600	201, 220-246
EMR Services	(800) 879-4994	201, 220-223, 226
GCS Service	(800) 727-8710	201, 220-229, 244
Tech 24 Foodservice Technologies	(703) 354-3835	201, 220-246

WASHINGTON		Auth. Area (by Zip Code)
3Wire Restaurant Appliance	(866) 770-2022	980-994
Ron's Service	(503) 624-0890	986

WASHINGTON, D.C.		Auth. Area (by Zip Code)
Dauber's, Inc.	(703) 866-3600	200, 202-205
EMR Services	(800) 879-4994	200, 202-205
GCS Service	(800) 727-8710	200, 202-205
Tech 24 Foodservice Technologies	(703) 354-3835	200, 202-203

WEST VIRGINIA		Auth. Area (by Zip Code)
AIS Commercial Parts & Service	(412) 809-0244	260, 265
EMR Services	(800) 879-4994	254, 267-268
Statewide Service	(304) 755-1811	246-268

WISCONSIN		Auth. Area (by Zip Code)
ASC1	(800) 236-6460	530-549
Coker Service	(888) 908-5600	530-537
GCS Service	(800) 727-8710	530-538, 540, 544-548
General Parts	(800) 279-9980	530-549

WYOMING		Auth. Area (by Zip Code)
GCS Service	(800) 727-8710	831
Hawkins Commercial Appliance	(800) 624-2117	820-831

CANADA		Auth. Area (by Zip Code)
Garland Commercial Ranges	(800) 427-6668	Canada Only

PUERTO RICO		Auth. Area (by Zip Code)
Gas Repair Equipment & Parts**	(787) 749-8055	Puerto Rico Only

\*\* Not available for Merrychef USA







#### SOLUTIONS

*Lincoln provides many of the operational solutions from Manitowoc Foodservice, a global company dedicated to bringing value to foodservice operations by equipping them with highly individualized real-world answers that enhance menus, service, profits and efficiency.*



#### FINANCE

*Manitowoc Foodservice offers low-rate, fast approval financing on all our leading brands through Manitowoc Finance. Preserve capital, simplify budgeting and get the equipment you need, today.*



#### SERVICE

*Lincoln products are backed nationwide by Manitowoc STAR Service. This network of certified service agents provides fast response with factory-trained experts to assure your equipment will be fixed right the first time. STAR service agents guarantee their work and use genuine OEM parts for best equipment performance and longer life.*

To learn how Manitowoc Foodservice and its leading brands can equip you, visit our global web site at [www.manitowocfoodservice.com](http://www.manitowocfoodservice.com) then find the regional or local resources available to you.

