


Templates for Corning® 96 Well Microplate Keys



Some Helpful Hints


Identifying well location can be made a little bit easier by using well keys. We have provided three well key templates that can be printed and cut out on the dotted lines to use for identifying well location when working with or pipetting in Corning 96 well microplates. These paper keys can be attached directly to the bottom of most 96 well microplates or to the inside or top of 96 well plate lids. If attaching the key to a lid, carefully place it so that the wells on the key are properly centered with the drip rings on the lid. 96 well microplates can then be locked on to the lid's stacking ring to ensure proper well alignment with the key.

Always check the printer dialog box when printing a copy of these keys to make sure that page scaling is set at none or else the wells on the key may not align with the wells on the plate. If they are misaligned after printing you may have to adjust your page scaling feature in the dialog box.

These keys can also be printed or copied onto transparency film and used to identify well locations on microplates sealed with opaque sealing tapes.

Three 96 well microplate templates are included for you to choose among: one black and white, one with the wells in each row a different color or with each column a different color.

For additional product or technical information, please visit our web site at www.corning.com/lifesciences or call at 1.800.492.1110. International customers can call at 978.442.2200.



	1	2	3	4	5	6	7	8	9	10	11	12
A	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
B	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11	B12
C	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12
D	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12
E	E1	E2	E3	E4	E5	E6	E7	E8	E9	E10	E11	E12
F	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12
G	G1	G2	G3	G4	G5	G6	G7	G8	G9	G10	G11	G12
H	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12

	1	2	3	4	5	6	7	8	9	10	11	12
A	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
B	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11	B12
C	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12
D	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12
E	E1	E2	E3	E4	E5	E6	E7	E8	E9	E10	E11	E12
F	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12
G	G1	G2	G3	G4	G5	G6	G7	G8	G9	G10	G11	G12
H	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12

CORNING

Corning Incorporated

Life Sciences

Tower 2, 4th Floor
900 Chelmsford St.
Lowell, MA 01851
t 800.492.1110
t 978.442.2200
f 978.442.2476

www.corning.com/lifesciences

Worldwide Support Offices

ASIA / PACIFIC

Australia

t 61 2-9416-0492
f 61 2-9416-0493

China

t 86 21-3222-4666
f 86 21-6288-1575

Hong Kong

t 852-2807-2723
f 852-2807-2152

India

t 91-124-235 7850
f 91-124-401 0207

Japan

t 81 (0) 3-3586 1996/1997
f 81 (0) 3-3586 1291/1292

Korea

t 82 2-796-9500
f 82 2-796-9300

Singapore

t 65 6733-6511
f 65 6861-2913

Taiwan

t 886 2-2716-0338
f 886 2-2716-0339

EUROPE

France

t 0800 916 882
f 0800 918 636

Germany

t 0800 101 1153
f 0800 101 2427

The Netherlands

t 31 20 655 79 28
f 31 20 659 76 73

United Kingdom

t 0800 376 8660
f 0800 279 1117

All Other European Countries

t 31 (0) 20 659 60 51
f 31 (0) 20 659 76 73

LATIN AMERICA

Brasil

t (55-11) 3089-7419
f (55-11) 3167-0700

Mexico

t (52-81) 8158-8400
f (52-81) 8313-8589